

- was in group when Mario left refractory

MEETING w/ MARIO CAPRIO, MARLENE JACKSON & KIM

Ruf Hees, took over Gary Schmittgruber, took over - now w/ Liberty Bell
Don Kenagy, took over - now w/ Thermo Electron
Mark Harwood - Supervisor for Penrose operation

1948 - 67

Caprio - worked at Refractory Group at Alcoa Technical Center

Maxinite - we are still using it (asbestos maxinite)
- w/o it we shut Warrick down
- only asbestos product Alcoa is buying today

Early 70's (73 or 74)

Maxville eliminated asbestos in Super X 2000

Edgewater

Ingot Plant used asbestos transfer hoods - asbestos maxinite (asbestos shorts)

83-3575-0960-002
Columbia College

1975

- looking for a better board for maxinite

Joan Sanders - Industrial Hygienist - X 2597


Robert C.

Bob Hawchke - retired from Bendis

404) 402-3079
42 Elm Street
Bridgewater 08909

Healed Committee to search for Alternative Asbestos Products

- He accumulated the answers for Al Comfent's asbestos questionnaire
- Alcoa internal document (Swelling - Ingot Office)



Mr. Jones & Mrs. Wren,

83-3875-0900-002

Code

KLM:84
8-17-84

- meeting w. E. Rumbarger, Joe N. J.
RE: Point Comfort Asbestos Case

1969 Dr. Barber - Doctor at Pt. Comfort.

- CONCERNED ABOUT USE OF MINERAL IN PLANTS.

+
- UP till 1968 - NO ASBESTOS RESEARCH ESTABLISHED FOR
- OF NATURE OF AREA. MINERAL IN PLANTS.

1970 - DUST COLLECTION EQUIPMENT

1972 - MINERAL SHOP - DUST COLLECTION SYSTEM ON SITE

* - Send copy of 1968 minutes to Clavie Scott (mentions
standards set for sawing or cutting asbestos).

Safety Standards at Pt. Comfort:

1978 - earliest std we could find

- says must wear respirator and
proper clothing

Plant recalls 1973-75 → everyone was wearing
a mask in dealing w/ asbestos.

Heavy Exposure at Pt. Comfort:

- Potlining (asbestos layer in potlining)
- Carpenters
- Mechanics
- Millwrights

#1
83-3875-09000-002

Category 0000

Irritant material 1964

OSHA Dec 1971

= Emergency Bulletin

Selecraft Report - 1964

1964 - Correspondence to Alcoa - from Johns

Manville re. irritant effect of
asbestos

- Cool - to find

- Show's Alcoa acted reasonably

- Tom Bowney communicated this to
Platts.

