V
A/BL433/OC07/1226/1232/1/BH360/QZQ04 04-000-109.21

ATTN D WOOD ST LOUIS OCT 7/75 RV

068 Chlorinated Benzo Furan

CC RA BAXTER LOUVAIN-LA-NEUVE
J NEWTON BRUSSELS

RE PCB SAMPLES EX BAYER AND PRODELEC FOR ANALYTICAL PURPOSES YOUR CALL TO NEWTON OF OCT 03 REFERS
1. BOTH COMPANIES HAVE BEEN APPROACHED BY ME
2. BAYER READY TO COOPERATE WITH OUT TECHNICAL PEOPLE AND TO EXCHANGE SAMPLES STOP WE HAVE ALSO BEEN ABLE TO OBTAIN SAMPLES FROM THE FIELD WHICH WILL BE SENT BY DICK BAXTER TO ST LOUIS
3. PRODELEC DONT SEE THE POINT OF EXCHANGING SAMPLES TILL TEST METHODS ARE AGREED WE ARE STILL TRYING TO GET SAMPLES FROM THE FIELD STOP ARE YOU NOT ABLE TO GET ANY IN SOUTH AFRICA QUERY
4. PRODELEC I FEEL MAY BE THINKING THAT WE WANT TO SMEAR THEM IF THEIR PRODUCT IS WORSE THAN OURS WHICH IS WHY THEY ARE CAUTIOUS IN THEIR COOPERATION

JN HAGGART
BRUSSELS

MONSANTO IC

MONS 202293