

Occupational Safety and Health Commission

105 W. ...
 700 W. ...
 Syracuse, N. Y. 13210

OSHA NO.	Area No.
P-1568	48
AREA	REGION
6010	2

CITATION COVER LETTER

TO: Mr. John Rauch
 Manager
 Georgia Pacific Corporation
 Bloomingdale Road
 Albany, New York 14001

Date June 13, 1973

Subject: Citation for Alleged Occupational Safety and Health Violation(s)

An inspection of a workplace under your operation, ownership, or control has revealed conditions which we believe do not comply with the provisions of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651. The nature of such alleged violation(s) is described in the enclosed citation with reference to applicable standards, rules, regulations, and provisions of the said Act. These conditions must be corrected on or before the date shown to the right of each violation therein.

The Act requires that a copy of the enclosed citation(s) be prominently posted "in a conspicuous place in the workplace" at or near each place a violation referred to in the citation occurred. It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer. A sufficient number of copies of the attached citation(s) should be prepared to permit posting in accordance with the requirements of the Act.

If you contest the citation you may post a notice to this effect near the citation contested. The Act contains penalties for violation of the posting requirements.

You will soon be notified by certified mail whether or not a proposed penalty will be assessed as a result of the cited violation(s). You have the right to contest the citation(s), the proposed penalties, both, before the Occupational Safety and Health Review Commission. The Review Commission is an independent quasi-judicial agency with authority to issue decisions regarding citations and proposed penalties. If you do contest, you must so notify the Area Director within 15 working days after receipt of the certified mail notice regarding proposed penalties. If you fail to contest within the 15 working day period, the citation and the proposed assessment of penalties shall be deemed to be a final order not subject to review by any court or agency.

An employee or representative of employees may file a notice to contest the time stated in the citation for the abatement of the alleged violation(s).

Alleged violations that are not contested shall be corrected within the abatement period specified in the citation. Failure to correct an alleged violation within the abatement period may result in a further proposed assessment of penalties.

As to alleged violations with an abatement period of 30 days or less, you are directed to promptly advise the Area Director as to the specific corrective action on each such violation and the date of such action.

Alleged violations having a longer abatement period will require a progress report at the end of each 30-day period. The progress report should detail what has been done, what remains to be done, and the time needed to fully abate each such violation. When the alleged violation is fully abated, the Area Director shall be so advised.

A followup inspection may be made for the purpose of ascertaining that you have posted the citations as required by the Act and corrected the alleged violations as you have reported. The Act provides that whoever knowingly gives false information is subject to a fine up to \$10,000, imprisonment up to 6 months, or both.

If you wish additional information, you may direct such request to the undersigned at the address listed above.



U.S. Department of Labor

By Area Director

Chester C. Whiteside

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

NOTIFICATION OF PROPOSED PENALTY

0010

2

TO: Mr. John Rauch
Manager
Coca-Cola Pacific Corporation
200 Grandale Road
Atlanta, New York 14001

On the 13th day of June, 1973 a Citation(s) was (were) issued to you in accordance with the provisions of section 9(a) of the Occupational Safety and Health Act of 1970 (84 Stat. 1601, 29 U.S.C. 651, et seq.) hereinafter referred to as the Act. You were thus notified of certain alleged violations of the Act, as specified in that Citation(s).

YOU ARE HEREBY NOTIFIED that pursuant to the provisions of section 10(a) of the Act, the penalty(ies) set forth below is/are being proposed, based on the above Citation(s):

SERIOUS VIOLATIONS

<u>Citation No.</u>	<u>Proposed Penalty</u>
1	\$800.00
2	800.00
3	800.00

OTHER VIOLATIONS*

<u>Citation No.</u>	<u>Item No.</u>	<u>Proposed Penalty</u>
1, Page 1 of 4	1.	\$ 90.00
	2.	90.00
1, Page 2 of 4	3.	None
	4.	None
1, Page 3 of 4	5.	None
	6.	90.00
1, Page 4 of 4	7.	90.00

Total for All Alleged Violations \$2760.00

*In the case of each "other violation," the proposed penalty reflects a 50 percent adjustment factor for corrective action taken within the period prescribed in the citation. If a particular alleged violation is not corrected within this period, an automatic additional penalty will be proposed for each violation. However, if you contest an alleged violation in good faith before the Review Commission, the automatic additional penalty will not be proposed. If you do not begin to remedy a violation until after the Review Commission has affirmed the citation, the automatic additional penalty will be proposed. If you subsequently be proposed for failure to correct a violation.


SGP 0006939

The payment of penalties is to be made by check or money order, payable to the order of "Occupational Safety and Health-Labor." Remit to the Area Director whose address appears below.

YOU ARE FURTHER NOTIFIED that the aforesaid Citation(s), this Notification, and the proposed assessment are deemed to be the final order of the Occupational Safety and Health Review Commission and not subject to review by any court or agency, unless, within 15 working days from the date of receipt of this notice, you submit material named below in writing that you intend to contest the Citation or this Notification or Proposed assessment before the Review Commission. The Review Commission is an independent quasi-judicial agency with authority to issue decisions regarding citations and proposed penalties.

There is no requirement that this Notification be posted.

Dated at Syracuse, New York this 13th day
of Dec, 19 73.



Area Director
Occupational Safety and Health Administration
U. S. Department of Labor

203 Midtown Plaza
700 E. Water St.
Syracuse, N. Y. 13210



U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration
100 West 10th Street
Syracuse, N. Y. 13210

CSHO NO.	ACT NO.
P-1568	48
AREA	REGION
6010	2

CITATION FOR SERIOUS VIOLATION*

Citation Number _____ Date Issued JUN 13 1973

EMPLOYEE Georgia Pacific Corporation

Street Bloomington Road

ADDRESS

City Akron State New York Zip 14001

An inspection of a workplace under your ownership, operation, or control located at above address


and described as follows

Manufactures gypsum wallboard and jointing compound

is been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970 (P.L. 91-551), in the following respects:

Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
29 CFR 1910.93a (b) Page 22142	Failure of the employer to maintain employee exposure to airborne concentrations of asbestos fibers below acceptable levels: 1) Concentrations below 5 fibers, longer than 5 microns, per CC, based on an 8 hour Time Weighted Average, 2) Concentrations, at any time, below 10 fibers, longer than 5 microns, per CC.	MULTI-STEP ABATEMENT (See Reverse Side of this Citation)

Area Director's Signature


Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor within 15 working days of the receipt by the employer of notice of proposed penalty or notice that no penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 10(c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected or for 30 days, whichever period is longer.

"...shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected or for 30 days, whichever period is longer.

SGP 0006941

MULTI-STEP AGREEMENT

Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 1, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

- (1) Provide U. S. Bureau of Mines approved respirators for all employees working within the joint compound dry mixing and pack out areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.
- (2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z88.2-1969.
- (3) Establish a program for maintaining the joint compound dry mixing and pack out areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.
- (4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.
- (5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.
- (6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.
- (7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

- (1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.
- (2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.

100
JUN 15 1973
FBI
RECEIVED

P-1568

AREA

REGION

6010

2

OSHA-2A

CITATION FOR SERIOUS VIOLATION*

Citation Number

2

Date Issued

JUN 13 1973

EMPLOYER

Georgia Pacific Corporation

Street

Bloomingdale Road

ADDRESS

City

Akron

State

New York

Zip


14001

An inspection of a workplace under your ownership, operation, or control located at above address

and described as follows

Manufacturers cyanide wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
29 CFR 1910.93a (d)(2) Page 22145	Failure of the employer to provide, and for the employees to use, U.S. Bureau of Mines approved respirators to prevent inhalation of airborne asbestos dust fibers (within the dry mixing and packout area).	MULTI-STEP ABATEMENT (See reverse side of this Citation)
Area Director's Signature  Chester C. Whiteside		

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the date this citation was issued.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 17(c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 15 working days, whichever period is longer.

According to the Act "shall be deemed to exist in a place of employment if there is a substantial violation of the Act which exists, or from one or more practices, or processes which are in use, in such place of employment unless the employer did not know, or have reason to know, of the presence of the violation." Sec. 17(k).

SGP 0006943

MULTI-STEP ABATEMENT

I. Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 1, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

- (1) Provide U. S. Bureau of Mines approved respirators for all employees working within the joint compound dry mixing and pack out areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.
- (2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z88.2-1969.
- (3) Establish a program for maintaining the joint compound dry mixing and pack out areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.
- (4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.
- (5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.
- (6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.
- (7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

- (1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.
- (2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.

200 111 111 111
200 111 111 111
Syracuse, N. Y. 13210

OSHA NO.	AREA NO.
P-1568	43
AREA	REGION
6010	2

CITATION FOR SERIOUS VIOLATION*

Citation Number _____ Date Issued NOV 12 1973

EMPLOYER Georgia Pacific Corporation

(Street) Bloomington Road

ADDRESS _____

City Albion State New York Zip 14001


An inspection of a workplace under your ownership, operation, or control located at above address and described as follows

manufactures gypsum wallboard and jointing compound

It has been determined, on the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970 (29 U.S.C. 651), in the following respects:

Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
29 CFR 1910.93a (d)(2)(iv) Page 22143	Failure of employer to establish a respiratory program throughout the dry mixing area in accordance with the American National Standard Practice for Respiratory Protection Z88.2-1969, for employees who are exposed to excessive asbestos dust concentrations.	MULTI-STEP ABATEMENT (See Reverse Side of this Citation)

Area Director's Signature


Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U. S. Department of Labor, (see address shown above) within 15 working days of the receipt by the employer of notice of proposed penalty or notice that no penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 17(c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near such place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected or for 30 working days, whichever period is longer.

It is required to exist in a place of employment if there is a substantial hazard to health or safety from a condition which exists, or from one or more practices, adopted or are in use, in such place of employment unless the employer is notified of the presence of the violation." Sec. 17(k).

MULTI-STEP ABATEMENT

I. Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 1, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

- (1) Provide U. S. Bureau of Mines approved respirators for all employees working within the joint compound dry mixing and pack out areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.
- (2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z88.2-1969.
- (3) Establish a program for maintaining the joint compound dry mixing and pack out areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.
- (4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.
- (5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.
- (6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.
- (7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

- (1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.
- (2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.

Syracuse, N. Y. 13210

P-1568	
AREA	REGION
6010	2

CITATION*

Citation Number , Page 1 of 4 Date Issued JUN 13 1973

EMPLOYER Georgia Pacific Corporation

Street Stoomingdale Road

ADDRESS

City Albion State New York Zip 14001

An installation of a workplace under your ownership, operation, or control located at above address


and described as follows

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970 (P.L. 91-593), in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
1.	29 CFR 1910.93a (c)(3) Page 22143	Failure of the employer to provide and require use of special clothing, such as coveralls or similar whole body coverings, gloves, and foot coverings to prevent skin contact with asbestos fibers, of employees within the dry mix and packout area.	Multi-Step Abatement (See Reverse Side of this Citation)
2.	29 CFR 1910.93a (d)(4) Page 22143	Failure of the employer to provide change rooms, two separate clothes lockers for work and street clothes, and the laundering and handling of work clothes for all employees exposed to airborne concentrations of asbestos fibers in excess of prescribed limits, within the joint compound mixing and packout area.	Multi-Step Abatement (See Reverse Side of this Citation)

Area Director's Signature


Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that the period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty or enforcement action.

No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint, testified or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in any proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act. (Section 8(c) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.)

The law requires that a copy of the enclosed citations be prominently posted in a conspicuous place "at or near" the location of the violation referred to in the citation. Citations must remain posted until all violations cited therein are corrected.

Violations within the meaning of the Act but not yet affirmed.

SGP 0006947

MULTI-STEP ABATEMENT


Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 1, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

- (1) Provide U. S. Bureau of Mines approved respirators for all employees working within the joint compound dry mixing and pack out areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.
- (2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z88.2- 969.
- (3) Establish a program for maintaining the joint compound dry mixing and pack out areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.
- (4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.
- (5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.
- (6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.
- (7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

- (1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.
- (2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.



U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

203 Milltown Plaza
700 E. Water St.
Syracuse, N. Y. 13210

OSHA NO.	OSHA-1 NO.
P-1568	48
AREA	REGION
6010	2

CITATION*

Citation Number 1, Page 2 of 4 Date Issued JUN 13 1973
EMPLOYER Georgia Pacific Corporation
Street Bloomington Road
ADDRESS
City Akron State New York Zip 14001
An inspection of a workplace under your ownership, operation, or control located at above address


and described as follows

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
3.	29 CFR 1910.93a (f)(2)(ii) Page 22143	Failure of the employer to establish a personal monitoring program at intervals not greater than 6 months within the joint compound mixing and packout areas where asbestos exposure may reasonably be foreseen to exceed prescribed limits.	Multi-Step Abatement (See Reverse Side of this Citation.)
4.	29 CFR 1910.93a (g)(1)(i) Page 22143	Failure of employer to post "Caution" signs at all approaches to the joint compound mixing and packout area where airborne concentrations of asbestos fibers may be in excess of prescribed limits.	Multi-Step Abatement (See Reverse Side of this Citation)

Area Director's Signature


Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor within 15 working days of the receipt by the employer of notice of proposed penalty or notice of a penalty being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The Act requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near" the violation referred to in the citation or cited. It must remain posted until all violations cited therein are corrected. It may, however, be removed at any time.

This citation is not a finding of a violation of the Act. It is a notice that a violation of the Act has occurred. It is not a finding of a violation of the Act. It is a notice that a violation of the Act has occurred. It is not a finding of a violation of the Act. It is a notice that a violation of the Act has occurred.

SGP 0006949

MULTI-STEP ABATEMENT


I. Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 1, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

- (1) Provide U. S. Bureau of Mines approved respirators for all employees working within the joint compound dry mixing and pack out areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.
- (2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z88.2-1969.
- (3) Establish a program for maintaining the joint compound dry mixing and pack out areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.
- (4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.
- (5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.
- (6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.
- (7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

- (1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.
- (2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.



U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration
300 William Flinn
700 E. Water St.
Syracuse, N. Y. 13210

OSHA NO.	CRATING NO.
P-1568	48
AREA	REGION
6010	2

CITATION*

Citation Number 1, Page 3 of 4 Date Issued JUN 13 1973

EMPLOYER Georgia Pacific Corporation

(Street Bloomington Road

ADDRESS (

(City Akron State New York Zip 14001

An inspection of a workplace under your ownership, operation, or control located at above address

and described as follows

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
5.	29 CFR 1910.93a (g)(2)(i) Page 22144	Failure of the employer to affix a "Caution" label to all raw materials, mixtures, scrap, waste, debris and other products containing asbestos fibers to prevent exposure to concentrations above prescribed limits during any reasonably foreseeable use.	Multi-Step Abatement (See Reverse Side of this Citation)
6.	29 CFR 1910.93a (h)(1) Page 22144	Failure of the employer to maintain all external surfaces within the joint compound, dry mixing and packout area, free of accumulations of asbestos fibers (dry sweeping is to be discouraged, utilize vacuum sweeping methods).	Multi-Step Abatement (See Reverse Side of this Citation)

Area Director's Signature

Chester C. Whiteside
Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U. S. Department of Labor at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty or notice that a penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place of violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected within 3 working days, whichever period is longer.

* A serious violation covered by this citation are those which are not serious violations within the meaning of the Act but which are of an immediate relationship to occupational safety and health.

Form OSHA

SGP 0006951

MULTI-STEP ABATEMENT


I. Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 1, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

- (1) Provide U. S. Bureau of Mines approved respirators for all employees working within the joint compound dry mixing and pack out areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.
- (2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z88.2-1969.
- (3) Establish a program for maintaining the joint compound dry mixing and pack out areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.
- (4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.
- (5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.
- (6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.
- (7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

- (1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.
- (2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.



U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

203 Midtown Plaza
700 E. Water St.
Syracuse, N. Y. 13210

OSHA NO.	OSHA-1 NO.
P-1568	48
AREA	REGION
6010	2

CITATION*

Citation Number 1, Page 4 of 4 Date Issued JUN 13 1973

EMPLOYER Georgia Pacific Corporation

(Street Bloomington Road

ADDRESS (

(City Akron State New York Zip 14001

An inspection of a workplace under your ownership, operation, or control located at above address


and described as follows

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
7.	29 CFR 1910.93a (h)(2) Page 22144	Failure of the employer to collect and dispose of all asbestos waste, scrap, debris, bags, containers, contaminated clothing in sealed impermeable bags to prevent any foreseeable airborne concentrations of asbestos fibers above the allowable limit.	Multi-Step Abatement (See Reverse Side of this Citation)

Area Director's Signature


Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty or notice that a penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act but which are in direct or immediate relationship to occupational safety and health.

For

SGP 0006953

MULTI-STEP ABATEMENT


I. Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 1, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

- (1) Provide U. S. Bureau of Mines approved respirators for all employees working within the joint compound dry mixing and pack out areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.
- (2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z88.2-1969.
- (3) Establish a program for maintaining the joint compound dry mixing and pack out areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.
- (4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.
- (5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.
- (6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.
- (7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

- (1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.
- (2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.



SGP 0006954

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

203 Midtown Plaza
700 E. Water St.
Syracuse, N. Y. 13210

CSHO NO.	OSHA-1 NO.
P-1568	48
AREA	REGION
6010	2

CITATION*

Citation Number 1, Page 1 of 5 Date issued JUN 13 1973

EMPLOYER Georgia Pacific Corporation

(Street Bloomington Road

ADDRESS (

(City Akron State New York Zip 14001

An inspection of a workplace under your ownership, operation, or control located at above address

and described as follows

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
1.	29 CFR 1910.93a (d)(3), Page 22143	Failure of the employer to provide and require use of special clothing, such as coveralls or similar whole body coverings, gloves, and foot coverings to prevent skin contact with asbestos fibers, of employees within the dry mix and packout area.	Multi-Step Abatement (See Reverse Side of this Citation)
2.	29 CFR 1910.93a (d)(4) Page 22143	Failure of the employer to provide change rooms, two separate clothes lockers for work and street clothes, and the laundering and handling of work clothes for all employees exposed to airborne concentrations of asbestos fibers in excess of prescribed limits, within the joint compound mixing and packout area.	Multi-Step Abatement (See Reverse Side of this Citation)

Area Director's Signature Chester C. Whiteside
Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty or notice that no penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in any proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." See, 14 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act but which have a direct or immediate relationship to occupational safety and health.

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

233 Midtown Plaza
700 E. Water St.
Syracuse, N. Y. 13210

OSHA NO.	OSHA-1 NO.
P-1568	46
AREA	REGION
6010	2

CITATION*

Citation Number 1, Page 2 of 5 Date issued JUN 13 1973

EMPLOYER Georgia Pacific Corporation

Street Bloomingdale Road

ADDRESS

City Akron State New York Zip 14001

An inspection of a workplace under your ownership, operation, or control located at above address

and described as follows

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
3.	29 CFR 1910.93a (f)(2)(ii) Page 22143	Failure of the employer to establish a personal monitoring program at intervals not greater than 6 months within the joint compound mixing and packout areas where asbestos exposure may reasonably be foreseen to exceed prescribed limits.	Multi-Step Abatement (See Reverse Side of this Citation)
4.	29 CFR 1910.93a (g)(1)(i) Page 22143	Failure of employer to post "Caution" signs at all approaches to the joint compound mixing and packout area where airborne concentrations of asbestos fibers may be in excess of prescribed limits.	Multi-Step Abatement (See Reverse Side of this Citation)

Area Director's Signature

Chester C. Whiteside
Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employer or representative of employees who believes that any action or time taken in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty or notice that no penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in any proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." 29 U.S.C. 633(c) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citations "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act but which have a direct or immediate relationship to occupational safety and health.

SGP 0006956

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration
203 Midtown Plaza
700 E. Water St.
Syracuse, N. Y. 13210

OSHA NO.	OSHA-1 NO.
P-1568	48
AREA	REGION
6010	2

CITATION*

Citation Number 1, Page 3 of 5 Date issued JUN 13 1973

EMPLOYER Georgia Pacific Corporation

(Street Bloomingsdale Road

ADDRESS (

(City Akron State New York Zip 14001

An inspection of a workplace under your ownership, operation, or control located at above address

and described as follows

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
5.	29 CFR 1910.93a (g)(2)(i) Page 22144	Failure of the employer to affix a "Caution" label to all raw materials, mixtures, scrap, waste, debris and other products containing asbestos fibers to prevent exposure to concentrations above prescribed limits during any reasonably foreseeable use.	Multi-Step Abatement (See Reverse Side of this Citation)
6.	29 CFR 1910.93a (h)(1) Page 22144	Failure of the employer to maintain all external surfaces within the joint compound, dry mixing and packout area, free of accumulations of asbestos fibers (dry sweeping is to be discouraged, utilize vacuum sweeping methods).	Multi-Step Abatement (See Reverse Side of this Citation)

Area Director's Signature

Chester C. Whiteside
Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U. S. Department of Labor at the address shown above within 15 working days of the receipt by the employer of notice or proposed penalty or notice that no penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceedings or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act but which have a direct or immediate relationship to occupational safety and health.

SGP 0006957

Form OSHA-2
10-72

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

303 Midtown Plaza
700 E. Water St.
Syracuse, N. Y. 13210

OSHA NO.	OSHA-1 NO.
P-1568	48
AREA	REGION
6010	2

CITATION*

Citation Number 1, Page 4 of 5 Date issued JUN 13 1973
EMPLOYER Georgia Pacific Corporation
(Street Bloomington Road)
ADDRESS (City Akron State New York Zip 14001)
An inspection of a workplace under your ownership, operation, or control located at above address

and described as follows

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item no.	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
7.	29 CFR 1910.93a (h)(2) Page 22144	Failure of the employer to collect and dispose of all asbestos waste, scrap, debris, bags, containers, contaminated clothing in sealed impermeable bags to prevent any foreseeable airborne concentrations of asbestos fibers above the allowable limit.	Multi-Step Abatement (See Reverse Side of this Citation)

SGP 0006958

Area Director's Signature

Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty or notice that no penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right enforced by this Act." Sec. 11(c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act but which have a direct or immediate relationship to occupational safety and health.

MULTI-STEP ABATEMENT

I. Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 31, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

- (1) Provide U. S. Bureau of Mines approved respirators for all packout areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.
- (2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z88.2-1969.
- (3) Establish a program for maintaining the joint compound dry mixing and packout areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.
- (4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.
- (5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.
- (6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.
- (7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

SGP 0006959

- (1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.
- (2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.

MULTI-STEP AGREEMENT

I. Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 31, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

- (1) Provide U. S. Bureau of Mines approved respirators for all packout areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.
- (2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z68.2-1969.
- (3) Establish a program for maintaining the joint compound dry mixing and packout areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.
- (4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.
- (5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.
- (6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.
- (7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

- (1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.
- (2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.

MULTI-STEP ABATEMENT

I. Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 31, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

- (1) Provide U. S. Bureau of Mines approved respirators for all packout areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.
- (2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z88.2-1969.
- (3) Establish a program for maintaining the joint compound dry mixing and packout areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.
- (4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.
- (5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.
- (6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.
- (7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

- (1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.
- (2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.

The payment of penalties is to be made by certified check or money order, payable to the order of "Occupational Safety and Health-Labor." Remit to the Area Director whose address appears below.

YOU ARE FURTHER NOTIFIED that the aforesaid Citation(s), this Notification, and the proposed assessment shall be deemed to be the final order of the Occupational Safety and Health Review Commission and not subject to review by any court or agency, unless, within 15 working days from the date of receipt of this notice, you notify the official named below in writing that you intend to contest the Citation or this Notification of Proposed Penalty before the Review Commission. The Review Commission is an independent quasi-judicial agency with authority to issue decisions regarding citations and proposed penalties.

There is no requirement that this Notification be posted.

Dated at Syracuse, New York this 10th day
of July, 19 73.



Area Director
Occupational Safety and Health Administration
U. S. Department of Labor

203 Midtown Plaza
700 E. Water St.
Syracuse, N. Y. 13210

SGP 0006962

203 Midtown Plaza
700 E. Water St.
Syracuse, N. Y. 13210

OSHA NO.	OSHA-1 NO.
P-1568	43
AREA	REGION
6010	2


CITATION*

Citation Number 1, Page 1 of 5 Date Issued JUN 13 1973
 EMPLOYER Georgia Pacific Corporation
 (Street Bloomington Road)
 ADDRESS ((City Akron State New York Zip 14001)
 An inspection of a workplace under your ownership, operation, or control located at above address

and described as follows:

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
1. <i>none</i>	29 CFR 1910.93a (d)(3), Page 22143	Failure of the employer to provide and require use of special clothing, such as coveralls or similar whole body coverings, gloves, and foot coverings to prevent skin contact with asbestos fibers, of employees within the dry mix and packout area.	Multi-Step Abatement (See Reverse Side of this Citation)
2. <i>none</i>	29 CFR 1910.93a (d)(4), Page 22143 	Failure of the employer to provide change rooms, two separate clothes lockers for work and street clothes, and the laundering and handling of work clothes for all employees exposed to airborne concentrations of asbestos fibers in excess of prescribed limits, within the joint compound mixing and packout area.	Multi-Step Abatement (See Reverse Side of this Citation)

Area Director's Signature

Chester C. Whiteside
Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to comply as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty or notice that a penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act but which have a direct or immediate relationship to occupational safety and health.

SGP 0006963

MULTI-STEP ABATEMENT

I. Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 31, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

- (1) Provide U. S. Bureau of Mines approved respirators for all packout areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.
- (2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z88.2-1969.
- (3) Establish a program for maintaining the joint compound dry mixing and packout areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.
- (4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.
- (5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.
- (6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.
- (7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

- (1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.
- (2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.

Any employee or representative of employees who feels that a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty or notice the penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any charge, complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or the 5 working days, whichever period is longer.

* Altered violations covered by this citation are those which are not serious violations within the meaning of the Act which have a direct or immediate relationship to occupational safety and health.

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

203 Midtown Plaza
700 E. Winton St.
Syracuse, N. Y. 13210

OSHA NO.	OSHA-1 NO.
P-1568	48
AREA	REGION
6010	2

CITATION*

Citation Number 1, Page 2 of 5 Date Issued JUN 13 1973

EMPLOYER Georgia Pacific Corporation

(Street Bloomingsdale Road

ADDRESS (

(City Akron State New York Zip 14001

An inspection of a workplace under your ownership, operation, or control located at above address

and described as follow-

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
3. <i>none</i>	29 CFR 1910.93a (f)(2)(ii) Page 22143	Failure of the employer to establish a personal monitoring program at intervals not greater than 6 months within the joint compound mixing and packout areas where asbestos exposure may reasonably be foreseen to exceed prescribed limits.	Multi-Step Abatement (See Reverse Side of this Citation)
4. <i>none</i>	29 CFR 1910.93a (g)(1)(i) Page 22143	Failure of employer to post "Caution" signs at all approaches to the joint compound mixing and packout area where airborne concentrations of asbestos fibers may be in excess of prescribed limits.	Multi-Step Abatement (See Reverse Side of this Citation)

Area Director's Signature

Chester C. Whiteside
Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to correct as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U. S. Department of Labor at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty or notice that penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any claim or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." See: 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or in each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act which have a direct or immediate relationship to occupational safety and health.

Form 1
5010-108

SGP 0006965

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration
203 Midtown Plaza
700 E. Motor St.
Syracuse, N. Y. 13210

CNTO NO.	OSHA-1 NO.
P-1568	48
AREA	REGION
6010	2

CITATION*

Citation Number 1, Page 3 of 5 Date Issued JUN 13 1973
EMPLOYER Georgia Pacific Corporation
(Street Alomingsdale Road)
ADDRESS (City Akron State New York Zip 14001)
An inspection of a workplace under your ownership, operation, or control located at above address

and described as follows

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
5. <i>None</i>	29 CFR 1910.93a (g)(2)(i) Page 22144	Failure of the employer to affix a "Caution" label to all raw materials, mixtures, scrap, waste, debris and other products containing asbestos fibers to prevent exposure to concentrations above prescribed limits during any reasonably foreseeable use.	Multi-Step Abatement (See Reverse Side of this Citation)
6. <i>70.00</i>	29 CFR 1910.93a (h)(1) Page 22144	Failure of the employer to maintain all external surfaces within the joint compound, dry mixing and packout area, free of accumulations of asbestos fibers (dry sweeping is to be discouraged, utilize vacuum sweeping methods).	Multi-Step Abatement (See Reverse Side of this Citation)

Area Director's Signature

Charles C. Whiteside
Charles C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U. S. Department of Labor at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty or notice that penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act but which have a direct or immediate relationship to occupational safety and health.

Form OSH
100-1001

SGP 0006966

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

200 Midtown Plaza
700 E. Water St.
Syracuse, N. Y. 13210

OSHA NO.	OSHA-1 NO.
P-1568	48
AREA	REGION
6010	2

CITATION*

Citation Number 1, Page 4 of 5 Date Issued JUN 13 1973

EMPLOYER Georgia Pacific Corporation

(Street Bloomington Road)

ADDRESS (

(City Akron State New York Zip 140)

An inspection of a workplace under your ownership, operation, or control located at above address

and described as follows

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
7.0/ 8	29 CFR 1910.93a (h)(2) Page 22144	Failure of the employer to collect and dispose of all asbestos waste, scrap, debris, bags, containers, contaminated clothing in sealed impermeable bags to prevent any foreseeable airborne concentrations of asbestos fibers above the allowable limit.	Multi-Step Abatement (See Reverse Side of this Citation)

Area Director's Signature Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty or notice of proposed abatement.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act but which have a direct or immediate relationship to occupational safety and health.

SGP 0006967

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration
203 Midtown Plaza
700 E. Water St.
Syracuse, N. Y. 13210

OSHA NO.	OSHA-1 NO.
P-1568	48
AREA	REGION
6010	2

AMENDMENT TO CITATION*

Citation Number 1, Page 5 of 5 Date Issued July 10, 1973
EMPLOYER Georgia Pacific Corporation
(Street Bloomington Road)
ADDRESS (City Akron State New York Zip 144)
An inspection of a workplace under your ownership, operation, or control located at above address

and described as follows:
Manufactures gypsum wallboard and jointing compound
has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
8. <i>none</i> <i>\$70.00</i>	Citations for Serious Violation #2 and #3, issued on the 13th day of June, 197 are amended as set forth below: 29 CFR 1910.93a (d)(2) Page 22143 29 CFR 1910.93a (d)(2)(iv) Page 22143	Failure of the employer to provide, and for the employees to use, U.S. Bureau of Mines approved respirators to prevent inhalation of airborne asbestos dust fibers (within the dry mixing and packout area). Failure of employer to establish a respiratory program throughout the dry mixing area in accordance with the American National Standard Practice for Respiratory Protection Z88.2-1969, for employees who are exposed to excessive asbestos dust concentrations.	Multi-Step Abatement (See reverse of this citation) Multi-Step Abatement (See reverse of this citation)

Area Director's Signature

Chester C. Whiteside
Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a fair contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty or notice of proposed period for correction.

No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in any proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act. Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act which have a direct or immediate relationship to occupational safety and health.

APPENDIX D

Safety and Health Inspections
(1973-1977)

Industrial Hygiene Consultants

The following consultants, all of whom are members of the American Industrial Hygiene Association, are available for consulting services in industrial hygiene. The specific specialties of each are identified by the code numbers following the listing.

Specialty	Code Number	Specialty	Code Number
Air Pollution	1	Occupational Medicine	8
Audiometry	2	Product Safety—Labeling	9
Biological Monitoring	3	Radiological Control	10
Ergonomics	6	Safety Specialist	11
Industrial Hygiene—Comprehensive		Toxicology	12
A. Plant Studies	4	Training Instruction	13
B. Laboratory Analyses	5	Ventilation	14
Meteorology	17	Waste Disposal	15
Noise Control	7	Water Pollution	16

Alexander, Rex

Design Associates
17 Baker Rd.
Arlington, MA 02174
Phone: 613-646-1236
Code: 1, 5, 6, 7, 14

Allan, Ralph E.

660 Wedgewood Ave.
Upland, CA 91786
Phone: 714-985-1589
Code: 5, 11

Anderson, Ralph G.

Northwest Health Service
805 Goethals
Richland, WA 99352
Phone: 509-942-7037
Code: 1, 2, 5, 6, 14, 16

Annis, Jason C.

P.O. Box 182
Manhattan, KS 66502
Phone: 913-532-5620
Code: 1

Baliff, Jack

21-55 34th Ave.
Long Island City, NY 11106
Phone: 212-274-2408
Code: 1, 5, 14

Banks, Oneil M.

Anderson-Nichols
150 Causeway St.
Boston, MA 02114
Phone: 617-742-3400
Code: 1, 5, 6, 7, 8, 11, 12, 13, 14, 15, 16

Berry, Clyde M.

Clyde M. Berry & Assoc.
906 S. Lucas St.
Iowa City, IA 52240
Phone: 319-337-9224
Code: 5, 11

Botsford, James W.

Howard Engineering Co.
P.O. Box 3164
Bethlehem, PA 18107
Phone: 215-694-0939
Code: 4, 7

Boylan, George W., Jr.

Mass. Institute of Technology
Room 20B-245
Cambridge, MA 02139
Phone: 617-253-2596
Code: 1, 3, 5, 6

Bradley, William R.

William R. Bradley & Assoc.
87 Homestead Rd.
Tenafly, NJ 07670
Phone: 201-567-7929
Code: 1, 5, 6, 10, 12, 16

Burgess, William A.

38 Fox Hill St.
Westwood, MA 02090
Phone: 617-326-0814
Code: 1, 5, 6, 7, 14

Burroughs, G. Edward

Environmental Research, Inc.
688 Allencrest Court
Cincinnati, OH 45231
Code: 1, 3, 5, 6, 7, 11, 14, 15, 16

Byers, Dohrman H.

School of Public Health
University of Michigan
Ann Arbor, MI 48104
Phone: 313-764-2594
Code: 4, 5

Caplan, Knowlton J.

5945 Maplewood Lane
Minnetonka, MN 55343
Phone: 612-935-1548
Code: 1, 5, 14

Carlitz, Irwin H.

6529 N. Thirteenth St.
Philadelphia, PA 19126
Phone: 215-924-1144
Code: 1, 4, 5, 6, 7, 9, 11, 12, 14

Carpenter, Charles P.

Mellon Institute
4400 Fifth Avenue
Pittsburgh, PA 15213
Phone: 412-327-1020
Code: 12

Carter, Edmund P.

347 W. Berry St.
Ft. Wayne, IN 46802
Phone: 219-743-8217
Code: 2, 7, 13

Chamberlin, Richard I.

Mass. Institute of Technology
Room 20B-245
Cambridge, MA 02139
Phone: 617-253-1741
Code: 1, 3, 5, 6, 13, 14

George D. Clayton & Assoc., Inc.

25711 Southfield Road
Southfield, MI 48075
Phone: 313-424-8860
Code: 1, 3, 4, 5, 6, 7, 9, 10, 11, 13, 14, 15, 16

Cohen, Jerry J.

Health & Safety Technology, Inc.
P.O. Box 861
Livermore, CA 94550
Phone: 415-443-9234
Code: 1, 3, 5, 6, 7, 10, 11, 13, 14, 15, 16

Cumpston, Dr. A. G.

Unit 8
54 Avoca St., Randwick,
New South Wales, 2031
Australia
Phone: 399-8742
Code: 8

**Deichmann, William B., Ph.D.,
M.D. (Honorary)**

Res. & Teaching Center of Toxicology
University of Miami
P.O. Box 8216
Coral Gables, FL 33124
Phone: 305-233-5511
Code: 1, 12, 16

Dooley, Allan E.

57 Hazelwood Terrace
Stratford, CT 06497
Phone: 203-375-4639
Code: 5, 9, 13

Doyle, Henry E.

5303 Augusta St.
Washington, D.C. 20016
Phone: 301-229-1277
Code: 5, 13

Einert, Christine, M.D.

629 Euclid Ave.
Berkeley, CA 94708
Phone: 415-524-5495
Code: 8

Elkins, Hervey B.

303 Mill St.
Belmont, MA 02178
Phone: 617-484-7952
Code: 5, 6, 12

Falcon Risk Management Services

(Div. of Fireman's Fund Am. Ins. Co.)
3333 California St.
San Francisco, CA 94119
Phone: 415-929-2706
Code: 1, 5, 6, 7, 11, 13, 14

Feiner, Benjamin

130 Gale Place
Bronx, NY 10463
Code: 1, 5, 14

Gabriel, Karl L., Ph.D.

Bioresearch, Incorporated
P.O. Box 8598
Philadelphia, PA 19101
Phone: 215-848-4499
Code: 5, 6, 12

Gallagher, Robert G.

Applied Health Physics, Inc.
2986 Industrial Blvd.
Bethel Park, PA 15102
Phone: 412-563-2242
Code: 3, 5, 7, 10, 13, 15

Gleason, Robert P., P.E.

95 Middle Street
Hadley, MA 01035
Code: 5, 11

Goodfriend, Lewis S., P.E.

140 Morris St.
P.O. Box 2167
Morristown, NJ 07960
Phone: 201-540-8811
Code: 7

Harrold, Gordon C., Ph.D.

33589 Nancy
Livonia, MI 48168
Code: 1, 5, 11, 14, 15

Hermann, Edward R., Ph.D.

117 Church Road
Winnetka, IL 60093
Phone: 312-492-3176
Code: 2, 5, 7, 12, 15

Hertig, Bruce A., Sc.D.

306 W. High St.
Urbana, IL 61801
Phone: 217-367-1867
Code: 4, 14

Hemeon, W. C. L.

6025 Broad Street Mall
Pittsburgh, PA 15206
Code: 1, 5, 14

Hertlein, Fred, III

1493 Kaweloka St.
Pearl City, HI 96782
Phone: 808-456-2404
Code: 1, 2, 3, 5, 6, 7, 9, 10, 12, 13, 14, 15

Holaday, Duncan A.

7 Carlton Road
Wellesley, MA 02181
Code: 5

Holland, Walter D.

LEF Corporation
2030 Wright Ave.
Richmond, CA 94804
Phone: 415-235-2633
Code: 1, 3, 5, 6, 9, 10, 13, 14, 15, 16

Hyatt, Edwin C.

535 Rorer Blvd.
Los Alamos, NM 87544
Phone: 505-672-9800
Code: 1, 5, 10, 14

Joselow, Morris M., Ph.D.

College of Med. & Dentistry of New Jersey
100 Bergen Road
Newark, NJ 07103
Code: 3, 5, 6

Jurgiel, John A.

Ryckman, Edgerly, Tomlinson & Assoc., Inc.
12161 Lackland Rd.
St. Louis, MO 63141
Code: 1, 5, 7, 14

Kamon, Eliezer, Ph.D.

Graduate School of Public Health
University of Pittsburgh
Pittsburgh, PA 15213
Code: 4

Kane, John M.

3503 Kirby Lane
Jeffersonton, KY 40299
Phone: 502-491-1809
Code: 1, 5, 14

Kennedy, William R., Jr.

48 Manhattan Loop
Los Alamos, NM 87544
Phone: 505-662-4828
Code: 1, 5, 10, 15, 16

Kepplinger, M. L., Ph.D.

Industrial Bio-Test Lab., Inc.
1810 Frontage Road
Northbrook, IL 60062
Phone: 312-272-3030
Code: 1, 3, 5, 6, 7, 9, 11, 12, 15, 16

King, Barry G., Ph.D.

12855 Caminito de las Olas
Del Mar, CA 92014
Code: 5, 11

Kirschner, Leon

7650 Laverne Ave.
Skokie, IL 60076
Phone: 312-675-3057
Code: 1, 5, 6, 7

Kyle, Stanley C.

1301 Ingleside St.
Florence, AL 35630
Phone: 205-764-1499
Code: 5, 7, 14

Landry, Edwin B., P.E.

12 Kentbury Way, Bethesda
Washington, D.C. 20014
Phone: 301-654-4422
Code: 9, 10, 13

Leahy, Joseph E.

Joseph E. Leahy & Assoc.
Room 20B-245
Mass. Institute of Technology
77 Massachusetts Ave.
Cambridge, MA 02139
Phone: 617-253-2596
Code: 1, 5, 6, 7, 14

Levinson, Seymore

417 Sycamore Rd.
Portsmouth, VA 23707
Code: 1, 5, 7, 11, 15, 16

Linch, Adrian L.

203-A Plank Rd., R.D. 2
Everett, PA 15537
Phone: 814-652-5848
Code: 3, 5, 6

Maccioli, John

139 Gilpin Ave.
Norfolk, VA 23503
Phone: 804-587-5628
Code: 5, 11, 12

MacDonald, William E., Ph.D.

Res. & Teaching Center of Toxicology
University of Miami
P.O. Box 8216
Coral Gables, FL 33124
Phone: 305-233-5511
Code: 1, 12, 16

Manckshaw, Sarosh J. II.

The Chester Engineers
845 Fourth Ave.
Coraopolis, PA 15108
Phone: 412-771-4320
Code: 1, 5, 6, 7, 14, 15, 16

McFee, Donald R., Sc.D.

Occusafe, Inc.
3201 Old Glenview Rd.
Wilmette, IL 60091
Phone: 312-256-5900
Code: 1, 5, 6, 7, 9, 10, 11, 13, 14

Neilson, Arthur

104 Cherry Laurel Dr.
Covington, LA 70433
Phone: 504-588-5265
Code: 1, 2, 3, 5, 6, 7, 9, 10, 11, 12, 13, 16

Oberg, Maurice

LFE Corporation
2030 Wright Ave.
Richmond, CA 94804
Phone: 415-235-2633
Code: 1, 3, 5, 6, 9, 10, 13, 14, 15, 16

Ostergaard, Paul B.

Ostergaard Associates
253 Bloomfield Ave.
Caldwell, NJ 07006
Phone: 201-228-0523
Code: 7

Owens, Robert J.

Certified Envir. Health & Safety Consultants,
Inc.
P.O. Box 201
Millbrae, CA 94030
Phone: 415-697-0144
Code: 1, 2, 7, 10, 11, 12

Peterson, Jack E.

Medical College of Wisconsin
ABMSL, 8700 W. Wisconsin Ave.
Milwaukee, WI 53226
Phone: 414-257-6683
Code: 1, 3, 5, 12, 13, 14

Piccolo, Stephen K.

Stephen K. Piccolo & Assoc.
Room 20B-245
Mass. Institute of Technology
77 Massachusetts Ave.
Cambridge, MA 02139
Phone: 617-253-2597
Code: 1, 3, 5, 6, 11, 14

Port, Eli A.

Northwestern University
827 Simpson St.
Evanston, IL 60201
Code: 5, 10, 13

Radcliffe, J. C.

1554 S.E. Sunshine Ave.
Port St. Lucie, FL 33452
Code: 5

Rosati, Guido J.

2091 Strand Rd.
Walnut Creek, CA 94596
Phone: 415-935-6068
Code: 5

Ross, John E.

Telodyne Occupational Health
1708 Columbus Ave.
Sandusky, OH 44870
Phone: 419-625-7853
Code: 1, 4, 5, 7, 10, 14

Roumas, James C.

J. C. Roumas & Assoc.
895 Linden Ave.
Ridgefield, NJ 07657
Phone: 201-945-7970
Code: 1, 5, 7, 11, 12, 13

Rudmose, Wayne

Tracor Sciences & Systems Group
6500 Tracor Lane
Austin, TX 78721
Phone: 512-926-2800
Code: 1, 2, 7, 16

Rummerfield, Phillip S.

P.O. Box 434
Del Mar, CA 92014
Phone: 714-454-5478
Code: 7, 10

Sansone, Eric B., Ph.D.

1335 Sheridan Ave.
Pittsburgh, PA 15206
Phone: 412-362-6339
Code: 1, 5, 6, 11, 13, 14

Satterfield, Robert W.

National Loss Control Service Corp.
Long Grove, IL 60049
Phone: 312-540-2022
Code: 1, 3, 4, 5, 6, 7, 9, 11, 13, 14, 15, 16

Schaffer, A. W.

Dow Environmental Health Services
2020 Dow Center
Midland, MI 48640
Phone: 517-636-4050
Code: 1, 2, 3, 5, 6, 7, 11, 12, 13, 14, 15, 16

Schall, E. Lynn

510 Edgewood Drive
Collingswood, NJ 08108
Phone: 609-858-0003
Code: 5, 7, 14

Seifert, Harry E., P.E.

2817 Bellview Rd.
Anderson, SC 29621
Phone: 803-224-3315
Code: 1, 5, 7, 11, 13, 14

Sidlow, Anthony J.

115 Sharon Court
Los Gatos, CA 95030
Phone: 408-465-3515
Code: 5, 11, 15

Sidor, Reinhard, Sc.D.

Star Route
Alton, NH 03809
Phone: 603-873-0561
Code: 1, 5, 11, 12, 13, 14

Smith, Ralph G.

University of Michigan
School of Public Health
Ann Arbor, MI 48104
Phone: 313-764-2594
Code: 1, 3, 4, 5, 12

Sobol, Oscar J.

985 High Street
Alameda, CA 94501
Phone: 415-522-1203
Code: 5, 7, 11

Speilman, Howard B.
Health Science Associates
10710 Felson Circle
Cerritos, CA 90701
Phone: 213-867-4100
Code: 1, 2, 5, 6, 7, 10, 11, 13, 14, 15

Stevens, Charles H., P.E.
Spotts, Stevens, and McCoy, Inc.
345 N. Wyomissing Blvd.
Wyomissing, PA 19610
Phone: 215-376-6581
Code: 1, 5, 7, 13, 15, 16

Swanson, Jon R., Ph.D.
Swanson International, Inc.
Suite 1631
7 S. Dearborn St.
Chicago, IL 60603
Phone: 312-372-5493
Code: 1, 5, 6, 16

Taylor, Henry
Ethyl Corporation
451 Florida
Baton Rouge, LA 70801
Phone: 504-348-0131
Code: 3, 4, 5, 7, 11, 13, 14

Thienes, Clinton H., M.D., Ph.D.
4555 Fulton Ave. #205
Sherman Oaks, CA 91403
Code: 5, 8, 12

Thompson, Robert N., Ph.D.
Occupational Health Assoc.
1827 Rolling Hills
Norman, OK 73069
Phone: 405-329-8892
Code: 5, 7

Todd, Alan S.
Stewart-Todd Associates
No. 10 Valley Forge Executive Mall
Wayne, PA 19087
Code: 1, 3, 5, 6, 7, 8, 9, 10, 12, 13, 14

Waligora, Stanley
Eherline Instruments Company
312 Miami Street
Cayce, SC 29033
Code: 1, 5, 10, 11, 13, 15, 16

Wallach, Abraham
Industrial Technical Assoc.
585 Main Street
East Orange, NJ 07018
Phone: 201-674-2625
Code: 1, 4, 5, 6, 9, 11, 14, 16

Wanta, Raymond C.
P.O. Box 98
Bedford, MA 01730
Phone: 617-275-9477
Code: 17

Williams, Norman, M.D.
Jefferson Medical College
Philadelphia, PA 19102
Phone: 215-829-6928
Code: 8

Wrenn, Grover C., Jr.
The Hill Environmental Group
P.O. Box 659
Chapel Hill, NC 27514
Phone: 919-942-4036
Code: 1, 2, 3, 5, 6, 7, 10, 11, 12, 13, 14

Wrenn, McDonald E., Ph.D.
New York University
Institute of Environmental Medicine
550 First Avenue
New York, NY 10016
Phone: 212-679-3200
Code: 1*, 5*, 11
(*Beryllium, specifically)

Yaffe, Charles D.
Tabershaw-Cooper Assoc., Inc.
2180 Milvia Street
Berkeley, CA 94704
Phone: 415-845-3355
Code: 5, 6

Zavon, Mitchell R., M.D.
Agatha Corporation
3333 Vine Street
Cincinnati, OH 45220
Phone: 513-961-3337
Code: 1, 5, 6, 8, 12, 16

Industrial Hygiene Consultants by Geographic Location

Alabama

Kyle, Stanley C.

California

Allan, Ralph F.
Cohen, Jerry J.
Finert, Christine
Falcon Risk Management
Holland, Walter D.
King, Barry G.
Oberg, Maurice
Owens, Robert J.
Rosati, Guido J.
Rummerfic'd, Phillip S.
Sidlow, Anthony J.
Sohol, Oscar J.
Spielman, Howard B.
Thienes, Clinton H.
Yaffe, Charles D.

Connecticut

Dooley, Allan E.

District of Columbia

Doyle, Henry N.
Landry, Edwin B.

Florida

Deichmann, William B.
MacDonald, William E.
Radcliffe, J. C.

Hawaii

Hertlein, Fred, III

Illinois

Herman, Edward R.
Hertig, Bruce A.
Kepplinger, M. L.
Kirschner, Leon
McFee, Donald R.
Port, Eli A.
Satterfield, R. W.
Swanson, J. R.

Indiana

Carter, Edmund P.

Iowa

Berry, Clyde M.

Kansas

Annis, Jason C.

Kentucky

Kane, John M.

Louisiana

Neilson, Arthur
Taylor, Henry

Massachusetts

Alexander, Rex
Banks, Oneil M.
Boylan, George W.
Burgess, William A.
Chamberlin, Richard I.
Elkens, Hervey B.
Gleason, Robert P.
Holaday, Duncan A.
Leahy, Joseph E.
Piccolo, Stephen K.
Wanta, Raymond C.

Michigan

Byers, Dohrman H.
George D. Clayton and
Associates, Inc.
Harrold, Gordon C.
Schaffer, A. W.
Smith, Ralph G.

Minnesota

Caplan, Knowlton J.

Missouri

Jurigiell, John A.

New Hampshire

Sidor, Reinhard

New Jersey

Bradley, William R.
Goodfriend, Lewis S.
Joselow, Morris B.
Ostergaard, Paul B.
Roumas, James C.
Schall, E. Lynn
Wallach, Abraham

New Mexico

Hyatt, Edwin C.
Kennedy, William R., Jr.

New York

Baliff, Jack
Feiner, Benjamin
Wrenn, McDonald E.

North Carolina

Wrenn, Grover C.

Ohio

Burroughs, Edward G.
Ross, John E.
Zavon, Mitchell R.

Oklahoma

Thompson, Robert N.

Pennsylvania

Botsford, James H.
Carlitz, Irwin H.
Carpenter, Charles P.
Gabriel, Karl L.
Gallagher, Robert G.
Hemeon, Wesley C.
Kamon, Eliezer
Linch, Adrian L.
Manekshaw, Sarosh J. H.
Sansone, Eric B.
Stevens, Charles H.
Todd, Alan S.
Williams, Norman

South Carolina

Seifert, Harry E.
Waligora, Stanley

Texas

Rudmose, Wayne

Virginia

Levinson, Seymore
Maccioli, John

Washington

Anderson, Ralph E.

Wisconsin

Peterson, Jack E.

Foreign

Australia

Cumpston, A. G.