

MONTHLY SUMMARY

VCM PERSONAL MONITORING RESULTS - MARCH 1975

RNW

Page 1 of 4-

08300 DEPT.

033950

UCC

NAME-EMPL. NO. - SOC. SEC. NO. - JOB TITLE - WORK PERFORMED	MONITORING DURATION, MIN.	CONC., PPM
M. L. Adams, 11170, 292-46-6761, D.O., Control console, equip. surveillance, Bldg 152-4	37	0.4
H. F. Adkins, 00541, 236-18-1145, U.F., Unplugging (steaming) B-4 reactor line, Bldg 153-1W	24	0.3-0.3 *
O. L. Benson, 01142, 236-16-2278, Disp. O., Console surveillance, Sols., Ep. Gr. dictn., Bldg 152-3	26	0.2
O. E. Bias, 02352, 234-22-5426, V.B.O., Console surveillance, composite resin sols, Bldg 152-3	19	0.4
W. A. Bewles, 03069, 236-18-1171, Inst. M., Installing VFA spl. intake lines, Bldg 153-1	20	0.7
B. B. Bowman, 01477, 236-24-8961, A/C O., Operating console inst., bring up A/C temp, Bldg 153-1	25	1.0-1.1 *
K. L. Bickerton, 00585, 234-24-1920, T.O., Routine tour, readings @ Bldgs 151, 152, 153, 154, 191	27	0.2
R. T. Burns, 03076, 232-18-8592, Inst. M., Installing heating system thermostat, Bldg 153-1	25	0.2
D. E. Canterbury, 01556, 234-16-9001, WM., Operating packer (Bagging VROH Resin) Bldg 177-5	25	1.0
H. L. Coste, 01781, 236-26-7149, O.M., Repairing No. 1 stripping system pump, Bldg 153-1NW	27	0.2
W. R. Chandler, 01285, 234-14-9827, T.O., Routine tour, readings @ Bldgs 152, 153, 154, 191	29	0.3-0.2 *
A. B. Crouse, 01494, 232-18-2927, U.F., Misc. bench work in shop @ Bldg 154-1	24	0.3
J. M. Deitz, 01358, 232-14-6222, Disp. O., Equip., console surveillance, Bldg 152-3	16	0.2
E. W. Douglas, 01215, 233-10-3081, Ref. O., Equip., console surveillance, Bldg 152-G	34	0.3
T. E. Eden, 01363, 233-14-4264, A/C O., Compressor-Equip check, control room duties, Bldg 153-1	17	0.9
W. L. Fisher, 19523, 232-16-4812, S., Office work only, Bldg 152-1	30	Nil
R. H. Flowers, 00645, 235-03-5005, T.O., Routine tour, readings @ Bldgs 152, 153, 154, 191	37	2.9
A. Fortson, 01151, 236-24-8175, WM., Operating packer (Bagging VAGH resin) Bldg 177-5	23	1.0

5149573

* Simultaneous duplicate monitoring, i.e., 2 pumps and 2 charcoal tubes to check measurement precision.

033951
UCCMONTHLY SUMMARY
VCM PERSONAL MONITORING RESULTS - MARCH 1975

Page 2 of 4

08300 DEPT.

	NAME - EMPL. NO. - SEC. SEC. NO. - JOB TITLE - WORK PERFORMED	MONITORING DURATION, MIN.	CONC. PPM
1.	H.S. Frasier, 01297, 234-20-0423, Disp. O., Equip., control console surveillance, Bldg 152-3	30	0.1-0.1 *
2.	C.L. Freeman, 01292, 233-07-4898, D.O., Equip., console surveillance, Bldg 152-4	20	0.4
1.	C.L. Freeman, " " " " , Disp. O., Console surveillance, A/C Spis, Sp. E. detn. Bldg 153-1	35	4.0
2.	W.R. Gardner, 01305, 233-28-0212, A/C O., Control console surveillance only, Bldg 153-1	20	0.2
3.	M.T. Garrett, 04269, 236-18-0127, WM., Operating packer, (Bagging VAEH resin) Bldg 177-5	24	0.3
4.	H.C. Gibson, 01328, 233-24-6322, B.O., Preparing equip. to knock out gel, Bldg 152-3, 5	30	0.2
5.	S.E. Harless, 10238, 234-56-2695, WM., Loading pallets (stacking VAEH resin) Bldg 177-1	30	0.5
6.	P.H. Henderson, 10161, 234-16-7021, A/C O., Equip. surveillance, control console operation, Bldg 153-1	24	1.0
7.	G.H. Hildebrand, 34835, 233-14-4974, O.F., Supervision, surveillance, unplugging B-4 reactor line, Bldg 153-1W	25	0.2
8.	J.H. Huffman, 01459, 233-12-0526, V.B.O., Control room duties only, Bldg 152-3	26	0.1
7.	D.W. Hughart, 00610, 233-07-4852, S.O., Control console surveillance, Bldg 154-3	18	0.4
5.	B.D. Jarrett, 00679, 232-01-3629, O.M., Steaming (unplugging) B-4 reactor line, Bldg 153-1W	24	0.3-0.3 *
1.	E.H. Kinder, 01346, 234-28-9552, S.O., Control console surveillance, Bldg 154-3	23	< 0.1
2.	G.E. Knight, 13444, 282-12-3855, S.C., Performing personal monitoring (training) Bldg 152-1	20	0.2
3.	G.E. Lane, 06056, 235-42-6740, T.D., Safety Monitor - Lead burning, Bldg 153-1W	24	0.3
4.	S.C. Martin, 11552, 233-78-7214, A/C O., Equip., console surveillance, Bldg 153-1	22	1.7
5.	W.K. McComis, 00457, 402-05-2724, D.O., Equip., console surveillance, Bldg 152-4	21	0.5
4.	H.E. McMillon, 04270, 233-28-0857, WM., Operating Fork Lift, storing VAEH Resin, Bldg 177-1	20	0.7

514-9573

UCC
033952

MONTHLY SUMMARY

VCM PERSONAL MONITORING RESULTS - MARCH 1975

Page 3 of 4

08300 DEPT.

	NAME - EMPL. NO. - SOC. SEC. NO. - JOB TITLE - WORK PERFORMED	MONITORING DURATION, MIN.	CONC., PPM
37.	W. H. Miller, 01381, 235-05-7442, O.M., Misc. benchwork in shop @ Bldg 154-1	25	0.2
38.	E. Mobley, 01365, 232-14-5406, U.F., Installing steam trap, Bldg 152-1	26	0.1
39.	C. C. Mooney, 00331, 236-01-1537, T.O., Routine tour, readings @ Bldgs 152, 153, 154, 151	29	0.2 - 0.2 *
40.	B. R. Mullins, 02608, 235-18-3760, O.M., Setting, repacking pump @ Bldg 157-1W	27	0.1
41.	J. E. O'Neal, 00304, 284-01-5347, V.B.G., Equip., console surveillance, Bldg 152-3	19	0.4
42.	R. C. Doley, 01349, 234-30-2932, T.O., cleaning up resin, Bldg 152-3	40	0.2
43.	L. E. Parsons, 01348, 232-24-6307, Disp. O., Equip., console surveillance, Bldg 152-3	20	0.5
44.	H. E. Reese, 03779, 236-18-0164, W.M., Operating packer (bagging VAGH resin) Bldg 177-5	29	1.1
45.	W. E. Roach, 35183, 234-01-2417, S., Routine surveillance tour Bldg 152-1, 2, 3, 4	30	0.2
46.	K. E. Rollins, 04018, 232-34-4655, Inst. M., Installing VFA spl intake lines, Bldg 153-1	25	2.4
47.	M. W. Scrugg, 01401, 234-36-0807, O.M., Repairing ventilation system fan, Bldg 153-1	24	0.7
48.	J. W. Smithson, 00419, 237-20-9866, V.B.G., Control console surveillance only, Bldg 152-3	27	0.1
49.	V. W. Smolder, 00617, 235-28-6920, D.O., Starting up No. 2 system, Bldg 152-4, 5	23	2.6
50.	L. P. Snodgrass, 01326, 234-01-2366, T.O., Readings @ Bldgs 154, 151	18	0.9
51.	J. E. Sowards, 02347, 236-36-3836, A/c O., Equip., console surveillance, Bldg 153-1	23	0.8
52.	R. W. Stowers, 01446, 236-07-9048, S.O., Equip., console surveillance, Bldg 154-1, 2, 3	26	1.0
53.	R. N. Taylor, 01829, 234-01-3069, D.O., Equip., console surveillance, Bldg 152-4	22	0.2
54.	E. G. Teets, 04274, 187-01-6433, W.M., Stacking VAGH Resin bags on pallets, Bldg 177-1	26	0.9

514-9513

YCM PERSONAL MONITORING RESULTS-MARCH 1975

08300 DEPT.

NAME - EMPL NO. - SOL SEC NO - JOB TITLE - WORK PERFORMED	MONITORING DURATION IN HRS	CONC	PPM
55. G.W. Tincher, 10181, 235-42-5827, Elec., Wiring Dynatrol control panel, Bldg. 153-1	21		0.6
56. E.N. Triplett, 01482, 236-18-1343, WM., Loading pallets, VRCH Resin, Bldg. 177-1	27		0.7
57. A.M. Turley, 01332, 234-20-7000, T.O., cleaning up VAGH slurry Tk. spill, Bldg 153-1	20		0.3
58. W.E. Turley, 01117, 232-24-0817, T.O., Routine tour, readings @ Bldgs 152, 153, 154, 191	23		0.3
59. I.M. Waggoner, 01372, 235-28-6275, S.O., Control console operation, Bldg 154-3	39		0.4
60. E.R. Willis, 01550, 233-22-9333, WM., Fork Lift operation, Bldg 177-1	28		0.2
61. R.L. Wise, 00217, 234-38-1657, Elec., Wiring Dynatrol control panel, Bldg 153-1	23		0.2
62. W.E. Young, 35043, 235-01-1557, C.F., Area tour, distributing paychecks, Bldgs 152, 153, 154, 191	35		0.3

514-9573

UCC
033953

Page 1 of 1
35530 DEPT.

35530 DEPT.

[illegible]

UCC
033954

514-9573

VCM PERSONAL MONITORING RESULTS - MARCH 1975

58500 DEPT.

UCC
033955

1. The following information is for your information only. It is not to be used for any other purpose.

VCM PERSONAL MONITORING RESULTS - MARCH 1975

Page 1 of 1

07800 DEPT

514-9573

UCC
033956

UOC
039857

MONTHLY SUMMARY

VCM PERSONAL MONITORING RESULTS - MARCH 1975

Page 1 of 2

08500 DEPT.

	NAME-EMPL. NO.-SOC. SEC. NO.-JOB TITLE-WORK PERFORMED	MONITORING DURATION, MIN.	CONC. PPM
	O.M.,		
1.	B. F. Arbogast, 00674, 234-20-2847, Misc. repair work in shop, Bldg 190-2	23	0.4
	WM.,		
2.	E. H. Barnett, 04087, 235-15-6913, Operating packer (QYKV, QYNV) Bldg 190-1	25	0.2
3.	H. D. Bell, 00590, 537-26-2658, O.M., Misc. repair work in shop, Bldg 190-2	34	0.3
4.	H. H. Blake, 02397, 234-01-2430, Inst. M., Trouble shooting control console instruments, Bldg 190-2	31	1.8
5.	E. R. Blylock, 01592, 236-26-0357, WM., Loading, labeling resin bags, Bldg 190-1	28	0.4
6.	H. T. Brannmer, 03514, 234-34-3479, Elec., Surveillance, planning future work project G structure, Bldg 190	21	0.4
7.	J. E. Brown, 01538, 236-26-0914, WM., Operating packer (QYKV Resin), Bldg 190-1	25	0.3
8.	O. F. Burford, 01312, 232-24-5454, L., Misc. cleanup work, Bldg 190-1	38	2.3
9.	O. F. Burford, " " " Safety Monitor, co worker cleaning No. 33 A/C, Bldg 190	57	3.4
10.	W. H. Evans, 03634, 240-18-6160, WM., Operating packers (QYKV QYNV resin), Bldg 190-1	25	1.1-1.0 *
11.	E. D. Gillenwater, 00742, 236-24-8351, U.F., Opened No. 48 A/C, installed experimental wash valve	53	15.4
12.	R. L. Grass, Jr., 01462, 234-20-5573, C.O., Equip., console surveillance, Bldg 190-1,2	34	18.6
13.	R. L. Grass, Jr., " " " Charged catalyst pot, changed Sorce Filter	23	0.1-4.0 *
14.	F. G. Groves, 01474, 408-26-5388, D.O., Control console surveillance only, Bldg 190-1	20	0.2
15.	J. C. Johnston, 01457, 235-01-2786, B.O., Equip., console surveillance, Bldg 190-2	23	0.4-0.3 *
16.	F. M. Keaton, 00531, 234-30-7216, T.O., Equip., console surveillance, Bldg 190-2	22	0.3
17.	G. E. Lyons, 11207, 236-88-3065, L., Remained in main control room due to compressor leak	13	5.7

514-9573

... 2 charnal tubes to check measurement precision.

MONTHLY SUMMARY
VCM PERSONAL MONITORING RESULTS - MARCH 1975

Page 2 of 2
08500 DEPT.

NAME - EMPL. NO. - SOC. SEC. NO. - JOB TITLE - WORK PERFORMED										MONITORING DURATION, MIN.	CONC. PPM
18.	A. C. McCallister	01284	234-16-8167	Misc. work on No. 44 A/C, No. 2 Dryer, East pad, Bldg. 190						24	0.3
19.	A. C. McCallister	"	"	Performed manual cleaning inside No. 33 A/C Bldg. 190 (Wearing respirator)						55	41.6
20.	C. M. McClure	01392	236-24-2856	U.O., Routine tour, changed filter on No. 2 bay house						27	0.3
21.	K. E. Osborne	00335	235-10-4395	C.O., Equip., console surveillance Bldg. 190						30	0.3
22.	R. C. Phillips	01454	233-24-9360	T.O., Equip., console surveillance						27	3.2
23.	F. Pizzino	00641	226-09-0490	U.F., while out in structure area - a leak developed in compressor discharge line.						29	109.9
24.	I. D. Shamblin	01272	233-14-3682	T.O., Console surveillance, latex spl. @ 200* filter pot						21	0.4
25.	I. D. Shamblin	"	"	" , Added NA-2 to cat. pot, antifog to A/C - 3/4						18	1.1 - 1.2 *
26.	D. F. Sheets	01479	233-16-4302	D.O., Equip., console surveillance Bldg. 190-1						24	0.4
27.	J. H. Spreuse	03672	236-30-4470	B.O., Equip., console surveillance Bldg. 190-2						20	0.4
28.	I. B. Summers, Jr.	10592	236-64-7998	U.E., No. 48 A/C, 57 compressor surveillance						20	0.4
29.	R. P. Turley	01411	236-16-5492	U.O., Control room only, Bldg. 190-2						20	0.4
30.	H. H. Wadden, Jr.	01113	233-32-4979	Surveillance, planning future work in south structure						23	0.5
31.	O. T. White	01311	232-32-4130	DO, Equip., console surveillance Bldg. 190-1						26	1.1
32.	O. T. White	"	"	D.O., Equip., console surveillance, bottom lowered one tank, Bldg. 190-1						26	2.0
33.	J. L. Willis	01435	236-30-7726	B.O., Equip., console surveillance Bldg. 190-2						20	0.4

RECEIVED

APR 18 1975

R. N. WHEELER, JR.

UCC
033958

51A-9573