

D.V. 200, 202, 204, 210, 213, 261

C.V.

D.V.

CG 20 CODE BT-425-D PKG.

MAY -0.81- 1080

EST. WGT. 2866 LBS.

STD. HRS. TIME M

PROCESSES		APPROVED BY	
()	BT-425-D	(F)	AJC 06-27-77
()		()	DCG 06-30-77
()		()	MTW 07-01-77
()		()	
TYPED BY			
emw070677			

NON-BLEEDING

EQUIPMENT	NAME: MONASTRAL® BLUE BF	USE LBS.	N CODE	ACCT. LBS.
NOTE: For processing N-8900-A, N-8802-A & N-8510-A; preset water meter per chart for water addition to full totes. Use mode 4 for full totes & mode 2 for stumping totes.				
SV	1 Run 2-3" (±200 G) water into V- 224			
1	2 Use Station # 3 & pump in		8900-A	325
USE N-8900-A	Gals of Water			
LOT	Sequencer Steps			
LOT 6 11 16	#100%	%		
140 160 190	160	19.4	825	
141 165 191	165	21.52	767	
	Total 325 # 100%			
2	Use Station # 2 & pump in		8802-A	115
USE N-8802	Gals of Water			
LOT	Sequencer Steps			
LOT 6 11 16	#100%	%		
122 115	115	21.1	545	
	Total 115 # 100%			
4	Use Station # 2 & pump in		8510-A	2160
	Gals of Water			
	Sequencer Steps			
LOT 6 11 16	#100%	%		
760-0 30 10 30	308	12.3	2500	
738-0 30 10 30	318	10.7	2500	
758-0 30 10 30	379	11.1	2500	
758-1 30 10 30	389	11.5	2500	
762-15 30 10 30	368	10.7	2500	
722	DRUMS	610	12.7	4800
726	DRUMS	140	15.3	915
	Total # 100%			
5	After last tote pumped, run in 100 gals of water & pump into SV to clean system			
6	Start agitator & stir 5 min			
7	Record: pH 7.7 (8.5-10.0)			
8	If necessary, adj to pH 8.5-10.0	Assume 50%	7-D	
	& Record: pH	Assume 77%	27-D	

EQUIPMENT		PAGE 2 CG 20 CODE BT-425-D (F) EST. WGT. 2866 LBS.	USE LBS.	N CODE	ACCT. LBS.
313	2	9 Run 24" (355 G) water into V-313			
		10 Turn on agitator & heat to 80-100°F			
		11 Sift in (±1 min per bag)	320	530-A	320
		12 Stir 5 min & Record: pH 10.3 (10.0-10.5)			
		13 Stir an additional 15 min or longer to dissolve for S 16			
304	3	14 Run 10" (122 G) water into V-304			
		15 Dump in & stir to dissolve for S 17	100	20-A	100
SV	4	16 Run V-313 thru 20 mesh screen into SV & stir 5 min			
		17 Run in V-304 in 5-10 min & stir 15 min			
		18 Record: pH 7.6 (9.0-10.0)			
		19 Flood to 88" & stop agitator			
		SV 200 202 204 210 213 261			
		S 19 77" 87" 88" 74" 52" 60"			
		Gal 5205 5150 5174 5143 5153 5220			
		START 5:00 PM 11:00 PM 1:30 PM			
		FIN 11:00 AM 1:45 AM 4:00 PM			
		OPTR 37 348 86			

N-8802-A, N-8803-A, N-8900-A

HIGH SOLIDS PRESSCAKE

- NEWPORT SHIPPING THE ABOVE
IN PRESSCAKE OR SLURRY FORM
- AFTER REMOVING TOTE LID,
CHECK TOTE CONTENTS AS TO
WHETHER MATERIAL IS IN
PRESSCAKE OR SLURRY FORM
- IF PRESSCAKE FORM, PRESET
WATER METER AT 250 GAL/WATER
USE MODE # 4 FOR PUMPING
FULL TOTES & MODE # 1 FOR
STUMPING TOTES
- IF SLURRY FORM, TREAT
AS PER CARD