

R.E.B.

PLAINTIFF'S EXHIBIT

MON-1857

JRH

Jim

Per the OSHA Memo #22 it looks
like we need to:

- 1) Put an exhaust fan @ our insul cutting location
- 2) See that asbestos is handled in wet state when ever possible
- 3) Coveralls + respirators should be used
- 4) Obtain copy of "program" from OMC for the care, cleaning, use etc of respirators.

The Safety Dept will take air samples as reqd.

Give me your comments
and plans.

REB

7/13

See attached

7/17

Bob.

Item 4

- 1) EXHAUST FANS ARE IN EXISTANCE NOW ON OUR SAWS. R.A.D IS IN PROCESS OF INSTALLING A LARGE EXHAUST FAN BEHIND THE SAWS IN THE NORTH WALL TO REMOVE DUST. (FAN IS ON ORDER.)
- 2) THIS WILL BE DIFFICULT TO ENFORCE BUT WILL TRY
- 3) NEW TYPE RESPIRATORS ARE ON ORDER. THEY WILL BE REQUIRED FOR ALL FAB. WORK AND LARGE DISMANTLING JOBS.
- B) I WILL PUT OUT MEMO TO COVER THE USE OF COVERALLS I THINK THE SAME SHOULD APPLY AS ITEM A)
- 4) I WILL SET UP PROGRAM FOR CARE AND USE OF RESPIRATORS.

C-000099

LAM022009

REB
Complet

HAH

Please write a memo to Bearfield
covering asbestos (ins) plans, etc. cover:

- ① What we have done
- ② What we plan to do
- ③ What we see as OMC's responsibility
- ④ " " " " Safety's
- ⑤ What " " will be long term (6 mos+) ~~effect~~ effect on our work

I would like to go over rough draft of
memo when you are ready. Also,
let's try to have the rough memo
ready for Tues Aug 1ST MAPC MTG -
for discussion -

REB
7/25

C 000100

LAM022010