

	Gals.	Qts.	Pts.	½ Pts.
BLACKBOARD FINISHES See: Vismatic Green Chalkboard Coating				
BLENDING COLORS See: SPRED Dramatone Tinting Colors; Colors-In-Oil				
BRICK PAINTS See: SPRED House Paint; SPRED Glide-On				
BRUSH-DAY-LITE ALKYD FLAT ENAMEL Y-5700 line Beautiful, completely washable, flat alkyd enamel for interior wall surfaces, including plaster, wood, concrete, wallboard and metal. Can be applied quickly with a wide brush or roller. Flows out smoothly. One coat is usually sufficient. Colors match SPRED SATIN.				
White and Colors	5.64	1.86	—	—
APPLICATION—Brush, Roller, Spray DRYING TIME—4 hrs; overnight for recoating THINNER—Mineral Spirits or Turpentine COVERAGE—Up to 550 sq. ft. per gal.				
BRUSH-DAY-LITE ALKYD FLAT EN. INT. TINT BASE Y5787	5.45	1.79	—	—
BRUSH-DAY-LITE ALKYD FLAT ENAMEL TINT WHITE Y5780 For tinting Brush-Day-Lite Alkyd Flat Enamel Colors	5.25	1.67	—	—
BRUSHING LACQUER See: Glid-Tone Crystalacq				
CANVAS PRESERVATIVE See: Neva-Rot				
CEMENT AND STUCCO PAINT See: SPRED House Paint; SPRED Glide-On				
COLORS-IN-OIL Y-1700 line Unexcelled for tinting flat wall paints, Semi-Gloss and Gloss enamels, glazing liquids, white lead and white paste paint. Ground extremely fine in special pale linseed oil for quick and positive dispersion. The finest pigments are used to develop perfect tone and strength of color. Not to be used in latex, emulsion paints, or lacquer.	Gals.	Qts.	½ Pts.	1" x 5" Tubes
Raw Umber, Burnt Umber, Y1708, Y1703	8.15	2.45	.90	.52
Raw Sienna, Burnt Sienna, Y1719, Y1702	9.00	2.66	.94	.52
Ivory Drop Black, Y1709	—	2.55	.93	.52
Lamp Black, Y1720	6.80	2.12	.86	.52
Prussian Blue, Y1711	—	2.55	.93	.52
Chrome Green, Light; Chrome Green, Medium, Y1706, Y1705	12.45	3.52	1.21	.52
Perma-Green, Y1745	—	5.50	1.70	.52
Chrome Yellow, Light and Medium, Y1716, Y1707	—	4.75	1.47	.52
Chrome Yellow, Dark, Y1742	—	5.35	1.65	.52
Yellow Ochre, Y1701	9.00	2.66	.94	.52
Venetian Red, Y1718	7.04	2.22	.89	.52
American Vermilion (Interior Use Only) Y1717	—	4.75	1.47	.52
Perma Blue, Y1746	—	4.95	1.53	.52
CONCRETE PAINT See: SPRED House Paint; SPRED Glide-On				
CRACK AND CREVICE FILLER See: SPRED Patch				
CREOSOTE PAINT See: Stock Farm Paint				

	Gals.	Qts.	Pts.	½ Pts.
***ENDURANCE EXTERIOR BASECOAT Y-1851** Exterior primer for new wood and previously painted wood that is badly weathered or chalked. Use it to spot-prime bare spots resulting from peeling and flaking. Made from specially prepared oils to produce the elasticity, adhesion and control penetration necessary for finest exterior paint jobs APPLICATION—Brush, Spray DRYING TIME—48 hours for recoating THINNER—Mineral Spirits or Turpentine COVERAGE—450 to 500 Sq. Ft. per gallon	—	—	—	—
***ENDURANCE HOUSE PAINT Y-1800 LINE** **For Siding, Trim and Shutters** Contains more heavy-bodied, pure linseed oil per gallon for longer life; pure white lead for added strength, water-resistance and extra durability; titanium for whiteness and hiding; zinc oxide to combat mildew, magnesium silicate for protection against cracking and checking. The exclusive Glidden formula makes this the finest, longest-lasting, self-cleaning exterior house paint manufactured. May be tinted with DRAMATONE Tinting Colors.				
Outside White, Y1800	—	—	—	—
Regular Colors and Black, Y1800 Line	—	—	—	—
Non-Chalking Trim White, Y1892	—	—	—	—
Crylite Green, Y1828	—	—	—	—
Deep Turquoise, Y1870	13.04	3.79	2.04	—
Shutter Green, Y1861	9.04	2.75	1.54	—
Dark Walnut; Dark Blue, Y1872, Y1871	7.74	2.40	1.40	—
APPLICATION—Brush, Spray, Roller DRYING TIME—16 hours; recoat in 72 hours THINNER—Mineral Spirits or Turpentine COVERAGE—550 Sq. Ft. per gallon				
***ENDURANCE HOUSE PAINT Y-1850** **Mildew and Fume-Resistant** A deluxe, Super White House Paint—ideal for the finest homes. Excellent for exterior wood, masonry and metal in any climate. A Non-staining House Paint that stays white and bright for years. *Especially suited for industrial areas, where* homes are subjected to chemical fumes, heavy smog and smoke. Its formulation makes it ideal for farm buildings and fences. Combats mold, mildew and the roughest year-round weather APPLICATION—Brush, Spray THINNER—Mineral Spirits or Turpentine DRYING TIME—16 hours; 72 hours for recoating COVERAGE—Up to 550 Sq. Ft. per gallon	—	—	—	—
ENDURANCE HOUSE PAINT, PASTEL COLORS Y-1800 line Pastel colors are easily obtained by tinting existing colors of ENDURANCE HOUSE PAINT or NON-CHALKING TRIM WHITE Y1892 with DRAMATONE Tinting Colors. See ENDURANCE HOUSE PAINT Color Card.	—	—	—	—

*AVAILABLE IN 5-GAL. CANS AT 15c PER GALLON LESS THAN 1-GAL. PRICES.

GLD34750

	Gals.	Qts.	Pts.	½ Pts.
***FLORENAMEL (Alkyd) Y-850 line** An alkyd enamel with extra durability, for use on porches, floors of wood and concrete, canvas decks, railings — inside and outside. Will not waterspot; standing pools of water do not affect it. FLORENAMEL gives concrete basement floors and walls a mirror-like enamel finish. It's scrubbable. FLORENAMEL is made to take the roughest wear and weather. May be tinted with DRAMATONE Tinting Colors. All colors	7.65	2.45	—	—
APPLICATION—Brush, Spray DRYING TIME—12 hours THINNER—Turpentine or Mineral Spirits COVERAGE—500 to 600 Sq. Ft. per gallon				
***GLIDDENCOAT (White Enamel Undercoat) Y-555** A perfect enamel undercoat for woodwork. Produces a firm opaque film to hold out succeeding coats of finishing enamel, making it possible to secure full luster and depth of gloss. Works easily, flows evenly without showing brush marks and requires only light sanding. Can be tinted with Colors-In-Oil or DRAMATONE Tinting Colors	6.50	2.10	1.22	.83
APPLICATION—Brush, Spray DRYING TIME—Overnight for sanding and recoating THINNER—Mineral Spirits or Turpentine COVERAGE—500 Sq. Ft. per gallon				
GLIDE-ON, SPRED See: SPRED Products Section				
GLID STRIP (Non-Flammable) Y-74 Wash Away Paint and Varnish Remover A non-flammable, water-flush paint and varnish remover that stays wet longer and permits working on larger areas. Has less tendency to run and sag on upright surfaces due to its heavy body. Easy to use. *Just brush it on, wait a few minutes,* then wash it off with water. GLID STRIP also acts as a cleaner for old, hardened nylon and pure bristle paint and varnish brushes. Will soften latex paints for easy removal	6.94	2.32	1.27	.82
GLID-TONE CRYSTALACQ (Brushing Lacquer) Y-2840 A crystal clear, quick-drying, water and wear-resistant lacquer finish for brush application. Easy to use. Excellent for floors, woodwork, furniture, linoleum, etc.	7.70	2.39	1.37	—
APPLICATION—Brush DRYING TIME—1 to 6 hours, depending on surface THINNER—Glid-Tone Crystalacq Reducer COVERAGE—300 Sq. Ft. per gallon				
GLID-TONE CRYSTALACQ REDUCER, Y2822 Special Thinner for Crystalacq	—	—	1.10	—

*AVAILABLE IN 5-GAL. CANS AT 15c PER GALLON LESS THAN 1-GAL. PRICES.

	Gals.	Qts.	Pts.	½ Pts.
GLID-TONE SPAR VARNISH Y-48 Extra durable spar varnish for exterior surfaces exposed to weather. Recommended as the finest varnish available for exterior use — spars, hulls, decks, house sidings, paneling, porch ceilings, outdoor furniture, etc. Makes perfect finish over Glid-Tone Stain on exterior surfaces APPLICATION—Brush DRYING TIME—8 hours; 48 hours for recoating THINNER—Mineral Spirits or Turpentine COVERAGE—650 Sq. Ft. per gallon	9.55	2.80	1.57	1.01
GLID-TONE VARNISH STAIN Y-1201-02-03 Stains and varnishes in one operation. Dries quickly, to a high lustre. For use on *furniture, woodwork and floors. Unusually waterproof* APPLICATION—Brush, Spray DRYING TIME—4 to 6 hours; 24 hours for recoating THINNER—Mineral Spirits or Turpentine COVERAGE—600 Sq. Ft. per gallon	7.55	2.35	1.33	.88
GLID-TONE WOOD STAIN Y-242 line An all-purpose, pigmented wiping stain for all types of wood, plywood and veneer, exterior and interior surfaces. Especially suitable for knotty pine wood paneling in recreation rooms. Excellent for use on new or old furniture, woodwork, cabinets, wall paneling and floors. GLID-TONE Stain heightens the beauty of the wood grain. Holds color evenly. May be coated with varnish, shellac or lacquer. May be tinted with DRAMATONE Tinting Colors to produce additional beautiful colors. APPLICATION—Wiping Cloth, Brush DRYING TIME—12 hours Stains, All Colors THINNER—Glid-Tone Stain Reducer	5.90	1.95	1.16	.78
GLID-TONE STAIN REDUCER Y-251	3.65	1.35	.85	.66

	Gals.	Qts.	Pts.	½ Pts.
***SPRED HOUSE PAINT Y-3600 line** **(100% Latex Exterior Paint)** A new blister-resistant house paint for exterior wood and masonry. May be applied without primer over sound previously painted surfaces which are in good condition. Has a remarkable fast drying time of thirty minutes, which practically eliminates damage from bugs, rain and dust. May be applied over damp surfaces. Has long lasting velvet-like sheen. Once the Spred House Paint system is used on a house, future paintings will require only one coat. White and Colors	7.98	2.45	—	—
APPLICATION—Brush, Roller, Spray Gun DRYING TIME—4 hours for recoating THINNER—Water COVERAGE—Approx. 450 Sq. Ft. per gal. on smooth surface				
***SPRED HOUSE PAINT WHITE TINT BASE—Y3625**	7.98	2.45	—	—
***SPRED PRIMECOAT #1 Y-3651** **(Thin With Mineral Spirits)** Spred Primecoat #1 provides a firm foundation on new or unpainted exterior surfaces. The ideal undercoat that creates the finest possible two coat paint job when used under Spred House Paint. Excellent also for recoating badly weathered or porous surfaces that have been previously painted. This primecoat has been especially formulated for Spred House Paint	7.98	2.45	—	—
APPLICATION—Brush, Roller, Spray Gun DRYING TIME—48 Hours THINNER—Turpentine or Mineral Spirits COVERAGE—450-550 Sq. Ft. per gallon				
***SPRED GLIDE-ON Y-3500 line** **(Vinyl-Latex Exterior Masonry Paint)** An exterior vinyl-latex masonry paint, unaffected by the alkalinity found in all masonry surfaces. Designed for use on stucco, concrete, brick, concrete block, cinder block, asbestos shingle and panel siding, unglazed tile and primed metal. Keeps out moisture yet the surface "breathes" to let vapor escape from inside. A tough vinyl film that resists driving rains, hottest sunshine, mildew, snow and ice, sea air and salt water spray, strongest smog, dust and chemical fumes. Resists cracking, peeling, fading, blistering, acid and alkali action. White and Colors	7.05	2.20	—	—
APPLICATION—Brush, Roller, Spray DRYING TIME—Overnight for recoating THINNER—Water COVERAGE—Up to 400 Sq. Ft. per gallon				

*AVAILABLE IN 5-GAL. CANS
AT 15c PER GALLON LESS THAN 1-GAL. PRICES.

GLD34753

	Gals.	Qts.	Pts.	½ Pts.
SPRED PATCH Y-3475 **(100% Latex Spackling Compound)** A ready-to-use spackling compound. Will not bleed through paint, or flash. Does not shrink. Dries to a "puff" which may be easily sanded. Does not clog sandpaper. Excellent adhesion APPLICATION—Putty Knife DRYING TIME—30 minutes THINNER—Water	4.75	1.70	4 oz. Tube .51	.70
SPRED FLAT Y-3000 **(Oil-Emulsion Interior Paint)** One gallon makes six quarts of paint when mixed with two quarts of water. Easy to apply over wallpaper, new or old plaster, wallboard, painted surfaces, cement and rough tile walls. Has limited washability. White APPLICATION—Brush, Roller, Spray DRYING TIME—30 minutes; recoat 4 to 12 hours, depending upon surface THINNER—Water COVERAGE—*Up to 650 Sq. Ft. per gallon*	4.95	1.73	—	—

GLD34754

	Gals.	Qts.	Pts.	½ Pts.
JAPALAC SPRAY ENAMEL Y-4000 line In Ready-To-Spray Cans All-purpose, interior-exterior enamel in pressurized, aerosol cans ready for immediate spraying. Extra-durable, quick-drying enamel of brilliant beauty. Gives professional appearance to porch and lawn furniture, bicycles, toys, tables, chairs, etc. Ideal for wickerwork. Colors match regular JAPALAC Alkyd Enamel colors. In addition, *JAPALAC SPRAY ENAMEL is available in ready-to-spray interior-exterior Aluminum, rich Gold, and a clear finish.* White, All Colors, and Clear ..... APPLICATION—Spray DRYING TIME—Ten minutes		16 Av. Oz. Can 1.59	—	—
LACQUER See: Glid-Tone Crystalacq (Brushing Lacquer) **LATEX PAINTS** See: SPRED Products Section **LINOLEUM COATING** See: Glid-Tone Crystalacq				
***LIQUID RED LEAD (Modified) Y-506** Recommended whenever a shop coat of red lead is specified. Comes ready to apply, is extremely elastic and is an excellent rust preventative ..... APPLICATION—Brush, Spray DRYING TIME—16 hours; 48 hours for recoating *THINNER—Mineral Spirits or Turpentine* COVERAGE—500 to 600 Sq. Ft. per gallon	8.90	2.73	1.57	1.01
MACHINERY ENAMEL See: Rustmaster Enamel; Japalac **MASONRY FINISHES** See: SPRED House Paint; Silicone Driwall; SPRED Glide-On				
***METALLITE ALL PURPOSE ALUMINUM Y-592** An extremely smooth, chrome-like aluminum finish for use on radiators, furnace jackets, airducts, hot water tanks and heaters, pipes and other interior surfaces. Will not tarnish under ordinary conditions. It maintains its brilliance. Makes an excellent sealer over asphalt. Retards corrosion caused by fumes and moisture. Withstands heat up to 500°F. Hides with one coat. Easily cleaned. Reflects light .... APPLICATION—Brush, Roller, Spray DRYING TIME—2 to 4 hours: 24 hours for recoating *THINNER—Mineral Spirits or Turpentine* COVERAGE—650 Sq. Ft. per gallon	7.04	2.22	1.30	.84

*AVAILABLE IN 5-GAL. CANS AT 15c PER GALLON LESS THAN 1-GAL. PRICES.

Glidden

	Gals.	Qts.	Pts.	½ Pts.
RIPOLIN UNDERCOAT Y-2555 A perfect first coater for new wood or previously painted surfaces. Dries to a firm opaque film. Especially designed for use with Ripolin Semi-Gloss and Gloss Enamels. Completely hides and seals a surface so that finishing coats of Ripolin Enamel produce full luster and depth of gloss. Requires only light sanding. May be tinted with Colors-In-Oil or DRAMATONE Tinting Colors ..... APPLICATION—Brush, Spray DRYING TIME—Overnight for sanding and recoating THINNER—Mineral Spirits or Turpentine COVERAGE—500 Sq. Ft. per gallon	7.40	2.35	1.37	—
RIPOLIN YACHTING FINISHES		(PRICES UPON REQUEST)		
***ROCKSPAR VARNISH Y-50** Heavy bodied varnish for all interior surfaces. One coat equivalent to two coats of ordinary varnish. No shrinkage on drying. Dries with deep high gloss ..... APPLICATION—Brush DRYING TIME—Overnight; 24 hours for recoating THINNER—Mineral Spirits or Turpentine COVERAGE—Up to 700 Sq. Ft. per gallon	8.10	2.50	1.44	.92
RUSTMASTER GLOSS ENAMEL Y-470 line A high quality versatile enamel of excellent quality. It has exceptional ease of application and may be applied by brushing, or spraying as a finish coat over metal with Y470 or Y471 Rustmaster Primer. Rustmaster Gloss Enamel guards against rusting of machinery and equipment in the factory and on the farm as well as metal surfaces around the home and schools such as metal window frames and casings, iron fences, railings, bicycles, lawn mowers, playground equipment, etc. Royal Blue, Greenfield, Slate, Gloss Black, Flat Black, Aluminum..... Suntone, Flare Red ..... White ..... APPLICATION—Brush or Spray DRYING TIME—Overnight THINNER—Turpentine or Mineral Spirits for Brushing; VM & P Naphtha for Spraying COVERAGE—Up to 500 Sq. Ft. per gallon	8.85 8.85 8.85	2.70 2.70 2.70	1.54 1.54 1.54	.98 .98 .98
RUSTMASTER METAL PRIMER Y-470 A new, unexcelled, fast drying corrosion resistant exterior and interior metal primer containing revolutionary Phenolic Resin Penetrating Liquid (U.S. Patent No. 2978424) that cuts through rust and seals metal pores, locking out air and corrosive moisture. A finish coat of Rustmaster Enamel will provide an exceptionally durable coating .... APPLICATION—Brush or Spray DRYING TIME—Overnight THINNER—Turpentine or Mineral Spirits for brushing; VM & P Naphtha for spraying COVERAGE—Up to 500 Sq. Ft. per gallon	8.85	2.70	1.54	.98

*AVAILABLE IN 5-GAL. CANS AT 15c PER GALLON LESS THAN 1-GAL. PRICES.

GLD34756

	Gals.	Qts.	Pts.	½ Pts.
***STOCK FARM WHITE PAINT Y-596** An excellent low cost exterior paint for use on wood surfaces such as fences, barns, outbuildings, sheds, etc. This material, produced for use in stock farms, is formulated without lead pigments, and contains wood preservatives. The creosote-like odor tends to repel livestock APPLICATION—Brush, Spray DRYING TIME—Overnight; 24 hours for recoating THINNER—Mineral Spirits or Turpentine COVERAGE—Up to 450 Sq. Ft. per gallon depending upon surface condition	6.25	—	—	—
STOVE AND IRON ENAMEL See: Jopalac Screen and Iron Enamel **SURFACE CONDITIONER** See: SPRED *Surfacene; Surface Bond* **TILE ROOF PAINT** See: SPRED Glide-On				
TINTING COLORS See: Dramatone Multi-Purpose Tinting Colors; Colors-In-Oil ***TRIM AND SHUTTER COLORS*** See: Endurance House Paint **TUBE COLORS** See: Dramatone Multi-Purpose Tinting Colors; Colors-In-Oil **UNDERCOATERS** See: Gliddencoat; Ripolin Undercoat; Surface Bond; Speed-Wall Interior Basecoat; SPRED Primer-Sealer; Endurance Exterior Basecoat; *Rustmaster Metal Primer 470; Rustmaster Galvonized Primer 471.* **VAPOR BARRIER** See: SPRED Primer-Sealer **VARNISHES** See: Glid-Tone Spar; Glid-Tone Satin Sheen; Glid-Tone Gloss; Rackspar, Xpert **VARNISH REMOVER** See: Ad-El-Ite; Glid-Strip **VINYL-LATEX PAINT** See: SPRED Glide-On				
VISMATIC GREEN CHALKBOARD COATING Y-594 A lusterless matte finish, green in color. Extremely popular in a large number of America's finest school, college and university classrooms. It is used to paint black chalkboards in a new light-reflecting color that is easy on the eyes. This green finish achieves maximum visibility and minimum light wave vibration of chalk lines and letters. Easy to apply APPLICATION—Brush, Spray DRYING TIME—Overnight for recoating THINNER—Mineral Spirits COVERAGE—Up to 500 Sq. Ft. per gallon	9.20	2.71	1.56	—

*AVAILABLE IN 5-GAL. CANS AT 15c PER GALLON LESS THAN 1-GAL. PRICES.

GLD34757


Gals.
Qts.
Pts.
½ Pts.
GLD34758

COLOR NUMBER AND DESCRIPTION

Y-1 ..... *Glid-Tone Gloss Varnish*
Y-30 .. Glid-Tone Redwood Clear Finish
Y-31 ..... *Glid-Tone Redwood Stain*
Y-37 ..... Xpert Satin Sheen
Y-47 ... *Glid-Tone Satin Sheen Varnish*
Y-48 ..... Glid-Tone Spar Varnish
Y-50 ..... *Rockspar Varnish*
Y-51 ..... Xpert Clear Gloss
Y-55 ..... *Surface Bond*
Y-56 ..... Silicone Slick Spray
Y-66 ..... *Spred Surfacene*
Y-67 ..... Black Asphaltum
Y-70 *Adelite Paint & Varnish Remover*
Y-74 .. Glid-Strip Paint & Var. Remover
Y-242 .. *Glid-Tone Stain—Honey Maple*
Y-243 .. Glid-Tone Stain—Fr. Provincial
Y-244 *Glid-Tone Stain—Mod. Red Mah.*
Y-245 ..... Glid-Tone Stain—Walnut
Y-246 ..... *Glid-Tone Stain—Wheat*
Y-247 ..... Glid-Tone Stain—Blonde
Y-248 .. *Glid-Tone Stain—Brown Mah.*
Y-249 ..... Glid-Tone Stain—Platinum
Y-250 ..... *Glid-Tone Stain—Suntan*
Y-251 ..... Glid-Tone Stain Reducer
Y-252 ..... *Glid-Tone Stain—Maple*
Y-254 ..... Glid-Tone Stain—Cherry
Y-255 ..... *Glid-Tone Stain—Ebony*
Y-257 .... Glid-Tone Stain—Driftwood
Y-258 .... *Glid-Tone Stain—Fruitwood*
Y-259 .... Glid-Tone Stain—Butternut
Y-260 *Glid-Tone Regrain Ground Coat*
Y-470 ..... Rustmaster Primer
Y-471 . *Rustmaster Galvanized Primer*
Y-472 ..... Rustmaster Aluminum
Y-475 ..... *Rustmaster White*
Y-476 ..... Rustmaster Black
Y-477 ..... *Rustmaster Flat Black*
Y-478 ..... Rustmaster Suntone
Y-479 ..... *Rustmaster Royal Blue*
Y-480 ..... Rustmaster Greenfield
Y-481 ..... *Rustmaster Flare Red*
Y-482 ..... Rustmaster Slate
Y-500 *Endurance House Paint Barn Red*
Y-506 ..... Ready Mixed Red Lead
Y-534 ..... *Silicone Drivat Clear*
Y-555 Gliddencoat Enamel Und. White
Y-592 *All-Purpose Metallite Alum. Paint*
Y-594 Vismatic Green Chalkbd. Coating
Y-596 ..... *Stock Farm Paint White*
Y-605 .. Aluminum Asphalt Roof Paint
Y-700 ..*Glid-Tone Natural Wood Filler*
Y-854 ..... Florenamel Tile Red
Y-871 ..... *Florenamel Tile Green*
Y-874 ..... Florenamel Harbor Gray
Y-875 ..... *Florenamel Chateau Gray*
Y-876 ..... Florenamel Spice Wood
Y-1201 *Glid-Tone Var. Stain, Dark Oak*
Y-1202 Glid-Tone Varnish Stain Walnut
Y-1203 *Glid-Tone Varnish, Stain Mah.*
Y-1207 ..... Japalac Brilliant Black
Y-1208 ..... *Japalac Flat Black*
Y-1212 ..... Japalac Bud Green
Y-1217 ..... *Japalac Ultra White*
Y-1219 ..... Japalac Dawn Gray
Y-1222 ..... *Japalac Screen Black*
Y-1246 ..... Japalac Rich Blue
Y-1250 ..... *Japalac Delphinium*
Y-1255 ..... Japalac Light Ivory
Y-1256 ..... *Japalac Vermilion*
Y-1260 ..... Japalac Rose Pink
Y-1263 ..... *Japalac Botany Brown*
Y-1267 ..... Japalac Ribbon Blue
Y-1269 ..... *Japalac Blue Turquoise*
Y-1270 ..... Japalac Lemon Yellow
Y-1271 ..... *Japalac Greenbrier*
Y-1502 ..... Neva-Rot Green
Y-1701 .... Colors in Oil Yellow Ochre
Y-1702 .... Colors in Oil Burnt Sienna
Y-1703 .... Colors in Oil Burnt Umber
Y-1705 Colors in Oil Med. Chrome Green
Y-1706 Colors in Oil Lt. Chrome Yellow
Y-1707 Colors in Oil Med. Chrome Yel.
Y-1708 ..... Colors in Oil Raw Umber
Y-1709 ..... Colors in Oil Ivory Black
Y-1711 ... Colors in Oil Prussian Blue
Y-1716 Colors in Oil Lt. Chrome Yellow
Y-1717 .. Colors in Oil Amer. Vermilion
Y-1718 .... Colors in Oil Venetian Red
Y-1719 ..... Colors in Oil Raw Sienna
Y-1720 ..... Colors in Oil Lampblack
Y-1742 Colors in Oil Dark Chrome Yel.
Y-1745 .... Colors in Oil Perma Green
Y-1746 ..... Colors in Oil Perma Blue
Y-1781 ..... Dramatone Blue
Y-1782 ..... Dramatone Lampblack
Y-1783 ..... Dramatone Umber Brown
Y-1784 ..... Dramatone Green
Y-1786 ..... Dramatone Red Oxide
Y-1787 ..... Dramatone Ruby Red
Y-1788 .... Dramatone Ferrite Yellow
Y-1791 .... Dramatone Hansa Yellow
Y-1792 ..... Dramatone Light Green
Y-1793 .... Dramatone Bright Orange
Y-1800 Endurance House Paint White
Y-1802 Endurance House Paint Black
Y-1813 .... End. H.P. Tobacco Brown
Y-1828 ..... End. H.P. Crylite Green
Y-1850 ..... End. H.P. Mildew & Fume Res. White
Y-1851 .... End. Basecoat Mildew & Fume Res.
Y-1855 ..... End. H.P. Castle Red
Y-1856 ..... End. H.P. Ivory
Y-1857 ..... End. H.P. Cream
Y-1859 ..... End. H.P. Light Gray
Y-1860 ..... End H.P. Medium Gray
Y-1861 ..... End. H.P. Shutter Green
Y-1867 .... End. H.P. Imperial White
Y-1870 .... End. H.P. Deep Turquoise
Y-1871 ..... End. H.P. Dark Blue
Y-1872 ..... End. H.P. Dark Walnut
Y-1886 ..... End. H.P. Light Canary
Y-1887 ..... End. H.P. Pastel Green
Y-1892 End. H.P. Non-Chalking White
Y-2200 ... Everon House Paint White
Y-2218 Craftsman House Paint White
Y-2555 ..... Ripolin Undercoat White
Y-2750 ..... End. Velvet H.P. White
Y-2751 End. Velvet H.P. Mayflower Yel.
Y-2752 End. Velvet H.P. Sterling Gray
Y-2754 .. End. Velvet H.P. Gunmetal
Y-2755 End. Velvet H.P. Cottage Ivory
Y-2758 End. Velvet H.P. Granada Red
Y-2759 End. Velvet H.P. Shrub Green
Y-2761 End. Velvet H.P. Brown Antique
Y-2764 ... End. Velvet Shadow Green
Y-2822 . Glid-Tone Crystalacq Reducer
Y-2840 ..... Glid-Tone Crystalacq
Y-2842 ..... Xpert Clear Wood Finish
Y-2900 ..... Ripolin Ultra White
Y-2950 Ripolin Semi-Gloss Enamel White
Y-3000 ..... Spred Flat White
Y-3050 ..... Craftsman Latex Pt. Alaska White
Y-3051 Craftsman Latex Pt. Tusk Ivory
Y-3052 Craftsman Latex Pt. Spearmint
Y-3053 .. Craftsman Latex Pt. Azalea
Y-3054 Craftsman Latex Pt. Pewter Gray
Y-3055 .... Craftsman Latex Pt. Aqua
Y-3056 ... Craftsman Latex Pt. Hemp
Y-3057 Craftsman Latex Pt. Brook Blue
Y-3058 . Craftsman Latex Pt. Maytime
Y-3059 Craftsman Latex Pt. Bone White
Y-3090 Spred Stipple Text. Bone White
Y-3401 ..... Spred Satin Pale Ivory
Y-3405 . Spred Satin Confetti Yellow
Y-3406 ... Spred Satin Light Apricot
Y-3407 .. Spred Satin Pinefrost Green
Y-3409 ... Spred Satin Tropic Green
Y-3410 ..... Spred Satin Spray Blue
Y-3412 ..... Spred Satin Blue Azure
Y-3413 .... Spred Satin Bone White
Y-3414 ..... Spred Satin Moonmist
Y-3415 .... Spred Satin Blossom Pink
Y-3416 ..... Spred Primer Sealer
Y-3418 . Spred Satin Decorator White
Y-3434 .. Spred Satin Charcoal Black
Y-3441 ..... Spred Satin Cheer
Y-3443 ... Spred Satin Cotton Candy
Y-3447 .... Spred Satin Sandy Beige
Y-3448 . Spred Satin Silver Turquoise
Y-3449 .... Spred Satin Oyster White
Y-3467 ... Spred Satin Pebble Beach
Y-3470 Spred Satin Ceiling Flat White
Y-3472 .. Spred Satin Medallion Gold
Y-3475 ..... Spred Patch
Y-3477 ... Spred Satin Biscayne Blue
Y-3478 ..... Spred Satin Aquaglow
Y-3479 . Spred Satin Sherwood Green
Y-3480 ..... Spred Satin Dramatone Tint. Base
Y-3487 Spred Satin Int. Tinting Base
Y-3501 ..... Spred Glide-On Bamboo
Y-3504 .. Spred Glide-On Silver Smoke
Y-3506 .... Spred Glide-On Tang Red
Y-3507 .... Spred Glide-On Sunflower
Y-3510 .. Spred Glide-On Jewel Green
Y-3513 .. Spred Glide-On Gray Velvet
Y-3515 . Spred Glide-On Lt. Tangerine
Y-3516 ... Spred Glide-On Mist Brown
Y-3519 ..... Spred Glide-On Cascade
Y-3525 . Spred Glide-On Tinting White
Y-3600 ..... Spred Latex H.P. White
Y-3602 Spred Latex H.P. Sunbeam Yel.
Y-3603 ..... Spred Latex H.P. Taffy
Y-3606 . Spred Latex H.P. Dover Gray
Y-3607 .... Spred Latex H.P. Bayberry
Y-3608 ..... Spred Latex H.P. Bark
Y-3612 .. Spred Latex H.P. Evergreen
Y-3613 ..... Spred Latex H.P. Onyx
Y-3615 ..... Spred Latex H.P. Fiesta
Y-3616 ... Spred Latex H.P. Pale Tan
Y-3620 Spred Latex H.P. Cape Cod Red
Y-3625 .....Spred H.P. Tinting White
Y-3651 ..... Spred Prime Coat No. 1
Y-4000 ...Japalac Spray Enamel White
Y-4001 Japalac Spray Enamel Flat Black
Y-4002 Japalac Spray Enamel Gloss Blk.
Y-4003 ..... Japalac Spray Enamel Delphinium
Y-4004 Japalac Spray Enamel Dawn Gray
Y-4005 Japalac Spray Enamel Bud Green
Y-4006 Japalac Spray Enamel Vermilion
Y-4008 ..... Japalac Spray Aluminum
Y-4009 ..... Japalac Spray Gold
Y-4010 ... Japalac Spray Clear Plastic
Y-4011 .... Japalac Spray Copper Tone
Y-4013 Japalac Spray Enamel Rose Pink
Y-4015 Japalac Spray Enamel Lemon Yel.
Y-4016 Japalac Spray Enamel Greenbrier
Y-4017 .... Japalac Spray Flat White
Y-4018 . Japalac Spray Blue Turquoise
Y-4019 ..... Japalac Spray Tan Bark
Y-4030 ..... Rustmaster Primer
Y-4516 ..... Interior Base Coat
Y-4550 ..... Speedenamel White
Y-4551 ..... Speedenamel Black
Y-4552 ..... Speedenamel Orange
Y-4553 ..... Speedenamel Deep Green
Y-4554 ..... Speedenamel Med. Green
Y-4556 ..... Speedenamel Fire Red
Y-4560 .... Speedenamel Med. Yellow
Y-4561 ..... Speedenamel Light Gray
Y-4562 ... Speedenamel Machine Gray
Y-4564 ... Speedenamel Imperial Blue
Y-4565 ..... Speedenamel Bright Red
Y-4569 ..... Speedenamel Hydro Blue
Y-4570 ..... Speedenamel Red Oxide Metal Primer
Y-4571 ... Speedenamel Spring Green
Y-4572 .... Speedenamel Neutral Gray
Y-4573 .... Speedenamel EZC Green
Y-4574..Speedenamel School Bus. Yel.
Y-4575 ..... Speedenamel Tint White
Y-4576 ... Speedenamel Deep Orange
Y-4577 .... Speedenamel Mah. Brown
Y-4600 ..... Spred Lustre White
Y-4605 .... Spred Lustre Peach Glow
Y-4618 .. Spred Lustre Tinting White
Y-4641 .. Spred Lustre Crocus Yellow
Y-4643 .. Spred Lustre Cotton Candy
Y-4647 ..... Spred Lustre Sahara
Y-4648 ..... Spred Lustre Caribbean
Y-4649 ... Spred Lustre Oyster White
Y-4651 .... Spred Lustre Congo Ivory
Y-4655 ..... Spred Lustre Springtime
Y-4657 ..... Spred Lustre Woodland
Y-4659 .. Spred Lustre Meadow Green
Y-4660 ..... Spred Lustre Zircon
Y-4662 ..... Spred Lustre Blue Ice
Y-4663 .... Spred Lustre Smoky White
Y-4664 ..... Spred Lustre Plaza Gray
Y-4665 ..... Spred Lustre Pink Haze
Y-4667 .. Spred Lustre Pebble Beach
Y-4672 .. Spred Lustre Medallion Gold
Y-4677 .. Spred Lustre Biscayne Blue
Y-4678 ..... Spred Lustre Aquaglow
Y-4679 . Spred Lustre Sherwood Green
Y-4680 ..... Spred Lustre Dramatone Tinting Base
Y-4687 Spred Lustre Int. Tinting Base
Y-5701 ..... Brush-Day-Lite A. Flat Dutch Ivory
Y-5705 Brush-Day-Lite A. Flat Jonquil
Y-5707 Brush-Day-Lite A. Flat Mint Green
Y-5710 ..... Brush-Day-Lite A. Flat Ocean Spray
Y-5712 ..... Brush-Day-Lite A. Flat Chelsea Blue
Y-5713 Brush-Day-Lite A. Flat Buhrstone
Y-5714 Brush-Day-Lite A. Flat Smoketone
Y-5718 ..... Brush-Day-Lite A. Flat Tinting White
Y-5743 .. *Brush-Day Lite A. Cloud Pink*
Y-5747 . Brush-Day-Lite A. Flat Taupe
Y-5767 . *Brush-Day-Lite A. Flat Beige*
Y-5778 Brush-Day-Lite A. Flat Aqua Surf
Y-5780 ..... *Brush-Day-Lite A. Flat* Dramatone Tinting Base
Y-5787 ..... *Brush-Day-Lite A.* Intermediate Tinting Base

THE GLIDDEN COMPANY
National Headquarters
900 Union Commerce Building
Cleveland 14, Ohio

SALES OFFICES AND FACTORIES: New York • San Francisco • Los Angeles
Minneapolis • Dallas • Chicago • St. Louis • New Orleans • Cleveland
Atlanta • Portland • Reading • Canada: Toronto and Montreal
Branches in principal cities throughout the United States and Canada.

FORM 762

Printed in U.S.A.

GLD34759