

ABERDEEN CHEMICAL PLANT—DOSIMETRY RECORD

No 0127

Name Doug Span Shift A(F) Date 3/20/81

Social Security No. 418-66-3073 Job Code 84C0

Instrument No. <u>294</u>	Start Time <u>6:39</u> AM () PM (X)	Stop Time <u>7:02</u> AM (X) PM ()
Noise Cell No. _____	Airflow _____	

HAZARD	SAMPLE CONCENTRATION (Time Weighted Average)	Air Vol. (Liters)
☒ VCM	<u>0.5</u> — PPM	
☐ Lead	—Micrograms/M ³	PEL: —Micrograms/M ³
☐ Antimony	—Micrograms/M ³	
☐ Total Dust	—Micrograms/M ³	
☐ Noise	—% PEL	115 dBA? Yes / No
		Analyst <u>J. H. Hail</u>
		Analysis Date <u>3-25-81</u>

Hazard: VCM (☒) Lead () Antimony () Dust () Noise () _____ No 0127

1. I came to work at 9:00 AM () PM (X) Firewatch Work? Yes / (No) (Circle One)

2. I left work at 0700 AM (X) PM ()

3. I did the regular work of a (enter Job Class) Chief Lead

4. I used a respirator during the following jobs (check one)

☒ None	☐ Dust Mask	☐ Air-Line Resp.	☐ Scott Air-Pak	☐ J.M. Air-Pak
---------------------------------------	---------------------------------	--------------------------------------	-------------------------------------	------------------------------------

5. The following unusual events may have caused me to be overexposed:

Watched Hot H₂O TK - ALL
SHIFT

6. Other comments and information (Use reverse side of card)

Signature Douglas M. Span

Please complete and return to Guard