

ETHYL CORPORATION

RESEARCH AND DEVELOPMENT DEPARTMENT

RESEARCH LABORATORIES • 1600 WEST EIGHT MILE ROAD
FERNDAL 20, DETROIT, MICHIGAN

July 28, 1960

Dr. R. A. Kehoe
The Kettering Laboratory
Eden & Bethesda Aves.
Cincinnati 19, Ohio

Dear Dr. Kehoe:

The attached letter from Dr. Akatsuka was only received today after my return from vacation; it gives further details of the program for getting TML approval in Japan. This procedure is considered necessary in Japan because the law specifies only TEL approval. Dr. Akatsuka and his associates are the proper people to handle this matter -- the refiners will not be brought into this.

It would be appreciated if you would send Dr. Akatsuka the information which he requires. I know that he is waiting for this and that he will greatly appreciate your reports and comments. (I have told you of his high opinion of you and your work.)

We have shipped one drum of TML to Japan for road tests; other shipments might soon be requested but might be delayed by the 20% duty imposed on TML.

Kindly advise if you wish anything further from me.

Thank you for your help.

Very truly yours,



C. D. CARTER

CDC:iea

Att.

cc: Messrs. J.J. Frey
(w.att.) M.P. Murdock
W. Trelease

KE 0002905

June 15, 1960.

Dear Mr. Carter:

1, I shall perform toxicity tests on TML in my laboratory for presentation to the Depts of Public Health and Welfare and of Labor. I believe this step to be essential in getting Governmental approval.

3, I shall inform Dr. B. Koinuma, Member of Labor Committee on Industrial Hygiene, Former Prof. of Hygiene at Nagoya University, Medical School, President of Japan Association of Industrial Health and also Dr. K. Horiuchi, Prof. of Hygiene and Public Health at Osaka City University, Medical School. These gentlemen would corroborate my tests and approach to the government on TML.

Very truly yours,

K. Akatsuka, M.D., Dr. M. Sc. (Tokyo University)
M. P. H., Dr. P. H. (Harvard)
Prof. of Preventive Medicine & Public Health,
and Director of Tokyo Medical College.

[illegible]

KE 0002906

N 6409.01