



intracompany memo

PLAINTIFF'S EXHIBIT

GP-1589

Mr. D. C. Corkill	location	Portland	
to	O. E. Burch	location	Portland
subject	WARNING LABELS	date	June 4, 1974
	<u>Joint Cement Products</u>		

After discussing with our attorneys our warning label program for Joint System Products, they make the following recommendations:

READY-MIX

1. The labels previously proposed are O.K. except that the Caution should be double the size previously proposed, and the word Caution should be underlined.
2. We presently print directions on two sides of the 5 gallon can. We should have the caution label under the number 5 step, on both sides, or eliminate one set of the directions.

BAG GOODS

The next time we print bags we should add the following to the caution label:

"When mixing or sanding use approved respirator".

OEB/mf

O.E.B.

CC Messrs: J. Hurd, Portland
Matt Fink, Tigard Lab
C. W. Lehnert, Tigard Lab
Ed Aasen, Portland
T. Withycombe, Portland
A. T. Niebergall, Portland
G. S. Nelson, Portland

THIS COPY FOR

SGP 0007574

Mr. D. C. Corkill

Portland

O. E. Burch

Portland

WARNING LABELS
Joint Cement Products

June 4, 1974

After discussing with our attorneys our warning label program for Joint System Products, they make the following recommendations:

READY-MIX

1. The labels previously proposed are O.K. except that the Caution should be double the size previously proposed, and the word Caution should be underlined.
2. We presently print directions on two sides of the 5 gallon can. We should have the caution label under the number 5 step, on both sides, or eliminate one set of the directions.

BAG GOODS


The next time we print bags we should add the following to the caution label:

"When mixing or sanding use approved respirator".

OEB/mf

O.E.B.

CC Messrs: J. Hurd, Portland
Matt Fink, Tigard Lab
C. W. Lehnert, Tigard Lab
Ed Aasen, Portland
T. Withycombe, Portland
A. T. Niebergall, Portland
G. S. Nelson, Portland



SGP 0007575



Intracompany memo

to	Mr. D. C. Corkill	location	Portland
from	O. E. Burch	location	Portland
subject	WARNING LABELS <u>Joint Cement Products</u>	date	June 4, 1974

After discussing with our attorneys our warning label program for Joint System Products, they make the following recommendations:

READY-MIX

1. The labels previously proposed are O.K. except that the Caution should be double the size previously proposed, and the word Caution should be underlined.
2. We presently print directions on two sides of the 5 gallon can. We should have the caution label under the number 5 step, on both sides, or eliminate one set of the directions.

BAG GOODS

The next time we print bags we should add the following to the caution label:

"When mixing or sanding use approved respirator".

OEB/mf

O.E.B.

CC Messrs: J. Hurd, Portland
Matt Fink, Tigard Lab
C. W. Lehnert, Tigard Lab
Ed Aasen, Portland
T. Withycombe, Portland
A. T. Niebergall, Portland
G. S. Nelson, Portland

THIS COPY FOR