



INTEROFFICE  
MEMORANDUM

Date 13 July 1976

Subject Revised Personnel Monitoring Forms

13-9250

To F. Bowers/B. Stermon

Escambia/Calvert City

(Location, Organization, or Department)

From S. C. Van Slyke

Management Information

(Location, Organization, or Department)

cc: G. P. Corser/Trexlertown  
D. H. Francke/Escambia  
T. W. Herbig/Calvert City  
J. C. Novak/Valley Forge  
✓ J. F. Odom/Escambia  
F. Riddle/Calvert City  
L. B. Tepper/Trexlertown

J. F. ODOM

JUL 19 1976

Please find attached a supply of Revised VCM (Other) Monitoring/Emergency Exposure Input Forms (5576). Note that a space has been added in the upper left-hand corner of the form to indicate the substance being monitored. Valid substance codes are listed in the instructions on the reverse side of the form. Due to decimal placement ambiguities in the past, a superimposed decimal point and tic marks have been placed in the Exposure Level column to guide the recorder when recording PPM of substance monitored.

Please see that all previous versions of this form are destroyed and that the current version (Rev. 6/76) is put into use immediately. Additional supplies of this form may be obtained from L. B. Tepper, Medical Department.

SCV/dlk

Attachments

(320)

AP00027089

**AP00027090**

| LOC CD | PLANT | ZONE  | SHIFT<br>Fm<br>To | SUBST       |
|--------|-------|-------|-------------------|-------------|
| 55     | 5758  | 60 61 | 63 64-65          | 66-67 68 70 |
|        |       |       |                   |             |
|        |       |       |                   |             |

## VCM (OTHER) MONITORING/EMERGENCY EXPOSURE

## INPUT FORM

# △ Air Products

[illegible]

Form 5576 (REV. 6/76)

### Shift Supervisor

PLY 1 (WHITE) MID DATA ENTRY      PLY 2 (CANARY) PLANT

**Drugs**



| LOC CD | PLANT | ZONE | SHIFT<br>From To | SUBST |
|--------|-------|------|------------------|-------|
| 55     | 5758  | 6061 | 6364-6566-67     | 68 70 |
|        |       |      |                  |       |

[illegible]

360 — 15 Min. TWA  
380 — 8 Hr. TWA  
390 — Emerg. Expos.

**% TIME USED**

|   |           |
|---|-----------|
| 1 | 0 to 10   |
| 2 | 10 to 35  |
| 3 | 35 to 60  |
| 4 | 60 to 85  |
| 5 | 85 to 100 |

**Di-Type C Combination**

Form 5576 (REV. 6/76)

Shift Supervisor

PLY 1 (WHITE) MID DATA ENTRY PLY 2 (CANARY) PLANT

Date \_\_\_\_\_