



E. I. DU PONT DE NEMOURS & COMPANY
INCORPORATED
CHAMBERS WORKS
 DEERWATER, NEW JERSEY 08023

BCC: ~~E. A. Bower, Haskell Lab~~
 M. J. Fahsel, 1094 Bldg. (E)
 T. J. Nelson, Wilm., B-2205 (W)
 A. B. Palmer, Wilm., B-16232 (W)

TELEPHONE
 AREA CODE 609-299-3000

C-00227
~~JRC / RCH / CB~~
 → central file

May 12, 1981

Dwight L. Loughborough
 Coordinator of Laboratory Accreditation
 American Industrial Hygiene Association
 475 Wolf Lodges Parkway
 Akron, OH 44311

Dear Dr. Loughborough:

We have reviewed the procedure and technique with the analyst who has been doing the asbestos counting. We have also reviewed the summaries of performance for the asbestos filters over the last four years. This review indicates that there has been a gradual deterioration in the accuracy of our results. This appears to be due to deterioration in visual acuity due to aging. For these reasons, we have elected to discontinue our use of this person as our asbestos counter.

Since our Haskell Laboratory (presently accredited for organic solvents) has agreed to seek certification in asbestos counting, the Chambers Works Environmental Health Laboratory has elected not to train a replacement and requests that the Laboratory be removed from the asbestos PAT Program and the related laboratory accreditation for asbestos counting. However, we do wish to maintain our accreditation as an industrial hygiene laboratory and to continue our participation in the PAT Program for inorganic lead and organic solvents.

I trust the above actions will meet with the Committee's approval and that a return to full accreditation status for the Laboratory is forthcoming.

Thank you for your cooperation.

Sincerely,

Karl A. Chen

Karl A. Chen, Senior Chemist
 Environmental Health Laboratory

KAC/wlk

DUP 0906314

RECEIVED

MAY 14 1981

HASKELL LABORATORY