

Thompson Vita-Meter Corporation

A WHOLLY-OWNED SUBSIDIARY OF THOMPSON PRODUCTS, INC.

23555 EUCLID AVENUE

Cleveland 17, Ohio

PLEASE DIRECT REPLY TO

C. H. VAN HARTESVELDT

6402 CEDAR AVENUE

CLEVELAND, OHIO

January 17, 1950

Karl V. Kitzmiller, M. D.
University of Cincinnati
Kettering Laboratory of Applied Physiology
Eden Avenue
Cincinnati 19, Ohio

Dear Doctor Kitzmiller:

Upon considering further the addition of Vitameter installation pictures to your report it has occurred to me that our Construction and Maintenance manual does a good job of describing the Vitameter and its operation with pictures and text. Consequently, I recommend that a copy of this manual be attached to each copy of your report with the exception of the copies sent me. Enclosed are six copies with one additional photograph clipped to page 17 showing the Vitol (now Vitane) re-fueling of a taxicab.

When they are ready, we will appreciate receiving fifteen copies of your report to which we will add whatever pictures and description of the Vitameter that will be required in any specific installation.

With best regards,

Cordially yours,

C. H. Van Hartesveldt

C. H. Van Hartesveldt

CIV:sg

cc: A. T. Colwell
J. W. Cole

KE 0020693