

FILE NAME: Baldwin (BALD)

DATE: 1963 Feb 26

DOC#: BALD030

DOCUMENT DESCRIPTION: Product Specifications - Statement of Composition



THE SHERWIN-WILLIAMS CO.

101 PROSPECT AVE., N. W.
CLEVELAND 1, OHIO

February 27, 1963

Mr. DeWitt Huffman
The Industrial Commission of Ohio
Division of Safety and Hygiene
700 West Third Avenue
Columbus 12, Ohio

Re: O. D. Enamel

Dear Mr. Huffman:

Attached find a 2% sheet on the material you phoned about that was being sprayed at Lima and hope that it gives you what you want to know.

Just from looking at it, it appears that the greatest hazard is in the large percentage of V.M.&P. Naphtha which has a fairly low flash point and should only be used in a well-ventilated place.

If we can help further, please let us know.

Very truly yours,

Bruce Homer
Attorney

BH:mak
Encl.

State of Ohio

A133 REV.
Cleveland, Ohio
February 26, 1963

Statement of Composition

Semi-Gloss Alkyd Enamel, Olive Drab

F92 G C70

In accordance with your request of recent date, we advise that the following is the composition of the above-noted product manufactured and sold by this company.:

COMPOSITION OF PAINT

Pigment.....33%
Vehicle.....67%
100%

COMPOSITION OF PIGMENT

Carbon Black.....2%
Ferrite Yellow.....42%
Crystalline Silica.....54%
Litharge.....1%
Aluminum Stearate.....1%
100%

COMPOSITION OF VEHICLE

Linseed Soya Alkyd Resin.....38%
VM & P Naphtha.....62%
100%

A variation of 2% either way is permissible from the above percentages.

The company reserves the right to revise this composition at any future date. The above analysis represents the composition of this product as it is being manufactured on this date.

THE SHERWIN-WILLIAMS CO.

W. T. Beynon
W. T. Beynon