

BFGOODRICH CHEMICAL GROUP

Calvert City, Kentucky

DISTRIBUTION D

SPECIAL NOTICE

SUBJECT: Regulated Work Areas

ISSUED 7/24/86

Since the beginning of the plant's pond closure activity, BFGoodrich and Bechtel have been monitoring the work site for toxic and hazardous chemicals. Up to this point results of the area and personnel monitoring have only indicated a need for respiratory protection for people working inside the pond banks. The plant has now learned that our most recent monitoring conducted at #1A pond has identified vinyl chloride concentrations which are in excess of the permissible exposure limit. As a result of these findings the Plant is classifying the area ~~surrounding the pond~~, the ~~Incinerator~~ and ~~Waste Water Stripper~~ as a Regulated Area, pursuant to the OSHA vinyl chloride standard 29 CFR 1910.1017.

The area around #1A pond, the Incinerator and Waste Water Stripper has been posted with the appropriate warning signs and the people assigned to those work areas informed.


Until further notice entry into #1A pond will be limited to authorized personnel only. Entry into the Incinerator and Waste Water Stripper areas will be regulated by the guidelines established by SA-49C, Respiratory Protection Against Vinyl Chloride. All personnel working in these areas must review and adhere to the requirements of SA-49C, Respiratory Protection Against Vinyl Chloride and SA-50B, Working With Vinyl Chloride.

Employees entering the Incinerator or Waste Water Stripper areas must check through the Incinerator control room to check the area monitoring before proceeding to the work area.

Entry into regulated areas no longer requires the use of sign-in rosters.

SAFETY DEPARTMENT

00341F



NGC 14529

THE BFGOODRICH COMPANY

Calvert City, Kentucky

DISTRIBUTION D

SPECIAL NOTICE

SUBJECT: Regulated Area - North Cracking

DATE: 12/10/86

Personnel monitoring results have identified vinyl chloride concentrations in the North Cracking vinyl plant in excess of the permissible exposure limit. As a result of these findings, the Plant is classifying the North Cracking plant as a REGULATED AREA pursuant to the OSHA Vinyl Chloride Standard 29 CFR 1910.1017 (e) (1) (ii).

Until further notice, entry into the North Cracking Plant will be limited to authorized personnel and regulated by the guidelines established by the Vinyl Chloride Standard. Employees entering the North Cracking Plant must check through the North/South Cracking control room to check the area monitoring before proceeding to the work area.

Vinyl chloride has been identified by the Occupational Safety & Health Administration as a cancer causing agent and has a 1 ppm permissible exposure limit. Persons working in the regulated area who would like to review the existing monitoring results may do so by contacting Mike Fox in the Safety Department.

SAFETY DEPARTMENT

0425F

NGC 14530

THE BFGOODRICH COMPANY
Calvert City, Kentucky

DISTRIBUTION D

SPECIAL NOTICE

SUBJECT: Regulated Area - East Cracking

DATE: 12/19/86

Personnel monitoring results have identified vinyl chloride concentrations in the East Cracking plant in excess of the permissible exposure limit. As a result of these findings, the Plant is classifying the East Cracking plant as a REGULATED AREA pursuant to the OSHA Vinyl Chloride Standard 29 CFR 1910.1017 (e) (1) (ii).

Until further notice, entry into the East Cracking Plant will be limited to authorized personnel and regulated by the guidelines established by the Vinyl Chloride Standard. Employees entering the East Cracking Plant must check through the East Cracking control room to check the area monitoring before proceeding to the work area.

Vinyl Chloride has been identified by the Occupational Safety & Health Administration as a cancer causing agent and has a 1 ppm permissible exposure limit. Persons working in the regulated area who would like to review the existing monitoring results may do so by contacting Mike Fox in the Safety Department.

SAFETY DEPARTMENT

0508F

NGC 14531