REPORT FILE

Industrial BIO-TEST Laboratories, Inc.
1810 FRONTAGE ROAD
NORTHBROOK, ILLINOIS 60062

IBTL-72-129

REPORT TO

MONSANTO COMPANY

FOUR-DAY STATIC FISH TOXICITY STUDIES WITH AROCLOR 1221, AROCLOR 5432, AROCLOR 5442, AROCLOR 5460, AND MCS 1016 IN BLUEGILLS AND CHANNEL CATFISH

JANUARY 12, 1972

IBT NO. A9380

0366980

TOXSTUDIES1873

Industrial BIO-TEST Laboratories, Inc.
1810 FRONTAGE ROAD
NORTHBROOK, ILLINOIS 60062

January 12, 1972

Mr. Elmer P. Wheeler
Manager, Environmental Health
Monsanto Company
800 North Lindbergh Boulevard
St. Louis, Missouri 63166

Dear Mr. Wheeler:

Re: IBT No. A5380 - Four-Day Static Fish Toxicity
Studies with Aroclor 1221, Aroclor 5432, Aroclor
5442, Aroclor 5460 & MCS 1016 - Bluegills & Catfish

We are submitting herewith our laboratory report dated January 12, 1972, prepared in connection with the above study.

Very truly yours,

J. C. Calandra
President

JCC/kjl

0366901

TOXSTUDIES1874

REPORT TO

MONSANTO COMPANY

FOUR-DAY STATIC FISH TOXICITY STUDIES WITH
AROCLOR 1221, AROCLOR 5432, AROCLOR 5442,
AROCLOR 5460, AND MCS 1016
IN BLUEGILLS AND CHANNEL CATFISH

JANUARY 12, 1972

IBT NO. A9380

I. Introduction

At the request of Monsanto Company, four-day static fish toxicity studies using bluegills (Lepomis macrochirus) and channel catfish (Ictalurus punctatus) were conducted with the following five materials:

1. Aroclor 1221
2. Aroclor 5432
3. Aroclor 5442
4. Aroclor 5460
5. MCS 1016

Water samples were collected under the following three bioassay vessel conditions:

1. Test material and fish exposure.

2. Blank exposure (test material concentration under test material and fish exposure, but without fish).

3. Control exposure (fish but no test material).

The water collection schedule is presented in Table I.

0366582

TOXSTUDIES1875

TABLE I

TEST MATERIALS: Aroclor 1221, Aroclor 5432, Aroclor 5442, Aroclor 5460 and MCS 1016

Four-Day Static Fish Toxicity Studies

Water Collection Intervals

Bioassay Vessel Conditions	Hours: 0	1	2	3	6	12	24	48	72	96
Test Material Fish Exposure (Test Material plus Fish)										
No Survival Concentration	X									
Partial Survival Concentration	X									
Total Survival Concentration	X	X	X	X	X	X	X	X	X	X
Blank Exposure (Test Material but no Fish)										
No Survival Concentration	X	X	X	X	X	X	X	X	X	X
Partial Survival Concentration	X	X	X	X	X	X	X	X	X	X
Total Survival Concentration	X	X	X	X	X	X	X	X	X	X
Control Exposure (Fish but no Test Material)	X	X	X	X	X	X	X	X	X	X

EPC0053

II. Summary

The result of the four-day static fish toxicity studies using bluegills and channel catfish are summarized below.

Test Material	Four-Day Static TL50 (ppm) Bluegills	Channel Catfish
Aroclor 1221	0.23 ppm	3.34 ppm
Aroclor 5432	>100.0 ppm	>100.0 ppm
Aroclor 5442	>100.0 ppm	>100.0 ppm
Aroclor 5460	>100.0 ppm	>100.0 ppm
MCS 1016	0.65 ppm	0.75 ppm

Respectfully submitted,

INDUSTRIAL BIO-TEST LABORATORIES, INC.

Report prepared by:
John Hamlin, B.A.
Assistant Toxicologist
Acute Toxicity

Report approved by:
Carmen Mastri, B.S.
Senior Group Leader
Acute Toxicity

M. L. Keplinger, Ph.D.
Manager, Toxicology

January 12, 1972
jgihp

0366544

TOXSTUDIES1877

III. Investigational Procedure

Healthy fingerlings with an average length of 35 to 75 millimeters were used as test animals. All fish were kept under observation for general health and suitability as test animals for a period of not less than 14 days prior to experimental use. The fish were held in stock tanks and were fed frozen brine shrimp or Purina Trout Chow #2 until three days prior to testing. The fish were maintained at a temperature of 18°C.

All stock tanks and bioassay vessels contained reconstituted water. The following compounds were added in the amounts stated per liter of deionized water:

30 mg calcium sulfate
30 mg magnesium sulfate
48 mg sodium bicarbonate
2 mg potassium chloride

Preliminary screening was conducted in order to find the general toxic level of each test material. Once this level had been determined, three to five concentrations of each test material were selected for the respective bioassays. Bioassay vessels were filled with 12.5 liters of reconstituted water. Ten fish were tested at each concentration.

After a 24-hour acclimatization period, calculated amounts of each test material were dispensed into the respective vessels. The test dilutions were prepared within one hour of the start of the bioassay.

Following the introduction of the test material, the fish were observed for 96 hours, during which time all mortalities and/or untoward

0356585

TOXSTUDIES1878

behavioral reactions were recorded. The concentration of dissolved oxygen was measured for all solutions in which mortalities occurred in order to determine if the test water contained adequate oxygen.* Concentrations of dissolved oxygen of 4 mg/L (4 ppm) for warm water fish (bluegills and channel catfish) were considered adequate for testing. The pH of the test solution was also determined when mortalities were recorded. All fish were collected, rinsed with deionized water, and preserved by freezing for future residue analysis.

At the end of the observation period, the four-day median tolerance limits (TL_{50}'s) of each test material were calculated, if possible, employing the technique of Litchfield and Wilcoxon**.

In addition, water samples were collected at selected time intervals as listed in Table I.

* Hach OX-2-P Dissolved Oxygen Test Kit, Hach Chemical Company, Ames, Iowa.

** Litchfield, J. T., Jr. and Wilcoxon, F., "A Simplified Method of Evaluating Dose-Effect Experiments," J. Pharm. & Exp. Ther. 96, 99 (1949).

0366586

TOXSTUDIES1879

IV. Results

A. Survival, DO, and pH Data

The survival, dissolved oxygen content, and pH data for bluegills and channel catfish are presented in Tables II through XI.

TOXSTUDIES1880

TABLE II

TEST MATERIAL: Arcolor 1221

Four-Day Static Fish Toxicity Study - Bluegills

Survival, DO, and pH Data

Concentrations* (ppm)	Number of Survivors Hours: 1-6	24	48	72	96	Percent Survival	Dissolved Oxygen (ppm) and pH 1-6 Hr. DO	pH	24 Hr. DO	pH	48 Hr. DO	pH	72 Hr. DO	pH	96 Hr. DO	pH
0.10	10	10	10	10	10	100	-	-	-	-	-	-	-	-	-	-
0.18	10	9	6	6	6	0	-	-	5.6	6.4	3.8	6.8	-	-	-	-
0.32	10	9	4	3	3	30	-	-	6.2	6.8	5.4	6.9	3.6	6.6	-	-
0.56	10	5	1	0	0	0	-	-	7.2	7.0	6.8	7.0	5.3	7.0	-	-
1.00	10	8	8	0	0	0	-	-	6.8	6.8	-	-	3.1	6.9	-	-

Four-Day TL_{50} = 0.23 ppm
95% Confidence Limits of TL_{50} = 0.16 - 0.32 ppm

- = Not determined.

* The test material was dispensed into the bioassay vessels in the form of a 0.1 percent (w/v) dilution in acetone. Concentrations are expressed in terms of Aroclor 1221.

TOXSTUDIES1881

TABLE III

TEST MATERIAL: Aroclor 5432

Four-Day Static Fish Toxicity Study - Bluegills

Survival, DO, and pH Data

Concentration* (ppm)	Number of Survivors Hours: 1-6	24	48	72	96	Percent Survival	Dissolved Oxygen (ppm) and pH 1-6 Hr. DO	pH	24 Hr. DO	pH	48 Hr. DO	pH	72 Hr. DO	pH	96 Hr. DO	pH
1.0	10	10	10	10	10	100	-	-	-	-	-	-	-	-	-	-
10.0	10	10	10	10	9	90	-	-	-	-	-	-	-	-	1.6	6.8
100.0	10	10	10	10	9	90	-	-	-	-	-	-	-	-	1.0	6.8

Four-Day TL_{50} > 100.0 ppm

- = Not determined.

* The test material was dispensed into the bioassay vessels in the form of a 10.0 percent (w/v) dilution in acetone. Concentrations are expressed in terms of Aroclor 5432.

0369689

TOXSTUDIES1882

TABLE IV

TEST MATERIAL: Aroclor 5442

Four-Day Static Fish Toxicity Study - Bluegills

Survival, DO, and pH Data

Concentration* (ppm)	Number of Survivors Hours: 1-6	24	48	72	96	Percent Survival	Dissolved Oxygen (ppm) and pH 1-6 Hr. DO	pH	24 Hr. DO	pH	48 Hr. DO	pH	72 Hr. DO	pH	96 Hr. DO	pH
1.0	10	10	10	10	10	100	-	-	-	-	-	-	-	-	-	-
10.0	10	10	10	10	9	90	-	-	-	-	-	-	-	-	0.9	6.8
100.0	10	10	10	10	9	90	-	-	-	-	-	-	-	-	2.3	6.7

Four-Day TL_{50} > 100.0 ppm

- = Not determined.

* The test material was dispensed into the bioassay vessels in the form of a 10.0 percent (w/v) dilution in acetone. Concentrations are expressed in terms of Aroclor 5442.

0566960

TOXSTUDIES1883

TABLE V

TEST MATERIAL: Aroclor 5460

Four-Day Static Fish Toxicity Study - Bluegills

Survival, DO, and pH Data

Concentrations* (ppm)	Number of Survivors Hours: 1-6	24	48	72	96	Percent Survival	Dissolved Oxygen (ppm) and pH 1-6 Hr. DO	pH	24 Hr. DO	pH	48 Hr. DO	pH	72 Hr. DO	pH	96 Hr. DO	pH
1.0	10	10	10	10	10	100	-	-	-	-	-	-	-	-	-	-
10.0	10	10	10	10	10	100	-	-	-	-	-	-	-	-	-	-
100.0	10	10	10	10	10	100	-	-	-	-	-	-	-	-	-	-

Four-Day TL_{50} > 100.0 ppm

- = Not determined.

* The test material was dispensed into the bioassay vessels in the form of a 10.0 percent (w/v) dilution in acetone. Concentrations are expressed in terms of Aroclor 5460.

U3665791

TOXSTUDIES1884

TABLE VI

TEST MATERIAL: MCS 1016

Four-Day Static Fish Toxicity Study - Bluegills

Survival, DO, and pH Data

Concentration* (ppm)	Number of Survivors Hours: 1-6	24	48	72	96	Percent Survival	Dissolved Oxygen (ppm) and pH 1-6 Hr. DO	pH	24 Hr. DO	pH	48 Hr. DO	pH	72 Hr. DO	pH	96 Hr. DO	pH
0.10	10	10	9	9	9	90	-	-	-	-	5.7	7.6	-	-	-	-
0.18	10	10	10	10	10	100	-	-	-	-	-	-	-	-	-	-
0.32	10	10	10	10	10	100	-	-	-	-	-	-	-	-	-	-
0.56	10	9	9	9	9	90	-	-	6.9	7.4	-	-	-	-	-	-
1.00	10	2	0	0	0	0	-	-	5.5	7.7	5.5	7.6	-	-	-	-

Four-Day TL_{50} = 0.65 ppm

- - = Not determined.

* The test material was dispensed into the bioassay vessels in the form of a 0.1 percent (w/v) dilution in acetone. Concentrations are expressed in terms of MCS 1016.

0366592

TABLE VII

TEST MATERIAL: Aroclor 1221

Four-Day Static Fish Toxicity Study - Channel Catfish

Survival, DO, and pH Data

Concentration* (ppm)	Number of Survivors Hours: 1-6	24	48	72	96	Percent Survival	Dissolved Oxygen (ppm) and pH 1-6 Hr. DO	pH	24 Hr. DO	pH	48 Hr. DO	pH	72 Hr. DO	pH	96 Hr. DO	pH
0.56	10	10	10	10	10	100	-	-	-	-	-	-	-	-	-	-
1.00	10	10	10	10	10	100	-	-	-	-	-	-	-	-	-	-
1.80	10	10	10	10	10	100	-	-	-	-	-	-	-	-	-	-
3.20	10	6	6	6	6	60	-	-	4.7	6.5	-	-	-	-	-	-
5.60	8	3	2	0	0	0	7.8	7.1	7.0	6.9	6.8	6.7	5.4	6.9	-	-

Four-Day TL_{50} = 3.34 ppm

- = Not determined.

* The test material was dispensed into the bioassay vessels in the form of a 1.0 percent (w/v) dilution in acetone. Concentrations are expressed in terms of Aroclor 1221.

0366593

TOXSTUDIES1886

TABLE VIII

TEST MATERIAL: Aroclor 5432

Four-Day Static Fish Toxicity Study - Channel Catfish

Survival, DO, and pH Data

Concentrations* (ppm)	Number of Survivors Hours: 1-6	24	48	72	96	Percent Survival	Dissolved Oxygen (ppm) and pH 1-6 Hr. DO	pH	24 Hr. DO	pH	48 Hr. DO	pH	72 Hr. DO	pH	96 Hr. DO	pH
1.0	10	10	10	10	10	100	-	-	-	-	-	-	-	-	-	-
10.0	10	10	10	10	10	100	-	-	-	-	-	-	-	-	-	-
100.0	10	10	10	10	10	100	-	-	-	-	-	-	-	-	-	-

Four-Day TL_{50} > 100.0 ppm

- = Not determined.

* The test material was dispensed into the bioassay vessels in the form of a 10.0 percent (w/v) dilution in acetone. Concentrations are expressed in terms of Aroclor 5432.

0156594

TRADE SECRET

TABLE IX

TEST MATERIAL: Aroclor 5442

Four-Day Static Fish Toxicity Study - Channel Catfish

Survival, DO, and pH Data

Concentration[a] (ppm)	Number of Survivors Hours: 1-6	24	48	72	96	Percent Survival	Dissolved Oxygen (ppm) and pH 1-6 Hr. DO	pH	24 Hr. DO	pH	48 Hr. DO	pH	72 Hr. DO	pH	96 Hr. DO	pH
1.0	10	10	10	10	10	100	-	-	-	-	-	-	-	-	-	-
10.0	10	10	10	10	10	100	-	-	-	-	-	-	-	-	-	-
100.0	10	10	10	10	8	80	-	-	-	-	-	-	-	-	1.3	6.8

Four-Day TL_{50} > 100.0 ppm

- = Not determined.

[a] The test material was dispensed into the bioassay vessels in the form of a 10.0 percent (w/v) dilution in acetone. Concentrations are expressed in terms of Aroclor 5442.

0366595

TOXSTUDIES1888

TABLE X

TEST MATERIAL: Aroclor 5460

Four-Day Static Fish Toxicity Study - Channel Catfish

Survival, DO, and pH Data

Concentrations* (ppm)	Number of Survivors Hours: 1-6	24	48	72	96	Percent Survival	Dissolved Oxygen (ppm) and pH 1-6 Hr. DO	pH	24 Hr. DO	pH	48 Hr. DO	pH	72 Hr. DO	pH	96 Hr. DO	pH
1.0	10	10	10	9	9	90	-	-	-	-	-	-	2.6	7.0	-	-
10.0	10	10	10	10	10	100	-	-	-	-	-	-	-	-	-	-
100.0	10	10	9	9	7	70	-	-	-	-	3.7	7.2	-	-	1.9	6.9

Four-Day TL_{50} > 100.0 ppm

- = Not determined.

* The test material was dispensed into the bioassay vessels in the form of a 10.0 percent (w/v) dilution in acetone. Concentrations are expressed in terms of Aroclor 5460.

0366596

TOXSTUDIES1889

TABLE XI

TEST MATERIAL: MCS 1016

Four-Day Static Fish Toxicity Study - Channel Catfish

Survival, DO, and pH Data

Concentration* (ppm)	Number of Survivors Hours: 1-6	24	48	72	96	Percent Survival	Dissolved Oxygen (ppm) and pH 1-6 Hr. DO	pH	24 Hr. DO	pH	48 Hr. DO	pH	72 Hr. DO	pH	96 Hr. DO	pH
0.10	10	10	10	10	10	100	-	-	-	-	-	-	-	-	-	-
0.18	10	10	10	10	10	100	-	-	-	-	-	-	-	-	-	-
0.32	10	10	10	10	10	100	-	-	-	-	-	-	-	-	-	-
0.56	10	10	10	10	10	100	-	-	-	-	-	-	-	-	-	-
1.00	10	7	0	0	0	0	-	-	3.3	7.2	3.0	7.4	-	-	-	-

Four-Day TL_{50} = 0.75 ppm

- = Not determined.

* The test material was dispensed into the bioassay vessels in the form of a 0.1 percent (w/v) dilution in acetone. Concentrations are expressed in terms of MCS 1016.

0366971

B. Reactions

The reactions noted following introduction of the test materials are presented in Tables XII through XXI.

0366598

TOXSTUDIES1891

TABLE XII

TEST MATERIAL: Aroclor 1221

Four-Day Static Fish Toxicity Study - Bluegills

Summary of Reactions

Concentration (ppm)	Reaction	Time of Onset Following Dose Administration (hours)	Duration of Reaction (hours)	Time of Death Following Dose Administration (hours)
0.10	None	-	-	-
0.18	Swimming: Gyrating	12	24	24, 48
	Quiescent	48	24	
0.32	Quiescent	48	24	24-72
0.56	Surfacing	24	No recovery noted	24-72
	Twitching	24	24	
	Quiescent	48	No recovery noted	
1.00	Motionless: Flaccidity	1-6	24	24, 72
	Surfacing	1-6	24	
	Swimming: Erratic	12	Until	
	Gyrating	48	death	
	Respiratory rate: Rapid	24		

03693999

TABLE XIII

TEST MATERIAL: Aroclor 5432

Four-Day Static Fish Toxicity Study - Bluegills

Summary of Reactions

Concentration (ppm)	Reaction	Time of Onset Following Dose Administration (hours)	Duration of Reaction (hours)	Time of Death Following Dose Administration (hours)
1.0	None	-	-	-
10.0	Quiescent	72	No recovery noted	96
	Surfacing	96		
100.0	Quiescent	72	No recovery noted	96
	Surfacing	96		

0366600

TABLE XIV

TEST MATERIAL: Aroclor 5442

Four-Day Static Fish Toxicity Study - Bluegills

Summary of Reactions

Concentration (ppm)	Reaction	Time of Onset Following Dose Administration (hours)	Duration of Reaction (hours)	Time of Death Following Dose Administration (hours)
1.0	Quiescent	96	No recovery noted	-
10.0	Quiescent	72	No recovery noted	96
	Surfacing	96		
100.0	Quiescent	72	No recovery noted	96
	Motionless: Flaccidity	96		

U366601

TABLE XV

TEST MATERIAL: Aroclor 5460

Four-Day Static Fish Toxicity Study - Bluegills

Summary of Reactions

Concentration (ppm)	Reaction	Time of Onset Following Dose Administration (hours)	Duration of Reaction (hours)	Time of Death Following Dose Administration (hours)
1.0	None	-	-	-
10.0	Quiescent	72	No recovery noted	-
100.0	Quiescent	24	No recovery noted	-

0366602

TABLE XVI

TEST MATERIAL: MCS 1016

Four-Day Static Fish Toxicity Study - Bluegills

Summary of Reactions

Concentration (ppm)	Reaction	Time of Onset Following Dose Administration (hours)	Duration of Reaction (hours)	Time of Death Following Dose Administration (hours)
0.10	None	-	-	48
0.18	None	-	-	-
0.32	Quiescent	96	No recovery noted	-
0.56	Quiescent	48	No recovery noted	24
1.00	Twitching	24	Until death	24, 48
	Swimming: On side	24		

035603

TABLE XVII

TEST MATERIAL: Aroclor 1221

Four-Day Static Fish Toxicity Study - Channel Catfish

Summary of Reactions

Concentration (ppm)	Reaction	Time of Onset Following Dose Administration (hours)	Duration of Reaction (hours)	Time of Death Following Dose Administration (hours)
0.56	None	-	-	-
1.00	None	-	-	-
1.80	Quiescent	1-6	24	-
	Surfacing	1-6		
	Swimming: Gyrating	1-6		
3.20	Quiescent	1-6	No recovery noted	24
	Motionless: Flaccidity	1-6		
	Swimming: On side	48		
5.60	Quiescent	1-6	Until death	1-72
	Motionless: Flaccidity	1-6		
	Surfacing	1-6		

0366604

TABLE XVIII

TEST MATERIAL: Aroclor 5432

Four-Day Static Fish Toxicity Study - Channel Catfish

Summary of Reactions

Concentration (ppm)	Reaction	Time of Onset Following Dose Administration (hours)	Duration of Reaction (hours)	Time of Death Following Dose Administration (hours)
1.0	Quiescent	96	No recovery noted	-
	Surfacing	96		
10.0	Quiescent	72	No recovery noted	-
	Surfacing	96		
100.0	Quiescent	72	No recovery noted	-
	Surfacing	96		

0366605

TABLE XIX

TEST MATERIAL: Aroclor 5432

Four-Day Static Fish Toxicity Study - Channel Catfish

Summary of Reactions

Concentration (ppm)	Reaction	Time of Onset Following Dose Administration (hours)	Duration of Reaction (hours)	Time of Death Following Dose Administration (hours)
1.0	Quiescent	96	No recovery noted	-
	Surfacing	96		
10.0	Quiescent	72	No recovery noted	-
	Surfacing	96		
100.0	Quiescent	72	No recovery noted	96
	Surfacing	96		

TOXSTUDIES1899

TABLE XX

TEST MATERIAL: Aroclor 5460

Four-Day Static Fish Toxicity Study - Channel Catfish

Summary of Reactions

Concentration (ppm)	Reaction	Time of Onset Following Dose Administration (hours)	Duration of Reaction (hours)	Time of Death Following Dose Administration (hours)
1.0	Quiescent	72	No recovery noted	72
10.0	Quiescent	48	No recovery noted	-
100.0	Quiescent	24	No recovery noted	48, 96
	Surfacing	96		

0366607

TABLE XXI

TEST MATERIAL: MCS 1016

Four-Day Static Fish Toxicity Study - Channel Catfish

Summary of Reactions

Concentration (ppm)	Reaction		Time of Onset Following Dose Administration (hours)	Duration of Reaction (hours)	Time of Death Following Dose Administration (hours)
0.10	None		-	-	-
0.18	None		-	-	-
0.32	Quiescent		96	No recovery noted	-
0.56	Quiescent		72	No recovery noted	-
1.00	Quiescent		1-6	Until death	24,48
	Swimming:	Inverted	1-6		
		On side	1-6		

0366609

TOXSTUDIES1901