

CG 01 CODE YC-10-B

PROCESSES

APPROVED BY

() YC-10-B (G) FWP 04/05/82

JUN 16 1982

F2K70

(DATE)

(COT)

5575* LBS.
(EST WGT)COMTYP JOB NAME: 01YC010BMG
TYPED BY: JMH

EQUIP MENT	NAME: MOLYBDATE ORANGE	USE LBS	N-CODE	ACCT LBS
PREP				
1	1 OBTAIN FOR S-20	84 ✓	108-A	84
2	2 CALCULATE & SET ON BADGER METER FOR S-23 64.40%	93 ✓	33-D	60
3	3 OBTAIN FOR S-28	734 ✓	4-A	734
4	4 OBTAIN FOR S-32	146 ✓	3-A	146
5	5 OBTAIN FOR S-34	237 ✓	32-D	237
6	6 OBTAIN FOR S-38	350 ✓	3-A	350
7	7 OBTAIN FOR S-41	70 ✓	711-B	70
351	8 WEIGH INTO V-351 CHECKED BY: # 19439.15%	4815 ✓	10-D	1885
359	9 WEIGH IN. OPTR _____, MK 34, T-360, 31.95%	948 ✓	423-D	303
3	OPTR _____, MK _____, T- _____, _____%			
SV				
4	10 RUN 20" (996 G) WATER INTO V-245			
11	11 RUN IN FROM V-354. OPTR 201, MK 347, 110*F			
	RECORD: G/ML 1.314 (1.270-1.328) 20.54%	12905 ✓	41-D	5110
	RECORD: PH 3.0 (2.2-3.7)			
12	12 ADJ TO 76" (3625G) AT 67-69*F			
	RECORD: TEMP 68 *F		57-A	
13	13 STIR 5 MIN & RECORD: PH 3.5 (2.2-3.7)			
14	14 IF NECESSARY, ADJ TO PH 3.0-3.1 ASSUME 60%	3 ✓	33-D	1
	RECORD: PH 3.0			
	NOTE: DILUTE N-7-D 10:1 WITH WATER BEFORE ADDING ASSUME 50%		7-D	
15	15 RECORD: 1.143 G/ML (1.142-1.144)			
	NOTE: IF G/ML OUT OF LIMITS FILL OUT CHECK LIST & ATTACH			
16	16 STIR AT 67-69*F FOR S26. TAKE 1 QT SAMPLE.			
358				
5	17 RUN 10" (500 G) WATER INTO V-358			
18	18 RUN V-359 INTO V-351 & PUMP IN V-351			
19	19 ADJ TO 55" (2600 G)			
20	20 SIFT IN N-108-A FROM S 1			
21	21 STIR 5 MIN & RECORD: PH 9.8 (9.0-10.0)			
22	22 ADJ TO PH 9.8-9.9 & RECORD: PH _____			
	ASSUME 50%		7-D	
	ASSUME 60%		33-D	
23	23 ADD N-33-D FROM S 2 USING BADGER METER			
24	24 ADJ TO 66" (3121 G) AT 67-69*F			
	RECORD: VOL 166" & 67 *F			
25	25 STIR 5 MIN & RECORD: PH 7.45 (7.4-7.6) & G/ML 1.083 (1.080-1.083)			
	NOTE IF G/ML OUT OF LIMITS FILL OUT CHECK LIST & ATTACH. TAKE 1 QT SAMPLE			

JUN 17 1982

N39429

33-D
7-D

734 115-A1 367

28-D 1 105
28-D 1

350✓	128-A	350
	7-D	
	33-D	

START	FINISH	OPTR	HELPER
2:00 PM		86	
5:30 PM	9:45 PM		