

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

F - FINAL

(17-19)

(2.16)

5

NAME **VISTA POLYMERS INC**

001 N
DISCHARGE NUMBER

MS0001970	PERMIT NUMBER
-----------	---------------

MS 39730

NAME _____
ADDRESS _____
PO BOX 91
ABERDEEN

MONITORING PERIOD	
1	2
3	4
5	6
7	8
9	10
11	12
13	14
15	16
17	18
19	20
21	22
23	24
25	26
27	28
29	30
31	32
33	34
35	36
37	38
39	40
41	42
43	44
45	46
47	48
49	50
51	52
53	54
55	56
57	58
59	60
61	62
63	64
65	66
67	68
69	70
71	72
73	74
75	76
77	78
79	80
81	82
83	84
85	86
87	88
89	90
91	92
93	94
95	96
97	98
99	100

FROM		TO		YEAR	MO	DAY
87	12	01		87	12	31

[illegible]

MAJOR

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) (46-53)			QUANTITY OR LOADING (54-61)			UNITS	(4 Card Only) (58-65)			QUALITY OR CONCENTRATION (54-61)			NO. EX	FREQUENCY ANALYSIS (62-68)	SAMPLING METHOD (69-71)	
		AVERAGE	MAXIMUM	UNITS	AVERAGE	MAXIMUM	UNITS		MINIMUM	AVERAGE	MAXIMUM	UNITS						
TEMPERATURE, WATER DEG. FAHRENHEIT	00011 1 0 0	*****	*****	*****	*****	*****	*****	48°F	62°F	73°F		0	5	Grab				
	EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	*****	REPORT	REPORT DAILY AV	DAILY MX	DEG.F			TWICE/GRAB MONTH				
TEMPERATURE, WATER DEG. FAHRENHEIT	00011 1 0 0	*****	*****	*****	*****	*****	*****	REPORT	REPORT	95								
	EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	*****	REPORT	REPORT DAILY AV	DAILY MX	DEG.F							
OXYGEN, DISSOLVED (DO)	00300 1 0 0	*****	*****	*****	*****	*****	*****	7.4	7.6	*****		0	5	Grab				
	EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	*****	INST MN	REPORT	*****	MG/L			WEEKLY GRAB				
OXYGEN, DISSOLVED (DO)	00300 1 0 0	*****	*****	*****	*****	*****	*****	6.0	REPORT	*****								
	EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	*****	INST MN	REPORT	*****	MG/L			WEEKLY GRAB				
BOD, 5-DAY (20 DEG. C)	00310 1 W 0	106	155	*****	*****	*****	*****	*****	3.2	12		0	5	Comp				
	EFFLUENT GROSS VALUE	431	800	*****	*****	*****	*****	*****	32.0	DAILY MX	MG/L			WEEKLY COMP				
BOD, 5-DAY (20 DEG. C)	00310 1 W 0	*****	*****	*****	*****	*****	*****	*****	32.0	43								
	EFFLUENT GROSS VALUE	431	800	*****	*****	*****	*****	*****	32.0	DAILY MX	MG/L			WEEKLY COMP				
CHEM. OXYGEN DEMAND (HIGH LEVEL) (COD)	00340 1 W 0	468	659	*****	*****	*****	*****	*****	*****	*****		0	5	Comp				
	EFFLUENT GROSS VALUE	1461	2712	*****	*****	*****	*****	*****	*****	*****	*****			WEEKLY COMP				
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		TELEPHONE															DATE	
J. W. Wave, Plant Supt.		369-8111															88 01 12	
TYPED OR PRINTED		601															YEAR	
		369-8111															MO	
		601															NUMBER	
		369-8111															AREA CODE	
		369-8111															OFFICER OR AUTHORIZED AGENT	
		369-8111															SIGNATURE OF PRINCIPAL EXECUTIVE	
		369-8111															OFFICER OR AUTHORIZED AGENT	

Form Approved
OMB No. 2040-0014
Approval expires 9-3

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
(7-79)

F - FINAL

MS0001970
PERMIT NUMBER

001 N
DISCHARGE NUMBER

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME VISIA POLYMERS INC
ADDRESS PO BOX 91
ABERDEEN MS 39730

FACILITY
LOCATION
ATTN: JOHN FRIEND

MONITORING PERIOD
YEAR MO DAY YEAR MO DAY
87 12 01 87 12 31

MAJOR
NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) (46-53)			(4 Card Only) (38-45)			QUALITY OR CONCENTRATION (34-61)			NO. EX ANALYSIS (62-69)	FREQUENCY OF ANALYSIS (64-69)	SAMPLING TIME (64-69)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS					
CHEM. OXYGEN DEMAND (HIGH LEVEL) (COD)													
00340 1 W 0		1461	2712	DAILY MX									
EFFLUENT GROSS VALUE		DAILY AV		LBS/DY									WEEKLY COMP
PH													
00400 1 0 0													
EFFLUENT GROSS VALUE													
PH													
00400 1 0 0													
EFFLUENT GROSS VALUE													
SOLIDS, TOTAL SUSPENDED		191	264										
00530 1 0 0		674	1396	DAILY MX									
EFFLUENT GROSS VALUE		DAILY AV		LBS/DY									
SOLIDS, TOTAL SUSPENDED													
00530 1 0 0		674	1396	DAILY MX									
EFFLUENT GROSS VALUE		DAILY AV		LBS/DY									
NITROGEN, AMMONIA TOTAL (AS N)		9.5	17.6										
00610 1 0 0		13.5	27.9	DAILY MX									
EFFLUENT GROSS VALUE		DAILY AV		LBS/DY									
NITROGEN, AMMONIA TOTAL (AS N)													
00610 1 0 0		13.5	27.9	DAILY MX									
EFFLUENT GROSS VALUE		DAILY AV		LBS/DY									
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	J. W. Ware, Plant Supt.												
TYPED OR PRINTED	J. W. Ware												
COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)													

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE ACCURATE AND COMPLETE I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR FINE AND IMPRISONMENT INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319 (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years)

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT
TELEPHONE
DATE
AREA CODE
NUMBER
YEAR
MO

Form Approved
OMB No. 2040-006
Approval Expires 12/98

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
(17-19)

F - FINAL

MS0001970
PERMIT NUMBER

001 N
DISCHARGE NUMBER

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME VISTA POLYMERS INC
ADDRESS PO BOX 91
ABERDEEN MS 39730

MONITORING PERIOD

YEAR	MO	DAY	YEAR	MO	DAY
87	12	01	87	12	31

MAJOR

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	(3 Card Only) (46-53)			QUANTITY OR LOADING (34-61)			(4 Card Only) (38-45)			QUALITY OR CONCENTRATION (46-53)			UNITS	NO. EX (62-63)	FREQ. OF ANALYSIS (64-65)	SAMPLING TYPE (66-67)	
	AVERAGE	MAXIMUM	PERMIT REQUIREMENT	AVERAGE	MAXIMUM	PERMIT REQUIREMENT	MINIMUM	AVERAGE	MAXIMUM	REPORT DAILY AV	REPORT DAILY MX						
DI-N-OCTYL PHTHALATE																	
34596 1 0 0																	
EFFLUENT GROSS VALUE																	
DI-N-OCTYL PHTHALATE																	
34596 1 0 0																	
EFFLUENT GROSS VALUE																	
BIS (2-ETHYLHEXYL) PHTHALATE																	
39100 1 0 0																	
EFFLUENT GROSS VALUE																	
BIS (2-ETHYLHEXYL) PHTHALATE																	
39100 1 0 0																	
EFFLUENT GROSS VALUE																	
VINYL CHLORIDE																	
39175 1 0 0																	
EFFLUENT GROSS VALUE																	
VINYL CHLORIDE																	
39175 1 0 0																	
EFFLUENT GROSS VALUE																	
FLOW IN CONDUIT OR THRU TREATMENT PLANT																	
50050 1 0 0																	
EFFLUENT GROSS VALUE																	

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

J. W. Ware, Plant Supt.

TYPED OR PRINTED

1. CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY WITH THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SET BY U.S.C. § 1001 AND 33 U.S.C. § 1319. Penalties under these statutes may include fines up to \$100,000 and/or maximum imprisonment of between 6 months and 5 years.

REPORT DAILY AV 1.56

REPORT DAILY MX 1.65

REPORT DAILY MX MGD

TELEPHONE

601 369-8111

AREA CODE

601

NUMBER

369-8111

DATE

88 01 12

MONTH

TWICE

Cont. Recorder

0 5

MONTH

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME VISTA POLYMERS INC

ADDRESS PO BOX 91

ABERDEEN

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) DISCHARGE MONITORING REPORT (DMR)

MS0001970

PERMIT NUMBER

F - FINAL

NON-CONTACT COOLING WATER

Form Approved

OM 9 Nn. 2040

Approval expires 3/

FACILITY

LOCATION

ATTN: JOHN FRIEND

MONITORING PERIOD

FROM 87 12 01 TO 87 12 31

MAJOR

NOTE: Read instructions before completing this form

PARAMETER (32-37)	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (54-61)			NO. EX. ANALYSIS (62-68)	FREQUENCY OF ANALYSIS (69-75)
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM		
TEMPERATURE, WATER DEG. FAHRENHEIT	*****	*****	*****	54°	560	57°	0	2
00011 1 0 0	*****	*****	*****	REPORT	REPORT DAILY AV	DAILY MX		TWICE/MONTH
EFFLUENT GROSS VALUE	*****	*****	*****					
TEMPERATURE, WATER DEG. FAHRENHEIT	*****	*****	*****	REPORT	REPORT DAILY AV	DAILY MX		TWICE/MONTH
00011 1 0 0	*****	*****	*****	REPORT	REPORT DAILY AV	DAILY MX		TWICE/MONTH
EFFLUENT GROSS VALUE	*****	*****	*****	7.8	*****	7.8	0	1
PH	*****	*****	*****	MINIMUM	*****	MAXIMUM		ONCE/MONTH
00400 1 0 0	*****	*****	*****	6.0	*****	9.0		ONCE/MONTH
EFFLUENT GROSS VALUE	*****	*****	*****	MINIMUM	*****	MAXIMUM		ONCE/MONTH
PH	*****	*****	*****	6.0	*****	9.0		ONCE/MONTH
00400 1 0 0	*****	*****	*****	MINIMUM	*****	MAXIMUM		ONCE/MONTH
EFFLUENT GROSS VALUE	*****	*****	*****	3	*****	3	0	2
SOLIDS, TOTAL SUSPENDED	*****	*****	*****	*****	100 DAILY AV	DAILY MX		TWICE/MONTH
00530 1 0 0	*****	*****	*****	*****	*****	200		TWICE/MONTH
EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	MG/L		TWICE/MONTH
SOLIDS, TOTAL SUSPENDED	*****	*****	*****	*****	*****	200		TWICE/MONTH
00530 1 0 0	*****	*****	*****	*****	*****	200		TWICE/MONTH
EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	MG/L		TWICE/MONTH
SOLIDS, TOTAL SUSPENDED	*****	*****	*****	*****	*****	2.0		ONCE/MONTH
01034 1 0 0	*****	*****	*****	*****	*****	DAILY MX		ONCE/MONTH
EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	MG/L		ONCE/MONTH
CHROMIUM, TOTAL (AS CR)	*****	*****	*****	*****	*****	2.0		ONCE/MONTH
01034 1 0 0	*****	*****	*****	*****	*****	DAILY MX		ONCE/MONTH
EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	MG/L		ONCE/MONTH
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER								
J. W. Ware, Plant Supt.								
TYPED OR PRINTED								
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT								
601 369-8111 88 01 12								
TELEPHONE DATE								
COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)								

EPA Form 3320-1 (Rev. 10-79) PREVIOUS EDITION TO BE USED
UNTIL SUPPLY IS EXHAUSTED

(REPLACES EPA FORM T-40 WHICH MAY NOT BE USED.)

00648/052187-2228

PAGE 2

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME VISTA POLYMERS INC

ADDRESS PO BOX 91

ABERDEEN

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) DISCHARGE MONITORING REPORT (DMR)

F - FINAL

STORM WATER

Form Approved, OMB No. 2040-0046 Approval Expires 6/30/90

FACILITY

LOCATION

ATTN: JOHN FRIEND

MONITORING PERIOD			
YEAR	MO	DAY	TO
87	12	01	87 12 31

MS0001970
DISCHARGE NUMBER

MS 39730
PERMIT NUMBER

PARAMETER (32-37)	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUANTITY OR CONCENTRATION (54-61)			NO. OF ANALYSES (62-63)	FREQ. OF ANALYSES (64-65)
	AVERAGE (46-53)	MAXIMUM (54-55)	UNITS (56-57)	MINIMUM (58-59)	AVERAGE (60-61)	MAXIMUM (62-63)		
TEMPERATURE, WATER DEG. FAHRENHEIT	*****	*****	*****	640	650	650	0	2
00011 1 0 0	*****	*****	*****	REPORT	REPORT	DAILY MX	0	TWICE/MONTH
EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	DAILY MX	0	DEG.F
TEMPERATURE, WATER DEG. FAHRENHEIT	*****	*****	*****	REPORT	REPORT	DAILY MX	0	2
00011 1 0 0	*****	*****	*****	*****	*****	DAILY MX	0	TWICE/MONTH
EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	DAILY MX	0	DEG.F
PH	*****	*****	*****	7.6	*****	7.6	0	1
00400 1 0 0	*****	*****	*****	MINIMUM	*****	MAXIMUM	0	ONCE/MONTH
EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	SU	0	GRA
PH	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH
00400 1 0 0	*****	*****	*****	MINIMUM	*****	MAXIMUM	0	ONCE/MONTH
EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	SU	0	GRA
SOLIDS, TOTAL SUSPENDED	*****	*****	*****	*****	*****	3.0	0	2
00530 1 0 0	*****	*****	*****	*****	*****	DAILY MX	0	Comp
EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	DAILY MX	0	TWICE/MONTH
SOLIDS, TOTAL SUSPENDED	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH
00530 1 0 0	*****	*****	*****	*****	*****	DAILY MX	0	TWICE/MONTH
EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	DAILY MX	0	COM
CHROMIUM, TOTAL (AS CR)	*****	*****	*****	*****	*****	2.0	0	ONCE/MONTH
01034 1 0 0	*****	*****	*****	*****	*****	DAILY MX	0	GRA
EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	DAILY MX	0	ONCE/MONTH

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

J. W. Ware, Plant Supt.

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Violations under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER		TELEPHONE		DATE	
<i>J. W. Ware</i>		601 369-8111		88 01 12	
OFFICER OR AUTHORIZED AGENT		AREA CODE		YEAR MO	
		601		88 01	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Form Approved
OMB No. 2040-0001
Approval expires 9-3

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
(17-19)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME VISIA POLYMERS, INC
ADDRESS P.O. BOX 91
ABERDEEN MS 39730

F - FINAL
STORM WATER

003 N
DISCHARGE NUMBER

MS0001970
PERMIT NUMBER

MONITORING PERIOD			
YEAR	MO	DAY	TIME
87	12	01	
YEAR	MO	DAY	TIME
87	12	31	

MAJOR

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	(3 Card Only) QUANTITY OR LOADING (54-61)			(4 Card Only) QUALITY OR CONCENTRATION (46-53)			NO. EX (62-64)	FREQUENCY OF ANALYSIS (65-68)	SAMPLING METHOD (69-71)
	AVERAGE (46-53)	MAXIMUM (54-61)	UNITS (54-61)	AVERAGE (46-53)	MINIMUM (48-49)	MAXIMUM (50-51)			
CHROMIUM, TOTAL (AS CR)	*****	*****		*****	*****				
01034 1 0 0	*****	*****		*****	*****				
EFFECTUENT GROSS VALUE	*****	*****		*****	*****				
ZINC, TOTAL (AS ZN)	*****	*****		*****	*****				
01092 1 0 0	*****	*****		*****	*****				
EFFECTUENT GROSS VALUE	*****	*****		*****	*****				
ZINC, TOTAL (AS ZN)	*****	*****		*****	*****				
01092 1 0 0	*****	*****		*****	*****				
EFFECTUENT GROSS VALUE	*****	*****		*****	*****				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	0.035	0.035	MGD	*****	*****		0	2	Insta
50050 1 0 0	REPORT	REPORT	DAILY MX	*****	*****				
EFFECTUENT GROSS VALUE	*****	*****		*****	*****				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	*****	*****		*****	*****				
50050 1 0 0	REPORT	REPORT	DAILY MX	*****	*****				
EFFECTUENT GROSS VALUE	*****	*****		*****	*****				
CHLORINE, TOTAL RESIDUAL	*****	*****		*****	*****				
50060 1 0 0	*****	*****		*****	*****				
EFFECTUENT GROSS VALUE	*****	*****		*****	*****				
CHLORINE, TOTAL RESIDUAL	*****	*****		*****	*****				
50060 1 0 0	*****	*****		*****	*****				
EFFECTUENT GROSS VALUE	*****	*****		*****	*****				

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE ACCURATE AND COMPLETE I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 USC § 1001 AND 33 USC § 1319. Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.

J. W. Ware

J. W. Ware, Plant Supt.

TYPED OR PRINTED

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT
601 369-8111
AREA CODE NUMBER
88 01 12
YEAR MONTH DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME VISTA POLYMERS INC.

ADDRESS PO BOX 91

ABERDEEN

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) DISCHARGE MONITORING REPORT (DMR)

(2-1b)

MS0001970

PERMIT NUMBER

004 N

DISCHARGE NUMBER

F - FINAL

ONCE THRU PUMP SEAL WATER

Form Approved
OMB No. 2010-0001

Approval Expires

FACILITY

LOCATION

ATTN: JOHN FRIEND

MONITORING PERIOD

YEAR MO DAY YEAR MO DAY

87 12 01 87 12 31

FROM

(20-21) (22-23) (24-25)

MAJOR

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	QUANTITY OR LOADING (46-53)			QUANTITY OR CONCENTRATION (54-61)			FREQUENCY OF ANALYSIS (62-68)
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	
TEMPERATURE, WATER	*****	*****	*****	770	790	800	0 2
DEG. FAHRENHEIT	*****	*****	*****	REPORT	REPORT	95	Grab
00011 1 0 0	*****	*****	*****	*****	DAILY AV	DAILY MX	TWICE/MONTH
EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	*****	*****
TEMPERATURE, WATER	*****	*****	*****	*****	*****	*****	*****
DEG. FAHRENHEIT	*****	*****	*****	*****	*****	*****	*****
00011 1 0 0	*****	*****	*****	*****	*****	*****	*****
EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	*****	*****
PH	*****	*****	*****	*****	*****	*****	*****
00400 1 0 0	*****	*****	*****	*****	*****	*****	*****
EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	*****	*****
PH	*****	*****	*****	*****	*****	*****	*****
00400 1 0 0	*****	*****	*****	*****	*****	*****	*****
EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	*****	*****
FLOW, IN CONDUIT OR	*****	*****	*****	*****	*****	*****	*****
THRU TREATMENT PLANT	*****	*****	*****	*****	*****	*****	*****
50050 1 0 0	*****	*****	*****	*****	*****	*****	*****
EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	*****	*****
FLOW, IN CONDUIT OR	*****	*****	*****	*****	*****	*****	*****
THRU TREATMENT PLANT	*****	*****	*****	*****	*****	*****	*****
50050 1 0 0	*****	*****	*****	*****	*****	*****	*****
EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	*****	*****

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	TELEPHONE	DATE
J. W. Ware, Plant Supt.	369-8111	88 01
TYPED OR PRINTED	AREA CODE	YEAR
	601	88
	NUMBER	MO
	369-8111	01
	OFFICER OR AUTHORIZED AGENT	
	SIGNATURE OF PRINCIPAL EXECUTIVE	
	OFFICER OR AUTHORIZED AGENT	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)