

ETHYL CORPORATION

100 PARK AVENUE BUILDING AT 41st STREET

NEW YORK 17, N. Y.

September 12, 1958

Dr. Robert A. Kehoe
Kettering Laboratory
Eden & Bethesda Avenues
Cincinnati 19, Ohio

Dear Bob:


Confirming our discussion in your office on September 10th, we are attaching correspondence on alleged lead poisoning case.

Apparently copies were not sent to you originally as no action was requested.

As you recommended, we will discuss with the Legal Department the question of taking samples for Standard of Indiana. If this is to be done, it is understood that the Kettering Lab will collect the samples and make the analysis.

We will keep you advised as to Standard's final wishes on this subject.

Yours very truly,



H. K. Ball

HKB:ems
Attach.

cc: Mr. J. S. Maynard

N13186

0012324

See file in [unclear]
Paragon

ETHYL CORPORATION

INTER-OFFICE
CORRESPONDENCE

PROCESSED		SERVICE DEPT.	
IND	ASM	JGR	
ENG	MT	CHC	
REC'D	SEP 12 1957		
RGS			
F. W. TOE M. SCHREYER			

TO H. K. Ball

ADDRESS New York

FROM J. S. Maynard

ADDRESS Chicago

SUBJECT Alleged Lead Poisoning
Standard Oil of Indiana
Green Bay, Wisconsin

DATE September 10, 1957

Dear Hank:

Pleas refer to your letter of August 29, concerning
~~Jerry~~ Tyslan's report of an alleged lead poisoning at
The Standard Oil of Indiana Marine Terminal at Green Bay.

Jerry already had a good understanding of the use of the
Lead-In-Air analyzer, but we had the opportunity, recently,
to discuss this particular situation and other possible
problems which may arise in the future.

May we thank you for your interest.

Very truly yours,

J. S. Maynard
J. S. Maynard

JSM:mcm

cc. P. R. Harris
J. W. Tyslan

KE 0012325

Mr. J. B. Maynard

Chicago

H. K. Ball

New York

Alleged Lead Poisoning
Standard Oil Company (Indiana)
Green Bay, Wisconsin

August 29, 1957

Dear Jack:

We have your letter of August 8th attaching Jerry Tyslan's report on the suspected lead poisoning.

We note that Jerry explained to these people the use of the Lead-in-Air kit. We hope that Jerry understands that this is not to be used around the loading rack; or if a lead reading was found, there might be extreme difficulty in giving a proper interpretation.

Yours very truly,

H. K. Ball

HKB:ems

RE 0012626

ETHYL CORPORATION

INTER-OFFICE
CORRESPONDENCE

PRODUCT SERVICE DEPT			
HKE	JSM	JGR	
WAT	WAT	CHC	
REC'D		9 1957	
RGS			
RECEIVED BY SCHREIER			

TO H. K. Ball ADDRESS New York

FROM J. S. Maynard ADDRESS Chicago

SUBJECT Alleged Lead Poisoning DATE August 8, 1957
Standard Oil of Indiana
Green Bay, Wisconsin

Dear Hank:

For your information we attach a copy of Jerry Tyslan's customer service report of August 5, concerning an alleged lead poisoning of a former employee at the Green Bay, Wisconsin terminal of Standard Oil Company of Indiana.

Today Paul Harris discussed this matter with several officials at Standard's main office, Chicago, Illinois. They have an extensive file on the subject. Paul offered the service of our company, but they do not feel that it is necessary at the present time.

We will keep you advised if there is any further development on the matter.

Yours very truly,

J. S. Maynard
J. S. Maynard

JSM:mcm
cc. P. R. Harris
Enc.

KE 0012627

CUSTOMER SERVICE REPORT

Company Standard Oil Co. (Ind)

Subject "Lead Poisoning" Case at Green Bay Terminal Date 5 August 1957

Name J. J. Hofmeister Title Sales Dept. Location Green Bay, Wisc.

Planert Legal Dept.

L. V. Barlament Term. Supt. Green Bay, Wisc.

On Wednesday, 31 July 1957, Messrs. Hofmeister and Planert visited the Marine Terminal at Green Bay to investigate a former Standard employee's claim that he was lead poisoned while working at the truck loading rack in the terminal. Since I was on location, observing a tank cleaning, they asked questions regarding the possibility of getting lead poisoning under the conditions present at the terminal. While I was answering the questions in generalities, I explained about our L.I.A. kit, and demonstrated its use.

Mr. Hofmeister was very impressed with the kit, and said he would contact our Chicago office for further help in this matter.

The only information I could get on the injured man was that he stopped working for Standard in 1956, after having worked there for several years.

Signed Jerry Tyslan

Region Central Hqrts. Chicago

RE 0012628