

CITY COUNCIL

ROBERT J. FURLONG, MAYOR
GENEVIEVE H. ANDERSON
CHARLES H. MAILLIARD
JUDITH M. POXON
LEONIS C. MALBURG

TELEPHONES

CITY CLERK . . . LUDLOW 3-1666
POLICE DEPT. . . LUDLOW 7-5287
LUDLOW 7-8135
FIRE DEPT. . . LUDLOW 8-2522
BUILDING DEPT. . LUDLOW 3-1666
ENGINEERING DEPT. LUDLOW 3-1666
HEALTH DEPT. . . LUDLOW 3-1666

CITY HALL
4308 SANTA FE AVENUE



VERNON 58, CALIFORNIA
February 13, 1962

OFFICERS

F. A. ZIEMER, CITY CLERK
L. R. BURCH, CITY TREASURER
VINCENT R. POXON, CITY ATTORNEY
ARTHUR E. NELSON, JR., CITY ENGINEER
D. D. GRAYSON, TRAFFIC ENGINEER
R. H. KING, SUPT. WATER & SEWER SYSTEMS
DR. C. E. NEMETHI, HEALTH OFFICER
J. S. COLTON, BUILDING ENGINEER
LESTER C. HUSTED, FIRE CHIEF
R. H. BOCKMACKER, POLICE CHIEF
JOHN B. MOORE, ADMINISTRATIVE OFFICER
HASKINS & SELLS, AUDITORS

IN REPLY REFER TO:
Dept. of Public Health

SUBJECT: Laboratory
Analysis of "MARINITE"

Aluminum Company of America
5151 Alcoa Avenue
Vernon 58, California

Attention: Mr. Frank Regehr
Safety Director

Gentlemen:

During the "marinite" study we made on January 12, 1962, a sample was retained and submitted to the California Department of Public Health Air and Industrial Hygiene Laboratory for analysis.

The results of the analysis are as follows:

Quartz - not detected (less than 5%)
Diatomite - approximately 5%
Asbestos - approximately 50% (clinocrysotile)
Inorganic Filler - approximately 40%

The quartz content and identification of asbestos species were determined by x-ray diffraction methods. Composition of other materials were based on microscopic estimate.

In view of the above analysis, we recommend that a Threshold Limit Value of 5 million particles per cubic foot of air be used when designing controls and when making studies of potential exposures to this material. This value is based on the asbestos content.

If you have any questions in regard to this report, please



CITY OF VERNON CALIFORNIA

Aluminum Company of America
5151 Alcoa Avenue
Vernon 58, California
February 13, 1962

-2-


IN REPLY REFER TO

Depc. of Public Health

feel free to contact us for additional information.

Very truly yours,

C. E. Nemethi, M.D.
Health Officer


Louis S. Hauger, R.S.
Dep. Dir. of Sanitation

LSH:lw.

ARCH 19184