

Abex

Abex Corporation

Railroad Products Group

MAHWAN, NEW JERSEY 07430
TEL: 201-528-3450
TELEX: 642475

November 18, 1980

Ms. Grace Duffy, Industrial Hygienist
United States Department of Labor
Occupational Safety and Health Administration
Suite 600, 400 Penn Center Blvd.
Pittsburgh, PA 15235

REFERENCE: Meadow Lands - RPG, Follow-up Inspection


Dear Grace,

To confirm our telephone conversation on Tuesday, November 18, 1980, it is now the position of Abex Corporation to limit follow up OSHA inspections only to those areas that have been cited. Therefore, on your follow up visit, we will allow sampling for crystalline silica (quartz) and only in the cleaning room and shakeout area.

Please be assured that our decision to limit the OSHA follow up inspection is based solely on sound business policies and principles. The importance of safety and health and of complying with OSHA regulations has always received a great deal of attention at our Meadow Lands - RPG plant.

We hope you understand our position and that the fine relationship we have enjoyed with your office will not be damaged.

Sincerely yours,


James F. Nieves
Director of Personnel

JFN:kle

cc: G. O. Frick

bcc: N. E. Prost

~~C. H. Sorehardt~~
R. A. Martinson

G. A. Johnson

J. F. Bartemus

RECEIVED
NOV 19 1980
ABEX-MEDICAL DEPT.

SPNY 003582