

bc: Dr. Emmet Kelly, St. Louis
Raleigh Garcia, St. Louis
Mike Quirk/J. S. Vitalis, St. L.
C. L. Bradford, LA
D. R. Pogue, LA

April 16, 1968

Mr. Dave Fyits
Kaiser Aluminum & Chemical Company
Treatment Waste
Spokane, Washington 99215

Dear Dave:

It was so nice to meet with you and Mr. McDole last month. Thank you for your hospitality and time.

As a result of our discussion, we are preparing several items for you to assist in your safe hydraulic fluids program.

Sunset Transfer & Storage, W. 216 Pacific, Spokane, Washington, now stocks Pydraul 312. Effective March 1968, we now maintain a 10 drum minimum inventory to better serve your requirements.

If not already received, the following reports will be arriving soon: Copies of the Pydraul A-200 and Pydraul 312 pump test results, a report from Dr. Emmet Kelly, our Medical Director, confirming the toxicological safety and recommended safety program for Pydraul 312. In addition, we are preparing a seal, hose, etc., supplier booklet for your files. Hopefully, we will also get a positive reply from either Purolator or Precision on establishing Pitco as a distributor for their products.

If you have questions let me know. Best wishes.

Cordially yours,

Donald R. Pogue
Sales Engineer
Functional Fluids

DRP:fs

cc: George Stearns, Sunset Transfer & Storage, Spokane
Duell McDole, Kaiser Aluminum & Chemical Co., Spokane

DSW 018629

STLCOPCB4005173