

PACKAGE TICKET
CODE 87 287 FOR 3439
NET WT/PKG | NO. PKG | PACK. WGHT. | LOCATION | PO
50 116 5800
Pump 5812
5800 PKG. NO. CODE 2000
PROD. SPVR. DATE WHSE. ORDER
10/20/80

N34957

DUP050105979

92
24-1

CG 03 CODE KY-787-D PKG. ____

→ OCT--8 80 37391

EST. WGT. 1921 LBS.

OCT 1980

PROCESSING INSTRUCTIONS: BATCH UNIT

PROCESSES	APPROVED BY
KY-787-D (S)	EWK 10-19-77
Alternate	DCG 10-25-77
TYPED BY	
JIC 11-4-77	

MAKING NOTES

REMARKS

TOTAL WGT ~~6121#~~ 5845# (REQ ____)

NAME: KROLOR® YELLOW-MEDIUM NON-BLEEDING

INSTRUCTIONS -PRESSING- RECORD

						PRESSLOAD	1ST	2ND	3RD	4TH	5TH
VAT	247					STARTED	5 PM	5:30PM			
DATE	10/10/80					CAKES USED	46	38			
TIME	3:30PM					WATER ON	9AM	6:45PM			
RELEASED BY	P.M.					HRS. WASHED	4	4			
PRESS	95	96	(85)			OHMS	5000	7000			
NO. OF CAKES	10	72	72			HRS. WASHED					
PRESS WITH		AGITATION				OHMS					
WASH TO	2000	OHMS WITH 35-75°F WATER				HRS. WASHED					
TEST AFTER	4	HOURS				OHMS					
LOAD ON 10 CARS						CAKE CONDITION					
						NO. CARS LOADED	2	3			
						EXPLAIN LOSSES					
SAMPLES 1-8 oz. JAR						SAMPLED BY		RELEASED BY			
DELIVER TO CTL FOR COLOR											

-DRYING-

DRY 12 HRS AT 220°F.	LUMP: - OK - WET - SALTS - CONTAMINATE
THEN DRY 8 HRS AT 160°F	
	ADDITIONAL DRYING HOURS REQUIRED
	No. Drums: 25
SAMPLES	NO. CARS PULLED LUMP WGT. 5812
DELIVER TO	SAMPLED BY RELEASED BY

-GRINDING-

MILL 939 HSP 3/32" RP SCREEN 3500 RPM	SCREEN RPM
MAX. TEMP. 150°F	MAX. TEMP. °F
	EXPLAIN LOSSES
SAMPLE A. WITHOUT MIXING	DATE MIXED
SAMPLES 1 env + 1 Pt Can	
DELIVER TO C T L	SAMPLED BY RELEASED BY

DUP050105980

37391 KX787
41
16

0.00	*
2.64	+
0.12	-
2.63	+
0.12	-
2.52	+
0.12	-
2.46	+
0.12	-
2.71	+
0.12	-
2.63	+
0.12	-
2.57	+
0.12	-
2.62	+
0.12	-
2.44	+
0.12	-
2.65	+
0.12	-
2.46	+
0.12	-
1.23	+
0.12	-
28.12	*

25 DRUMS

28.12	+
2.05	+
0.12	-
2.06	+
0.12	-
2.55	+
0.12	-
2.70	+
0.12	-
2.45	+
0.12	-
2.85	+
0.12	-
2.65	+
0.12	-
2.70	+
0.12	-
2.80	+
0.12	-
2.70	+
0.12	-
2.70	+
0.12	-
2.45	+
0.12	-
0.90	+
0.12	-
58.12	*