



UNION CARBIDE CORPORATION
MINING AND METALS DIVISION
P.O. BOX K, KING CITY, CALIFORNIA 92530

PLAINTIFF'S
EXHIBIT

UC-451

*Full Heavy Duty
Task Control*

November 27, 1978

Ms. Adene Andrade - Packaging/Palletizer Operator - for Union Carbide Corporation, Metals Division - King City, California. Employee No. 349 C.S.D.2-13-78 S.S. No. 553-96-0144

Subject: CAL/OSHA Asbestos Regulations, Title 8, Section 5208- Subparagraph, (k) - Employee Notification (New Section adopted 11/1/77)

Dear Ms. Adene Andrade:

In accordance with CAL/OSHA Asbestos Regulations, Title 8, Section 5208, Subparagraph (K), Employee Notification, notice is hereby given that your exposure of Asbestos fibers was in excess of 2.0 limits on November 20, 1978. Ten (10) each - thirty (30) minute personal air samples were taken. The average Asbestos fiber count for the ten (10) samples was 5.61 fibers longer than 5 micrometers, per cubic centimeter of air. During the time of exposure you were using an approved respirator. MESA-NIOSH-No. TX 21C-170. This level is still within CAL/OSHA's limits because of your respirator use.

Corrective action shall be taken immediately.

- (B) Exhaust ventilation systems are in good working order. Exhaust ventilation systems are checked each shift. (on-going)
- (C) Asbestos spills shall be vacuumed cleaned promptly. (on-going)
- (D) Air-filtering respirators are in use and worn in accordance with provisions of Sections 5144. (on-going)
- (E) Change room and special clothing will continue to be provided to each employee. Employees will be required to vacuum clean their coveralls as it is needed. (on-going)
- (F) Laundering of Asbestos-contained clothing will continue in accordance with section 5208. (on-going)

Very truly yours,
UNION CARBIDE CORPORATION

CC: O. J. Malacarne E. A. Piersall
R. O. Marsten E. W. Shortridge
F. J. Shortsleve C. F. Grogan
W. C. Thurber

R. J. Kronkhyte
R. J. Kronkhyte
Safety Engineer

/pc

Received: _____