

Industrial Hygiene

Test Results

Sample Date Range 1/1/87 12/31/87
 Concentration Range
 Action Level 100%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 08 TEFLON@									
LOC: 701 FINE POWDER DRYER-EAST SIDE #2									
1/11/87	46278	360	Z			C-8/FC-143	0.153	MPB	27.3%
3/2/87	46279	360	Z			C-8/FC-143	0.294	MPB	52.5%
5/23/87	46280	360	Z			C-8/FC-143	0.118	MPB	21.1%
6/6/87	46281	330	Z			C-8/FC-143	0.131	MPB	23.4%
8/15/87	46282	420	Z			C-8/FC-143	0.065	MPB	11.6%
12/17/87	46284	450	Z			C-8/FC-143	0.388	MPB	69.3%
12/18/87	46283	450	Z			C-8/FC-143	0.159	MPB	28.4%
BTO: 08 TEFLON@									
LOC: 702 FINE POWDER DRYER CONTROL ROOM (ALSO SEE TTF031									
1/11/87	36605	360	Z			C-8/FC-143	0.172	MPB	30.7%
3/1/87	36606	360	Z			C-8/FC-143	0.106	MPB	18.9%
5/14/87	36608	510	Z			C-8/FC-143	0.074	MPB	13.2%
6/6/87	36609	330	Z			C-8/FC-143	0.131	MPB	23.4%
8/15/87	36607	420	Z			C-8/FC-143	0.028	MPB	5.0%
10/31/87	36610	347	Z			C-8/FC-143	0.027	MPB	4.8%
12/19/87	36611	331	Z			C-8/FC-143	0.18	MPB	32.1%
BTO: 08 TEFLON@									
LOC: 703 FINE POWDER PACKOUT ROOM									
1/18/87	34549	300	Z			C-8/FC-143	<0.03	MPB	5.4%
2/13/87	34550	390	Z			C-8/FC-143	0.234	MPB	41.8%
3/5/87	34551	380	Z			C-8/FC-143	0.167	MPB	29.8%
4/3/87	34552	369	Z			C-8/FC-143	0.068	MPB	12.1%
5/23/87	34554	360	Z			C-8/FC-143	0.04	MPB	7.1%
6/13/87	34555	360	Z			C-8/FC-143	0.057	MPB	10.2%
8/12/87	34556	360	Z			C-8/FC-143	0.051	MPB	9.1%
8/19/87	34557	450	Z			C-8/FC-143	0.054	MPB	9.6%
10/16/87	34559	300	Z			C-8/FC-143	0.011	MPB	2.0%
12/18/87	34562	450	Z			C-8/FC-143	0.109	MPB	19.5%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 08 TEFLON@									
LOC: 704 A/S - FINE POWDER C-8 WEIGH HOOD									
1/12/87	34973	360	Z			C-8/FC-143	0.774	MPB	138.2% **
3/5/87	34975	330	Z			C-8/FC-143	4.945	MPB	883.0% **
4/29/87	34976	331	S			C-8/FC-143	0.148	MPB	26.4%
5/21/87	34978	310	Z			C-8/FC-143	0.12	MPB	21.4%
6/14/87	34980	360	Z			C-8/FC-143	0.392	MPB	70.0%
9/12/87	34981	360	Z			C-8/FC-143	0.211	MPB	37.7%
12/20/87	34984	360	Z			C-8/FC-143	0.216	MPB	38.6%
BTO: 08 TEFLON@									
LOC: 705 DISPERSION PACK OUT AREA									
3/1/87	37373	360	Z			C-8/FC-143	0.197	MPB	35.2%
5/19/87	37375	360	Z			C-8/FC-143	0.111	MPB	19.8%
12/17/87	37380	450	Z			C-8/FC-143	0.038	MPB	6.8%
12/19/87	37379	325	Z			C-8/FC-143	0.072	MPB	12.9%
BTO: 08 TEFLON@									
LOC: 706 FINE POWDER DRYER #3									
3/5/87	34264	330	Z			C-8/FC-143	0.194	MPB	34.6%
5/17/87	34266	330	Z			C-8/FC-143	0.677	MPB	120.9% **
8/12/87	34267	360	Z			C-8/FC-143	0.195	MPB	34.8%
10/31/87	34268	349	Z			C-8/FC-143	0.103	MPB	18.4%
12/19/87	34269	331	Z			C-8/FC-143	0.313	MPB	55.9%
BTO: 08 TEFLON@									
LOC: 708 P/S - FINE POWDER PACKOUT (08PJ)									
6/13/87	9410	360	P		none	C-8/FC-143	0.12	MPB	21.4%
12/18/87	9413	450	P		none	C-8/FC-143	0.1	MPB	17.9%
BTO: 08 TEFLON@									
LOC: 710 FP&D AUTOCLAVE CONTROL ROOM									
1/18/87	46035	300	Z			C-8/FC-143	0.091	MPB	16.3%
2/13/87	46036	380	Z			C-8/FC-143	0.116	MPB	20.7%
3/5/87	46037	390	Z			C-8/FC-143	0.146	MPB	28.1%
4/3/87	46038	370	Z			C-8/FC-143	0.068	MPB	12.1%
5/21/87	46039	300	Z			C-8/FC-143	0.078	MPB	13.9%
6/7/87	46040	450	Z			C-8/FC-143	0.046	MPB	8.2%
8/1/87	46041	465	Z			C-8/FC-143	0.023	MPB	4.1%
8/15/87	46042	420	Z			C-8/FC-143	0.03	MPB	5.4%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
10/16/87	46044	300	Z			C-8/FC-143	0.013	MPB	2.3%
10/17/87	46043	300	Z			C-8/FC-143	0.032	MPB	5.7%
12/20/87	46045	360	Z			C-8/FC-143	0.056	MPB	10.0%

BTO : 08 TEFLON@

LOC : 712 NORTH END OF DRYER #3

3/2/87	46327	360	Z			C-8/FC-143	0.238	MPB	42.5%
5/24/87	46328	450	Z			C-8/FC-143	0.038	MPB	6.8%
6/14/87	46329	360	Z			C-8/FC-143	0.171	MPB	30.5%
8/14/87	46330	360	Z			C-8/FC-143	0.165	MPB	29.5%
10/18/87	46331	300	Z			C-8/FC-143	0.014	MPB	2.5%

BTO : 08 TEFLON@

LOC : 715 SOUTH END DRYER #2

1/12/87	46003	360	Z			C-8/FC-143	0.238	MPB	42.5%
3/7/87	46004	375	Z			C-8/FC-143	0.09	MPB	16.1%
5/24/87	46005	450	Z			C-8/FC-143	0.124	MPB	22.1%
8/23/87	46006	360	Z			C-8/FC-143	0.732	MPB	130.7% **
9/12/87	46007	360	Z			C-8/FC-143	0.076	MPB	13.6%
12/18/87	46009	450	Z			C-8/FC-143	0.149	MPB	26.6%

BTO : 08 TEFLON@

LOC : 717 ROOF AREA-GENERAL

1/18/87	46078	300	Z			C-8/FC-143	0.093	MPB	16.6%
3/7/87	46079	370	Z			C-8/FC-143	0.04	MPB	7.1%
5/24/87	46080	450	Z			C-8/FC-143	0.126	MPB	22.5%
8/23/87	46081	360	Z			C-8/FC-143	0.082	MPB	14.6%
10/18/87	46082	300	Z			C-8/FC-143	0.048	MPB	8.6%

BTO : 08 TEFLON@

LOC : 719 MOISTURE CHECK

2/13/87	46109	390	Z			C-8/FC-143	0.057	MPB	10.2%
5/20/87	46341	450	Z			C-8/FC-143	0.073	MPB	13.0%
10/16/87	46343	300	Z			C-8/FC-143	0.039	MPB	7.0%

BTO : 08 TEFLON@

LOC : 720 INJECTION PUMP AREA

3/2/87	39690	360	Z			C-8/FC-143	0.638	MPB	113.9% **
4/29/87	39691	330	S			C-8/FC-143	0.279	MPB	49.8%
5/21/87	39692	330	Z			C-8/FC-143	0.31	MPB	55.4%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 08 TEFLON@									
LOC: 726 AISLE IN FRONT OF WAX SEPARATOR									
3/1/87	35491	360	Z			C-8/FC-143	0.263	MPB	47.0%
5/17/87	35492	345	Z			C-8/FC-143	0.142	MPB	25.4%
9/30/87	35494	317	Z			C-8/FC-143	0.129	MPB	23.0%
10/31/87	35495	345	Z			C-8/FC-143	0.11	MPB	19.6%
BTO: 08 TEFLON@									
LOC: 727 FINE POWDER CELL AREA									
3/5/87	35175	375	Z			C-8/FC-143	0.171	MPB	30.5%
12/17/87	35176	450	Z			C-8/FC-143	0.077	MPB	13.8%
BTO: 08 TEFLON@									
LOC: 728 WAX ROOM - B-162 - 1ST FLOOR									
1/12/87	37189	360	Z			C-8/FC-143	0.267	MPB	47.7%
3/5/87	37191	330	Z			C-8/FC-143	0.386	MPB	68.9%
5/21/87	37192	370	Z			C-8/FC-143	0.685	MPB	122.3% **
6/9/87	37193	330	Z			C-8/FC-143	0.188	MPB	33.6%
8/14/87	37194	360	Z			C-8/FC-143	0.139	MPB	24.8%
10/16/87	37195	300	Z			C-8/FC-143	0.524	MPB	93.6%
BTO: 08 TEFLON@									
LOC: 731 A/S - INSIDE F.P. DRYER CONTROL ROOM									
1/11/87	39806	360	Z			C-8/FC-143	0.076	MPB	13.6%
3/2/87	39808	360	Z			C-8/FC-143	0.221	MPB	39.5%
4/13/87	40225	360	Z			C-8/FC-143	0.125	MPB	22.3%
6/7/87	40239	450	Z			C-8/FC-143	0.142	MPB	25.4%
10/17/87	40502	300	Z			C-8/FC-143	0.072	MPB	12.9%
10/18/87	40501	300	Z			C-8/FC-143	0.016	MPB	2.9%
BTO: 08 TEFLON@									
LOC: 732 BLEND TANKS									
3/5/87	39807	370	Z			C-8/FC-143	0.381	MPB	68.0%
8/15/87	40389	420	Z			C-8/FC-143	0.081	MPB	14.5%
9/30/87	40503	320	Z			C-8/FC-143	0.146	MPB	26.1%
12/29/87	40597	400	Z			C-8/FC-143	0.144	MPB	25.7%
BTO: 08 TEFLON@									
LOC: 748 B-162 EAST WAREHOUSE									
3/5/87	36714	372	Z			C-8/FC-143	0.064	MPB	11.4%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
9/30/87	36716	310	Z			C-8/FC-143	0.106	MPB	18.9%
10/31/87	36717	345	Z			C-8/FC-143	0.113	MPB	20.2%

BTO: 08 TEFLON@

LOC: 800 P/S - DISPERSION PACKOUT (08PH)

6/14/87	29462	360	P	none	C-8/FC-143	0.091	MPB	16.3%
---------	-------	-----	---	------	------------	-------	-----	-------

BTO: 08 TEFLON@

LOC: 802 P/S - FINE POWDER DRYER OPERATOR (08PI)

5/21/87	29422	330	P	none	C-8/FC-143	0.057	MPB	10.2%
5/23/87	29421	360	P	none	C-8/FC-143	0.148	MPB	26.4%
5/28/87	29420	375	P	none	C-8/FC-143	0.102	MPB	18.2%
5/30/87	29419	285	P	none	C-8/FC-143	0.144	MPB	25.7%

BTO: 08 TEFLON@

LOC: 804 P/S - FINE POWDER AUTOCLAVE OPERATOR (08PE)

4/8/87	29537	330	P	none	C-8/FC-143	2.133	MPB	380.9% **
5/21/87	29538	330	P	none	C-8/FC-143	0.035	MPB	6.3%
12/19/87	29539	314	P	none	C-8/FC-143	0.106	MPB	18.9%

BTO: 08 TEFLON@

LOC: 805 P/S - FINE POWDER FINISHING DISPERSION OP (08PH)

5/20/87	29376	370	P	none	C-8/FC-143	0.124	MPB	22.1%
8/13/87	45914	360	Z		C-8/FC-143	0.048	MPB	8.6%

BTO: 08 TEFLON@

LOC: 807 P/S - ENVIRONMENTAL CONTROL OPERATOR

2/13/87	29490	380	P	none	C-8/FC-143	0.211	MPB	37.7%
3/1/87	29491	360	P	none	C-8/FC-143	0.146	MPB	26.1%
8/13/87	29492	360	P	none	C-8/FC-143	0.121	MPB	21.6%

BTO: 17 RESEARCH

LOC: 103 P/S FP POLLYKETTLE OPERATOR (17LG)

1/5/87	9145	373	P	none	C-8/FC-143	<0.03	MPB	5.4%
1/5/87	9146	372	P	none	C-8/FC-143	0.6	MPB	107.1% **
1/9/87	9144	375	P	none	C-8/FC-143	0.27	MPB	48.2%
1/9/87	9147	360	P	none	C-8/FC-143	0.171	MPB	30.5%
3/16/87	9148	430	P	none	C-8/FC-143	0.062	MPB	11.1%
3/16/87	9149	425	P	none	C-8/FC-143	0.1	MPB	17.9%
4/10/87	9150	360	P	none	C-8/FC-143	0.108	MPB	19.3%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/10/87	9151	360	P		none	C-8/FC-143	0.051	MPB	9.1%
6/2/87	9152	367	P		none	C-8/FC-143	0.091	MPB	16.3%
6/2/87	9153	367	P		none	C-8/FC-143	0.066	MPB	11.8%
7/10/87	9154	360	P		none	C-8/FC-143	0.29	MPB	51.8%
7/10/87	9155	360	P		none	C-8/FC-143	0.131	MPB	23.4%
9/29/87	9158	360	P		none	C-8/FC-143	0.04	MPB	7.1%
9/29/87	9159	360	P		none	C-8/FC-143	0.064	MPB	11.4%
10/23/87	9156	435	P		none	C-8/FC-143	0.069	MPB	12.3%
10/23/87	9157	435	P		none	C-8/FC-143	0.083	MPB	14.8%
12/4/87	9160	360	P		none	C-8/FC-143	<0.03	MPB	5.4%
12/4/87	9161	360	P		none	C-8/FC-143	<0.03	MPB	5.4%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 150 #2 TORUS DISC DRYER NE CORNER

8/12/87	38909	480	Z		C-8/FC-143	0.185	MPB	33.0%
---------	-------	-----	---	--	------------	-------	-----	-------

BTO: 18 TEFLON@ COPOLYMERS

LOC: 155 FLOTATION TANK

5/27/87	38616	480	Z		C-8/FC-143	0.329	MPB	58.8%
---------	-------	-----	---	--	------------	-------	-----	-------

BTO: 18 TEFLON@ COPOLYMERS

LOC: 156 #2 BAGHOUSE PLATFORM

3/24/87	39227	480	Z		C-8/FC-143	0.128	MPB	22.9%
---------	-------	-----	---	--	------------	-------	-----	-------

10/6/87	39238	480	Z		C-8/FC-143	0.028	MPB	5.0%
---------	-------	-----	---	--	------------	-------	-----	------

BTO: 18 TEFLON@ COPOLYMERS

LOC: 157 FLAKE PACKOUT BIN-TOP

2/3/87	39224	480	Z		C-8/FC-143	1.645	MPB	293.8% **
--------	-------	-----	---	--	------------	-------	-----	-----------

4/29/87	39229	480	Z		C-8/FC-143	0.068	MPB	12.1%
---------	-------	-----	---	--	------------	-------	-----	-------

6/30/87	39232	480	Z		C-8/FC-143	0.049	MPB	8.8%
---------	-------	-----	---	--	------------	-------	-----	------

8/13/87	39233	480	Z		C-8/FC-143	0.188	MPB	33.6%
---------	-------	-----	---	--	------------	-------	-----	-------

12/17/87	40589	480	Z		C-8/FC-143	0.417	MPB	74.5%
----------	-------	-----	---	--	------------	-------	-----	-------

BTO: 18 TEFLON@ COPOLYMERS

LOC: 158 FLAKE PACKOUT BIN-BOTTOM

10/27/87	39237	480	Z		C-8/FC-143	0.608	MPB	108.6% **
----------	-------	-----	---	--	------------	-------	-----	-----------

BTO: 18 TEFLON@ COPOLYMERS

LOC: 160 #2 FLAKE HOPPER

4/28/87	38613	480	Z		C-8/FC-143	0.063	MPB	11.3%
---------	-------	-----	---	--	------------	-------	-----	-------

Tuesday, January 16, 2001 9:49:06 AM

Page 6 of 10

AJP003910

EID113044

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
-----------	----------	----------	------	---------------	------	----------	------	------	---------

BTO : 18 TEFLON@ COPOLYMERS

LOC : 162 GLOVE BOX

3/24/87	38907	480	Z			C-8/FC-143	0.034	MPB	6.1%
---------	-------	-----	---	--	--	------------	-------	-----	------

BTO : 18 TEFLON@ COPOLYMERS

LOC : 163 #2 MAKE UP AIR SUPPLY

1/22/87	38611	480	Z			C-8/FC-143	0.083	MPB	14.8%
2/26/87	38609	480	Z			C-8/FC-143	0.171	MPB	30.5%
3/24/87	38612	480	Z			C-8/FC-143	0.137	MPB	24.5%
4/29/87	38614	480	Z			C-8/FC-143	0.023	MPB	4.1%
5/27/87	38615	480	Z			C-8/FC-143	0.207	MPB	37.0%
6/30/87	38617	480	Z			C-8/FC-143	0.046	MPB	8.2%
8/12/87	38618	480	Z			C-8/FC-143	0.04	MPB	7.1%
8/31/87	38619	480	Z			C-8/FC-143	0.088	MPB	15.7%
10/6/87	38621	480	Z			C-8/FC-143	0.06	MPB	10.7%
10/27/87	38620	480	Z			C-8/FC-143	0.041	MPB	7.3%
11/30/87	38622	480	Z			C-8/FC-143	<0.03	MPB	5.4%
12/17/87	38623	480	Z			C-8/FC-143	<0.03	MPB	5.4%

BTO : 18 TEFLON@ COPOLYMERS

LOC : 164 B163 - 60 FT ROOF

1/22/87	39223	485	Z			C-8/FC-143	0.097	MPB	17.3%
2/26/87	39225	480	Z			C-8/FC-143	0.423	MPB	75.5%
3/24/87	39226	480	Z			C-8/FC-143	0.083	MPB	14.8%
4/29/87	39228	480	Z			C-8/FC-143	0.155	MPB	27.7%
5/27/87	39230	480	Z			C-8/FC-143	0.066	MPB	11.8%
6/30/87	39231	480	Z			C-8/FC-143	0.031	MPB	5.5%
8/12/87	39234	480	Z			C-8/FC-143	0.174	MPB	31.1%
8/31/87	39235	480	Z			C-8/FC-143	0.064	MPB	11.4%
10/6/87	39239	480	Z			C-8/FC-143	0.141	MPB	25.2%
10/27/87	39236	480	Z			C-8/FC-143	0.089	MPB	12.3%
11/30/87	40591	480	Z			C-8/FC-143	<0.03	MPB	5.4%
12/17/87	40590	480	Z			C-8/FC-143	<0.03	MPB	5.4%

BTO : 18 TEFLON@ COPOLYMERS

LOC : 165 INITIATOR 1 SUPPLY TANK

11/30/87	39693	480	Z			C-8/FC-143	<0.03	MPB	5.4%
----------	-------	-----	---	--	--	------------	-------	-----	------

BTO : 18 TEFLON@ COPOLYMERS

LOC : 168 FEP DISPERSION ADDITION AREA PLATFORM

Tuesday, January 16, 2001 9:49:06 AM

Page 7 of 10

AJP003911

EID113045

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/29/87	38908	480	Z			C-8/FC-143	0.057	MPB	10.2%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 188 B-163 45 FT ROOF									
12/17/87	39694	480	Z			C-8/FC-143	<0.03	MPB	5.4%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 189 B-163 MID ROOF H&V INLET									
3/24/87	38016	480	Z			C-8/FC-143	0.147	MPB	26.3%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 208 FEP-BLENDER PIT									
10/27/87	34097	480	Z			C-8/FC-143	0.39	MPB	69.6%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 210 #1 COAGULATOR-2ND FLOOR									
1/22/87	37287	485	Z			C-8/FC-143	0.334	MPB	59.6%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 212 #1 COAGULATOR-1ST FLOOR PLATFORM									
10/6/87	35599	480	Z			C-8/FC-143	0.162	MPB	28.9%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 214 FEP-#1 TORUS DISK DRYER (CLEAN) ROOM									
3/24/87	34974	480	Z			C-8/FC-143	0.17	MPB	30.4%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 216 P/S - WET FIN OP (18PA) ALSO SEE TCP149									
6/30/87	13640	480	P		none	C-8/FC-143	0.033	MPB	5.9%
12/17/87	13957	480	P		none	C-8/FC-143	<0.03	MPB	5.4%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 218 FEP FOREMANS OFFICE									
11/30/87	39443	480	Z			C-8/FC-143	<0.03	MPB	5.4%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 220 #2 COAGULATOR-1ST FLOOR PLATFORM									
10/6/87	35893	480	Z			C-8/FC-143	0.176	MPB	31.4%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 221 P/S - FEP PROCESS PK OPERATOR (18PA)									

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
2/3/87	11054	480	P		none	C-8/FC-143	0.053	MPB	9.5%
6/30/87	11055	480	P		none	C-8/FC-143	0.03	MPB	5.4%
8/13/87	11056	480	P		none	C-8/FC-143	0.025	MPB	4.5%
10/27/87	11057	480	P		none	C-8/FC-143	1.086	MPB	193.9% **
12/17/87	11058	480	P		none	C-8/FC-143	0.176	MPB	31.4%

BTO: 18 TEFLON@ COPOLYMERS
 LOC: 222 FEP POLYKETTLE CELL #2

3/25/87	39689	480	Z		C-8/FC-143	0.077	MPB	13.8%
---------	-------	-----	---	--	------------	-------	-----	-------

BTO: 18 TEFLON@ COPOLYMERS
 LOC: 223 FEP POLYKETTLE CELL #1

3/25/87	39688	480	Z		C-8/FC-143	0.095	MPB	17.0%
---------	-------	-----	---	--	------------	-------	-----	-------

BTO: 18 TEFLON@ COPOLYMERS
 LOC: 225 C-8 PREPARATION AREA

11/30/87	39441	480	Z		C-8/FC-143	0.062	MPB	11.1%
----------	-------	-----	---	--	------------	-------	-----	-------

BTO: 18 TEFLON@ COPOLYMERS
 LOC: 229 P/S - FEP OVEN OPERATOR (18PB)

3/25/87	11008	480	P	none	C-8/FC-143	0.104	MPB	18.6%
10/6/87	11009	480	P	none	C-8/FC-143	0.094	MPB	16.8%

BTO: 18 TEFLON@ COPOLYMERS
 LOC: 230 FEP-TRAYOUT

1/22/87	37075	485	Z		C-8/FC-143	0.041	MPB	7.3%
---------	-------	-----	---	--	------------	-------	-----	------

BTO: 18 TEFLON@ COPOLYMERS
 LOC: 247 FEP-#2 COAGULATOR - 2ND FLOOR

1/22/87	38015	480	Z		C-8/FC-143	0.295	MPB	52.7%
---------	-------	-----	---	--	------------	-------	-----	-------

BTO: 18 TEFLON@ COPOLYMERS
 LOC: 248 FEP - #1 BLENDER

4/28/87	38309	480	Z		C-8/FC-143	0.051	MPB	9.1%
---------	-------	-----	---	--	------------	-------	-----	------

BTO: 18 TEFLON@ COPOLYMERS
 LOC: 250 B-163 2ND FLOOR LUNCHROOM

12/17/87	37871	480	Z		C-8/FC-143	<0.03	MPB	5.4%
----------	-------	-----	---	--	------------	-------	-----	------

BTO: 18 TEFLON@ COPOLYMERS
 LOC: 255 P/S - FEP EXTRUDER OPERATOR (18PB)

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
12/17/87	9444	480	P		none	C-8/FC-143	0.069	MPB	12.3%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 275 P/S - FEP PACKOUT ROOM OPERATOR (18PD)									
3/24/87	9519	480	P		none	C-8/FC-143	0.039	MPB	7.0%
10/6/87	9524	480	P		none	C-8/FC-143	0.054	MPB	9.6%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 281 FEP-2ND LEVEL ROOF-H&V FOR FINISHING AREA									
4/29/87	34622	480	Z			C-8/FC-143	0.08	MPB	14.3%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 285 P/S - FEP FORK TRUCK OPERATOR									
4/29/87	13584	450	P		none	C-8/FC-143	0.102	MPB	18.2%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 293 P/S - FEP DISPERSION OPERATOR (18PK)									
2/3/87	11849	480	P		none	C-8/FC-143	0.115	MPB	20.5%
4/29/87	11850	480	P		none	C-8/FC-143	0.023	MPB	4.1%
6/30/87	11851	480	P		none	C-8/FC-143	0.049	MPB	8.8%
8/13/87	11852	480	P		none	C-8/FC-143	<0.03	MPB	5.4%
10/27/87	11853	480	P		none	C-8/FC-143	0.112	MPB	20.0%
12/17/87	11854	480	P		none	C-8/FC-143	0.135	MPB	24.1%