

Table 1. Average blood lead levels and total nonresponse rates for persons ages 6 months-74 years stratified chronologically by primary sampling unit (PSU): NHANES II, 1976-80.

Dates of Examination	Location	PSU Pair Number	Caravan Set Number	Mean Blood Lead Value ¹ (in µg/dl)				Total Nonresponse (in percent)
				Basic		Final		
				Unweighted	Weighted	Unweighted	Weighted	
02/20/76 - 03/25/76	Miami, Florida	1	1	16.5	15.9	16.0	57.9	
02/25/76 - 03/19/76	San Jose, California	1	2	15.8	14.8	14.8	69.3	
04/02/76 - 05/08/76	Shreveport, Louisiana	2	1	16.9	14.8	14.9	57.4	
03/26/76 - 05/04/76	Fresno, California	2	2	16.5	14.8	14.7	30.6	
05/18/76 - 06/16/76	Newport News, Virginia	3	1	17.6	16.4	16.6	51.1	
05/13/76 - 06/05/76	Tacoma, Washington	3	2	18.7	18.0	18.2	39.5	
06/24/76 - 08/04/76	Dexter, Missouri	4	1	17.8	17.3	17.1	51.1	
06/19/76 - 07/16/76	Blackfoot, Idaho	4	2	16.7	16.1	16.2	27.1	
08/11/76 - 09/09/76	Des Moines, Iowa	5	1	15.8	14.8	14.8	61.9	
07/21/76 - 08/12/76	Laramie, Wyoming	5	2	16.8	16.8	16.8	45.7	
09/15/76 - 10/07/76	Farmington, Minnesota	6	1	13.9	14.2	14.6	42.9	
08/20/76 - 09/16/76	Minneapolis, Minnesota	6	2	16.1	16.0	16.3	36.0	
10/14/76 - 11/06/76	Waukegan, Illinois	7	1	18.5	18.1	18.6	58.7	
09/23/76 - 11/04/76	Chicago, Illinois	7	2	21.0	18.5	18.5	65.4	
11/13/76 - 12/18/76	Greenville, New Bern, N.C.	8	1	15.4	14.3	14.4	46.3	
11/11/76 - 12/18/76	Athens-Pikesville, Tennessee	8	2	15.4	14.9	15.1	45.9	
01/20/77 - 03/03/77	Lafayette, Louisiana	9	1	13.9	12.7	12.7	47.5	
01/19/77 - 02/12/77	Cocoa, Florida	9	2	16.2	15.1	15.7	42.5	
03/10/77 - 04/13/77	Gainesville, Georgia	10	1	12.9	12.3	12.3	41.6	
02/19/76 - 03/30/77	Oneonta, Alabama	10	2	11.2	11.0	11.1	45.1	
04/21/77 - 06/03/77	Bronx, New York	11	1	15.6	14.4	14.3	58.5	
04/07/77 - 05/18/77	New York, New York	11	2	14.1	13.2	13.1	60.6	
06/09/77 - 07/01/77	Plainfield, New Jersey	12	1	15.0	14.6	15.0	61.2	
05/25/77 - 06/17/77	Paterson, New Jersey	12	2	18.4	18.1	18.0	52.7	

¹Estimated using lead determinations from blood specimens obtained by venipuncture.

NCHS
DHES/MSB

Table 1 (continued)

Dates of Examination	Location	PSU Pair Number	Caravan Set Number	Mean Blood Lead Value ¹ (in µg/dl)			Total Nonresponse (in percent)
				Unweighted	Basic		
					Weighted	Weighted	
07/20/77 - 08/16/77	Braintree, Massachusetts	13	1	14.5	14.1	14.2	66.4
07/07/77 - 08/06/77	Meriden, Connecticut	13	2	15.8	14.9	14.9	47.6
08/20/77 - 09/24/77	Taunton, Massachusetts	14	1	16.4	15.5	15.5	48.1
08/12/77 - 09/15/77	Portland, Maine	14	2	14.9	13.7	14.2	50.2
10/13/77 - 11/18/77	McKees Rocks, Pennsylvania	15	1	15.5	14.9	15.1	60.2
10/13/77 - 11/18/77	Erie, Pennsylvania	15	2	13.9	13.3	13.4	48.6
11/19/77 - 12/17/77	Elizabethtown, Kentucky	16	1	14.5	13.9	14.0	48.6
11/28/77 - 12/17/77	Atlanta, Georgia	16	2	15.9	13.9	14.1	43.8
01/19/78 - 02/18/78	Los Angeles I, California	17	1	13.8	13.7	13.9	64.6
01/19/78 - 02/18/78	Los Angeles II, California	17	2	15.7	13.7	13.6	48.2
02/25/78 - 03/28/78	San Diego, California	18	1	13.2	12.3	12.4	54.2
02/25/78 - 03/23/78	Honolulu, Hawaii	18	2	16.3	15.2	15.3	44.2
04/06/78 - 05/04/78	Lebanon, Oregon	19	1	12.5	12.7	12.9	41.3
03-31/78 - 05/04/78	Sacramento, California	19	2	14.1	13.5	13.5	32.6
05/17/78 - 06/17/78	Wichita, Kansas	20	1	16.2	16.1	16.5	49.8
05/17/78 - 06/29/78	Osceola, Missouri	20	2	14.1	13.8	13.7	40.7
06/28/78 - 08/08/78	Cheboygan, Michigan	21	1	13.2	12.8	13.0	43.7
07/07/78 - 08/05/78	Racine, Wisconsin	21	2	14.7	13.8	14.0	34.7
08/11/78 - 09/16/78	Greenville, Michigan	22	1	13.9	13.5	13.7	44.9
08/11/78 - 09/23/78	Detroit, Michigan	22	2	17.1	14.4	14.1	43.3
10/11/78 - 11/11/78	Middletown, New York	23	1	15.8	14.9	14.8	63.2
10/11/78 - 11/07/78	Mt. Kisco, New York	23	2	17.2	17.0	17.0	66.1

¹Estimated using lead determinations from blood specimens obtained by venipuncture.NCES
DHES/MSB
March 17, 1983

TEH 0532859

DUP050034129

Table 1 (continued)

Dates of Examination	Location	PSU Pair Number	Caravan Set Number	Mean Blood Lead Value ¹ (in µg/dl)				Total Nonresponse (in percent)
				Unweighted	Basic		Final Weighted	
					Weighted	Weighted		
11/17/78 - 12/14/78	Norristown, Pennsylvania	24	1	14.3	14.3	14.3	65.9	
11/15/78 - 12/12/78	Trenton, New Jersey	24	2	15.7	13.8	14.0	49.3	
01/18/79 - 03/01/79	Bovina, Texas	25	1	11.7	11.4	11.5	37.1	
01/18/79 - 02/22/79	Houston, Texas	25	2	14.8	14.4	14.7	57.3	
03/08/79 - 04/04/79	Amarillo, Texas	26	1	12.0	11.1	11.3	43.0	
03/01/79 - 04/12/79	Marked Tree, Arkansas	26	2	11.7	11.1	11.2	37.3	
04/12/79 - 05/24/79	Mattoon, Illinois	27	1	12.3	12.4	12.6	48.4	
04/18/79 - 05/25/79	Bloomington, Indiana	27	2	12.0	11.6	11.8	44.6	
05/31/79 - 07/03/79	Indianapolis, Indiana	28	1	14.6	13.5	13.8	53.2	
06/01/79 - 07/07/79	Cincinnati, Ohio	28	2	13.7	12.6	12.7	53.2	
08/01/79 - 09/01/79	Dayton, Ohio	29	1	13.1	11.7	11.9	49.0	
08/03/79 - 09/11/79	Williamsport, Pennsylvania	29	2	11.7	11.6	11.6	46.3	
09/09/79 - 10/13/79	Mansfield, Ohio	30	1	10.8	10.4	10.4	51.6	
09/18/79 - 10/17/79	Oneonta, New York	30	2	12.1	11.8	11.7	52.1	
10/20/79 - 12/05/79	Saylorsville, Kentucky	31	1	9.8	9.2	9.3	51.8	
11/03/79 - 12/14/79	Washington, D.C.	31	2	12.3	11.7	11.9	62.9	
01/15/80 - 02/26/80	Rock Hill, South Carolina	32	1	10.5	9.9	10.1	42.3	
01/30/80 - 02/27/80	Harrisonburg, Virginia	32	2	9.1	9.0	9.1	57.1	

¹Estimated using lead determinations from blood specimens obtained by venipuncture.

NCHS
DHES/MSB
March 17, 1983

TEH 0532860

DUP050034130

Table 1 (continued)

Dates of Examination	Location	PSJ Pair Number	Caravan Set Number	Mean Blood Lead Value ¹ (in µg/dl)				Total Nonresponse (in percent)
				Unweighted	Basic		Final Weighted	
					Weighted	Weighted		
11/17/78 - 12/14/78	Norristown, Pennsylvania	24	1	14.3	14.3	14.3	65.9	
11/15/78 - 12/12/78	Trenton, New Jersey	24	2	15.7	13.8	14.0	49.3	
01/18/79 - 03/01/79	Bovina, Texas	25	1	11.7	11.4	11.5	37.1	
01/18/79 - 02/22/79	Houston, Texas	25	2	14.8	14.4	14.7	57.3	
03/08/79 - 04/04/79	Amarillo, Texas	26	1	12.0	11.1	11.3	43.0	
03/01/79 - 04/12/79	Marked Tree, Arkansas	26	2	11.7	11.1	11.2	37.3	
04/12/79 - 05/24/79	Mattoon, Illinois	27	1	12.3	12.4	12.6	48.4	
04/18/79 - 05/25/79	Bloomington, Indiana	27	2	12.0	11.6	11.8	44.6	
05/31/79 - 07/03/79	Indianapolis, Indiana	28	1	14.6	13.5	13.8	53.2	
06/01/79 - 07/07/79	Cincinnati, Ohio	28	2	13.7	12.6	12.7	53.2	
08/01/79 - 09/01/79	Dayton, Ohio	29	1	13.1	11.7	11.9	49.0	
08/03/79 - 09/11/79	Williamsport, Pennsylvania	29	2	11.7	11.6	11.6	46.3	
09/09/79 - 10/13/79	Mansfield, Ohio	30	1	10.8	10.4	10.4	51.6	
09/18/79 - 10/17/79	Oneonta, New York	30	2	12.1	11.8	11.7	52.1	
10/20/79 - 12/05/79	Saylorsville, Kentucky	31	1	9.8	9.2	9.3	51.8	
11/03/79 - 12/14/79	Washington, D.C.	31	2	12.3	11.7	11.9	62.9	
01/15/80 - 02/26/80	Rock Hill, South Carolina	32	1	10.5	9.9	10.1	42.3	
01/30/80 - 02/27/80	Harrisonburg, Virginia	32	2	9.1	9.0	9.1	57.1	

¹Estimated using lead determinations from blood specimens obtained by venipuncture.

NCHS
DHES/MSB
March 17, 1983

TEH 0532861

DUP050034131

Table 1. Average blood lead levels and total nonresponse rates for persons ages 6 months-74 years stratified chronologically by primary sampling unit (PSU): NHANES II, 1976-80.

Dates of Examination	Location	PSU Pair Number	Caravan Set Number	Mean Blood Lead Value ¹ (in ug/dl)			Total Nonresponse (in percent)
				Unweighted	Basic		
					Weighted	Weighted	
02/20/76 - 03/25/76	Miami, Florida	1	1	16.5	15.9	16.0	57.9
02/25/76 - 03/19/76	San Jose, California	1	2	15.8	14.8	14.8	69.3
04/02/76 - 05/08/76	Shreveport, Louisiana	2	1	16.9	14.8	14.9	57.4
03/26/76 - 05/04/76	Fresno, California	2	2	16.5	14.8	14.7	30.6
05/18/76 - 06/16/76	Newport News, Virginia	3	1	17.6	16.4	16.6	51.1
05/13/76 - 06/05/76	Tacoma, Washington	3	2	18.7	18.0	18.2	39.5
06/24/76 - 08/04/76	Dexter, Missouri	4	1	17.8	17.3	17.1	51.1
06/19/76 - 07/16/76	Blackfoot, Idaho	4	2	16.7	16.1	16.2	27.1
08/11/76 - 09/09/76	Des Moines, Iowa	5	1	15.8	14.8	14.8	61.9
07/21/76 - 08/12/76	Laramie, Wyoming	5	2	16.8	16.8	16.8	45.7
09/15/76 - 10/07/76	Farmington, Minnesota	6	1	13.9	14.2	14.6	42.9
08/20/76 - 09/16/76	Minneapolis, Minnesota	6	2	16.1	16.0	16.3	36.0
10/14/76 - 11/06/76	Waukegan, Illinois	7	1	18.5	18.1	18.6	58.7
09/23/76 - 11/04/76	Chicago, Illinois	7	2	21.0	18.5	18.5	65.4
11/13/76 - 12/18/76	Greenville, New Bern, N.C.	8	1	15.4	14.3	14.4	46.3
11/11/76 - 12/18/76	Athens-Pikesville, Tennessee	8	2	15.4	14.9	15.1	45.9
01/20/77 - 03/03/77	Lafayette, Louisiana	9	1	13.9	12.7	12.7	47.5
01/19/77 - 02/12/77	Cocoa, Florida	9	2	16.2	15.1	15.7	42.5
03/10/77 - 04/13/77	Gainesville, Georgia	10	1	12.9	12.3	12.3	41.6
02/19/76 - 03/30/77	Oneonta, Alabama	10	2	11.2	11.0	11.1	45.1
04/21/77 - 06/03/77	Bronx, New York	11	1	15.6	14.4	14.3	58.5
04/07/77 - 05/18/77	New York, New York	11	2	14.1	13.2	13.1	60.6
06/09/77 - 07/01/77	Plainfield, New Jersey	12	1	15.0	14.6	15.0	61.2
05/25/77 - 06/17/77	Paterson, New Jersey	12	2	18.4	18.1	18.0	52.7

¹Estimated using lead determinations from blood specimens obtained by venipuncture.

NCHS
DHES/MSB
March 17, 1983

TEH 0532862

DUP050034132

Table 1 (continued)

Dates of Examination	Location	PSU Pair Number	Caravan Set Number	Mean Blood Lead Value ¹ (in µg/dl)				Total Nonresponse (in percent)
				Unweighted	Basic		Final	
					Weighted	Weighted		
07/20/77 - 08/16/77	Braintree, Massachusetts	13	1	14.5	14.1	14.2	66.4	
07/07/77 - 08/06/77	Meriden, Connecticut	13	2	15.8	14.9	14.9	47.6	
08/20/77 - 09/24/77	Taunton, Massachusetts	14	1	16.4	15.5	15.5	48.1	
08/12/77 - 09/15/77	Portland, Maine	14	2	14.9	13.7	14.2	50.2	
10/13/77 - 11/18/77	McKees Rocks, Pennsylvania	15	1	15.5	14.9	15.1	60.2	
10/13/77 - 11/18/77	Erie, Pennsylvania	15	2	13.9	13.3	13.4	48.6	
11/19/77 - 12/17/77	Elizabethtown, Kentucky	16	1	14.5	13.9	14.0	48.6	
11/28/77 - 12/17/77	Atlanta, Georgia	16	2	15.9	13.9	14.1	43.8	
01/19/78 - 02/18/78	Los Angeles I, California	17	1	13.8	13.7	13.9	64.6	
01/19/78 - 02/18/78	Los Angeles II, California	17	2	15.7	13.7	13.6	48.2	
02/25/78 - 03/28/78	San Diego, California	18	1	13.2	12.3	12.4	54.2	
02/25/78 - 03/23/78	Honolulu, Hawaii	18	2	16.3	15.2	15.3	44.2	
04/06/78 - 05/04/78	Lebanon, Oregon	19	1	12.5	12.7	12.9	41.3	
03-31/78 - 05/04/78	Sacramento, California	19	2	14.1	13.5	13.5	32.6	
05/17/78 - 06/17/78	Wichita, Kansas	20	1	16.2	16.1	16.5	49.8	
05/17/78 - 06/29/78	Osceola, Missouri	20	2	14.1	13.8	13.7	40.7	
06/28/78 - 08/08/78	Cheboygan, Michigan	21	1	13.2	12.8	13.0	43.7	
07/07/78 - 08/05/78	Racine, Wisconsin	21	2	14.7	13.8	14.0	34.7	
08/11/78 - 09/16/78	Greenville, Michigan	22	1	13.9	13.5	13.7	44.9	
08/11/78 - 09/23/78	Detroit, Michigan	22	2	17.1	14.4	14.1	43.3	
10/11/78 - 11/11/78	Middletown, New York	23	1	15.8	14.9	14.8	63.2	
10/11/78 - 11/07/78	Mt. Kisco, New York	23	2	17.2	17.0	17.0	66.1	

¹Estimated using lead determinations from blood specimens obtained by venipuncture.
 NCHS
 DHES/MSB
 March 17, 1983

TEH 0532863

DUP050034133