

FILE NAME: Talc (TALC)

DATE: 1971 July 21

DOC#: TALC417

DOCUMENT DESCRIPTION: Letter to Desert Minerals, Inc. from
American Conference of Govt Industrial Hygienists with
Handwritten Notes

Return to T. L.

RSL

INDEPENDENT DIRECTORS 1971-72

HOWARD E. ATEN, Chairman
National Institute for Occupational
Safety and Health
U. S. Public Health Service
1015 Broadway, Cincinnati, Ohio 45203
Tel. 513-584-2401

ARTHUR W. H. HARRIS, Vice Chairman
U. S. Public Health Service
1015 Broadway, Cincinnati, Ohio 45203
Tel. 513-584-2401

JOHN J. McFARLANE, M.D., Vice Chairman
Environmental Health Services Branch
Ontario Department of Health
One St. Clair Avenue, West
Toronto 7, Ontario, Canada
Tel. 416-365-2494

FREDERICK KIPPLEN, Vice Chairman
Division of Industrial Hygiene
Indiana State Board of Health
1330 West Michigan Street
Indianapolis, Indiana 46207
Tel. 317-634-5700

**AMERICAN CONFERENCE
of
GOVERNMENTAL INDUSTRIAL HYGIENISTS**



July 21, 1971

JEREMIAH R. LYNCH
National Institute for Occupational
Safety and Health
U. S. Public Health Service
1015 Broadway, Cincinnati, Ohio
JOSEPH C. HARRIS
Division of Occupational Health
Michigan Department of Health
2001 Franklin Road, Detroit
Michigan 48201
JOHN J. McFARLANE, M.D.
Division of Preventive Medicine
Oregon State Board of Health
1400 S.W. 6th Avenue
Portland, Oregon 97201
VERNON E. ROSE, Secretary
National Institute for Occupational
Safety and Health
U. S. Public Health Service
P. O. Box 1927, Cincinnati, Ohio
Tel. 513-684-2561

EJE	☒	RSL	☒	WDB	☐
JHR	☒	RNS	☐	NFB	☐
		JEC	☐	SRM	☐
JUL 23 1971					
DET	☐		☐	VLN	☐
UN	☐		☐		☐

Mr. Thomas E. Remmers
Vice President - Sales
Desert Minerals, Inc.
American Mineral Company
1891 South Coast Highway
Laguna Beach, California 92651

Dear Mr. Remmers:

Your letter directed to the Secretary-Treasurer of the ACGIH has been referred to the undersigned for reply.

The threshold limit value of 20 mppcf for TALC has been retained in the forthcoming 1971 TLV List, if the talc is non-asbestiform; however, if the talc is of the fibrous-tremolite type, then a more stringent TLV of 5 fibers/ml > 5 μ m in length is the standard, as noted in the accompanying documentation for fibrous talc.

Sincerely yours,

H. E. Stokinger
Herbert E. Stokinger, Ph.D.
Chairman, TLV Committee

Enclosure

Source of document?

*3. what is this length
"μ" is the abbrev. for
micron.
"mμ" is the abbrev. for
millimicron.*

Threshold Limit Values

American Conf. of Governmental Industrial Hygienists, Secretary-Treasurer 1914
Broadway, Cincinnati, OH 45202

U.S. Department of Labor 213-688-4970

Bureau of Labor Standards 213-432-3434

Office of Occupational Safety & Health

~~California Department of Industrial Relations~~

L.A. Calif.

- 1 material safety data sheet, ^{INSTRUCTION} BOOKLET
 - 2 Public Law 85-742 copy
- 213-

C2 lsd 105-4

osha 200

Render Form LSD0008
will be OSHA 20

Return to
Jessie