

From: [Wilk, John](#)
To: dave@precisionescalator.com
Cc: [Thomas, Derval](#); [Seet, Karen](#); [Louis, Nestor](#); [Elizondo, Andrea](#); [Pieta, Nicole](#)
Subject: RE: Inspection Report Transmittal- Precision Escalator Products (former Precision Elevator) - EPA Id. # NJR000028720
Date: Tuesday, November 07, 2023 10:43:00 AM
Attachments: [Precision-Elevator-RCRA-CEI-September-5-2023-2.pdf](#)

Mr. Singh: See attached RCRA inspection report re-transmittal from USEPA's September 5, 2023 inspection of your facility. The previous report emailed to you just minutes ago was inadvertently not signed by my supervisor. The version attached to this email has been signed by my supervisor and is administratively correct. Sorry for the previous error and any inconvenience. John Wilk

**Re: Inspection Report Transmittal
Precision Escalator Products (former Precision Elevator)
EPA Id. Number: NJR000028720**

Dear Mr. David Singh:

The United States Environmental Protection Agency (EPA) is charged with the protection of health and the environment under Section 3008 of the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984, 42 U.S.C. §§ 6901 and 6928.

On or about September 5, 2023, I, a duly authorized representative of the USEPA, conducted an inspection of Precision Escalator Products (former Precision Elevator) located at 147 N. Michigan Avenue, Kenilworth, New Jersey 07033.

This inspection was performed pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927, to evaluate the facility's compliance with the RCRA.

Attached you will find a copy of the inspection report I prepared. Although three (3) RCRA regulatory concerns and one (1) general concern were identified by EPA during the inspection (See Section III - AREAS OF CONCERN) the facility representative agreed to address these concerns upon being apprised of them during the course of the inspection.

Thus, this letter closes out the inspection.

If you have any questions regarding this matter, please contact me at (212) 637-1475 or email wilk.john@epa.gov.

John Wilk, Compliance Officer
Hazardous Waste Compliance Section
RCRA Compliance Branch
Division of Enforcement and Compliance Assistance
U.S. Environmental Protection Agency - Region 2
290 Broadway, 21th floor
New York, New York 10007-1866

A business card for John D. Wilk, a Compliance Officer at the U.S. Environmental Protection Agency. The card has a light blue background with a subtle grid pattern on the left side. The text is in a clean, sans-serif font.

John D. Wilk

U.S. Environmental Protection Agency -
Compliance Officer

(212) 637-1475 Work

wilk.john@epa.gov