

MD-3-A

## PACKAGE TICKET

(DRY AND PASTE ONLY)

CODE R7425 LOT 87738

NET WT/PKG NO. PKG PACK. WGT LOCATION PQ

22 2753 222983TOTAL NET WT. 2953 PKG. N-CODE

PROD. SPVR DATE WHSE. OPER.

295 11/1 295

N35064

D.T

139.+  
139.+  
132.+  
138.+  
124.+  
140.+  
147.+  
142.+  
132.+  
123.+  
152.+  
117.+  
147.+  
154.+  
133.+  
118.+  
146.+  
134.+  
141.+  
124.+  
147.+  
84.+  
2953.T

96  
903

CG 32 CODE RT-428-D PKG.  
→ NOV --5 80 37738  
EST. WGT. 3068 LBS.

PROCESSING INSTRUCTIONS: BATCH UNIT

PROCESSES RT-428-D ☒ APPROVED BY: JJG 12-10-76  
DCG 08-10-78

TYPED BY  
emw081878  
MAKING NOTES

REMARKS

NAME: WATCHUNG® RED B

NON-BLEEDING

| INSTRUCTIONS                                                     |         |         |             | - PRESSING - |              | RECORD          |      |     |     |     |     |
|------------------------------------------------------------------|---------|---------|-------------|--------------|--------------|-----------------|------|-----|-----|-----|-----|
| VAT                                                              | DATE    | TIME    | RELEASED BY | PRESS        | NO. OF CAKES | PRESS           | 1ST  | 2ND | 3RD | 4TH | 5TH |
| 903                                                              | 11-5-80 | 5:50 PM | 2           | 95           | 96           | 96              | 92   |     |     |     |     |
|                                                                  |         |         |             | 76           | 88           |                 | 2 AM |     |     |     |     |
| PRESS with AGITATION                                             |         |         |             |              |              | HRS. WASHED     |      |     |     |     |     |
| WASH TO 3000 OHMS with 35-75°F water                             |         |         |             |              |              | OHMS            |      |     |     |     |     |
| TEST AFTER 3 HOURS                                               |         |         |             |              |              | HRS. WASHED     |      |     |     |     |     |
| LOAD on 10 cars                                                  |         |         |             |              |              | OHMS            |      |     |     |     |     |
| 1. Press Immediately Code                                        |         |         |             |              |              | CAKE CONDITION  |      |     |     |     |     |
| 2. Instruct Making Area to add 10# N-588-A halfway thru pressing |         |         |             |              |              | NO. CARS LOADED |      |     |     |     |     |
| 3. Clean magnetic separator after pressing                       |         |         |             |              |              | EXPLAIN LOSSES  |      |     |     |     |     |
| Cleaned by 409 Time cleaned 11-6                                 |         |         |             |              |              |                 |      |     |     |     |     |

SAMPLES  
DELIVER TO

SAMPLED BY

RELEASED BY

- DRYING -

| DRY                                 | HOURS AT | OF | LUMP: | OK | WET | SALTS | CONTAMINATE |
|-------------------------------------|----------|----|-------|----|-----|-------|-------------|
| 20                                  | 220      |    |       |    |     |       |             |
| Hold on track 30 min before dumping |          |    |       |    |     |       |             |
| ADDITIONAL DRYING HOURS REQUIRED    |          |    |       |    |     |       |             |
| NO. DRUMS                           |          |    |       |    |     |       |             |
| NO. CARS PULLED                     |          |    |       |    |     |       |             |
| LUMP WGT. 2983                      |          |    |       |    |     |       |             |
| SAMPLED BY                          |          |    |       |    |     |       |             |
| RELEASED BY                         |          |    |       |    |     |       |             |

- GRINDING -

| MILL                               | HSP | 1/8" RP | SCREEN | 3350 RPM | SCREEN | RPM |
|------------------------------------|-----|---------|--------|----------|--------|-----|
|                                    |     |         |        |          |        |     |
| MAX. TEMP. 150°F                   |     |         |        |          |        |     |
| MAX. TEMP. °F                      |     |         |        |          |        |     |
| EXPLAIN LOSSES                     |     |         |        |          |        |     |
| SAMPLE WITHOUT MIXING              |     |         |        |          |        |     |
| DATE MIXED                         |     |         |        |          |        |     |
| SAMPLES 2 ENVIRONMENT FOR GRINDING |     |         |        |          |        |     |
| DELIVER TO C T L                   |     |         |        |          |        |     |
| SAMPLED BY                         |     |         |        |          |        |     |
| RELEASED BY                        |     |         |        |          |        |     |

0

0

3777

51

119

190

14

186

14

175

14

187

14

187

14

195

14

197

14

190

14

193

14

193

14

187

14

189

14

193

14

186

14

200

14

195

14

178

14

2983