

SECTION IV - Fire and Explosion Hazard Data			
Flash Point (Method Used)	NA	Flammable Limits	NA LEL UEL
Extinguishing Media	Water, (Class A, B, or C)		
Special Fire Fighting Procedures	NK		
Unusual Fire and Explosion Hazards			
NK			

SECTION V - Reactivity Data			
Stability	Unstable		Conditions to Avoid
	Stable	X	NK
Incompatibility (Materials to Avoid)			
NK			
Hazardous Decomposition or Byproducts			
Incomplete combustion will create carbon monoxide and dioxide.			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	NK

SECTION VI - Health Hazard Data			
Route(s) of Entry:	Inhalation?	Skin?	Ingestion?
Health Hazards (Acute and Chronic)			
Some persons may be sensitive to cashew resins and develop dermatitis-type problems. Dust of glass fiber, silica, talc, graphite, carbon black, and coal can produce pneumoconiosis and other lung damage. Metal dusts can be irritants of the eyes and upper respiratory system. There is little evidence of chronic industrial poisoning from iron, aluminum, and zinc dusts.			
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
	—	—	No
Signs and Symptoms of Exposure			
Cashew Resins — skin eruptions similar in appearance to poison ivy. Pneumoconiosis — coughing, wheezing, shortness of breath, impaired pulmonary function. Dusts in eye may cause irritation. Gastrointestinal disturbances possible from ingestion. Glass fiber may create transient mechanical irritation of the skin of some persons.			
Medical Conditions			
Generally Aggravated by Exposure			
NK			
Emergency and First Aid Procedures			
Should not be necessary from reasonable handling of this product.			
Warner SBC-25-000033			