



PLAINTIFF'S
EXHIBIT
CEL-880

DGP-326-87

October 15, 1987

CERTIFIED MAIL
P-566 311 769^{ms}

Mr. W. T. Palmer, P.E.
Texas Air Control Board
Region V Director
5602 Old Brownsville Road
Corpus Christi, Texas 78415

Dear Mr. Palmer:

The Celanese Engineering Resins, Inc. Plant at Bishop, Texas plans to reclaim about 640 linear feet of pipe ranging in diameter from 1.0" to 6.0". The pipe is insulated with friable asbestos insulation. The insulation will be removed and landfilled in the designated asbestos landfill located in the plant site. All precautions outlined in 40 CFR 61.147 will be observed.

This letter will serve as a notification of this work, as required by 40 CFR 61.146. The attached data sheet lists all the pertinent data.

Please contact me if you have any questions or comments.

Sincerely,

CELANESE ENGINEERING RESINS, INC.

D. G. Pausky
D. G. Pausky
Facility Manager

cc: U. S. Department of Labor, OSHA
Government Plaza
400 Mann Street, Room 300
Corpus Christi, Texas 78401

009879

Mr. W. T. Palmer, P. E.
DGP-326-87
October 15, 1987

DISTRIBUTION

G. R. Llewellyn
C. R. DeRose
D. D. Siemonsma
W. H. Brough
C. F. Hall
J. Garza
J. A. Werneke
M. D. Smyth

R. Pena - ABI
W. E. Bauch - ABI

G. M. Rowan - NYO
P. A. Cerria - Chatham

S.H.E. File: 202.1.1
WS DISC 2, ASBNOT2

009880

NOTIFICATION INFORMATION - RECLAMATION

I. OWNER: CELANESE ENGINEERING RESINS, INC.

II. ADDRESS: 26 MAIN STREET
CSO Engineering Resins
Chatham, New Jersey 07928

III. DESCRIPTION: Remove friable asbestos insulation
from 640 linear ft. of steel pipe
ranging in diameter from 1.0" to
6.0".

IV. ADDRESS OF SITE: Celanese Engineering Resins, Inc.
P. O. Box 428
Bishop, Texas 78343

V. STARTING AND COMPLETION DATE: Start - November 2, 1987
End - November 16, 1987

VI. NATURE OF RECLAMATION: Section III above.

VII. PROCEDURE: Wet insulation thoroughly, strip off
insulation, pack in plastic bags and
landfill in registered (on-site,
landfill.

VIII. LANDFILL SITE: Texas Water Commission
Registration No. 30084
EPA I.D. No. TXD008113441

009881



DGP-214-88

July 15, 1988

CERTIFIED MAIL
P 734 614 927

Mr. W. T. Palmer, P.E.
Texas Air Control Board
Region V Director
5602 Old Brownsville Road
Corpus Christi, Texas 78415

Dear Mr. Palmer:

The Celanese Engineering Resins, Inc. Plant at Bishop, Texas is planning to remove approximately 330 square feet of asbestos insulation from a piece of process equipment. This equipment is insulated with "block" asbestos insulation and is covered with a thin aluminum skin wrapping. The insulation will be removed and landfilled in the designated asbestos landfill located in the plant site. All precautions outlined in 40 CFR 61.147 will be observed.

This letter will serve as a notification of this work, as required by 40 CFR 61.146. The attached data sheet lists all the pertinent data.

Please contact me if you have any questions or comments.

Sincerely,

CELANESE ENGINEERING RESINS, INC.

D. G. Pausky
D. G. Pausky
Facility Manager

cc: U. S. Department of Labor, OSHA
Government Plaza
400 Mann Street, Room 300
Corpus Christi, Texas 78401

009882

NOTIFICATION INFORMATION - RECLAMATION

I. OWNER: CELANESE ENGINEERING RESINS, INC.

II. ADDRESS: 26 MAIN STREET
Chatham, New Jersey 07928

III. DESCRIPTION: Remove approximately 330 square feet of "block" asbestos insulation from a piece of process equipment. The insulation is covered with a thin aluminum skin wrapper.

IV. ADDRESS OF SITE: Celanese Engineering Resins, Inc.
P. O. Box 428
Bishop, Texas 78343

V. STARTING AND COMPLETION DATE: Start - August 1, 1988
End - August 2, 1988

VI. NATURE OF RECLAMATION: Section III above.

VII. PROCEDURE: Wet insulation thoroughly, strip off insulation, pack in plastic bags and landfill in registered (on-site) landfill.

VIII. LANDFILL SITE: Texas Water Commission
Registration No. 30084
EPA I.D. No. TXD008113441

009884



November 2, 1988
DGP-325-88

CERTIFIED MAIL
P 759 279 648

Mr. W. T. Palmer, P.E.
Texas Air Control Board
Region V Director
5602 Old Brownsville Road
Corpus Christi, Texas 78415

Dear Mr. Palmer:

The Celanese Engineering Resins, Inc. Plant at Bishop, Texas is planning to remove asbestos insulation from approximately 15 linear feet of 24 inch piping (95 sq. ft.) and from process vessel V-1679 (280 sq. ft.). The insulation will be removed and landfilled in the designated asbestos landfill located on the plant site. All precautions outlined in 40 CFR 61.147 will be observed.

This letter will serve as a notification of this work, as required by 40 CFR 61.146. The attached data sheet lists all the pertinent data.

If you have any questions or comments, please contact Frank Salinas at 584-3511 ext. 4396.

Sincerely,

CELANESE ENGINEERING RESINS, INC.


D. G. Pausky
Facility Manager

cc: U. S. Department of Labor, OSHA
Government Plaza
400 Mann Street, Room 300
Corpus Christi, Texas 78401

009885

NOTIFICATION INFORMATION - RECLAMATION

I. OWNER: CELANESE ENGINEERING RESINS, INC.

II. ADDRESS: 26 MAIN STREET
Chatham, New Jersey 07928

III. DESCRIPTION: Remove asbestos insulation from approximately 15 linear feet of 24 inch pipe and from process vessel V-1679 (280 sq. ft.).

IV. ADDRESS OF SITE: Celanese Engineering Resins, Inc.
P. O. Box 428
Bishop, Texas 78343

V. STARTING AND COMPLETION DATE: Start - November 14, 1988
End - November 16, 1988

VI. NATURE OF RECLAMATION: Section III above.

VII. PROCEDURE: Wet insulation thoroughly, strip off insulation, pack in plastic bags and landfill in registered (on-site) landfill.

VIII. LANDFILL SITE: Texas Water Commission
Registration No. 30084
EPA I.D. No. TXD008113441

009886

 CELANESE
ENGINEERING RESINS, INC.

October 17, 1988
DGP-307-88

CERTIFIED MAIL
P 759 279 635

Mr. W. T. Palmer, P.E.
Texas Air Control Board
Region V Director
5602 Old Brownsville Road
Corpus Christi, Texas 78415

Dear Mr. Palmer:


The Celanese Engineering Resins, Inc. Plant at Bishop, Texas is planning to remove asbestos insulation from approximately 335 lineal feet of piping ranging in size from 3/4 inch to 8.0 inch pipeline. The insulation will be removed and landfilled in the designated asbestos landfill located in the plant site. All precautions outlined in 40 CFR 61.147 will be observed.

This letter will serve as a notification of this work, as required by 40 CFR 61.146. The attached data sheet lists all the pertinent data.

Please contact me if you have any questions or comments.

Sincerely,

CELANESE ENGINEERING RESINS, INC.



D. G. Pausky
Facility Manager

cc: U. S. Department of Labor, OSHA
Government Plaza
400 Mann Street, Room 300
Corpus Christi, Texas 78401

009888

Mr. W. T. Palmer, P. E.
DGP-307-88
October 17, 1988

DISTRIBUTION

C. R. DeRose
D. D. Siemonsma
W. H. Brough
C. F. Hall
J. Garza
J. A. Werneke
M. D. Smyth
L. Trejo

R. Pena - ABI
W. E. Bauch - ABI

G. M. Rowan - Bridgewater
R. E. Tower - Chatham

~~S. H. K. Ellis: 202-202-202~~
WS DISC 4, ASBREMVL

009889

Texas Air Control Board
ASBESTOS DEMOLITION/RENOVATION
NOTIFICATION FORM

(THIS SECTION FOR TACB USE ONLY)

☐ ADD
☐ CHANGE
☐ DELETE

* ASTERISKED ITEMS TO BE FILLED
IN BY TECHNICAL SERVICES

DISTRIBUTION
Blue - Region/Local
Green - Region/Local
Canary - Data Entry
Pink - Dept. of Health

CNTY: * _____ SOURCE: * _____ PTNO: * _____ APST: * _____
TACS ACCOUNT: _____ - _____ - _____ FEDERAL FACILITY: _____ (Y/N) CMST: * _____
NOTIFICATION RECEIVED DATE (MMDDYY): _____/_____/_____ POSTMARK: _____/_____/_____
INVESTIGATION DATE: _____/_____/_____ INVESTIGATOR STAFFCODE: _____
INVESTIGATOR JURISCODE: _____ INVESTIGATION TYPE: _____
NOV SENT DATE: _____/_____/_____ COMPLAINT: _____/_____/_____ PSDB INV NO: _____
COMPLIANCE STATUS (C,N,U): _____ REVIEWER: _____

- 1) Removal Contractor: Arthur Brothers, Inc.
Mailing Address: P.O. Box 792 Phone: (512) 592-6416
City: Kingsville State: TX Zip: 78363
TDH License No.: _____ Job Site Phone: (512) 584-3511, Ext. 4295
Project Supv.: James Starks TDH License No.: _____
 - 2) Other Contractor: _____
Mailing Address: _____ Phone: (____) _____
City: _____ State: _____ Zip: _____
 - 3) Facility Owner: Celanese Engineering Resins, Inc.
Mailing Address: P.O. Box 428 Phone: (512) 584-3511
City: Bishop State: TX Zip: 78343
Principal Business: Organic Chemicals & Engineering Resins Manufacturing
 - 4) Description of Facility
Name: MO-1 Unit
Address: P.O. Box 428 City: Bishop
County: Alameda State: TX Zip: 78343
Size: _____ sq. ft. Age: _____ yrs.
Prior Use: Piping
 - 5) Demolition: _____ Renovation: ☒ Encapsulation: _____ Non-Friable: _____
 - 6) Notification Type: ☒ Planned ☒ 10 Day _____ 20 Day _____
_____ Renovation _____ Emergency _____ Ordered _____
Ordered By: _____
 - 7) Amount Asbestos: 335 linear feet (pipes) _____ sq. ft. (other)
 - 8) Method Of Removal: Wet insulation thoroughly, Remove insulation, wrap in plastic bag and landfill in on-site Registered Landfill site.
 - 9) Scheduled Start Date: 11/11/88
 - 10) Scheduled Completion Date: 11/14/88
 - 11) Disposal Site: Celanese Engineering Resins, Inc.
Address: P.O. Box 428 City: Bishop
County: Alameda State: TX Zip: 78343
Phone: (512) 584-3511 TDH/TWC Permit No: 30084, EPA I.D. TXD 88113441
- JAIME GARZA - SR. ENVIRON. ENGINEER 10/17/88 (512) 584-3511, Ext. 4450
(Signature, Title of Contact) (Date) (Telephone Number)

ACB-99

009891

TO: TACB

FROM: ~~LIONEL TREJO~~ ~~HOECHST CELANESE~~

SUBJECT: ASBESTOS REMOVAL NOTIFICATION

THIS IS TO INFORM YOU OF THE FOLLOWING ASBESTOS REMOVAL FROM THE HOECHST CELANESE PLANT LOCATED IN BISHOP TEXAS. THE AMOUNT OF ASBESTOS MATERIAL REMOVED WILL BE APPROXIMATELY UNDER THREE HUNDRED THIRTY FIVE LINEAL FEET. THE DESCRIPTION OF MATERIAL IS AS LISTED BELOW:

50' - 3/4" PIPE LINE
30' - 1 1/2" PIPE LINE
20' - 2" PIPE LINE
116' - 3" PIPE LINE
60' - 4" PIPE LINE
75' - 8" PIPE LINE

331 - TOTAL LINEAL FEET

THE TIME FRAME FOR THIS WORK IS NOT SCHEDULE UNTIL NOVEMBER 11TH, 1988. THE WORK WILL APPROXIMATELY TAKE TWO DAYS. THE WORK WILL DONE BY AN INSIDE CONTRACT CONSTRUCTION FIRM.

~~LIONEL TREJO~~

JAIMÉ,
LETTER
IN ASBESTOS
Removal
L.J.

009892



January 6, 1987
JG-01-87

CERTIFIED MAIL
P 205 667 186

Mr. W. T. Palmer, P.E.
Texas Air Control Board, Region V Director
5602 Old Brownsville Road
Corpus Christi, Texas 78415

Dear Mr. Palmer:

Enclosed you will find a notification form for asbestos renovation work to be performed at the Celanese Engineering Resins, Inc. facility at Bishop, Texas. Note that this notification form is for calendar year 1987 and covers all minor scheduled and unscheduled asbestos removal operations which cumulative over a one year period will exceed the reportable quantities. If any one single event of asbestos material removal operations exceed the reportable quantities, a separate notification will be submitted to your office.

Sincerely,

CELANESE ENGINEERING RESINS, INC.

A handwritten signature in dark ink, appearing to read 'Jaime Garza', is written over the typed name and title.

Jaime Garza
Senior Environmental Engineer

Enclosure

cc: U. S. Department of Labor, OSHA
Government Plaza
400 Mann Street, Room 300
Corpus Christi, Texas 78401

009893

Mr. W. T. Palmer, P. E.

JG-01-87

Page 2

DISTRIBUTION

bcc: D. G. Pausky
C. R. DeRose
W. H. Brough
F. L. Salinas
P. A. Cefria - Chatham
G. M. Rowen - NYO
S.H.E. File: 231.2.1, 200.4.1
WS DISC 2, ASBTACB

009894

NOTIFICATION INFORMATION - RENOVATION

I. OWNER: Celanese Engineering Resins, Inc.

II. ADDRESS: 26 Main Street
Chatham, New Jersey 07928

III. DESCRIPTION: Remove friable asbestos insulation from piping and other facility components. This involves removal/stripping of asbestos materials during non-scheduled and minor scheduled operations which cumulative (additive) over a one year period will exceed the minimum reportable quantities of 260 linear feet on piping or 160 square feet on other facility components. Estimation is based on experience and record keeping of asbestos material removal operations.

IV. ADDRESS OF SITE: Celanese Engineering Resins, Inc.
P. O. Box 428
Bishop, Texas 78343

V. STARTING AND COMPLETION DATE: Start - January 1, 1987
End - December 31, 1987

VI. NATURE OF RENOVATION: See Section III, above.

VII. PROCEDURE: Wet insulation thoroughly, strip off insulation, pack in plastic bags and landfill in registered (on-site) landfill.

VIII. LANDFILL SITE: Texas Water Commission
Registration No. 30084
EPA I.D. No. TXD008113441

WS DISC 2, ASBREN OV

009895



DGP-326-87

October 15, 1987

CERTIFIED MAIL
P-566 311 769

Mr. W. T. Palmer, P.E.
Texas Air Control Board
Region V Director
5602 Old Brownsville Road
Corpus Christi, Texas 78415

Dear Mr. Palmer:

The Celanese Engineering Resins, Inc. Plant at Bishop, Texas plans to reclaim about 640 linear feet of pipe ranging in diameter from 1.0" to 6.0". The pipe is insulated with friable asbestos insulation. The insulation will be removed and landfilled in the designated asbestos landfill located in the plant site. All precautions outlined in 40 CFR 61.147 will be observed.

This letter will serve as a notification of this work, as required by 40 CFR 61.146. The attached data sheet lists all the pertinent data.

Please contact me if you have any questions or comments.

Sincerely,

CELANESE ENGINEERING RESINS, INC.

D. G. Pausky
D. G. Pausky
Facility Manager

cc: U. S. Department of Labor, OSHA
Government Plaza
400 Mann Street, Room 300
Corpus Christi, Texas 78401

009896

Mr. W. T. Palmer, P. E.
DGP-326-87
October 15, 1987

DISTRIBUTION

G. R. Llewellyn
C. R. DeRose
D. D. Siemonsma
~~W. H. Baugh~~
C. F. Hall
J. Garza
J. A. Werneke
M. D. Smyth

R. Pena - ABI
W. E. Bauch - ABI

G. M. Rowan - NYO
P. A. Cerria - Chatham

S.H.E. File: 202.1.1 202.4.1 202.2.1
WS DISC 2, ASBNOT2

A

Handwritten notes:
...
...
...

009897

NOTIFICATION INFORMATION - RECLAMATION

I. OWNER: CELANESE ENGINEERING RESINS, INC.

II. ADDRESS: 26 MAIN STREET
CSO Engineering Resins
Chatham, New Jersey 07928

III. DESCRIPTION: Remove friable asbestos insulation
from 640 linear ft. of steel pipe
ranging in diameter from 1.0" to
6.0".

IV. ADDRESS OF SITE: Celanese Engineering Resins, Inc.
P. O. Box 428
Bishop, Texas 78343

V. STARTING AND COMPLETION DATE: Start - November 2, 1987
End - November 16, 1987

VI. NATURE OF RECLAMATION: Section III above.

VII. PROCEDURE: Wet insulation thoroughly, strip off
insulation, pack in plastic bags and
landfill in registered (on-site)
landfill.

VIII. LANDFILL SITE: Texas Water Commission
Registration No. 30084
RPA I.D. No. TXD008113441

009898

DGP-326-87

15
October 14, 1987

CERTIFIED MAIL
F-566 311 769

Mr. W. T. Palmer, P.E.
Texas Air Control Board
Region V Director
5602 Old Brownsville Road
Corpus Christi, Texas 78418

Dear Mr. Palmer:

The Delanese Engineering Resins, Inc. Plant at Bishop, Texas plans to reclaim about 940 linear feet of pipe ranging in diameter from 1.0" to 6.0". The pipe is insulated with friable asbestos insulation. The insulation will be removed and landfilled in the designated asbestos landfill located in the plant site. All precautions outlined in 40 CFR 61.147 will be observed.

- This letter will serve as a notification of this work, as required by 40 CFR 61.146. The attached data sheet lists all the pertinent data.

Please contact me if you have any questions or comments.

Sincerely

DELANESE ENGINEERING RESINS, INC.

T. J. Gausky
Facility Manager

cc: U. S. Department of Labor, OSHA
Government Plaza
400 Mann Street, Room 202
Corpus Christi, Texas 78401

009899

Mr. W. T. Palmer, P. E.
DGP- -37
October 14, 1987

DISTRIBUTION

G. R. Liwellyn
G. R. DeRose
D. D. Siemonsma
W. H. Brough
C. F. Hall
J. Garza

R. Pena - ABI
W. E. Bauch - ABI

G. M. Rowan - NYO
P. A. Gerria - Chatham

S.H.E. File: 202.1.1
WS DISC 2, ASBNOT2

*add JAW
MDS*

009900

NOTIFICATION INFORMATION - RECLAMATION

I. OWNER: CELANESE ENGINEERING RESINS, INC.

II. ADDRESS: 26 MAIN STREET
CSO Engineering Resins
Chatham, New Jersey 07923

III. DESCRIPTION: Remove friable asbestos insulation
from 340 linear ft. of steel pipe
ranging in diameter from 1.0" to
8.0".

IV. ADDRESS OF SITE: Celanese Engineering Resins, Inc.
P. O. Box 428
Bishop, Texas 78343

V. STARTING AND COMPLETION DATE: Start - November 2, 1987
End - November 16, 1987

VI. NATURE OF RECLAMATION: Section III above.

VII. PROCEDURE: Wet insulation thoroughly, strip off
insulation, pack in plastic bags and
landfill in registered non-site
landfill.

VIII. LANDFILL SITE: Texas Water Commission
Registration No. 00084
EPA I.D. No. TXD9008112441

009901



DGP-287-87

September 1, 1987

CERTIFIED MAIL
P 734 614 901

Mr. W. T. Palmer, P.E.
Texas Air Control Board
Region V Director
5602 Old Brownsville Road
Corpus Christi, Texas 78415

Dear Mr. Palmer:

The Celanese Engineering Resins, Inc. Plant at Bishop, Texas plans to reclaim about 815 linear feet of pipe ranging in diameter from 1/2" to 6.0". The pipe is insulated with friable asbestos insulation. The insulation will be removed and landfilled in the designated asbestos landfill located in the plant site. All precautions outlined in 40 CFR 61.147 will be observed.

This letter will serve as a notification of this work, as required by 40 CFR 61.146. The attached data sheet lists all the pertinent data.

Please contact me if you have any questions or comments.

Sincerely,

CELANESE ENGINEERING RESINS, INC.

A handwritten signature in dark ink, appearing to read 'D. G. Pausky', is written over the typed name.

D. G. Pausky
Facility Manager

cc: U. S. Department of Labor, OSHA
Government Plaza
400 Mann Street, Room 300
Corpus Christi, Texas 78401

009902

Mr. W. T. Palmer, P. E.
DGP-287-87
September 1, 1987

DISTRIBUTION

G. R. Llewellyn
C. R. DeRose
D. D. Siemonsma
W. H. Brough
D. K. Walker
J. Garza

R. Pena - ABI
W. E. Bauch - ABI

G. M. Rowan - NYO
P. A. Cerria - Chatham

S.H.E. File: 202.1.1
WS DISC 2, ASBNOT1

009903

NOTIFICATION INFORMATION - RECLAMATION

I. OWNER: CELANESE ENGINEERING RESINS, INC.

II. ADDRESS: 26 MAIN STREET
CSO Engineering Resins
Chatham, New Jersey 07928

III. DESCRIPTION: Remove friable asbestos insulation
from 815 linear ft. of steel pipe
ranging in diameter from 1/2" to
6.0".

IV. ADDRESS OF SITE: Celanese Engineering Resins, Inc.
P. O. Box 428
Bishop, Texas 78343

V. STARTING AND COMPLETION DATE: Start - September 14, 1987
End - September 30, 1987

VI. NATURE OF RECLAMATION: Section III above.

VII. PROCEDURE: Wet insulation thoroughly, strip off
insulation, pack in plastic bags and
landfill in registered (on-site)
landfill.

VIII. LANDFILL SITE: Texas Water Commission
Registration No. 30084
EPA I.D. No. TXD008113441

009904



RGB-27-86

February 3, 1986

CERTIFIED MAIL
P205 667 268

Mr. Bill Stewart, P.E.
Executive Director
Texas Air Control Board
6330 Highway 290 East
Austin, Texas 78723

Dear Mr. Stewart:

The Celanese Engineering Resins, Inc. Plant at Bishop, Texas plans to reclaim about 470 linear feet of pipe ranging in diameter from 4" to 12". The pipe is insulated with friable asbestos insulation. The insulation will be removed and landfilled in the designated asbestos landfill located in the plant site. Additionally, approximately 1575 ft² of asbestos insulation will be removed from several power boilers. All precautions outlined in 40 CFR ~~61.20-61.25~~ will be observed. 61.147

This letter will serve as a notification of this work, as required by 40 CFR ~~61.22(d)(2)~~. The attached data sheet lists all the pertinent data. 61.146

Please contact me if you have any questions or comments.

Sincerely,

CELANESE ENGINEERING RESINS, INC.

A handwritten signature in dark ink, appearing to read 'R. G. Brandt' followed by a stylized flourish.

R. G. Brandt, Plant Manager

RGB/bjw

Attachment

bcc: W. H. Brough
C. R. DeRose
J. Garza
J. L. Gottfredson
G. R. Llewellyn
J. C. Rubiano
D. D. Siemonsma
R. Pena - A.B.I.

G. M. Rowen - New York
CCCTC FILES: (2)
S.H.E. FILE: 202.1.1

009905

NOTIFICATION INFORMATION - RECLAMATION

- I. OWNER: CELANESE ENGINEERING RESINS, INC.
- II. ADDRESS: 26 MAIN STREET
CSO Engineering Resins
Chatham, New Jersey 07928
- III. DESCRIPTION: Remove friable asbestos insulation from 470 linear ft. of steel pipe ranging in diameter from 4" to 12" and 1575 ft² of asbestos insulation from power boilers.
- IV. ADDRESS OF SITE: Celanese Engineering Resins, Inc.
P. O. Box 1962
Bishop, Texas 78343
- V. STARTING AND COMPLETION DATE: Start - February 18, 1986
End - March 4, 1986
- VI. NATURE OF RECLAMATION: Section III above.
- VII. PROCEDURE: Wet insulation thoroughly, strip off insulation, pack in plastic bags and landfill in registered (on-site) landfill.
- VIII. LANDFILL SITE: Texas Water Commission
Registration No. 30084
EPA I.D. No. TXD008113441

009906

 CELANESE
CHEMICAL COMPANY, INC.

CHEMCEL PLANT

November 16, 1983

JJF-242-83

CERTIFIED MAIL
#5561525

Mr. Bill Stewart, P. E.
Executive Director
Texas Air Control Board
6330 Highway 290 East
Austin, Texas 78723

Dear Mr. Stewart:

The Celanese Chemical Company, Inc., plant at Bishop plans to reclaim about 700 feet of steel pipe ranging in diameter from 3/4" to 6". The pipe is insulated with friable asbestos insulation, so insulation will be removed as the first step, and landfill in the designated asbestos landfill located on the plant site. All precautions, outlined in 40 CFR 61.20-61.25, will be observed.

This letter will serve as a notification of this work, as required by 40 CFR 61.22 (d) (2). The attached data sheet lists all the pertinent data.

Please contact me if you have any questions or comments.

Very truly yours,

J. J. Fritsch, Jr.
D. G. Pansky, acting plant manager
J. J. Fritsch, Jr.
Plant Manager

JJF/rgs

Attachment

bcc: J. Garza

CCCTC Files (2)

J. F. Harper
A. C. Helper
W. H. Meyer
D. D. Siemonsma
S. P. Engleman, New York
R. K. Golemon, Austin
R. Pena, A.B.I.
R. H. Maurer, Dallas
WHB Files: 202.1.1

BISHOP FILES: 202.1

NOTIFICATION INFORMATION - RECLAMATION

I. OWNER: Celanese Chemical Company, Inc.

II. ADDRESS: P. O. Box 47320
1250 West Mockingbird Lane
Dallas, Texas 74247

III. DESCRIPTION: Remove friable asbestos insulation
from 700 linear ft. of steel piping
ranging in diameter from 3/4" to 6".

IV. ADDRESS OF SITE: Chemcel Plant
Celanese Chemical Company, Inc.
P. O. Box 428
Bishop, Texas 78343

V. STARTING AND COMPLETION DATE: Start - December 5, 1983
End - December 16, 1983

VI. NATURE OF RECLAMATION: See III above.

VII. PROCEDURE: Wet insulation thoroughly, strip off
insulation, pack in plastic bags and
landfill in registered (on-site) landfill.

VIII. LANDFILL SITE: Texas Department of Water Resources
Registration No. 30084
EPA I.D. No. TXD008113441

009908

 CELANESE
CHEMICAL COMPANY, INC.

CHEMCEL PLANT

JJF-194-83

September 19, 1983

CERTIFIED MAIL
5381515

Mr. Bill Stewart, P. E.
Executive Director
Texas Air Control Board
6330 Highway 290 East
Austin, Texas 78723

Dear Mr. Stewart:

The Celanese Chemical Company, Inc., plant at Bishop plans to reclaim about 510 feet of steel pipe of 6" in diameter. This reclamation work will start October 4, 1983. The pipe is insulated with friable asbestos insulation, so insulation will be removed as the first step, and landfill in the designated asbestos landfill located on the plant site. All precautions, outlined in 40 CFR 61.20-61.25, will be observed.

This letter will serve as a notification of this work, as required by 40 CFR 61.22 (d) (2). The attached data sheet lists all the pertinent data.

Please contact me if you have any questions or comments.

Very truly yours,


J. J. Fritsch, Jr.
Plant Manager

JJF/rgs

Attachment

bcc: S. Engleman, New York
J. Garza, Bishop
R. K. Goleman, Austin
J. F. Harper, Bishop
R. H. Maurer, Dallas
W. H. Meyer, Bishop
R. Pena, ABI, Bishop
D. D. Siemonsma, Bishop
CCCTC Files (2)
Bishop Files: 202.1

009909

NOTIFICATION INFORMATION-RECLAMATION

I. OWNER: Celanese Chemical Company, Inc.

II. ADDRESS: P. O. Box 47320
1250 West Mockingbird Lane
Dallas, Texas 74247

III. DESCRIPTION: Remove friable asbestos insulation
from 510 linear ft. of 6" in diameter
steel pipe.

IV. ADDRESS OF SITE: Chemcel Plant
Celanese Chemical Company, Inc.
P. O. Box 428
Bishop, Tx 78343

V. STARTING AND COMPLETION DATE: Start - October 4, 1983
End - October 14, 1983

VI. NATURE OF RECLAMATION: See III above.

VII. PROCEDURE: Wet insulation thoroughly, strip off
insulation, pack in plastic bags and
landfill in registered (on-site)
landfill.

VIII. LANDFILL SITE: Texas Department of Water Resources
Registration No. 30084
EPA I.D. No. TXD008113441

009910