

COMMERCIAL TESTING & ENGINEERING CO.

GENERAL OFFICES: 228 NORTH LA SALLE STREET, CHICAGO, ILLINOIS 80601 - AREA CODE 312 728-8434
INSTRUMENTAL ANALYSIS DIVISION, 14333 WEST 44TH AVENUE, GOLDEN, COLORADO 80401, PHONE: 303-278-9521

Reply to

To: Dr. Jerry Krause
CSMRI
Post Office Box 112
Golden, CO 80401



Date: March 8, 1977

Analyst: S. Sweeney

P. O. No.: 7475

Sample No.: C10704 Lot 10614

IAD No.: 97-A111-043-01

CONCENTRATION IN PPM WEIGHT

ELEMENT	CONC.	ELEMENT	CONC.	ELEMENT	CONC.	ELEMENT	CONC.
Uranium	6	Terbium	1	Ruthenium		Vanadium	24
Thorium		Gadolinium	2	Molybdenum	1	Titanium	MC
Bismuth	<0.8	Europium	0.7	Niobium	**5	Scandium	3
Lead	<2	Samarium	2	Zirconium	8	Calcium	MC
Thallium		Neodymium	5	Yttrium	16	Potassium	650
Mercury	*0.02	Praseodymium	1	Strontium	8	Chlorine	67
Gold		Cerium	7	Rubidium	2	Sulfur	30
Platinum		Lanthanum	11	Bromine	3	Phosphorus	MC
Iridium		Barium	17	Selenium	5	Silicon	MC
Osmium		Cesium	<0.3	Arsenic	0.8	Aluminum	MC
Rhenium		Iodine		Germanium	3	Magnesium	MC
Tungsten	<2	Tellurium		Gallium	<3	Sodium	MC
Tantalum	8	Antimony	2	Zinc	13	Fluorine	MC
Hafnium	3	Tin		Copper	2	Oxygen	NR
Lutetium	2	Indium	STD	Nickel	26	Nitrogen	NR
Ytterbium	7	Cadmium		Cobalt	2	Carbon	NR
Thulium	1	Silver		Iron	MC	Boron	0.3
Erbium	3	Palladium		Manganese	61	Beryllium	0.04
Holmium	5	Rhodium		Chromium	44	Lithium	1
Dysprosium	6					Hydrogen	NR

NR — Not Reported

All elements not reported <0.4 ppm weight

Approved: *[Signature]*

J&J-0140952

JNJ 000064200