

[REDACTED]

From: [REDACTED]
Sent: 02 August 2023 18:23
To: [REDACTED]
Subject: RE: Reg 61/ questions from site visit
Attachments: AGC Guidance V2_feedback.pdf

H [REDACTED]

Please see below and information at [20230802_shared_with_EA](#) in response to your queries following your visit and our comments on the updated draft regulation 61 document. Thank you for taking our initial regulation 61 feedback onboard..

I'll give you a call tomorrow (Thursday) to discuss. I'm going to be away 4-20th August please contact [REDACTED] if you have any follow up questions otherwise look forward to catching up with you on my return.

Drainage plans

IP16 drainage report submitted to comply with Improvement Condition IP16 of PPC permit BU4553IY – copy of the report in link.

Updated drainage drawings:

Drainage Plan sheet 1 - Rev C, last updated 03/02/2012

Drainage Plan sheet 2 - Rev C, last updated 03/02/2012 (see notes 1, 2, and 3, these relate to manholes in grid refs D4, E3 and F2)


- Manhole card included for MH2H07 (grid ref J3) but based on observations on site believe this does not ultimately drain in the direction of Hillylaid pools (see comment below on sheet 4 MH4L01)

Drainage Plan sheet 3 - Rev B, last updated 03/02/2012

- Manhole card included for MH3J02 (grid ref P6) this is the connection from storm water to AGC effluent drainage system.

Drainage Plan sheet 4 - Rev B, last updated 03/02/2012

- We have included the manhole card for MH4L01 (grid ref K6) but based on observations on site believe this does not drain in the direction of Hillylaid pools (MHSQ01 – no manhole card, grid ref E10 on sheet 5). This is the drain shown to the south of K8 stores highlighted below.



Drainage Plan sheet 5 - Rev B, last updated 03/02/2012

These drawings need to be updated to confirm drainage to Hillylaid pools and confirm observations on site.

Access to W2 Hillylaid Pools / W3 Royles Brook

We have arranged a site meeting to review locations and safe access for upstream/downstream locations for accessing Hillylaid Pools / W3 Royles Brook.

The Royles Brook upstream location from the AGC plant and photos are included the link for info. Once we have confirmed access and proposal sample method for all locations, we'll let you know.

Updated draft Regulation 61 Feedback

See attached pdf with our comments.

We noticed that there are no formal timescales on AGCCE submitting the data back to EA or periods for EA review of proposals. We are anticipating providing the information in stages over a 24-month period and can develop a programme based on the date the notice is served.

Please could we have a meeting to discuss timescales and our comments on the updated draft regulation 61? What is your availability in September?

Kind regards,

[Redacted Signature]

[Redacted Signature]

AGC Chemicals Europe, Ltd.

[Redacted Address]

www.agcce.com

AGC
Your Dreams, Our Challenge



This email address has changed

from @agcce.com to @agc.com

Disclaimer:

This email and the information contained therein and within any attachments is confidential and may be privileged. If you have received this email in error please notify us immediately. If you are not the intended recipient, you are not authorised to, and must not use, disclose, copy, distribute, retain or rely on this email or any part of it. AGC Chemicals Europe, Ltd. may monitor email traffic data and also the content of email for the purposes of security and staff training. A list of Directors' names is open to inspection at the address below. AGC Chemicals Europe, Ltd. is registered in England. Registration Number: 3825057
Registered Office: York House, Hillhouse International, Fleetwood Road North, Thornton-Cleveleys, Lancashire, FY5 4QD VAT: 732803742.



From: [REDACTED]
Sent: Tuesday, July 25, 2023 1:09 PM
To: [REDACTED]
Subject: RE: Reg 61/ questions from site visit

***** External email: Please be cautious when opening attachments or clicking links. *****

Hi [REDACTED]

Thanks, noted re your leave.

Brilliant re reg 61 – look forward to receiving comments and hopefully we can move towards finalising.

Yes I did receive presentation slides when you first sent, these were extremely useful.

Thank you for update on site visit questions, I can view and download the photos with no issues.

Kind regards,

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

From: [REDACTED]
Sent: 25 July 2023 13:01
To: [REDACTED]
Subject: RE: Reg 61/ questions from site visit

Hi [REDACTED]

Apologies for not getting back to you sooner I have been off work for quite a bit of July. Note, I also have holiday booked 4th – 20th August best contact will be [REDACTED] if you need anything over this period.

Regulation 61 – meeting with our internal team planned for this Thursday and plan to get comments back to you by the end of this week.

Did you receive the presentation slides I sent on 07/07/2023? [REDACTED] had an issue receiving and I resent last week. We removed some slides due to confidentiality but if there is anything specific you need, please let us know.

In response to your questions following the visit:

- We will review and mark up drainage plans and will send these across to you.
- We have not completed any PFAS monitoring at W2 Hillylaid Pools / W3 Royles Brook.
 - Not 100% sure how we could sample W2. Understand that Hillylaid Pools is culverted and not accessible, but we will review this as part of the drainage plans and see if access would be available via any manholes on the Hill House site. There might also be public access to Hillylaid Pools downstream (off site) closer to the River Wyre.
 - For W3 sampling would be possible upstream of our discharge point.
 - I'll try and get some photos of these locations for you and send across with the drainage plans.
- Photos – I have shared a link with you to access these. Link will be valid for ~ 1 month, please download photos you require/let me know if you need any other reminders.

Kind regards,

[REDACTED]



[REDACTED]
AGC Chemicals Europe, Ltd.
[REDACTED]

www.agcce.com



This email address has changed

from @agcce.com to @agc.com

Disclaimer:

This email and the information contained therein and within any attachments is confidential and may be privileged. If you have received this email in error please notify us immediately. If you are not the intended recipient, you are not authorised to, and must not use, disclose, copy, distribute, retain or rely on this email or any part of it. AGC Chemicals Europe, Ltd. may monitor email traffic data and also the content of email for the purposes of security and staff training. A list of Directors' names is open to inspection at the address below. AGC Chemicals Europe, Ltd. is registered in England. Registration Number: 3825057
Registered Office: York House, Hillhouse International, Fleetwood Road North, Thornton-Cleveleys, Lancashire, FY5 4QD VAT: 732803742.



From: [REDACTED]

Sent: Tuesday, July 25, 2023 11:52 AM

To: [REDACTED]

Subject: Reg 61/ questions from site visit

*** **External email:** Please be cautious when opening attachments or clicking links. ***

H [REDACTED]

Hope you are well.

I wondered when you expect to have any views/ feedback on the reg 61 ready for discussion. I am keen to keep this progressing and issue the notice by the end of this quarter.

Have you had chance to look at the questions I sent over after the site visit:

- Could you provide clarification on what sections of the site drain to W2 and W3? Would it be possible to supply drainage plans for the site?
- Has any testing for PFAS been completed at W2 or W3?
- Could you supply the photos of the bunded areas you took?

Kind regards,

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.

Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.