bcc: Dr. Sidney Pell
Medical Division

bcc: G. G. Mitchell, Dir.
Employee Relations Dept.

Dr. J. A. Zapp, Jr.
Haskell Laboratory

Dr. G. J. Stopps
Haskell Laboratory

E. I. DU PONT DE NEMOURS & COMPANY
INCORPORATED
WILMINGTON, DELAWARE

EMPLOYEE RELATIONS DEPARTMENT

File: C-00227
November 14, 1966

file

JAMES L. SUGGS, M.D.
MEDICAL SECTION
FLORENCE PLANT, FILM

Dear Jim,

Thanks for your note in response to our questionnaire. I was delighted that you have not had any trouble or suspected incidences with asbestos.

I think it would be advisable to eliminate use of asbestos blankets whenever possible, and this might become required by law in years to come. By all means, I would urge the use of masks for the cutting and the handling of all asbestos material. I would certainly regard the elimination of all asbestos material whenever possible as important.

Our Engineering Department told me that they are already engaged in a study of insulating materials, and are urging substitutes whenever possible. Perhaps your Engineering Department is already aware of this.

It was nice hearing from you, Jim, and my cordial good wishes to you.

Sincerely,

Original Signed By
C. A. D'ALONZO, M.D.

CAD'A/ag

C. A. D'Alonzo, M.D.
Medical Director

RECEIVED 1965

HASKELL LABORATORY

BETTER THINGS FOR BETTER LIVING . . . THROUGH CHEMISTRY