FILE NAME: .C D2ŘŇĂŐK ó.CDú

DATE: мфтс !dz∃

DOC#: .CDлмн

DOCUMENT DESCRIPTION: ¦ yLJdzōfìăKŜŘ LyűŜŇyЇ·f {dzŇØŜè

B.F.GOODRICH CHEMICAL COMPANY
RESULTS OF ASBESTOS SURVEY

	AKRON	ALGCP	CALVERT	HENRY	ITC	LONG BEACH	LOUISVILLE	ORANGE	PEDRICKTOWN	PORT NECHES
1) Do you have friable or powder form asbestos stored in your plant?	Yes	No	No	No	No	No	No	No	Yes	No
2) Is it currently being used?	No	No	No	No	N/A	No	-	No	No	No
3) Are respirator or protective clothing used when handling it?	Yes	N/A	N/A	N/A	N/A	No	-	-	No	No
4) Do you have a written procedure for removing old asbestos insulation? If so, please send copy.	No	Written But Not Approved	Yes 11/14/73	Yes 2/17/72	No	No	In Process Of Writing	Yes 6/28/72	No	No
5) Has your plant ever performed any monitoring for asbestos?	Yes D/0020	No	No	No	No	No	No	No	No	No
6) Do you have a medical surveillance program for asbestos?	Test Once/Year	Chest X-Ray Once/Year	No	No	No	N/A	No	N/A	N/A	No
7) Is any training given on the handling of asbestos?	No	Monthly Safety Meeting	No	No	No	No	No	Yes	No	Verbal Instructions
8) If you are not using asbestos, what are you using as a substitute?	Fiberglass & Magnesium Silicate	Fiberglass & Magnesium Silicate	Kaylo	Fiberglass & Calcium Silicate	Kaylo	Thermo-12 & Calcium Silicate	Kaylo Thermal Block	Calcium Silicate Foam Glass Fiberglass Polyurethane Mineral Wool	Fiberglass Thermo-12	Foam Glass Thermo-12

JAK
8/31/76

