

FILE NAME: National Safety Council (NSC)

DATE: 1934 Dec 10

DOC#: NSC356

DOCUMENT DESCRIPTION: Memo from Asbestos & Allied Products RE
Norristown Magnesia & Asbestos Co.

ASBESTO PAPER AND ALLIED PRODUCTS DIVISION

A.K.B.
NORRISTOWN

16th Floor, Inquirer Bldg.
Philadelphia, Pa.

MEMORANDUM

Subject: NORRISTOWN MAGNESIA & ASB. CO.
No. 500 Insulation

(Place this subject on your reply to this letter)

I have a letter this morning from one manufacturer to the effect that he will have to know definitely whether this insulation as manufactured by you is to be sold for high pressure work.

He makes the following statement - "If it is, then a competitive situation has been created which will require a complete readjustment of prices for Laminated High Pressure Coverings."

Personally, I cannot see that the situation created is any different than that created by the introduction of Careycel. On the other hand, I do believe that the statement made above is correct and that a readjustment will follow of its own momentum unless something is done to clarify the situation.

I will appreciate your comments.

T. 12/10/34

FEDERAL TRADE COMMISSION
Exhibit No. 4613
COMMISSION'S Exhibit No. 113
THE MATTER OF *Asme Asbestos*
DATE *5/15/42* WITH *W. J. Burgess*
REPORTER *E. J. Fisher*
ETHEL E. FISHER & ASSOCIATES, INC.

A.K.B. Exhibit *68*
Obtained *6-4-40* from *Interview*
172467-2025
Federal Trade Commission