

DATE: JUN 17 1982

LOT

F2K77

APPROVED BY
() YE-735-D (M) FWP 01/22/82

ESTIMATED WEIGHT: 3819* LBS.

COMTYP JOB NAME: 01YE735DMM

EQUIP MENT	NAME: MOLYBDATE DRANGE	USE LBS	N-CODE	ACCT LBS
PREP	1 OBTAIN FOR S-34	315	4-A	315
1	2 OBTAIN FOR S-23	42	108-A	42
	3 OBTAIN FOR S-38	105	3-A	105
	4 OBTAIN FOR S-40	58	32-D	58
	5 OBTAIN FOR S-43	47	3-A	47
	6 DISSOLVE IN 30 G WATER AT 100-120°F IN DRUM FOR S-47	17	765-A	17
	7 DISSOLVE IN 30 G WATER AT 100-120°F IN DRUM FOR S-51	60	994-A	60
351 2	8 WEIGH IN OPTR <u>259</u> , MK <u>200</u> , <u>38.88</u> % OPTR _____, MK _____, _____%	<u>3668</u>	10-D	1426
359 3	9 WEIGH IN. OPTR <u>259</u> , MK <u>35</u> , T- <u>360</u> , <u>28.42</u> % OPTR _____, MK _____, T-_____, _____%	<u>924</u>	423-D	226 <u>266</u>
SV 4	10 FLUSH DISTRIBUTOR LINES UNTIL WATER COMES OUT ALL JETS RECORD: _____ (OK)			
	11 RUN IN 40" (1992 G) WATER			
	12 RUN IN FROM V-354. OPTR <u>426</u> , MK <u>356</u> , <u>111</u> *F PH <u>2.0</u> (2.8-3.7) G/ML <u>1.25</u> (1.270-1.328) <u>28.12</u> % SEE SUPV IF NOT IN RANGE.	<u>13514</u>	41-D	3800
	13 ADJ TO 3294 GAL AT 67-69°F. RECORD: <u>69</u> *F (67" IN V-240 & 246; 69" IN V-241, 242, 245)	<u>3X320</u>	57-A	<u>990</u>
	14 STIR 5MIN. & RECORD: PH <u>2.5</u> (2.8-3.6)			
	15 IF NECESSARY, ADJ TO PH 3.8-3.9 ASSUME 32% & RECORD: PH <u>3.9</u> (3.8-3.9) ASSUME 50%		28-D 7-D	
	NOTE: DILUTE N-7-D 10:1 WITH WATER BEFORE ADDING			
	16 RECORD: <u>1.113</u> G/ML (1.116-1.118) NOTE: IF G/ML OUT OF LIMITS, FILL OUT CHECK LIST & ATTACH			
	17 STIR AT 67-69°F FOR S-28. TAKE 1 QT SAMPLE.			
358 5	18 RUN 2" (110 G) WATER INTO V-358			
	19 RUN V-359 INTO V-351			
	20 PUMP V-351 INTO V-358			
	21 TURN ON AGITATOR			
	22 SIFT IN N-108-A FROM S-2			
	23 ADJUST TO 68" (3216 G) AT 67-69°F RECORD: <u>48</u> *F			
	24 STIR 3 MIN. & RECORD: PH <u>8.9</u> (9.0-9.5)			
	25 IF NECESSARY, ADJ. TO PH 9.0-9.5 ASSUME 32% & RECORD: PH <u>9.5</u> ASSUME 50%	<u>2</u>	28-D 7-D	<u>1</u>
	26 RECORD: G/ML <u>1.059</u> (1.059-1.060) NOTE: G/ML OUT OF LIMITS FILL OUT CHECK LIST & ATTACH			
	27 STIR AT 67-69°F FOR S-28. TAKE 1 QT SAMPLE.			

JUN 21 1982

N37507

6/18

