



# SAFETY AND OCCUPATIONAL HEALTH DIVISION

EMPLOYEE  
RELATIONS  
DEPARTMENT  
WILMINGTON  
DELAWARE

CC: H. G. Smyth, ERD  
M. A. Suwyn, ERD  
B. W. Karrh, M.D., ERD  
ERD Division Heads

Bulletin No. 130  
Issued: December 21, 1984

## ASBESTOS GASKETS IN BREATHING AIR LINES

While current engineering standards specify asbestos-free gaskets for breathing air lines, some breathing air systems still contain bonded asbestos gaskets. Air monitoring yields no evidence that these gaskets present a health problem. However, there is potential for public relations or employee relations concern; and it is recommended that sites with bonded asbestos gaskets in their breathing air system either replace these gaskets with non-asbestos gaskets, or periodically monitor breathing air for asbestos. S. W. Dixon, Haskell Laboratory, can provide monitoring program guidance.

Sites should contact their departments for specific guidance.

Public Affairs Department, Industrial Relations Division, Employee Relations Department, and Legal Department concur in this advice.

SAFETY & OCCUPATIONAL HEALTH DIVISION

L. C. Schaller, Section Manager

/nlg

DUP 0907383

TO: PLANT MANAGERS AND SUPERINTENDENTS, LAB DIRECTORS, FIELD PROJECT MANAGERS,  
PRODUCTION MANAGEMENT, PLANT SAFETY & FIRE PROTECTION SUPERVISORS,  
OSH COORDINATORS, SITE OSH COORDINATORS, S&OH GUIDELINE HOLDERS.

905



107295

SC-DP-07945