

PLAINTIFF'S
EXHIBIT
DUP-943

CH-1010 REV. 5-80



E. I. DU PONT DE NEMOURS & COMPANY
INCORPORATED
EDGE MOOR, DELAWARE 19809
CHEMICALS AND PIGMENTS DEPARTMENT

cc: A. B. Palmer, B-6210
~~J. R. Webster~~
J. R. Webster

July 21, 1981

RECEIVED
JUL 24 1981
BRUCE W. HARR, MD.

J. C. BONNETT, MD
EMPLOYEE RELATIONS DEPARTMENT
N-11400

REPORT OF X-RAYS ON ASBESTOS FOLLOW-UP CASES

Your memo of July 15, 1981 in response to one written by me on 6/26/81 regarding x-ray reports on asbestos follow-up cases suggests that follow-up cases be sent to Dr. Allen in the Medical Division for interpretation. Please be advised that this has been an ongoing practice for quite some time by Edge Moor.

I might suggest that it would be a good idea if in all cases where identified radiological changes that could be attributed to asbestos exposure have been confirmed by pulmonary specialist, a rubber stamp notation be used on the x-ray report sheet accompanying the films. This stamp could read:

"ASBESTOS-RELATED X-RAY FINDINGS CONFIRMED"

This would totally negate the need for reiterating unnecessary wording and that would allow the radiologist to indicate whether there is any change or whether the condition is stable.

R. A. SHINN, PLANT MANAGER
BY:

J. J. TIKELLIS, MD
MEDICAL SUPERINTENDENT

*Allen will
not know if
indicated
relatively
expensive. Also
could be
indicated
whether
a change or whether
the condition is stable.
which is done
by J. J. T. want to stop
the reports, this is his suggestion.*

DUP 0936333

DU 037558