Brooks 1

FROM E. BROOKS PARKER
ROCKDALE WORKS

TO W. T. WASHAM, M. D.
ROCKDALE WORKS

CONFIDENTIAL

1983 September 20

RE: MEDICAL SURVEILLANCE FOR ASBESTOS EXPOSED WORKERS

As you requested, I have listed the job classifications of employees whose jobs have had the potential for asbestos exposure above the action level of 0.1 fibers/cc 12 or more 8 hour shifts per year. Plant and departmental records should be reviewed to determine the names of people who hold or held those positions or who John-Doed into those jobs.

PLAINTIFF'S EXHIBIT
AL-68

Mechanical Maintenance

- Fabricating molten metal Marinite shapes prior to 1975 March 01.

  Machinists
  Layout persons
  Carpenters

- Lining troughs with asbestos shorts--lumnite cement refractory (prior to 1973-06-01)

  Brickmasons
  Craft Helpers

- Lining furnaces with J. M. Superex insulation prior to 1973-06-01

  Brickmasons
  Craft Helpers

- Removing vessel and pipe insulation (including Baker Perkins Mixers)

  Pipefitters
  Mechanical Millwrights

- Vehicle brake shoe repair

  Garage mechanics

Electrical Maintenance

- Crane brake shoe repair

  Crane Millwrights

ALCOA

ARD 003736

SF-4563 (REV 11-68)

Ingot Plant

- Making trough joints and patching damaged troughs with asbestos shorts prior to 1973-06-01

  DC Operators
  Caster-Pourer Helpers
  Caster-Pourers

Potlining

- Installing Superex insulation in potshells prior to 1973-06-01

  Potliners

- Dumping and cleaning potshells in Bldg. 27 prior to 1977-06-01

  Potliners

- Cleaning out stalls in T51 potlines after potshell has been removed - prior to 1983-01-01

  Potliners

Brooks
E. BROOKS PARKER

EBP/mz

cc:
G. H. Lantz
A. G. Clayton
J. T. Hill
J. W. Havins
W. T. Eckert
T. J. Randall
B. J. Turner