



PCB from eagle sample
2. Same sample after ni. fraction. Only PCB remain.
3. PCB-standard.
Column: QFI 6% on gaschrom P 100-120 mesh silanized, sedimentated.
1200 cm in 0,1 cm i Ø. allgles.
N2 - carriergas 15 cm/sec.
eg. N2 30 ml/min.
Det. ECD. Col. temp. 138°.
DDT+PCB 1:10
DDT+PCB 1:5
1.
2.
3.
1
2
3
4
5
6
7
8
9
10
11
12
13
14

MONS 098107


14
14
14
13
13
13
12
12
11
12
12
20
P.P'DOT
10
9
9
9
10
10
8
8
7
7
7
6
6
5
5
4
3
3
3
2
2
2
1
1
1
P.P'DOT
MONS 801080


1. PCB + Insecticides.
2. Id 1. after nitration
3. PCB (Chlophen A 50) after nitration
4. Insecticides after nitration.
Q.C. as in page 1
1.
2.
3
4

Curve 4

Curve 3

Curve 2

Curve 1

14

13

12

11

10

9

8

7

6

5

4

3

2

1

OTT860 SNOW

P.p'-DDT


P.p'

DIELDRIN

o.p'-DDT + 7

P.P'-DDE

'Liquid fuel' 42 SF96



MONS 098111

Gamme ①

Gamme ②

Gamme ③

13
12
11
10
9
8
7
6
5
4
3
2
1

o,p'-DDT

10 p,p'-DDT

LINDANE

ALDRIN

MONS 098112







Fig 3. GC-MS chromatogram from eagle sample. Peak numbers represent the points of scanning.


OF

MONS 098113


Column: XE 0446:
4% (SE 96, OF 1.5 + 60, 4%)
EC Detector
Eagle
PCB
DDT
MONS 098114


Column: 4% SF96
EC Detector
Eagle
PCB
10
7
9
2
5
6
4
11
12
STIR60 SNOW


Örnfettextrakt.
Kolonn: 4% SF96
Detektor: Microcoulometer
+DDT
10 ng (q)
X 2
X 8
X 10
13(a)
12
11
77
MONS 098116



fettextrakt.
med H_2SO_4-HIO_3 1:1
m : 4 % SF 96
ktor: Microcoulometer
%
%
12
11
10(g)
9(a)
7a
6Cl
6Cl
6Cl
6Cl
6Cl

MONS 098117

Chapitre ASD


tapp nr. 7

MONS 098118




Clapham A50

topp nr 8




Clophen A50

lopp nr 10




Clopher A50

topp nr. 11



Clopton A59


loop nr 12



MONS 09812

Stephan 1950

Lipp nr. 13



MONS 068123