cc: C. L. Bradford
R. A. Garcia - 1010

October 18, 1971

Mr. Beltle
Colt Industries
Crucible Steel Corporation
Magnet Division
Leitchfield Road
Elizabethtown, Kentucky 42701

Dear Mr. Beltel:

This letter confirms your telecons with Mr. Moore on September 28 and October 14 concerning your firm's use of Santovac 1 vacuum pump fluid.

As indicated on their labels, Santovac 1 and Santovac 2 contain polychlorinated biphenyls (PCBs) of various types. As you are aware, PCBs have increasingly come under the scrutiny of various governmental agencies and scientific laboratories. In some studies, certain PCBs have been found to be persistent, an environmental contaminant and possibly injurious to certain forms of bird, aquatic and animal life. Accordingly, it is important that PCBs be kept out of the food chain.

We want to remind your firm of the extreme care that must be taken by users of Santovac 1 and Santovac 2 fluids to prevent any entry into the environment through spills, leakage, use, disposal, vaporization or otherwise. Some specific applications where these fluids should definitely not be used are in vacuum systems involving food or food-related products, animal feeds, pharmaceutical products, packaging materials involving any of such items and buildings where any of these items are manufactured or stored.

If your vacuum system involves any of the mentioned applications, or if your system is such that entry into the environment cannot be prevented, you should replace Santovac 1 and 2 with non-PCB fluids immediately. Please contact your pump supplier for his recommended replacement product.

Used Santovac 1 and 2 should be returned to Monsanto Company, W. G. Krummrich Plant, Sauget, Illinois 62201, Attention: Supervisor Dept. 246 for proper disposal. This service is performed at cost, which is $0.03 per pound.

DSW 018020

STLCOPCB4004565

In order that we can continue to supply you with the Santovac fluid, it is necessary that Monsanto know your method of disposal of the used fluid. This is for our own use only in determining approval for future sales.

Your rapid cooperation in this matter is appreciated.

Very truly yours,

R. E. Hatton
Technical Manager
Hydraulics and Lubricants

/pep

DSW 018021

STLCOPCB4004566