




F. J. Sheldon
with
The Sherwin Williams Co
Rensselaer N. Y.

If found please return to the
above address.


LARGEST SYSTEM OF PAINT AND VARNISH
 FACTORIES AND WAREHOUSES IN THE WORLD

The SHERWIN-Williams Co.

CLEVELAND, NEW YORK, NEWARK, SAN FRANCISCO, MONTREAL, TORONTO, WINNIPEG,
 CHICAGO, KANSAS CITY, BOSTON, LOS ANGELES, SAN DIEGO, MINNEAPOLIS, LONDON, ENG.



PAINTS DEPARTMENT
 CLEVELAND




PAINT AND VARNISH DEPARTMENT OF PLANT NO. 1 AND GENERAL OFFICES OF THE COMPANY
 CLEVELAND




THE S.W. CO.'S STEAMSHIP
 FOR CARRYING LUMBER DOWN
 THE GREAT LAKES




LIMITED OIL DEPARTMENT OF PLANT NO. 1
 CLEVELAND




BOX FACTORY, PLANT NO. 1
 CLEVELAND




PLANT NO. 2 AND HEADQUARTERS WESTERN DIVISION
 CHICAGO



PLANT NO. 4 AND HEADQUARTERS EASTERN DIVISION
 NEWARK



TORONTO DEPOT OF
 CANADIAN DIVISION



PLANT NO. 3 AND HEADQUARTERS CANADIAN DIVISION
 MONTREAL



MINNEAPOLIS DEPOT
 WESTERN DIVISION



OFFICES AND WAREHOUSE
 PACIFIC DIVISION
 SAN FRANCISCO



OFFICES AND WAREHOUSE
 NEW ENGLAND DIVISION
 BOSTON



OFFICES AND WAREHOUSE
 SOUTHWESTERN DIVISION
 KANSAS CITY

THE SHERWIN WILLIAMS PAINT

Made to meet Best Quality and

GALL

497

STANDARD MEASURE



The guarantee that this paint, when properly used, will not crack, flake or peel off, and will cover more surface, more better, more longer and more permanent than better than any other paint, including White Lead and Oil.

We hereby agree to forfeit the value of the Paint and the cost of applying it, if in any instance, it is not found as above represented.

The Sherwin-Williams

CLEVELAND, CHICAGO, NEW YORK, MONTREAL, BOSTON,
TORONTO, SAN FRANCISCO, KANSAS CITY.

LIST OF THE S-W PRODUCTS.

THE Sherwin-Williams Co. make paints and varnishes for all purposes; not one paint or varnish for all uses, but a different paint and a different varnish for each use. No matter what you want to paint or varnish, some one of The Sherwin-Williams Paints or Varnishes is made for that purpose and will prove the best you can use.

FOR BUILDINGS, OUTSIDE AND INSIDE, AND ROOFS.
Use **THE SHERWIN-WILLIAMS PAINT (Prepared)**.
For the priming coat—Use **THE S-W LIQUID PRIMER**.

FOR INTERIORS, WALLS, ETC.
For a high enamel gloss finish
Use **ENAMELOID**.
For an egg shell gloss finish
Use **THE S-W SPECIAL INTERIOR COLORS**.

FOR FLOORS.
Use **THE S-W FLOOR FINISHES**.
For Inside Floors—**THE S-W INSIDE FLOOR PAINT**.
Also **FLOORGLAZ**. (For staining floors.)
For Porch Floors—**THE S-W PORCH FLOOR PAINT**.
For Varnished Floors—**WAR-NOT**, a durable floor varnish.
For producing a wax finish—**THE S-W FLOOR WAX**.
For unsightly cracks—**THE S-W CRACK & SEAM FILLER**.

FOR BARNES, ROOFS, FENCES, ETC.
Use **THE S-W CREOSOTE PAINT**.
Made in 12 good shades.
THE S-W COMMONWEALTH BARN RED.
A bright, economical red.
THE S-W ROOF AND BRIDGE PAINT.
Red and Brown.

FOR CUPBOARDS, BASEBOARDS, SHELVES, ETC.
Use **THE S-W FAMILY PAINT**.
Durable oil paint. Can be washed.

FOR BUGGIES, BOATS, PORCH CHAIRS, ETC.
Use **THE S-W BUGGY PAINT**.
A varnish paint specially suited for outside exposure.

FOR CHAIRS, TABLES, DECORATING, WOODWORK, ETC.
For a high enamel finish
Use **THE S-W ENAMEL PAINT**.
For varnishing and staining at one operation.
Use **THE S-W VARNISH STAIN**.

FOR GAS PIPES, RADIATORS, STOVES, PICTURE FRAMES, ETC.
For a silver finish
Use **THE S-W ALUMINUM PAINT**.
For a gold finish
Use **THE S-W IMPERIAL GOLD ENAMEL**
Or **THE S-W EMPRESS GOLD PAINT**.
For Colored Enamel Finish on Radiators and Pipes.
Use **THE S-W RADIATOR ENAMEL**.

FOR ALL KINDS OF VARNISHING.
Use **THE SHERWIN-WILLIAMS VARNISH**.
A special varnish for each particular purpose.

We also make

WAGON AND IMPLEMENT PAINT
BICYCLE ENAMEL
BATH ENAMEL

SCREEN ENAMEL
GRAPHITE PAINT
STOVE PIPE ENAMEL
METALASTIC

and Special Paints for every purpose, ready for the brush.

THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.

CLEVELAND, NEW YORK, SAN FRANCISCO, MONTREAL,
CHICAGO, NEWARK, LOS ANGELES, TORONTO,
KANSAS CITY, BOSTON, SAN DIEGO, WINNIPEG,
MINNEAPOLIS, LONDON, ENG.

SWP

THE
SHERWIN-WILLIAMS
PAINTS



FOR ALL KINDS OF
GOOD PAINTING

SWP

GOOD RESULTS

Good results are always obtained with The Sherwin-Williams Paint if the few simple rules given below are followed:

See that the surface is free from grease and soot. If the job has been previously painted and is peeling, scaling off or cracking, burn off all the old paint. If this is not done, the new coat of paint cannot be expected to stick.

See that the surface is perfectly dry. Moisture is what often causes blistering, cracking, scaling and like troubles. Moisture is always present in green or pitchy lumber, and after rain, a heavy dew or a fog.

Do not paint in frosty weather, or over too glossy a surface. Any paint will "crawl" under such conditions.

Do not use boiled oil in thinning S.W.P. Boiled oil never dries thoroughly and always leaves the surface in bad condition for repainting. Pure *raw* linseed oil should be used; it dries through and through and leaves a good hard surface for repainting.

Never add japan to the paint to hasten drying. S. W. P. has just the quantity of dryer in it to dry safely and properly.

Do not use *Ochres* for primer. The priming coat is the foundation coat, and if it is not right, good painting cannot be done. *The Sherwin-Williams Primer* is made specially to give the best results. Where it is not used, thin S.W.P. with one gallon of raw linseed oil to each gallon of paint for the priming coat.

For best results on new work apply one coat of The Sherwin-Williams Primer and two coats of paint.

Apply the paint in thin coats. Brush it out thoroughly. It's better to apply three thin coats than two heavy coats. If put on too thick, it is liable to crack or peel.

Do not let one coat of paint stand for any length of time before applying the next coat and expect good results. Each coat must be applied one after the other in reasonable time if long wear is expected.

Wherever possible, always employ a good practical painter.



THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.

CLEVELAND, NEW YORK, SAN FRANCISCO, MONTREAL,
CHICAGO, NEWARK, LOS ANGELES, TORONTO,
KANSAS CITY, BOSTON, SAN DIEGO, WINNIPEG,
MINNEAPOLIS, LONDON, ENGL.

CCC

Copyright—U. S.
WED

THE SHERWIN-WILLIAMS PAINT (*Prepared, S. W. P.*) is the most durable and economical paint. It costs less per job and wears longer than any other paint, either ready prepared or mixed by hand.

Made in one quality only, the very best; there is no second grade. Sold the world over by established agents. Put up in quarts, half gallons, gallons, and five gallon packages.

THE SHERWIN-WILLIAMS CO. have been making paint for over thirty years. All that time has been given to just one thing, making the *best* paint. Their immense business has been built up on high quality paint.

THE SHERWIN-WILLIAMS FACTORIES are the best equipped paint and varnish factories in the world. The Company builds all its own machinery after its own designs; only the most approved methods are employed; and experts watch every detail of manufacture to insure right results.

THE SHERWIN-WILLIAMS CO. are the largest paint and varnish manufacturers in the world, operating four large plants, at Cleveland, Chicago, Newark and Montreal, with offices and warehouses in ten other cities. Our products are sold and used in every important paint market in the world.

THE SHERWIN-WILLIAMS VARNISHES are just as good as The Sherwin-Williams Paints. They're right—always give good results.

A special varnish for each special purpose. Sold by *S. W. P.* agents.



THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.





CLEVELAND, NEW YORK, SAN FRANCISCO, MONTREAL,
CHICAGO, NEWARK, LOS ANGELES, TORONTO,
KANSAS CITY, BOSTON, SAN DIEGO, WINNIPEG,
MINNEAPOLIS, LONDON, ETC.

C-1904—U. S.
W112

THE SHERWIN-WILLIAMS PAINT (P)

	462	SUITABLE TRIMMERS 461 398 460 391		481	SUITABLE TRIMMERS GLOSS WHITE 391 380 460
	482	391 398 461 GLOSS WHITE		385	472 393 476 473
	457	460 391 466 466		470	GLOSS WHITE 466 472 462
	387	354 GLOSS WHITE 466 461		392	GLOSS WHITE 391 462 360
	375	GLOSS WHITE 461 371 393		352	375 466 462 GLOSS WHITE
	394	GLOSS WHITE 461 462 360		486	376 460 360 478
	456	472 460 GLOSS WHITE 482		372	354 387 GLOSS WHITE 391
	472	391 387 457		393	385 478 391 462

pared). FOR BUILDINGS, OUTSIDE AND INSIDE. MADE BY THE LARGEST PAINT AND VARNISH MAKERS IN THE WORLD

SUITABLE TRIMMERS		SUITABLE TRIMMERS		SUITABLE TRIMMERS	
	351 357 367 GLOSS WHITE		364 PINK FOR SHADE WORK		479 GLOSS WHITE 482 388 352
	360 441 486 351 GLOSS WHITE		358 486 075 462 391		464 DRY BLUE, FRENCH DEL, FRENCH PUMPK EYO.
	485 467 473 359 485		478 472 372 486 594		369 BLUE FOR INSIDE WO
	351 357 387 385 350		364 472 371 367 485		301 478 393 375 485
	353 357 GLOSS WHITE 479 387		460 462 461 GLOSS WHITE 372		361 FOR PINK GOLDEN INSIDE WO
	363 GLOSS WHITE 478 387 462		355 354 375 478 357		367 SUITABLE TRIMMERS 475 387 375 478 FOR BRICK V VERY ORNA
	473 485 360 385 376		371 354 375 478 357		362 FRENCH GROWN GR VERY PERMAN
	499 486 457 381 385		499 486 457 381 385		499 SUITABLE TRIMMERS 486 457 381 385

S.W.P. WHITES

**BETTER
WHITE PAINT
CANNOT
BE MADE**

GLOSS WHITE—The only Outside White in the S.W.P. line. The most durable and economical white paint for general use on all exposed surfaces. It can be used on interior work, but being a rich oil paint it may turn slightly yellow, when not exposed to the light.

***FLAT WHITE**—For finishing without gloss, or as a foundation for S.W.P. Inside Varnish White. It is the best paint for this purpose ever prepared for the market. Use as many coats as required to produce the desired effect.

***INSIDE VARNISH WHITE**—For producing a white varnish finish on inside work. It dries better, works freer, and is more economical to use than the varnish whites, under various names, generally found on the market. Apply over a solid ground of Flat White, which is best obtained by using S.W.P. Flat White.

CHINA GLOSS WHITE—Slower drying and not quite so white as the Inside Varnish White, but very satisfactory for ivory white finish on interiors where economy is of first importance.

COLORS MARKED THUS (*) ALSO FLAT WHITE AND INSIDE VARNISH WHITE ARE HIGHER IN PRICE THAN OTHERS ON THIS FOLDER.



THE SHERWIN-WILLIAMS PAINT

Made to Paint Buildings With, Outside and Inside

COVERS MOST
WEARS LONGEST

LOOKS BEST
MOST ECONOMICAL

It is guaranteed full U. S. Standard Measure



WHY PREPARED PAINT IS BEST.

P AINT is sold in two ways—prepared and unprepared. Where you can trust the maker prepared paint is much the better.

Before paints were prepared and sold ready for use the principal materials used for painting were white lead and linseed oil. Some still think that these ingredients make the best paint. They do not. They are good as far as they go, but they do not go far enough. It has been found, by many severe tests and much careful experimenting, that the combination of zinc, lead, and linseed oil makes the best paint.

It is well known that white lead soon after being applied powders and chalks, and for this reason is not durable. By adding correct proportions of zinc this tendency is corrected, and the paint lasts much longer. Good prepared paint contains zinc as well as lead and oil.

The many "cheap" mixtures that are on the market to-day have caused much prejudice against the use of prepared paint. Unfortunately, it is a very easy matter to adulterate prepared paint and this is so frequently done that its reputation has suffered. It should not be forgotten, however, that lead and oil are as easily, and as often, adulterated, and there is a good deal more risk in using paint made from them than in using a prepared paint that bears the name of a reputable manufacturer.

THE SHERWIN-WILLIAMS PAINT (Prepared) S.W.P. enjoys a higher reputation as well as a larger sale than any other prepared paint in the world. It has been on the market for over thirty years and is sold all over North America and in many other parts of the globe. It is a genuine lead, zinc, and linseed oil paint.

The sale of it increases every year. It is as good paint as is possible to make. The man who buys lead and oil and prepares it himself, or has a painter prepare it, can not possibly make a paint equal to *THE SHERWIN-WILLIAMS PAINT (Prepared) S.W.P.* It is hand work against machine work; it is mixing with a stick and guessing at the quantities against mixing on exact formulas and grinding with powerful machinery. If it were not for prejudice nobody would ever buy lead and oil when they could get *THE SHERWIN-WILLIAMS PAINT* with its guarantee.

We use the finest grades of paint materials, and with special machinery, of our own design built in our own machine shop, are able to make a paint that has the greatest covering capacity, greatest durability, and therefore the greatest economy. *S. W. P.* is the cheapest as well as the best paint.

THE SELECTION OF COLORS.

If you have any doubt as to what color combination to use on your house, or are too busy to give the matter proper attention, send to us direct, or through our nearest agent (whose name appears on this folder) a photograph or architect's elevation drawing of your house or buildings to be painted. If you have no photograph or drawing, send a short description of your buildings. State what their present color is, and if much foliage is near or not. Give general dimensions of structures and condition of surfaces. On receipt of this information, our special artist will prepare and send to you specifications giving most appropriate colors, and the quantity of paint required. *No charge whatever* is made for this work.

QUANTITY OF S. W. P. REQUIRED.

To ascertain the quantity of S.W.P. required for two coats: Measure the distance around the building; multiply that by the average height, which will give the square feet of siding; divide that by 300, (the number of square feet S. W. P. covers two coats to the gallon) which will give you approximately the number of gallons of S. W. P. to buy for the *body*; then take 1-8th to 1-5th of this quantity, which will give you the amount for the *cornices and other trimmings*; ascertain the square feet in floors and ceilings of porches, then divide each, as before, by 300, which will give the quantity to buy.

DIRECTIONS FOR USING S. W. P.

This Sherwin-Williams Paint is prepared ready for use, and is as heavy in consistency as is ever required. Under some circumstances it may be thinned before using in accordance with the directions which appear on the package.

Where possible employ a good painter.

Stir the paint thoroughly from the bottom before attempting to use it.

Success in painting depends upon the use of good material carefully applied on a proper surface under favorable conditions. The important thing is to know what to do and how to do it, and what not to do and how to avoid it. The Sherwin-Williams Prepared Paint is the best painting material made, and used properly will give perfect results.

Good results should never be expected when paint is applied under the following conditions:

Over an Ochre Primer, particularly when mixed with boiled linseed oil.

Over a surface which is wet or frosty.

Over a surface which is covered with smoke or grease.

Over green or pitchy lumber.

Over a previous coat of paint which is not thoroughly dry.

BE PARTICULAR ABOUT THE PRIMING.

If cracking, peeling or scaling occurs on buildings painted with good prepared paint, it is, in the majority of cases, traceable to the priming coat.

The importance of a correct priming coat is not generally appreciated. It is the foundation, and if that is wrong, no paint can wear satisfactorily. Anything is *not* good enough for priming; the very best is none too good.

THE SHERWIN-WILLIAMS LIQUID PRIMER is a scientific under-coating and makes the best foundation on which to apply good paint. It costs no more than a primer made from cheap Ochre, either paste or dry. It is furnished in heavy form and should be thinned with a gallon of pure *Raw* linseed oil to each gallon of primer. It is ground very fine, making it go farther. It is a light straw color, over which the body and trimming colors will show up well. It is put up in the same size packages as S.W.P.—quarts, half gallons, gallons, and five gallon packages.

Don't throw this folder away. You'll need it some day, even if you don't need paint to-day.

S.W.P. is sold only through dealers who have secured the agency for its sale.

If further information is desired in regard to any of our paints, write us or apply to our agents. We are glad to answer all inquiries.

ONE QUART

496

ONE QUART

SPECIAL

INTERIOR COLORS

MADE BY

THE SHERWIN-WILLIAMS CO.

CLEVELAND. CHICAGO. NEW YORK. MONTREAL. BOSTON.



SPECIAL INTERIOR COLORS

THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.

CLEVELAND,
CHICAGO, NEWARK, BOSTON, SAN FRANCISCO,
NEW YORK, MONTREAL, TORONTO, KANSAS CITY



THE S-W. SPECIAL INTERIOR COLORS.

The use of paint for walls and interior decoration in dwellings as well as large buildings is constantly growing. Besides being cleaner and more healthful than wall paper it has a well established place in modern schemes of decoration and is liberally specified by leading architects.

Special Interior Colors are prepared in shades most suited for present decorative styles. They are made to dry with a rich velvety appearance and bring out the tone of both light and dark shades to the best advantage.

They are very durable and can be scrubbed without injury. Their working qualities and covering capacity, added to their durability make them the most economical paints for the purpose on the market. They are put up, ready for the brush, in quarts, half gallons, and gallons, and will be found practical for home use or in large structures.

Hospitals will find the finish of these goods especially desirable, as it does away with the reflections of light so distressing to patients.

Every package Full Measure.

See list on back of card for other finishes for interior walls and woodwork.



THE SHERWIN-WILLIAMS CO.

PAINT AND VARNISH MAKERS.

Cleveland, Newark, San Francisco, Montreal,
Chicago, Boston, Los Angeles, Toronto,
New York, Kansas City, Minneapolis, Winnipeg.

CB-11217

SPECIAL INTERIOR COLORS



621




623




625



622



490



615

SPECIAL INTERIOR COLORS



624




628



496



494



617



492

0007-SWP-000176780

**DIRECTIONS FOR USING
THE S-W. SPECIAL
INTERIOR COLORS.**

Special Interior Colors dry with a flat appearance and are intended to produce a rich velvety finish on all interior work.

Where used upon woodwork that has been previously painted, it is only necessary to see that this work has been carefully washed and is perfectly clean. On walls that have been papered all remnants of size, paste, etc., must be carefully removed. The wall should then be sized.

Satisfactory size can be made as follows:

*For Rough or Sand Plastered Walls—*Heat one pound of ordinary glue in three quarts of water until the water boils and glue is dissolved. Then reduce with one gallon of cold water and apply.

*For Hard or Smooth Plastered Walls—*Boil one pound of glue in three-quarts of water for about one hour. Take it off the fire and let it stand in a cool place for 15 to 24 hours. To each gallon of this glue size add two gallons of boiling water and apply while hot. Boiled oil or hard Oil Finish slightly reduced with turpentine will also be found very satisfactory.

Over this sized surface two coats of Special Interior Colors will produce a beautiful, soft finish, artistic, healthful and durable.

THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.

Cleveland, Newark, San Francisco, Montreal,
Chicago, Boston, Los Angeles, Toronto,
New York, Kansas City, Minneapolis, Winnipeg.

**THE SHERWIN-WILLIAMS PAINTS
FOR ALL KINDS OF
GOOD PAINTING**

FOR BUILDINGS, OUTSIDE AND INSIDE, AND ROOFS.
Use **THE SHERWIN-WILLIAMS PAINT (Prepared)**.
For the priming coat—Use **THE S-W. LIQUID PRIMER**.

FOR INTERIORS, WALLS, ETC.

For a high enamel gloss finish
Use **ENAMELOID**.
For an egg shell gloss finish
Use **THE S-W SPECIAL INTERIOR COLORS**.

FOR FLOORS.

Use **THE S-W FLOOR FINISHER**.
For Inside Floors—**THE S-W INSIDE FLOOR PAINT**.
Also **FLOORGLAC**. (For staining floors).
For Porch Floors—**THE S-W PORCH FLOOR PAINT**.
For Varnished Floors—**THE S-W DURABLE FLOOR VARNISH**.
For producing a wax finish—**THE S-W FLOOR WAX**.
For unsightly cracks—**THE S-W CRACK & SEAM FILLER**.

FOR BARNs, ROOFS, FENCES, ETC.

Use **THE S-W COMMONWEALTH BARN RED**.
A bright, economical red.
THE S-W CREOSOTE PAINT,
Made in 12 good shades.
THE S-W ROOF AND BRIDGE PAINT.
Red and Brown.

FOR CUPBOARDS, SHELVES, ETC.

Use **THE S-W FAMILY PAINT**.
Durable oil paint. Can be washed.

FOR BUGGIES, BOATS, PORCH CHAIRS, ETC.

Use **THE S-W BUGGY PAINT**.
A varnish paint specially suited for outside exposure.

FOR CHAIRS, TABLES, DECORATING, ETC.

For a high enamel finish
Use **THE S-W ENAMEL PAINT**.
For varnishing and staining at one operation
Use **THE S-W VARNISH STAIN**.

FOR GUTTERS, RAJN TABLES, TIN ROOFS, ETC.

Use **METALASTIC**.
An elastic paint for preserving steel and iron.


THE SHERWIN-WILLIAMS Co. also makes
WAGON AND IMPLEMENT PAINT | **STOVE PIPE ENAMEL**
BICYCLE ENAMEL | **THE S-W VARNISHES**
BATH ENAMEL | **KOPAL**
SCREEN ENAMEL | A Varnish for general use.
GRAPHITE PAINT | **EXCELLO**
ALUMINUM PAINT | An interior finish.

and Special Paints for every purpose, ready for the brush.

THE SHERWIN-WILLIAMS Co.
PAINT AND VARNISH MAKERS.

Cleveland, Chicago, New York, Newark, Montreal, Boston, Toronto,
San Francisco, Kansas City, Los Angeles, Minneapolis.

dry and free from grease and dirt. Allow 24 hours between coats. Enameloid dries free from dust and tack in from six to eight hours. It can be rubbed in 48 hours.



ENAMELOID

FOR INSIDE USE

NILE GREEN

A NEW ENAMEL FINISH

HALF GALLON

THE SHERWIN-WILLIAMS CO.
 PAINT AND VARNISH MAKERS
 CLEVELAND, CHICAGO, NEW YORK, NEWARK, MONTREAL, BOSTON, TORONTO, SAN FRANCISCO,
 LOS ANGELES, MINNEAPOLIS.

DIRECTIONS FOR USE.
 Apply Enameloid as it comes from the can, using a soft bristle brush. Stir thoroughly before using. Be sure that the surface is

THE
SHERWIN-WILLIAMS
PAINTS



FOR ALL KINDS OF
GOOD PAINTING

ENAMELOID

A NEW ENAMEL
FINISH FOR
INSIDE USE



THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.

CLEVELAND	BOSTON
CHICAGO	TORONTO
NEW YORK	SAN FRANCISCO
NEWARK	KANSAS CITY
MONTREAL	LOS ANGELES
MINNEAPOLIS	

ENAMELOID

is a varnish paint for inside walls and ceilings and inside woodwork, where a high gloss finish is desired.

Enameloid is the best paint of its kind at anywhere near the price.

It is made from good materials and ground very fine in specially prepared liquids by powerful machinery.

It has splendid covering capacity and wears well.

It works remarkably easy; does not drag; can be applied by most anyone. It cleans easily.

Enameloid comes in the eighteen beautiful shades shown on the opposite pages.

DIRECTIONS FOR USE.

Apply Enameloid as it comes from the can, using a soft bristle brush. Stir thoroughly before using. Be sure that the surface is dry and free from grease and dirt. Allow 24 hours between coats.

Enameloid dries free from dust and tack in from six to eight hours. It can be rubbed in 48 hours.

Put up in $\frac{1}{4}$ pint, $\frac{1}{2}$ pint, pint, quart, $\frac{1}{2}$ gallon, and gal' n tin cans.



THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.

CLEVELAND, NEW YORK, MONTREAL, TORONTO,
CHICAGO, NEWARK, BOSTON, SAN FRANCISCO,
KANSAS CITY, LOS ANGELES, WINNIPEG.

CE 05040

A NEW ENAMEL FINISH

ENAMELOID

CITRON

PRIMROSE

NILE GREEN

LAVA

MAUVE

WILLOW GREEN

IVORY WHITE

SATIN GREEN

FLESH

SALMON

SKY BLUE

NAVY BLUE

ENAMELOID IS ALSO MADE IN PURE WHITE.

THE S-W HOUSEHOLD SPECIALTIES

FOR FINISHING INSIDE WALLS AND CEILINGS AND WOODWORK

ENAMEL

Gives a high gloss finish. Made in 18 beautiful shades. Cleans easily. Wears well.

THE SHERWIN-WILLIAMS PAINT

For an oil gloss finish. Made in 42 shades. Will stand plenty of scrubbing. Very durable.

THE S-W. SPECIAL INTERIOR COLORS

Dry with an egg-shell gloss finish. Made in soft, delicate shades. For modern schemes of decoration. Give good service.

FOR FINISHING FLOORS

THE S-W. INSIDE FLOOR PAINT

For inside use only. Dries over night. Wears well. Easily applied.

THE S-W. PORCH FLOOR PAINT

For outside use only. Dries with a full oil gloss. Made to give good service.

THE S-W. FLOORLAC (Registered)

A stain with a gloss to imitate natural woods. Very artistic. Will stand walking on.

THE S-W. DURABLE FLOOR VARNISH

A transparent wood finish. Has fine lustre. Doesn't show heel marks, nor mar easily.

THE S-W. FLOOR WAX

For polishing floors.

THE S-W. CRACK AND SEAM FILLER

For filling unsightly cracks and for smoothing unmatched flooring.

FOR GENERAL HOUSEHOLD USES.

THE S-W. FAMILY PAINT

Gives an oil finish that can be washed. For base-boards, shelves, boxes, and the little things about the house.

THE S-W. BUGGY PAINT

For painting buggies, etc., also for porch and lawn furniture and similar surfaces where a varnish finish is desired. Comes in good strong colors.

THE S-W. VARNISH STAIN

A stain and varnish combined for use on new and old wood. Imitates the natural woods and gives a good lustre.

THE S-W. ENAMEL PAINT

For interior decoration; also for tables, chairs, settees, picture mouldings, etc. Comes in 18 delicate colors. Spreads easily and smoothly. Does not drag.

THE S-W. BATH ENAMEL

For finishing tin or iron bath tubs. Withstands the effects of cold and hot water. Very economical. Wears long.

THE S-W. SCREEN PAINT

Does not gum up the wire. Leaves a tan gloss that prevents dust, dirt, and moisture from remaining on the screen.

THE S-W. ALUMINUM PAINT

For radiators, steam pipes, hot water boilers, gas pipes, stoves, water pipes, etc. Best of its kind on the market. Entirely free from all offensive odor. Covers well. Very durable.

THE S-W. STOVE PIPE ENAMEL

Doesn't blister. Stands the heat. Easily applied. Wears well.



a good old fashioned varnish for inside and outside use. It won't turn white when water strikes it. It is made to last and shine. It is thoroughly aged. There is no work too good or usage too hard for it.



a varnish for inside use only. It can be rubbed. It takes a high polish. It is very transparent. It stands hard wear. It is excellent.

GENERAL PRODUCTS.

THE SHERWIN-WILLIAMS PAINT (Prepared)

For painting buildings outside and inside. Ground very fine. Works easily and saves the painter's time. Covers well and wears long. Very economical. For the priming coat use the S-W. Liquid Primer.

THE S-W. WAGON AND IMPLEMENT PAINT

For painting farm wagons, tools, etc. Can be applied by most anyone.

THE S-W. VARNISHES

Everything good in varnishes for all purposes.

METALASTIC

A durable, economical paint for all metal surfaces.

And special paints for every purpose, ready for the brush.

DIRECTIONS:—Wash the floor clean and be sure it's free from all grease. Let it dry *thoroughly*. Stir the paint well from the bottom of the can until it's of an even consistency. When you paint be careful to keep it thoroughly

THE SHERWIN-WILLIAMS

FLOOR FINISHES

INSIDE FLOOR PAINT

FOR INSIDE USE ONLY

ONE
GALLON

LIGHT TAN

488

MADE BY


THE SHERWIN-WILLIAMS CO.

PAINT AND VARNISH MAKERS.

CLEVELAND, CHICAGO, NEW YORK, NEWARK, MONTREAL, BOSTON, TORONTO, SAN FRANCISCO,
KANSAS CITY, LOS ANGELES.

GUARANTEED FULL MEASURE.

stirred. Brush out the paint thoroughly and don't put it on too thick. Work it into the pores of the wood. Always apply two coats and allow plenty of time between to dry. Add nothing to the paint.



THE SHERWIN-WILLIAMS INSIDE FLOOR PAINT

*For Inside Use Only.
Prepared Ready for Application.*

A splendid paint for inside floors. Dries over night with a good gloss. Is ready for use and easily applied. It is made to walk on and to stand hard wear. Put up in pint, quart, half gallon, and gallon tin cans. *Every package full measure.*

DIRECTIONS FOR USE.

See that the surface is clean and entirely free from grease and moisture. The liquid on the top when the can is opened should be poured off into another can. Stir the pigment thoroughly with a paddle, then add the liquid, a little at a time, until all of it has been mixed with the paint, stirring constantly. Brush paint out well and work thoroughly into the pores of the wood. It's better to apply three thin coats than two heavy coats—they will wear better. Use good bristle brush. Allow plenty of air to circulate through the room—it hastens drying.

New floors and old floors not previously painted—Apply three coats. Allow plenty of time between coats. Inside Floor Paint dries hard over night and can be walked on next morning, but if best results are expected forty-eight hours should be allowed between coats.

Old floors—Use at least two coats on old floors that have been previously painted. Better results may be obtained by using three.

If floor is cracked or boards have shrunk apart use The S-W. Crack and Seam Filler—it gives a good surface for finishing on.

On hardwood floors where a stained effect is desired use FLOORLAC, and where a natural finish is wanted FLOORLAC CLEAR or LAR-NOT—a durable floor varnish, will be found satisfactory.

INSIDE FLOOR PAINT is one of THE SHERWIN-WILLIAMS FLOOR FINISHES which consist of:

For Inside Floors—THE S-W. INSIDE FLOOR PAINT.

Also FLOORLAC. (For staining floors.)

For Porch Floors—THE S-W. PORCH FLOOR PAINT.

For Varnished Floors—LAR-NOT, a durable floor varnish.

For producing a Wax Finish—THE S-W. FLOOR WAX.

For unsightly cracks—THE S-W. CRACK AND SEAM FILLER.


THE S-W. INSIDE FLOOR PAINT

452




ORANGE

488




LIGHT
TAN

487



GRAY

469



DUST
COLOR

376



YELLOW

451



GREEN

468



SLATE

466



LIGHT
BROWN

453



RED

THE SHERWIN-WILLIAMS PAINTS

FOR ALL KINDS OF GOOD PAINTING.

FOR BUILDINGS, OUTSIDE AND INSIDE, AND ROOFS.

Use THE SHERWIN-WILLIAMS PAINT (Prepared).

For the priming coat—Use THE S-W LIQUID PRIMER.

FOR INTERIORS, WALLS, ETC.

For a fine finish

Use THE S-W INTERIOR PAINT.

For a fine finish

Use THE S-W INTERIOR PAINT.

FOR FLOORS.

Use THE S-W FLOOR FINISHES.

For Inside Floors—THE S-W INSIDE FLOOR PAINT.

Also FLOORING. (For painting floors.)

For Porch Floors—THE S-W PORCH FLOOR PAINT.

For Varnished Floors—MAR-NOT, a durable floor varnish.

For producing a wax finish—THE S-W FLOOR WAX.

For unsightly cracks—THE S-W CRACK & SEAM FILLER.

FOR BARN, ROOFS, FENCES, ETC.

Use THE S-W GREGORY PAINT.

Made in 12 good shades.

THE S-W COMMONWEALTH BARN RED.

A rich red.

AND BRIDGE PAINT.

FOR CUPBOARDS, BASEBOARDS, SHELVES, ETC.

Use THE S-W FAMILY PAINT.

Durable oil paint. Can be washed.

FOR HUGGIES, BOATS, PORCH CHAIRS, ETC.

Use THE S-W BUGGY PAINT.

A varnish paint specially suited for outside exposure.

FOR CHAIRS, TABLES, DECORATING, WOODWORK, ETC.

For a high enamel finish

Use THE S-W ENAMEL PAINT.

For staining and varnishing at one operation

Use THE S-W VARNISH STAIN.

FOR RADIATORS, GAS PIPES, STOVES, PICTURE FRAMES, ETC.

For a silver finish

Use THE S-W ALUMINUM PAINT.

For a gold finish

Use THE S-W IMPERIAL GOLD ENAMEL

Or THE S-W EMPRESS GOLD PAINT.

For Colored Enamel Finish on Radiators and Pipes

Use THE S-W RADIATOR ENAMEL.

FOR ALL KINDS OF VARNISHING.

Use THE SHERWIN-WILLIAMS VARNISHES.

A special varnish for each particular purpose.

We also make

WAGON AND IMPLEMENT PAINT

BICYCLE ENAMEL

BATH ENAMEL

and Special Paints for every purpose, ready for the brush

PAINT AND VARNISH MAKER

Cleveland, Chicago, Kansas City, Minneapolis, New York, Newark, Boston, San Francisco, Los Angeles, San Diego, Montreal, Toronto, Winnipeg, London, Eng.

DIRECTIONS:—Wash the floor clean and let it dry *thoroughly*. Stir the paint well from the bottom of the can until it's of an even consistency. Brush out the paint thoroughly and don't put it on too thick.

THE SHERWIN-WILLIAMS

FLOOR FINISHES

PORCH FLOOR PAINT

FOR OUTSIDE USE

HALF
GALLON



48

HALF
GALLON

MADE BY QUANTIFIED FULL MEASURE.

THE SHERWIN-WILLIAMS CO.

PART AND VARNISH MAKERS.

CLEVELAND, CHICAGO, NEW YORK, NEWARK, NORTON, BOSTON, TORONTO, SAN FRANCISCO, KANSAS CITY, LOS ANGELES.

Work it into the pores of the wood. Always apply two coats and allow plenty of time between to dry. Add nothing to the paint.



THE SHERWIN-WILLIAMS PORCH FLOOR PAINT

SPECIALLY PREPARED FOR OUT-
SIDE EXPOSURE. IT IS VERY
DURABLE, LOOKS WELL, AND
SPREADS EASILY.

EVERY PACKAGE FULL MEASURE

DIRECTIONS FOR USE.

Wash the floor clean and let it dry *thoroughly*. Stir the paint well until it's of an even consistency. Brush it out thoroughly and don't put it on too thick. Work it into the pores of the wood. Always apply two coats and allow plenty of time between coats to dry. Add nothing to the paint.

On old floors where the grain of the wood has cracked or the boards have shrunk apart or on new floors that do not match perfectly, use *THE S-W. CRACK AND SEAM FILLER*. It gives a good surface for finishing on.

Put up in pints, quarts, half gallons, and gallons.

Porch Floor Paint is one of *THE SHERWIN-WILLIAMS FLOOR FINISHES* which consist of:

For Inside Floors—*THE S-W INSIDE FLOOR PAINT*
Also *FLOORGLAC*, (For staining floors.)
For Porch Floors—*THE S-W PORCH FLOOR PAINT*.
For Varnished Floors—*THE S-W DURABLE FLOOR VARNISH*.
For producing a wax finish—*THE S-W FLOOR WAX*.
For unsightly cracks—*THE S-W CRACK AND SEAM FILLER*.

THE S-W. PORCH FLOOR PAINT.



45



46



47



48



49



51



50

THE SHERWIN-WILLIAMS PAINTS FOR ALL KINDS OF GOOD PAINTING

FOR BUILDINGS, OUTSIDE AND INSIDE, AND ROOFS.
Use **THE SHERWIN-WILLIAMS PAINT (Prepared)**
For the priming coat—Use **THE S-W LIQUID PRIMER.**

FOR INTERIORS, WALLS, ETC.
For a high enamel gloss finish
Use **ENAMELROID.**
For an egg shell gloss finish
Use **THE S-W SPECIAL INTERIOR COLORS.**

FOR FLOORS.
Use **THE S-W FLOOR FINISHES.**
For Inside Floors—**THE S-W INSIDE FLOOR PAINT.**
Also **FLOORLAC.** (For staining floors.)
For Porch Floors—**THE S-W PORCH FLOOR PAINT.**
For Varished Floors—**THE S-W DURABLE FLOOR VARNISH.**
For producing a wax finish—**THE S-W FLOOR WAX.**
For unsightly cracks—**THE S-W CRACK & BEAM FILLER.**

FOR BARNs, ROOFs, FENCEs, ETC.
Use **THE S-W COMMONWEALTH BARN RED.**
A bright, economical red.
THE S-W CREOSOTE PAINT,
Made in 12 good shades.
THE S-W ROOF AND BRIDGE PAINT.
Red and Brown.

FOR CUPBOARDS, SHELVES, ETC.
Use **THE S-W FAMILY PAINT.**
Durable oil paint. Can be washed.

FOR BUGGIES, BOATS, PORCH CHAIRS, ETC.
Use **THE S-W BUGGY PAINT.**
A varnish paint specially suited for outside exposure.

FOR CHAIRS, TABLES, DECORATING, ETC.
For a high enamel finish
Use **THE S-W ENAMEL PAINT.**
For varnishing and staining at one operation
Use **THE S-W VARNISH STAIN.**

FOR GUTTERS, RAIN TABLES, TIN ROOFS, ETC.
Use **METALASTIC.**
An elastic paint for preserving steel and iron.

THE SHERWIN-WILLIAMS Co. also makes
WAGON AND IMPLEMENT PAINT **STOVE PIPE ENAMEL**
BICYCLE ENAMEL **THE S-W VARNISHES**
BATH ENAMEL **KOPAL**
SCREEN PAINT **A Varnish for general use.**
GRAPHITE PAINT **EXOELLO**
ALUMINUM PAINT **An interior finish.**

and Special Paints for every purpose, ready for the brush




THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.

Cleveland, Chicago, New York, Newark, Montreal, Boston, Toronto
San Francisco, Kansas City, Los Angeles, Minneapolis

DIRECTIONS:—See that the floor is washed perfectly clean and is thoroughly dry. Apply two coats of Floorlac. Floorlac is ground in varnish and dries with a gloss, but if an extra fine finish is desired, apply a coat of The Sherwin-Williams Durable Floor Varnish.

SHERWIN-WILLIAMS FLOOR FINISHES

FLOORLAC



MADE BY GUARANTEED FULL MEASURE

THE SHERWIN-WILLIAMS CO.

PAINT AND VARNISH MAKERS.
CLEVELAND, CHICAGO, NEW YORK, NEWARK, BOSTON, KANSAS CITY, SAN FRANCISCO, LOS ANGELES,
MINNEAPOLIS, MONTREAL, TORONTO, WINNIPEG, LONDON, ENGL.

In finishing new floors, open-grained woods, such as ash, oak, etc., should first receive a coat of THE SHERWIN-WILLIAMS PASTE FILLER, followed by a coat of Floorlac and one coat The Sherwin-Williams Durable Floor Varnish.

FC



THE SHERWIN-WILLIAMS FLOORLAC (REGISTERED)

For inside floors, such as parlor, dining room, and bed room floors; for hallways, stairways, etc.; for borders around rugs or carpets, where it is desired to stain the floor to match any particular kind of wood, and a gloss finish is wanted. It is easy to put on—does not pull under the brush.

It can be used on old floors that have been previously painted by first using a coat of Floorlac Ground.

Floorlac dries with a splendid varnish gloss, but if an extra fine finish is wanted, apply over it a coat of The S-W. Mar-not or Floorlac Clear.

Is made in Cherry, Oak, Green, Mahogany, Golden Oak, Walnut, also Clear. Put up in pint, quart, half-gallon, and gallon cans. Every package is full measure.

DIRECTIONS FOR USE.

See that the floor is clean and dry and free from grease. Stir thoroughly from bottom before using. Brush out well. Allow plenty of air to circulate through room.

NEW FLOORS—On opened grained woods such as Oak, Ash, Chestnut, Walnut, and Butternut, first fill up pores with a coat of The S-W. Paste Filler in shade desired.

Close grained woods such as Maple, Birch, Hard Pine, and Spruce do not require the coat of Filler—simply apply Floorlac.

FIRST COAT FLOORLAC—Use as it comes from can brushing out well. Let stand forty-eight hours and before applying next coat see that floor is perfectly clean and free from dust. New floors look best when finished with Floorlac Clear.

SECOND COAT—Apply coat of Floorlac Clear as it comes from the can. Brush out well, applying thin coat.

OLD FLOORS THAT HAVE BEEN PREVIOUSLY PAINTED—**FIRST COAT**—Apply coat Floorlac Ground as it comes from the can. This is necessary in order to get proper surface on which to apply Floorlac in shade desired. Let dry for forty-eight hours.

SECOND COAT—Apply Floorlac in shade desired brushing out well into a thin coat.

Two coats of Floorlac—one of ground and one of color—will ordinarily give good surface, but for extra fine finish apply a final coat of Floorlac Clear.

FLOORLAC is one of **THE SHERWIN-WILLIAMS FLOOR FINISHES** which consist of:

For Inside Floors—**THE S-W. INSIDE FLOOR PAINT**

Also **FLOORLAC**, (For staining floors)

For Porch Floors—**THE S-W. PORCH FLOOR PAINT**

For Varnished Floors—**MAR-NOT**, a durable floor varnish.

For Wax Floors—**THE S-W. FLOOR WAX**

For unsightly cracks—**THE S-W. CRACK AND SEAM FILLER**.

FLOORLAC



CHERRY



OAK



GREEN



MAHOGANY



GOLDEN⁺
OAK



WALNUT

GROUND

ALSO FLOORLAC CLEAR

⁺Golden Oak must always be used over a coat of Varnish or Mar-not. This applies to both the natural wood and previously painted surfaces. Use only one coat of Golden Oak.

THE SHERWIN-WILLIAMS PAINTS

FOR ALL KINDS OF GOOD PAINTING

FOR BUILDINGS, OUTSIDE AND INSIDE, AND ROOFS,
Use **THE SHERWIN-WILLIAMS PAINT (Prepared)**.
For the priming coat—Use **THE S-W LIQUID PRIMER**.

FOR INTERIORS, WALLS, ETC.
For a high enamel gloss finish
Use **ENAMELID**.
For an egg shell gloss finish
Use **THE S-W SPECIAL INTERIOR COLORS**.

FOR FLOORS.
Use **THE S-W FLOOR FINISHES**.
For Inside Floors—**THE S-W INSIDE FLOOR PAINT**.
Also **FLOORGLAC**. (For staining floors.)
For Porch Floors—**THE S-W PORCH FLOOR PAINT**.
For Varnished Floors—**MAA-NOT**, a durable floor varnish
For producing a wax finish—**THE S-W FLOOR WAX**.
For unsightly cracks—**THE S-W CRACK & BEAM FILLER**.

FOR BARN, ROOFS, FENCES, ETC.
Use **THE S-W CREOSOTE PAINT**.
Made in 12 good shades.
THE S-W COMMONWEALTH BARN RED.
A bright, economical red.
THE S-W ROOF AND BRIDGE PAINT.
Red and Brown.

FOR CLOSETS, BASEBOARDS, SHELVES, ETC.
Use **FAMILY PAINT**.
Can be washed.

FOR BUGGIES, BOATS, PORCH CHAIRS, ETC.
Use **THE S-W BUGGY PAINT**.
A varnish paint specially suited for outside exposure.

FOR CHAIRS, TABLES, DECORATING, WOODWORK, ETC.
For a high enamel finish
Use **THE S-W ENAMEL PAINT**.
For staining and varnishing at one operation
Use **THE S-W VARNISH STAIN**.

FOR RADIATORS, GAS PIPES, STOVES, PICTURE
FRAMES, ETC.
For a silver finish
Use **THE S-W ALUMINUM PAINT**.
For a gold finish
Use **THE S-W IMPERIAL GOLD ENAMEL**
Or **THE S-W EMPRESS GOLD PAINT**.
For Colored Enamel Finish on Radiators and Pipes
Use **THE S-W RADIATOR ENAMEL**.

FOR ALL KINDS OF VARNISHING.
Use **THE SHERWIN-WILLIAMS VARNISHES**.
A special varnish for each particular purpose.

We also make

WAGON AND IMPLEMENT PAINT	SCREEN ENAMEL
BICYCLE ENAMEL	GRAPHITE PAINT
BATH ENAMEL	STOVE PIPE ENAMEL
	METALASTIC

and Special Paints for every purpose, ready for the brush.

 **THE SHERWIN-WILLIAMS CO., PAINT AND VARNISH MAKERS**
Cleveland, Chicago, Kansas City, Minneapolis, New York, Newark, Boston,
San Francisco, Los Angeles, San Diego, Montreal, Toronto, Winnipeg, London, Eng.

Clean out the cracks thoroughly. Apply filler with the palm of the hand pressing downward and across the cracks. On smooth places and in corners a putty knife may be used.

THE SHERWIN-WILLIAMS

FLOOR FINISHES

CRACK & SEAM FILLER



TWO POUNDS

MADE BY GUARANTEED FULL MEASURE.

THE SHERWIN-WILLIAMS CO.

PAINT AND VARNISH MAKERS.

CLEVELAND, OHIO, NEW YORK, NEWARK, MONTREAL, BOSTON, TORONTO, SAN FRANCISCO, KANSAS CITY, LOS ANGELES, MINNEAPOLIS.

After application, wipe off at once all surplus with rough rags or burlaps. When dry (in from twenty-four to forty-eight hours) follow with any of our Floor Finishes.

CO. 214 1003

CF

**THE
SHERWIN-WILLIAMS
CRACK & SEAM FILLER**

A TOUGH, ELASTIC COMPOSITION
FOR FILLING UNSIGHTLY CRACKS
IN FLOORS, AND SEAMS IN DECKS
OF VESSELS. PREVENTS BREEDING
OF WATER BUGS AND ROACHES.



IN old floors, where the grain
of the wood has cracked or
the boards have shrunk
apart, *THE S.W. CRACK AND SEAM FILLER*
is used to produce a smooth, uniform
surface for finishing.

It is also used on new flooring that
does not come together completely,
and on decks of vessels.

It seals up the cracks thoroughly
and prevents them from clogging with
dust and dirt. It is elastic and will
not dry up and shrink like putty.

In cracks of kitchen floors and
base-boards, in cupboards and around
sinks it will be found especially good
to prevent the gathering of grease and

dirty water and the breeding of water bugs, roaches, and disease germs.

It is not affected by water and will withstand any usage that a good floor finish is subjected to.

It is very easy to apply and will cut down the cost of finishing by giving a better surface for the paint or varnish.

It is put up in one, two, five, and ten pound packages.

DIRECTIONS FOR USE.

Clean out the cracks thoroughly. Apply Filler with the palm of the hand, pressing downward and across the cracks. On smooth places and in corners, a putty knife may be used. After application, wipe off at once all surplus Filler with rough rags or burlaps. When dry (in from twenty-four to forty-eight hours) follow with any of our Floor Finishes.




THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.

CLEVELAND, NEW YORK, SAN FRANCISCO, MONTREAL,
CHICAGO, NEWARK, LOS ANGELES, TORONTO,
KANSAS CITY, BOSTON, SAN DIEGO, WINNIPEG,
MINNEAPOLIS, CORDON, ETC.

W347

DIRECTIONS:—On opengrained wood first apply one coat of The Sherwin-Williams Fake Wood filler, then wipe off filler and allow to dry twenty-four hours or more. Next apply with a cloth a thin, even coat of the Floor Wax and polish well with a dry cloth or weighted brush.

THE SHERWIN-WILLIAMS FLOOR FINISHES



FIVE POUNDS

GUARANTEED FULL MEASURE.

FLOOR WAX

MADE BY
THE SHERWIN-WILLIAMS Co.
PAINT AND VARNISH MAKERS.

CHICAGO, NEW YORK, NEWARK, MONTREAL, BOSTON, TORONTO, SAN FRANCISCO, KANSAS CITY, CLEVELAND.

Apply second coat in same way after two hours. For final polish place a piece of carpet under brush. For closegrained woods or floors previously finished omit the filler.

**THE
SHERWIN-WILLIAMS
FLOOR WAX**

NEEDS NO TOOLS.

Put on with a cloth and
polished with a cloth

THE SHERWIN-WILLIAMS FLOOR WAX
a polish for varnished hard wood floors or for use over floors
finished with Mar-nut or stained with Floorlac. It is
transparent and will not change the natural color of the
wood. It takes a high polish and does not show scratches.


Do not take substitutes.

Watts

Stir the paint thoroughly to a uniform consistency before using. Spread evenly and lengthwise of the surface.

ONE QUART

This is a Linseed Oil Paint, and dries as quickly as is consistent with the greatest durability.



DARK BLUE

The Sherwin-Williams "Family Paint" is the Original paint put on the market in this style.

Do not apply the paint on a damp or greasy surface, or before previous coat is thoroughly dry.

Stir the paint thoroughly to a uniform consistency before using. Spread evenly and lengthwise of the surface.

ONE PINT

This is a Linseed Oil Paint, and dries as quickly as is consistent with the greatest durability.



GREEN


The Sherwin-Williams "Family Paint" is the Original paint put on the market in this style.

Do not apply the paint on a damp or greasy surface, or before previous coat is thoroughly dry.

Stir the paint thoroughly to a uniform consistency before using. Spread evenly and lengthwise of the surface.

HALF PINT

This is a Linseed Oil Paint, and dries as quickly as is consistent with the greatest durability.



SPECIAL VERMILION

The Sherwin-Williams "Family Paint" is the Original paint put on the market in this style.

Do not apply the paint on a damp or greasy surface, or before previous coat is thoroughly dry.

K

THE
SHERWIN-WILLIAMS

**FAMILY
PAINT**



FOR PAINTING THE
LITTLE THINGS
ABOUT THE HOUSE

THE SHERWIN-WILLIAMS FAMILY PAINT

FOR CUPBOARDS, SHELVES,
BASEBOARDS, FLOWER BOXES
AND POTS, AND THE LITTLE
THINGS ABOUT THE HOME

This is an oil paint specially prepared for home painting and decoration. It dries with a good gloss, stands plenty of cleaning with soap and water, and wears well.




It is a good plan to keep a can of Family Paint on hand for use when wanted.

DIRECTIONS FOR USE

Stir thoroughly before using. Add nothing to the paint—use it as it comes from the can. Allow plenty of time between coats for drying.

FAMILY PAINT is put up ready for use in quarter pint, half pint, pint, and quart tin cans. It is always *full measure*.

THE SHERWIN-WILLIAMS FAMILY PAINT

		
FLESH	PEA GREEN	STRAW
		
LEMON	SKY BLUE	BUFF
		
LAVENDER	ROSE	ASH GR
		
FRENCH GRAY	LIGHT BLUE	LIGHT FA
		
YELLOW	LIGHT LEAD	ORANG
		
RED	*DARK BLUE	CHERR
		
*GREEN	*BOARLET VERMILION	APPLE GR
		
MAROON	BOTTLE GREEN	BROW

ALSO WHITE

COLORS MARKED THIS (*) ARE HIGHER IN PRICE THAN OTHERS ON THIS FOLDER.

HOUSEHOLD PAINT SPECIALTIES

The Sherwin-Williams Co. make a complete line of paint specialties for household uses. Each one is made for a special purpose and with a thorough understanding of the needs of that purpose. It is impossible to make better paints. It is impossible to buy paints that will give better results or greater economy.

Lower priced paints are numerous, but they give neither satisfaction nor true economy. They are either inferior in quality or dishonest in measure, often both.

The Sherwin-Williams Paints cost just as much as good paints ought to cost—not a cent more. If you pay less you don't get as good paint; if you pay more you pay too much.

See list of products on back of folder.

THE SHERWIN-WILLIAMS PAINTS

FOR ALL KINDS OF GOOD PAINTING

FOR BUILDINGS, OUTSIDE AND INSIDE, AND ROOFS,
Use THE SHERWIN-WILLIAMS PAINT (Prepared).
For the priming coat—Use THE S-W LIQUID PRIMER.

FOR INTERIORS, WALLS, ETC.
For a high enamel gloss finish
Use ENAMELOID.
For an egg shell gloss finish
Use THE S-W SPECIAL INTERIOR COLORS.

FOR FLOORS.
Use THE S-W FLOOR FINISHES.
For Inside Floors—THE S-W INSIDE FLOOR PAINT.
Also FLOORLAC. (For staining floors.)
For Porch Floors—THE S-W PORCH FLOOR PAINT.
For Varnished Floors—MAR-SOL, a durable floor varnish.
For producing a wax finish—THE S-W FLOOR WAX.
For unsightly cracks—THE S-W CRACK & SEAM FILLER.

FOR BARN, ROOFS, FENCES, ETC.
Use THE S-W CREOSOTE PAINT.
Made in 12 good shades.
THE S-W COMMONWEALTH BARN RED.
A bright, economical red.
THE S-W ROOF AND BRIDGE PAINT.
Red and Brown.

FOR CUPBOARDS, BASEBOARDS, SHELVES, ETC.
Use THE S-W FAMILY PAINT.
Durable oil paint. Can be washed.

FOR BUGGIES, BOATS, PORCH CHAIRS, ETC.
Use THE S-W BUGGY PAINT.
A varnish paint specially suited for outside exposure.

FOR CHAIRS, TABLES, DECORATING, WOODWORK, ETC.
For a high enamel finish
Use THE S-W ENAMEL PAINT.
For staining and varnishing at one operation
Use THE S-W VARNISH STAIN.

FOR RADIATORS, GAS PIPES, STOVES, PICTURE
FRAMES, ETC.
For a silver finish
Use THE S-W ALUMINUM PAINT.
For a gold finish
Use THE S-W IMPERIAL GOLD ENAMEL
Or THE S-W EMPRESS GOLD PAINT.
For Colored Enamel Finish on Radiators and Pipes
Use THE S-W RADIATOR ENAMEL.

FOR ALL KINDS OF VARNISHING.
Use THE SHERWIN-WILLIAMS VARNISHES.
A special varnish for each particular purpose.

We also make

WAGON AND IMPLEMENT PAINT	SCREEN ENAMEL
BICYCLE ENAMEL	GRAPHITE PAINT
BATH ENAMEL	STOVE PIPE ENAMEL
	METALASTIC


and Special Paints for every purpose, ready for the brush.

 THE SHERWIN-WILLIAMS CO., PAINT AND VARNISH MAKERS


Cleveland, Chicago, Kansas City, Minneapolis, New York, Newark, Boston,
San Francisco, Los Angeles, San Diego, Montreal, Toronto, Winnipeg, London, Eng.

 Stir the paint thoroughly

VARNISH GLOSS PAINT FOR PAINTING
AND VARNISHING AT ONE OPERATION
s, Porch, Lawn and Kitchen Furniture,
s, Implements, Boats, Machinery, Etc.



BUGGY PAINT—A VARNISH GLOSS PAINT
This paint as made is ready for application, but is considered too heavy for certain work a little pure spirit turpentine may be added.
DIRECTIONS:—To produce a good job, the surface to be painted, should be perfectly free from grease, clean and dry. Spread evenly, and not too heavy. Let paint dry thoroughly before attempting to apply. Use soft bristle brush.





THE SHERWIN-WILLIAMS BUGGY PAINT.

A VARNISH GLOSS PAINT
OF GREAT DURABILITY
FOR OUTSIDE EXPOSURE

For Painting and Varnishing at one operation:

*Carriages, Wagons, Sleighs,
Carts, Sleds, Porch, Lawn
and Kitchen Furniture,
Farm Implements, Boats,
Machinery, Etc.
Excellent for Radiators.*

DIRECTIONS FOR USE.

To produce a good job, the surface before painting should be perfectly free from grease, clean, and dry. Spread evenly and not too heavy. Stir the paint thoroughly before attempting to apply. Use soft bristle brush.


The paint as it is in the can is ground ready for application, but if it is considered too heavy for certain work, a little pure spirits of turpentine may be added.

Put up in quart, pint, and half pint cans.

Every package is FULL Measure.

This line of products also includes (in same size packages and at same prices) *Enamel Leather Dressing* for Carriage Tops, etc.

THE S-W. BUGGY PAINT.



COLORS MARKED WITH (*) ARE HIGHER IN PRICE THAN OTHERS ON THIS FOLDER

THE SHERWIN-WILLIAMS PAINTS FOR ALL KINDS OF GOOD PAINTING

FOR BUILDINGS, OUTSIDE AND INSIDE, AND ROOFS.
Use THE SHERWIN-WILLIAMS PAINT (Prepared).
For the priming coat—Use THE S-W LIQUID PRIMER.

FOR INTERIORS, WALLS, ETC.
For a high enamel gloss finish
Use ENAMELDID.
For an egg shell gloss finish
Use THE S-W SPECIAL INTERIOR COLORS.

FOR FLOORS.
Use THE S-W FLOOR FINISHER.
For Inside Floors—THE S-W INSIDE FLOOR PAINT.
Also FLOORGLAZ. (For standing floors.)
For Porch Floors—THE S-W PORCH FLOOR PAINT.
For Varnished Floors—THE S-W DURABLE FLOOR VARNISH.
For producing a wax finish—THE S-W FLOOR WAX.
For unsightly cracks—THE S-W CRACK & SEAM FILLER.

FOR BARNs, ROOFS, FENCES, ETC.
Use THE S-W COMMONWEALTH BARN RED.
A bright, economical red.
THE S-W CREOSOTE PAINT,
Made in 12 good shades.
THE S-W ROOF AND BRIDGE PAINT.
Red and Brown.

FOR CUPBOARDS, SHELVES, ETC.
Use THE S-W FAMILY PAINT.
Durable oil paint. Can be washed.

FOR BUGGIES, BOATS, PORCH CHAIRS, ETC.
Use THE S-W BUGGY PAINT.
A varnish paint specially suited for outside exposure.

FOR CHAIRS, TABLES, DECORATING, ETC.
For a high enamel finish
Use THE S-W ENAMEL PAINT.

For varnishing and staining at one operation
Use THE S-W VARNISH STAIN.

FOR GUTTERS, RAIN TABLES, TIN ROOFS, ETC.
Use METALASTIC.
An elastic paint for preserving steel and iron.


THE SHERWIN-WILLIAMS CO. also makes
WAGON AND IMPLEMENT PAINT STOVE PIPE ENAMEL
BICYCLE ENAMEL THE S-W VARNISHES
BATH ENAMEL KOPAL
SCREEN PAINT A Varnish for general use.
GRAPHITE PAINT EXCELLO
ALUMINUM PAINT An interior finish.

and Special Paints for every purpose, ready for the brush.

 THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.

Cleveland, Chicago, New York, Newark, Montreal, Boston, Toronto,
San Francisco, Kansas City, Los Angeles, Minneapolis.

FOR STAINING AND VARNISHING AT ONE OPERA-
TION, CHAIRS, TABLES, SETTEES, BED ROOM SETS,
BOOK CASES, FLOWER STANDS, BASE BOARDS,
WAINSCOTING, WILLOW AND RATTAN WARE, &c. ALSO
SPECIALLY SUITED FOR FLOORS WHERE RUGS ARE USED.



DIRECTIONS—SURFACE TO BE STAINED SHOULD BE CLEAN AND DRY. STIR THOROUGHLY AND APPLY ONE COAT ON LIGHT COLORED NATURAL WOOD. IF THE SURFACE HAS BEEN PREVIOUSLY PAINTED, ONE COAT OF OUR VARNISH STAIN GROUND WILL PRODUCE A PROPER SURFACE FOR ALL COLORS EXCEPT EBONY, WHICH REQUIRES NO GROUND.

ALWAYS APPLY GOLDEN OAK VARNISH STAIN OVER A COAT OF VARNISH STAIN GROUND, AND NEVER APPLY MORE THAN ONE COAT.



THE SHERWIN-WILLIAMS VARNISH STAIN

FOR FURNITURE AND WOODWORK

IMITATES THE NATURAL WOODS--STAINING
AND VARNISHING AT THE SAME OPERATION

The S-W. Varnish Stain is made especially for renewing old furniture and woodwork, and when so used will imitate the original natural wood finish of the article. Varnish Stain can also be used over natural light colored wood not painted.

The original finish of previously painted surfaces can be changed to any one of the woods represented in this line by first applying a coat of *The S-W. Varnish Stain Ground*.


Put up in $\frac{1}{4}$ pints, $\frac{1}{2}$ pints, pints, and quarts, half gallons, and gallons. Every package is full measure.

DIRECTIONS FOR USE

Surface to be stained should be clean and dry. Stir thoroughly and apply one coat on light colored natural wood. If the surface has been previously painted, one coat of *THE S-W. GROUND* will produce a proper surface for all colors except ebony and flat black, which require no ground. On previously painted surfaces in order to get a grained effect, over a coat of *THE S-W. GROUND* apply a coat of *THE S-W. VARNISH STAIN*, painting about a square yard of surface at a time. Then go back to where you began painting on this square yard and go over the surface with the brush without dipping it into the paint again, waving it from side to side.

For the dull black finish so much desired in present day decoration use *The S-W. Flat Black*.

THE S-W. VARNISH STAIN

	CHERRY
	OAK
	GREEN
	MAHOGANY
	GOLDEN* OAK
	ROSEWOOD
	ALSO EBONY
	WALNUT
	GROUND

*Golden Oak must always be used over a coat of Varnish Stain Ground. This applies to both the natural wood and previously painted surfaces. Use only one coat of Golden Oak.

THE SHERWIN-WILLIAMS PAINTS
FOR ALL KINDS OF
GOOD PAINTING

FOR BUILDINGS, OUTSIDE AND INSIDE, AND ROOFS.
Use **THE SHERWIN-WILLIAMS PAINT (Prepared)**.
For the priming coat—Use **THE S-W LIQUID PAINTER**.

FOR INTERIORS, WALLS, ETC.

For a high enamel gloss finish
Use **CHAMELCO**.
For an egg shell gloss finish
Use **THE S-W SPECIAL INTERIOR COLORS**.

FOR FLOORS.

Use **THE S-W FLOOR FINISHES**.
For Inside Floors—**THE S-W INSIDE FLOOR PAINT**.
Also **FLOORGLAZ**. (For staining floors.)
For Porch Floors—**THE S-W PORCH FLOOR PAINT**.
For Varnished Floors—**THE S-W DURABLE FLOOR VARNISH**.
For producing a wax finish—**THE S-W FLOOR WAX**.
For tightening cracks—**THE S-W CRACK & SEAM FILLER**.

FOR BARNES, ROOFS, FENCES, ETC.

Use **THE S-W COMMONWEALTH BARN RED**.
A bright, economical red.
THE S-W CREOSOTE PAINT.
Made in 12 good shades.
THE S-W ROOF AND BRIDGE PAINT.
Red and Browns.

FOR CUPBOARDS, SHELVES, ETC.

Use **THE S-W FAMILY PAINT**.
Durable oil paint. Can be washed.

FOR BUGGIES, BOATS, PORCH CHAIRS, ETC.

Use **THE S-W BUGGY PAINT**.
A varnish paint specially suited for outside exposure.

FOR CHAIRS, TABLES, DECORATING, ETC.

For a high enamel finish
Use **THE S-W ENAMEL PAINT**.
For varnishing and staining at one operation
Use **THE S-W VARNISH STAIN**.

FOR GUTTERS, RAIN TABLES, TIN ROOFS, ETC.

Use **METALASTIC**.
An elastic paint for preserving steel and iron.

THE SHERWIN-WILLIAMS Co. also makes
WAGON AND IMPLEMENT PAINT, STOVE PIPE ENAMEL,
BICYCLE ENAMEL, THE S-W VARNISHES
GUTH ENAMEL, KOPAL,
SILVER PAINT, A Varnish for general use,
GRAPHITE PAINT, EXCELLO
ALUMINUM PAINT, An interior finish.
and Special Paints for every purpose, ready for the brush.

 **THE SHERWIN-WILLIAMS Co.**
PAINT AND VARNISH MAKERS.

Cleveland, Chicago, New York, Newark, Montreal, Boston, Toronto,
San Francisco, Kansas City, Los Angeles, Minneapolis.

Stir the paint thoroughly to a uniform consistency

HALF PINT

OIL STAIN

MADE BY **WALNUT**

THE SHERWIN-WILLIAMS Co.

PAINT AND VARNISH MAKERS.

CLEVELAND, CHICAGO, NEW YORK, NEWARK, BOSTON, KANSAS CITY, SAN FRANCISCO,
LOS ANGELES, MINNEAPOLIS, MONTREAL, TORONTO, WINNIPEG.

MADE IN U.S.A.

OS

THE SHERWIN-WILLIAMS
OIL STAIN

FOR NEW WOOD ONLY. COR-
RECTLY IMITATES THE FOLLOW-
ING WOODS: OAK, CHERRY,
MAHOGANY, GOLDEN OAK,
ROSEWOOD, WALNUT, EBONY.



THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.

CLEVELAND, NEW YORK, MONTREAL, TORONTO,
CHICAGO, NEWARK, BOSTON, SAN FRANCISCO,
KANSAS CITY, LOS ANGELES, MINNEAPOLIS.

**THE
SHERWIN-WILLIAMS
OIL STAIN**

*For new wood only. Correctly
imitates the woods mentioned on
opposite page.*

The S-W. Oil Stain is exactly
suited to the needs of the
practical decorator. It works
freely and dries properly. Is
very economical on account of
its saving in time and labor.
It's the best Oil Stain made.

Put up in $\frac{1}{2}$ pint, pint,
quart, half gallon, and gallon
tin cans, prepared ready for
use.

Every Package is FULL Measure.

THE S-W. OIL STAIN.



CHERRY



OAK



MAHOGANY



GOLDEN OAK




ROSEWOOD



WALNUT



EBONY



THE SHERWIN-WILLIAMS PAINTS FOR ALL KINDS OF GOOD PAINTING

FOR BUILDINGS, OUTSIDE AND INSIDE, AND ROOFS
Use THE SHERWIN-WILLIAMS PAINT (Prepared)
For the priming coat—Use THE S-W LIQUID PRIMER.

FOR INTERIORS, WALLS, ETC.
For a high enamel gloss finish
Use ENAMELOID.
For an egg shell gloss finish
Use THE S-W SPECIAL INTERIOR COLORS.

FOR FLOORS.
Use THE S-W FLOOR FINISHES.
For Inside Floors—THE S-W INSIDE FLOOR PAINT.
Also FLOORLAC. (For staining floors).
For Porch Floors—THE S-W PORCH FLOOR PAINT.
For Varnished Floors—THE S-W DURABLE FLOOR VARNISH.
For producing a wax finish—THE S-W FLOOR WAX.
For unsightly cracks—THE S-W CRACK & SEAM FILLER.

FOR BARN, ROOFS, FENCES, ETC.
Use THE S-W COMMONWEALTH BARN RED.
A bright, economical red.
THE S-W CREOSOTE PAINT,
Made in 12 good shades.
THE S-W ROOF AND BRIDGE PAINT.
Red and Brown.

FOR CUPBOARDS, SHELVES, ETC.
Use THE S-W FAMILY PAINT.
Durable oil paint. Can be washed.

FOR BUGGIES, BOATS, PORCH CHAIRS, ETC.
Use THE S-W BUGGY PAINT.
A varnish paint specially suited for outside exposure.

FOR CHAIRS, TABLES, DECORATING, ETC.
For a high enamel finish
Use THE S-W ENAMEL PAINT.
For varnishing and staining at one operation
Use THE S-W VARNISH STAIN.

FOR BUTTERS, RAIN TABLES, TIN ROOFS, ETC.
Use METALASTIC.
An elastic paint for preserving steel and iron.

THE SHERWIN-WILLIAMS CO. also makes
WAGON AND IMPLEMENT PAINT | STOVE PIPE ENAMEL
BICYCLE ENAMEL | THE S-W VARNISHES
BATH ENAMEL | KOPAL
SCREEN ENAMEL | A Varnish for general use.
GRAPHITE PAINT | EXCELLO
ALUMINUM PAINT | An interior finish.
and Special Paints for every purpose, ready for the brush.

 THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.

Cleveland, Chicago, New York, Newark, Montreal, Boston, Toronto,
San Francisco, Kansas City, Los Angeles, Minneapolis

ENAMEL PAINT.

Specially prepared for
use on

Chairs
Tables
Settees
Cupboards
Shelving
Desks
Pottery
Wicker Work
Bridges, Etc.



DIRECTIONS.

Stir the contents of
this package thorough-
ly from the bottom be-
fore attempting to ap-
ply.

Be sure the surface
to be painted is per-
fectly free from grease
and moisture.

One coat of our
ENAMEL GROUND
and a flowing coat of
Enamel for finish will
produce good results.

EP

THE
SHERWIN-
WILLIAMS
ENAMEL
PAINT



THE SHERWIN-WILLIAMS ENAMEL PAINT

Specially suited for use on Bedsteads, Dressers, Chiffoniers, Desks, Tables, Chairs, Settees, Wicker Work, Shelving, Pottery, Velocipedes, etc. For producing an enamel finish on wood-work and walls. Gives best results at smallest cost.

There is no other similar product that is so satisfactory as *The S-W. Enamel Paint*. It is the longest wearing and most easily applied paint of its kind. It does not pull or drag under the brush, and can be put on by anyone.

DIRECTIONS FOR USE.

Stir thoroughly from the bottom before using. Apply as it comes from the can, in a *thin* coat, with a soft bristle or sitch brush. Allow plenty of time to dry between coats.

We make a special White Ground for use under Enamel paint. It gives a good surface for finishing and for ordinary uses one coat of Enamel will cover with full gloss over one coat of Ground.


When using the tinted Enamel, the White Ground should be tinted with a little of the finishing Enamel.

Put up for home use in $\frac{1}{4}$ pints, $\frac{1}{2}$ pints, pints, and quarts.

Every package is FULL Measure.

The S-W. Enamel Paint produces the much desired enamel finish on wood-work, and walls, at a great saving in time, labor, number of coats, and cost of material, over old methods. It brings the much desired enamel finish within reach of persons of moderate means. Special directions for application given upon request.

THE S-W. ENAMEL PAINT.



THE SHERWIN-WILLIAMS PAINTS

FOR ALL KINDS OF GOOD PAINTING

FOR BUILDINGS, OUTSIDE AND INSIDE, AND ROOFS,
Use **THE SHERWIN-WILLIAMS PAINT (Prepared)**.
For the priming coat—Use **THE S-W LIQUID PRIMER**.

FOR INTERIORS, WALLS, ETC.
For a high enamel gloss finish
Use **ENAMELLOID**.
For an egg shell gloss finish
Use **THE S-W SPECIAL INTERIOR COLORS**.

FOR FLOORS.
Use **THE S-W FLOOR FINISHES**.
For Inside Floors—**THE S-W INSIDE FLOOR PAINT**.
Also **FLOORLAC**. (For staining floors.)
For Porch Floors—**THE S-W PORCH FLOOR PAINT**.
For Varnished Floors—**MAR-NOR**, a durable floor varnish.
For producing a wax finish—**THE S-W FLOOR WAX**.
For unsightly cracks—**THE S-W CRACK & SEAM FILLER**.

FOR BARN ROOFS, FENCES, ETC.
Use **THE S-W CREOSOTE PAINT**.
Made in 22 good shades.
THE S-W COMMONWEALTH BARN RED.
A bright, economical red.
THE S-W ROOF AND BRIDGE PAINT.
Red and Brown.

FOR CUPBOARDS, BASEBOARDS, SHELVES, ETC.
Use **THE S-W FAMILY PAINT**.
Durable oil paint. Can be washed.

FOR BUGGIES, BOATS, PORCH CHAIRS, ETC.
Use **THE S-W BUGGY PAINT**.
A varnish tint specially suited for outside exposure.

FOR CHAIRS, TABLES, DECORATING, WOODWORK, ETC.
For a high enamel finish
Use **THE S-W ENAMEL PAINT**.
For staining and varnishing at one operation
Use **THE S-W VARNISH STAIN**.

FOR RADIATORS, GAS PIPES, STOVES, PICTURE
FRAMES, ETC.
For a silver finish
Use **THE S-W ALUMINUM PAINT**.
For a gold finish
Use **THE S-W IMPERIAL GOLD ENAMEL**
Or **THE S-W EMPRESS GOLD PAINT**.
For Colored Enamel Finish on Radiators and Pipes
Use **THE S-W RADIATOR ENAMEL**.

FOR ALL KINDS OF VARNISHING.
Use **THE SHERWIN-WILLIAMS VARNISHES**.
A special varnish for each particular purpose.

We also make

WAGON AND IMPLEMENT PAINT

BICYCLE ENAMEL

BATH ENAMEL

and Special Paints for every purpose, ready for the brush.

SCREEN ENAMEL
GRAPHITE PAINT
STOVE PIPE ENAMEL
METALASTIO



**THE SHERWIN-WILLIAMS CO., PAINT AND
VARNISH MAKERS**
Cleveland, Chicago, Kansas City, Minneapolis, New York, Newark, Boston,
San Francisco, Los Angeles, San Diego, Montreal, Toronto, Winnipeg, London, Etc.

Apply the paint thoroughly to a uniform consistency

DIRECTIONS
BEFORE APPLYING THE ENAMEL THE TUB SHOULD BE ABSOLUTELY FREE FROM MOISTURE, ALL GREASE AND SOAP MUST BE REMOVED, AND IF SURFACE IS ROUGH, RUB WITH SANDPAPER OR SAND. APPLY WITH A VARNISH BRUSH AND SPREAD THIN, ALLOWING AT LEAST 24

BATH ENAMEL


HALF PINT PORCELAIN



THE SHERWIN-WILLIAMS Co.
PAINT AND VARNISH MAKERS.
Cleveland, Chicago, New York, Newark, Boston, Kansas City,
San Francisco, Los Angeles, Minneapolis, Montreal, Toronto, Winnipeg.

HOURS BETWEEN COATS FOR THE BEST RESULTS. THREE COATS ARE NECESSARY IF A PORCELAIN FINISH IS DESIRED. WHEN APPLYING ENAMEL TO A TUB, IT SHOULD BE ALLOWED BEFORE REMOVING THE BRUSH TO TOUCH THE ENAMEL. IF CONSIDERED TOO HEAVY, THIN WITH PURE SPIRITS OF TURPENTINE.

PK
THE
SHERWIN-WILLIAMS



BATH
ENAMEL

**THE
SHERWIN-WILLIAMS
BATH ENAMEL**

FOR REFINISHING ORDINARY METAL LINED TUBS

**MADE ESPECIALLY FOR THIS WORK
PRODUCES A METAL-LIKE SURFACE
THAT WITHSTANDS HOT AND
COLD WATER.**

Put up in pints and half pints.


DIRECTIONS FOR USE

Before applying Bath Enamel, the tub should be absolutely free from moisture, all grease and soap must be removed, and if surface is rough, rub with sand paper or pumice stone. Apply with a varnish brush, and spread thin, allowing at least 48 hours between coats, for the best results. Three coats are necessary if porcelain-like surface is desired. Several days should be allowed before permitting water to touch the Enamel. If considered too heavy thin with pure Spirits of Turpentine.


Every package is FULL Measure.

v166


THE S-W. BATH ENAMEL



PORCELAIN



IVORY



ROSE

NILE GREEN

THE SHERWIN-WILLIAMS PAINTS FOR ALL KINDS OF GOOD PAINTING

FOR BUILDINGS, OUTSIDE AND INSIDE, AND ROOFS.
Use **THE SHERWIN-WILLIAMS PAINT (Prepared)**.
For the priming coat—Use **THE S-W LIQUID PRIMER**.

FOR INTERIORS, WALLS, ETC.
For a high enamel gloss finish
Use **ENAMELOID**.
For an egg shell gloss finish
Use **THE S-W SPECIAL INTERIOR COLORS**.

FOR FLOORS.
Use **THE S-W FLOOR FINISHES**.
For Inside Floors—**THE S-W INSIDE FLOOR PAINT**.
Also **FLOORGLAC**. (For staining floors).
For Porch Floors—**THE S-W PORCH FLOOR PAINT**.
For Varnished Floors—**THE S-W DURABLE FLOOR VARNISH**.
For producing a wax finish—**THE S-W FLOOR WAX**.
For unsightly cracks—**THE S-W CRACK & SEAM FILLER**.

FOR BARNs, ROOFS, FENCES, ETC.
Use **THE S-W COMMONWEALTH BARN RED**.
A bright, economical red.
THE S-W OREDORE PAINT,
Made in 12 good shades.
THE S-W ROOF AND BRIDGE PAINT,
Red and Brown.

FOR CUPBOARDS, SHELVES, ETC.
Use **THE S-W FAMILY PAINT**.
Durable oil paint. Can be washed.

FOR BUGGIES, BOATS, PORCH CHAIRS, ETC.
Use **THE S-W BUGGY PAINT**.
A varnish paint specially suited for outside exposure.

FOR CHAIRS, TABLES, DECORATING, ETC.
For a high enamel finish
Use **THE S-W ENAMEL PAINT**.
For varnishing and staining at one operation
Use **THE S-W VARNISH STAIN**.

FOR GUTTERS, PAINT TABLES, TIN ROOFS, ETC.
Use **METALASTIC**.
An elastic paint for preserving steel and iron.

THE SHERWIN-WILLIAMS CO. also makes

WAGON AND IMPLEMENT PAINT	STOVE PIPE ENAMEL
BICYCLE ENAMEL	THE S-W VARNISHES
BATH ENAMEL	KOPAL
SCREEN ENAMEL	A Varnish for general use.
GRAPHITE PAINT	EXCELLO
ALUMINUM PAINT	An interior finish.

and Special Paints for every purpose, ready for the brush.



THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.

Cleveland, Chicago, New York, Newark, Montreal, Boston, Toronto,
San Francisco, Kansas City, Los Angeles, Minneapolis


Use
 THE SHERWIN-WILLIAMS PAINTS
 and COLORS for all Purposes.
 THIS IS AN AIR DRYING ENAMEL.
 WE ALSO MAKE A SUPERIOR QUAL-
 ITY OF BAKING ENAMELS.



DIRECTIONS.
 (1) REMOVE ALL GREASE AND DIRT;
 RUB WITH FINE SAND-PAPER.
 THE PARTS TO BE ENAMELED.
 THE SURFACE MUST BE PERFECTLY
 DRY AND NOT TOUCHED WITH THE
 BARE HAND AFTER CLEANING AND
 SAND-PAPERING. APPLY ENAMEL
 WITH SOFT BRISTLE BRUSH.

BL

THE
SHERWIN-WILLIAMS
AIR DRYING
BICYCLE ENAMEL



**THE
SHERWIN-WILLIAMS
AIR DRYING
BICYCLE ENAMEL**

A high priced bicycle can be ruined, as far as appearance is concerned, by a few cents worth of inferior enamel.

The Sherwin-Williams Air Drying Bicycle Enamel is made for reproducing the original surface, and does it as it should be done.

A small brush, a little enamel, and a little time are all that are needed to make a bicycle look as good as new.

Easy to put on, hard to knock off.

Put up in quarter pints. *Every package is full measure.*

DIRECTIONS FOR USE

Clean surface carefully with benzine, and rub perfectly dry before applying the enamel which should be applied with soft bristle brush.

THE S-W. AIR DRYING BICYCLE ENAMEL



YELLOW



ORANGE



STERLING GREEN



VERMILION



BLUE



CARMINE



BRILLIANT GREEN



MAROON



GREEN

ALSO WHITE AND BLACK

THE SHERWIN-WILLIAMS PAINTS FOR ALL KINDS OF GOOD PAINTING

FOR BUILDINGS, OUTSIDE AND INSIDE, AND ROOFS.
Use THE SHERWIN-WILLIAMS PAINT (Prepared).
For the priming coat—Use THE S-W LIQUID PRIMER.

FOR INTERIORS, WALLS, ETC.

For a high gloss finish

Use THE S-W GLOSS FINISH

For a flat finish

Use THE S-W FLAT FINISH

FOR FLOORS.

Use THE S-W FLOOR FINISHES.

For inside floors—THE S-W INSIDE FLOOR PAINT.

Also FLOORING. (For staining floors.)

For Porch Floors—THE S-W PORCH FLOOR PAINT.

For Varnished Floors—THE S-W DURABLE FLOOR VARNISH.

For producing a wax finish—THE S-W FLOOR WAX.

For unsightly cracks—THE S-W CRACK & SEAM FILLER.

FOR BARNs, ROOFS, FENCES, ETC.

Use THE S-W COMMONWEALTH BARN RED.

A bright, economical red.

THE S-W CREOSOTE PAINT.

Made in 12 good shades.

THE S-W ROOF AND BRIDGE PAINT.

Red and Brown.

FOR CUPBOARDS, SHELVES, ETC.

Use THE S-W FAMILY PAINT.

Durable oil paint. Can be washed.

FOR BUGGIES, BOATS, PORCH CHAIRS, ETC.

Use THE S-W BUGGY PAINT.

A varnish paint specially suited for outside exposure.

FOR CHAIRS, TABLES, DECORATING, ETC.

For a high enamel finish

Use THE S-W ENAMEL PAINT.

For varnishing and staining at one operation

Use THE S-W VARNISH STAIN.

FOR GUTTERS, RAIN TABLES, TIN ROOFS, ETC.

Use METALASTIC.

An elastic paint for preserving steel and iron.

THE SHERWIN-WILLIAMS Co. also makes

WAGON AND IMPLEMENT PAINT

BICYCLE ENAMEL

BATH ENAMEL

SCREEN PAINT

GRAPHITE PAINT

ALUMINUM PAINT

STOVE PIPE ENAMEL

THE S-W VARNISHED

KOPAL

A Varnish for general use.


EXCELLO

An interior finish.

and Special Paints for every purpose, ready for the brush.

 THE SHERWIN-WILLIAMS Co.
PAINT AND VARNISH MAKERS.

Cleveland, Chicago, New York, Newark, Montreal, Boston, Toronto,
San Francisco, Kansas City, Los Angeles, Minneapolis.



***THE
SHERWIN-WILLIAMS
SCREEN ENAMEL***

ARRESTS RUST—PRESERVES THE SCREEN. THE PER-
FECTION OF CONVENIENCE FOR HOME USE. PUT UP
IN HALF PINTS, PINTS AND QUARTS. READY TO USE

GREEN

BLACK

Keep your window and door screens in good condition by using
THE SHERWIN-WILLIAMS SCREEN ENAMEL

For painting picture frames,
moulding, gas fixtures, etc.,
where a flat, dull finish is
desired.

FLAT BLACK
READY FOR USE
FOR PRODUCING A DULL FINISH

MADE BY
THE SHERWIN-WILLIAMS Co.
PAINT AND VARNISH MAKERS.

Cleveland, Chicago, New York, Kansas, Boston, Kansas City, San Francisco,
Los Angeles, Minneapolis, Montreal, Toronto, Winnipeg.

Apply with a soft brush; best
results are obtained by using
a camel hair brush.

THE
SHERWIN-WILLIAMS
FLAT BLACK FINISH

*FOR PRODUCING
A DULL FINISH*

On ornamental iron work, picture frames, moulding, iron lamps, etc. Can be used on wood or metal.

Dries with a dead black lustre, giving the much sought wrought iron finish.

Has large covering capacity, wears well, is easily applied. Is very economical.



THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.

Cleveland, New York, San Francisco, Montreal,
Chicago, Newark, Los Angeles, Toronto,
Kansas City, Boston, San Diego, Winnipeg,
Minneapolis, London, Eng.

FB-w28

ONE PINT



ONE PINT

ONE PINT



ONE PINT

ONE PINT



ONE PINT



**THE
SHERWIN-WILLIAMS
WAGON AND IMPLEMENT PAINT**

**FOR FARM WAGONS, IM-
PLEMENTS, TOOLS, ETC.**

This paint dries with an oil gloss, and will be found extremely useful around the farm for repainting wagons, field implements, tools, etc. It is the best paint for the purpose on the market and will give entire satisfaction in every way.

Implements and wagons that are severely exposed to dirt and water cannot be painted too frequently. A painted surface is more easily cleaned, and kept clean, than one that is unpainted, and there is less opportunity for rot and decay. The S-W. Wagon and Implement Paint is therefore wise economy, and will increase the life of articles on which it is used.

DIRECTIONS FOR USE

The surface to which Wagon and Implement Paint is applied should be entirely free from dirt, grease, and oils, and perfectly dry. On wagons, especially, all roughness should be removed, and all cracked or peeled paint scraped down if the best results are desired. Stir the paint thoroughly.

Put up in pints, quarts, half gallons, and gallons. Every package is full measure.

THE S-W. WAGON AND IMPLEMENT PAINT



YELLOW



BLUE



WINE



GREEN



RED



BLACK

THE SHERWIN-WILLIAMS PAINTS FOR ALL KINDS OF GOOD PAINTING

FOR BUILDINGS, OUTSIDE AND INSIDE, AND ROOFS.
Use **THE SHERWIN-WILLIAMS PAINT (Prepared)**.
For the priming coat—Use **THE S-W. LIQUID PRIMER**.

FOR INTERIORS, WALLS, ETC.
For a high enamel gloss finish
Use **ENAMELOID**.
For an egg shell gloss finish
Use **THE S-W SPECIAL INTERIOR COLORS**.

FOR FLOORS.
Use **THE S-W FLOOR FINISHES**.
For Inside Floors—**THE S-W INSIDE FLOOR PAINT**.
Also **FLOORLAC**. (For staining floors).
For Porch Floors—**THE S-W PORCH FLOOR PAINT**.
For Varnished Floors—**THE S-W DURABLE FLOOR VARNISH**.
For producing a wax finish—**THE S-W FLOOR WAX**.
For unsightly cracks—**THE S-W CRACK & SEAM FILLER**.

FOR BARN, ROOFS, FENCES, ETC.
Use **THE S-W COMMONWEALTH BARN RED**.
A bright, economical red.
THE S-W OREGONOTE PAINT,
Made in 12 good shades.
THE S-W ROOF AND BRIDGE PAINT.
Red and Brown.

FOR CUPBOARDS, SHELVES, ETC.
Use **THE S-W FAMILY PAINT**.
Durable oil paint. Can be washed.

FOR BUGGIES, BOATS, PORCH CHAIRS, ETC.
Use **THE S-W BUGGY PAINT**.
A varnish paint specially suited for outside exposure.

FOR CHAIRS, TABLES, DECORATING, ETC.
For a high enamel finish
Use **THE S-W ENAMEL PAINT**.
For varnishing and staining at one operation
Use **THE S-W VARNISH STAIN**.

FOR GUTTERS, RAIN TABLES, TIN ROOFS, ETC.
Use **METALASTIC**.
An elastic paint for preserving steel and iron.


THE SHERWIN-WILLIAMS CO. also makes
WAGON AND IMPLEMENT PAINT | **STOVE PIPE ENAMEL**
BICYCLE ENAMEL | **THE S-W VARNISHED**
BATH ENAMEL | **KOPAL**
SCREEN ENAMEL | A Varnish for general use.
GRAPHITE PAINT | **EXCELLO**
ALUMINUM PAINT | An interior finish.
and Special Paints for every purpose, ready for the brush.



THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.

Cleveland, Chicago, New York, Newark, Montreal, Boston, Toronto,
San Francisco, Kansas City, Los Angeles, Minneapolis.

COMMONWEALTH BARN RED



ONE
GALLON

ONE
GALLON



THE SHERWIN-WILLIAMS Co.
PAINT AND VARNISH MAKERS.

CLEVELAND, CHICAGO, NEW YORK, NEWARK, MONTREAL, BOSTON, TORONTO, SAN FRANCISCO,
KANSAS CITY, LOS ANGELES, MINNEAPOLIS.



THE SHERWIN-WILLIAMS COMMONWEALTH BARN RED

is a bright, handsome red for painting barns, corn cribs, roofs, fences, etc.

It works very easily, dries with a nice, smooth appearance and has good covering capacity. It wears well. *Always full Measure.* It is put up in gallon and five gallon packages, and in barrels.

COMMONWEALTH



BARN RED

DIRECTIONS FOR USE

Stir thoroughly from the bottom before attempting to use it. Apply as it comes from the can.

THE SHERWIN-WILLIAMS FARM SPECIALTIES

THE SHERWIN-WILLIAMS PAINT

For painting buildings outside and inside. Has great covering capacity. Wears long. Most economical. Made in 42 beautiful shades.

COMMONWEALTH BARN PAINT

The clearest-toned and brightest barn red made. For barns, corn-cribs, roofs, fences, etc.

THE SHERWIN-WILLIAMS CREOSOTE PAINT

An economical, preservative paint for barns, roofs, fences, and all structures built of rough lumber. Made in 12 shades.

THE SHERWIN-WILLIAMS BUGGY PAINT

For painting and varnishing at one operation buggies, carriages, wagons, sleighs, carts, etc. Also for porch, lawn and kitchen furniture, and other surfaces where a high gloss finish is desired.

THE SHERWIN-WILLIAMS WAGON AND IMPLEMENT PAINT

For farm wagons, implements, tools, etc. Dries with a good oil gloss. Stands plenty of cleaning. Made in five strong shades.

We make everything good in paints and varnishes. No matter what you have to paint, you will get best results and save money by using THE SHERWIN-WILLIAMS PAINTS AND VARNISHES.



**THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.**

CLEVELAND, NEWARK, SAN FRANCISCO, MONTREAL,
CHICAGO, BOSTON, LOS ANGELES, TORONTO,
NEW YORK, KANSAS CITY, MINNEAPOLIS, WINNIPEG.

LIGHT BROWN

KEESOLETINE

FOR PAINTING & PRESERVING

BARN, FENCES, BRIDGES, ROOFS,

Etc. Etc.

MANUFACTURED BY

THE SHERWIN-WILLIAMS CO.


CLEVELAND, CHICAGO, NEW YORK.

U n 0.8

RR

The
Sherwin-Williams
Co.
Makers of **CREOSOTE**
PAINT.

For...
SMALL STRUCTURES
BARNs, FENCES,
ROOFS, SHOPS, Etc.



THE SHERWIN-WILLIAMS CREOSOTE PAINT

FOR STRUCTURES BUILT OF ROUGH LUMBER, FARM BUILDINGS, FENCES, BRIDGES, SHOPS, ROOFS, &c. WHERE A GOOD PAINT AT A MODERATE COST IS WANTED

While these lighter shades are necessarily a little higher in price than the darker colors in this line, they are still very economical.

It is a well known fact that *wood treated with Creosote is not subject to decay.*

A Stain, for shingle work, can be made by thinning each gallon of Creosote Paint with half gallon boiled linseed oil and half gallon benzine.

Put up in $\frac{1}{2}$ gallon, and gallon tin pails, 5 gallon tin buckets, and 50 gallon barrels.

Every package is FULL Measure.

For darker shades see sample card "R".

THE S-W. CREOSOTE PAINT



401



410



416



413



420



417



418



402



419



411

THE SHERWIN-WILLIAMS PAINTS FOR ALL KINDS OF GOOD PAINTING

FOR BUILDINGS, OUTSIDE AND INSIDE, AND ROOFS.
Use THE SHERWIN-WILLIAMS PAINT (Prepared).
For the priming coat—Use THE S-W LIQUID PRIMER.

FOR INTERIORS, WALLS, ETC.
For a high enamel gloss finish
Use ENAMELOID.
For an egg shell gloss finish
Use THE S-W SPECIAL INTERIOR COLORS.

FOR FLOORS.
Use THE S-W FLOOR FINISHES.
For Inside Floors—THE S-W INSIDE FLOOR PAINT.
Also FLOORGLAZ. (For staining floors.)
For Porch Floors—THE S-W PORCH FLOOR PAINT.
For Varnished Floors—THE S-W DURABLE FLOOR VARNISH.
For producing a wax finish—THE S-W FLOOR WAX.
For weighingly cracks—THE S-W CRACK & SEAM FILLER.

FOR BARN, ROOFS, FENCES, ETC.
Use THE S-W COMMONWEALTH BARN RED.
A bright, economical red.
THE S-W OREGONOTE PAINT,
Made in 12 good shades.
THE S-W ROOF AND BRIDGE PAINT.
Red and Brown.

FOR CUPBOARDS, SHELVES, ETC.
Use THE S-W FAMILY PAINT.
Durable oil paint. Can be washed.

FOR BUGGIES, BOATS, PORCH CHAIRS, ETC.
Use THE S-W BUGGY PAINT.
A varnish paint specially suited for outside exposure.

FOR CHAIRS, TABLES, DECORATING, ETC.
For a high enamel finish
Use THE S-W ENAMEL PAINT.
For varnishing and staining at one operation
Use THE S-W VARNISH STAIN.

FOR GUTTERS, RAIN TABLES, TIN ROOFS, ETC.
Use METALASTIC.
An elastic paint for preserving steel and iron.


THE SHERWIN-WILLIAMS CO. also makes
WAGON AND IMPLEMENT PAINT
STOVE PIPE ENAMEL
BICYCLE ENAMEL
THE S-W VARNISHES
KOPAL
A Varnish for general use.
EXCELLO
An interior finish.

and Special Paints for every purpose, ready for the brush.



THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.

Cleveland, Chicago, New York, Newark, Montreal, Boston, Toronto,
San Francisco, Kansas City, Los Angeles, Minneapolis.



THE SHERWIN-WILLIAMS CREOSOTE PAINT

**FOR BARNs, FENCES,
ROOFS, BRIDGES, SHOPS.**

The idea of combining Creosote with a good metallic paint is not only original with this Company, but is a valuable discovery, as it provides a paint of more than ordinary utility without increasing the cost. It is well known that *wood treated with Creosote is not subject to decay*. Farm buildings, fences, bridges, shops, roofs, etc., are usually rougher on the surface than wooden dwellings, in which a finer grade of lumber is used. Such surfaces more readily absorb water, which accelerates the decay, especially where such surfaces are left without any paint.

Creosote Paint is also suitable for other building materials, such as iron, brick, etc.

A *Stain*, for shingle work, can be made by thinning each gallon of Creosote Paint with half gallon boiled oil and half gallon benzine.

Put up for shipment in ½ gallon and 1 gallon tin pails, in 5 gallon tin buckets, and 50 gallon barrels.

Every package is FULL Measure.

For lighter colors, see sample card "RR."

THE S-W. CREOSOTE PAINT



RED OXIDE



YELLOW
OXIDE



BRONZE
GREEN



IRON OXIDE



METAL
BROWN



CARBON
BLACK

THE SHERWIN-WILLIAMS PAINTS FOR ALL KINDS OF GOOD PAINTING

FOR BUILDINGS, OUTSIDE AND INSIDE, AND ROOFS.
Use **THE SHERWIN-WILLIAMS PAINT (Prepared)**.
For the priming coat—Use **The S-W. Liquid Primer**.

FOR INTERIORS, WALLS, ETC.
For a high enamel gloss finish
Use **ENAMELOID**.
For an egg shell gloss finish
Use **THE S-W SPECIAL INTERIOR COLORS**.

FOR FLOORS.
Use **THE S-W FLOOR FINISHES**.
For Inside Floors—**THE S-W INSIDE FLOOR PAINT**
Also **FLOORGLAZ**. (For staining floors).
For Porch Floors—**THE S-W PORCH FLOOR PAINT**.
For Varnished Floors—**THE S-W DURABLE FLOOR VARNISH**
For producing a wax finish—**THE S-W FLOOR WAX**
For unsightly cracks—**THE S-W CRACK & SEAM FILLER**

FOR BARNs, ROOFS, FENCES, ETC.
Use **THE S-W COMMONWEALTH BARN RED**.
A bright, economical red.
THE S-W CREOSOTE PAINT,
Made in 22 good shades.
THE S-W ROOF AND BRIDGE PAINT.
Red and Brown

FOR CUPBOARDS, SHELVES, ETC.
Use **THE S-W FAMILY PAINT**.
Durable oil paint. Can be washed.

FOR BUGGIES, BOATS, PORCH CHAIRS, ETC.
Use **THE S-W BUGGY PAINT**
A varnish paint specially suited for outside exposure.

FOR CHAIRS, TABLES, DECORATING, ETC.
For a high enamel finish
Use **THE S-W ENAMEL PAINT**.
For varnishing and staining at one operation
Use **THE S-W VARNISH STAIN**.

FOR GUTTERS, RAIN TABLES, TIN ROOFS, ETC.
Use **METALASTIC**.
An elastic paint for preserving steel and iron.

THE SHERWIN-WILLIAMS CO. also makes
WAGON AND IMPLEMENT PAINT **STOVE PIPE ENAMEL**
BICYCLE ENAMEL **THE S-W VARNISHES**
BATH ENAMEL **KOPAL**
SCREEN PAINT **A Varnish for general use.**
GRAPHITE PAINT **EXCELLO**
ALUMINUM PAINT **An interior finish.**

and Special Paints for every purpose, ready for the brush.

 **THE SHERWIN-WILLIAMS CO.**
PAINT AND VARNISH MAKERS.

Cleveland, Chicago, New York, Newark, Montreal, Boston, Toronto,
San Francisco, Kansas City, Los Angeles, Minneapolis

One Quart

NON-CORRODIBLE

GRAPHITTE

PREPARED READY FOR USE

For Painting and Protect-
ing all Metal Surfaces



THE SHERWIN-WILLIAMS Co.

PAINT AND VARNISH MAKERS.

CLEVELAND, OHIO; NEW YORK, NEW YORK; BOSTON, MASS.; KANSAS CITY, MO.; SAN FRANCISCO, CALIF.;
SAN DIEGO, CALIF.; PHILADELPHIA, PA.; PITTSBURGH, PA.; ST. LOUIS, MO.; CHICAGO, ILL.;
MINNEAPOLIS, MINN.; DETROIT, MICH.; WASHINGTON, D.C.; LONDON, ENGL.

Q4 5710-75

GRAPHITE

IN LIQUID AND PASTE FORM.
FOR METAL SURFACES,
ROOFS, ETC. PREVENTS RUST.



THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.

CLEVELAND, NEW YORK, SAN FRANCISCO, MONTREAL,
CHICAGO, NEWARK, LOS ANGELES, TORONTO,
KANSAS CITY, BOSTON, SAN DIEGO, WINNIPEG,
MINNEAPOLIS, LONDON, ETC.

GRAPHITE


Liquid and Paste Form,

Made from the purest flake Graphite, ground very fine in specially adapted vehicles.

It has great covering capacity and can be used over new or old work, and can be applied on almost any kind of a surface.

It is not affected by acids, smoke or atmospheric changes, making it specially adapted to structural iron work and bridges.

Made in *Liquid form*, ready for the brush. Put up in quarts, half gallons,



GRAPHITE

IN LIQUID AND PASTE FORM

gallons, five gallon tin packages, and fifty gallon barrels.

Paste form, put up in 5, 12½ and 25 lb. tin packages.



THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.

Cleveland, New York, San Francisco, Montreal,
Chicago, Newark, Los Angeles, Toronto,
Kansas City, Boston, San Diego, Winnipeg,
Minneapolis, London, Eng.

U-7

THE SHERWIN-WILLIAMS PAINTS

FOR ALL KINDS OF GOOD PAINTING

FOR BUILDINGS, OUTSIDE AND INSIDE, AND ROOFS,
Use THE SHERWIN-WILLIAMS PAINT (Prepared).
For the priming coat—Use THE S-W LIQUID PRIMER.

FOR INTERIORS, WALLS, ETC.
For a high enamel gloss finish
Use ENAMELOID.
For an egg shell gloss finish
Use THE S-W SPECIAL INTERIOR COLORS.

FOR FLOORS.
Use THE S-W FLOOR FINISHES.
For Inside Floors—THE S-W INSIDE FLOOR PAINT.
Also FLOORGLAZ. (For staining floors.)
For Porch Floors—THE S-W PORCH FLOOR PAINT.
For Varished Floors—MAY-VOL, a durable floor varnish.
For producing a wax finish—THE S-W FLOOR WAX.
For unsightly cracks—THE S-W CRACK & SEAM FILLER.

FOR BARN, ROOFS, FENCES, ETC.
Use THE S-W CREOSOTE PAINT.
Made in 12 good shades.
THE S-W COMMONWEALTH BARN RED.
A bright, economical red.
THE S-W ROOF AND BRIDGE PAINT.
Red and Brown.

FOR CUPBOARDS, BASEBOARDS, SHELVES, ETC.
Use THE S-W FAMILY PAINT.
Durable oil paint. Can be washed.

FOR BUGGIES, BOATS, PORCH CHAIRS, ETC.
Use THE S-W BUGGY PAINT.
A varnish paint specially suited for outside exposure.

FOR CHAIRS, TABLES, DECORATING, WOODWORK, ETC.
For a high enamel finish
Use THE S-W ENAMEL PAINT.
For staining and varnishing at one operation
Use THE S-W VARNISH STAIN.

FOR RADIATORS, GAS PIPES, STOVES, PICTURE
FRAMES, ETC.
For a silver finish
Use THE S-W ALUMINUM PAINT.
For a gold finish
Use THE S-W IMPERIAL GOLD ENAMEL
Or THE S-W EMPRESS GOLD PAINT.
For Colored Enamel Finish on Radiators and Pipes
Use THE S-W RADIATOR ENAMEL.

FOR ALL KINDS OF VARNISHING.
Use THE SHERWIN-WILLIAMS VARNISHES.
A special varnish for each particular purpose.

We also make

WAGON AND IMPLEMENT PAINT	SCREEN ENAMEL
BICYCLE ENAMEL	GRAPHITE PAINT
BATH ENAMEL	STOVE PIPE ENAMEL
	METALASTIC

and Special Paints for every purpose, ready for the brush.

 **THE SHERWIN-WILLIAMS CO., PAINT AND VARNISH MAKERS**
Cleveland, Chicago, Kansas City, Minneapolis, New York, Newark, Boston,
San Francisco, Los Angeles, San Diego, Montreal, Toronto, Winnipeg, London, Eng.




U169 V1741



THE
SHERWIN-WILLIAMS
ROOF AND BRIDGE PAINT

FOR USE ON BARNs, BRIDGES,
STRUCTURAL IRON WORK,
METAL ROOFS, ETC.



**THE
SHERWIN-WILLIAMS
ROOF AND BRIDGE PAINT.**

Where a strong red or brown can be used to advantage no more economical paint can be found for roofs, bridges, barns, fences, etc.

It has great durability, good covering qualities and works freely and easily under the brush.

Roof and Bridge Paint is prepared ready for use.

DIRECTIONS.

Stir thoroughly from the bottom before using and frequently during the time of applying.

See that the surface is in proper condition to receive paint, perfectly dry and free from smoke and grease. Do not paint over green or sappy lumber, and on old work, always remove all loose paint with scraper or steel brush if best results are desired.


Brush the paint in thoroughly, spreading evenly.

Put up in bbls., 5 gal. cans, 1 gal. and ½ gal. pails.

Every package is FULL Measure.

V440

THE S-W. ROOF AND BRIDGE PAINT.



RED



BROWN

THE SHERWIN-WILLIAMS PAINTS FOR ALL KINDS OF GOOD PAINTING

FOR BUILDINGS, OUTSIDE AND INSIDE, AND ROOFS.
Use **THE SHERWIN-WILLIAMS PAINT (Prepared)**.
For the priming coat—Use **THE S-W LIQUID PRIMER**.

FOR INTERIORS, WALLS, ETC.
Use **THE S-W SPECIAL INTERIOR COLORS**.
For white varnish finish use **S. W. P. INSIDE VARNISH**
WHITE.

FOR FLOORS.
Use **THE S-W FLOOR FINISHES**.
For Inside Floors—**THE S-W INSIDE FLOOR PAINT**.
Also **FLOORLAC**. (Imitates natural woods.)
For Porch Floors—**THE S-W PORCH FLOOR PAINT**.
For Varnished Floors—**THE S-W DURABLE FLOOR VARNISH**.
For producing a wax finish—**THE S-W FLOOR WAX**.
For unsightly cracks—**THE S-W CRACK FILLER**.

FOR CUPBOARDS, SHELVES, ETC.
Use **THE S-W FAMILY PAINT**.
Durable oil paint. Can be washed.

FOR BARNs, ROOFS, FENCES, ETC.
Use **THE S-W CREOSOTE PAINT** or
ROOF AND BRIDGE PAINT.
Inexpensive paint for protecting and preserving all
rough wood surfaces.

FOR BUGGIES, BOATS, PORCH CHAIRS, ETC.
Use **THE S-W BUGGY PAINT**.
A varnish paint specially suited for outside exposure.

FOR CHAIRS, TABLES, ETC.
Use **THE S-W ENAMEL PAINT**.
Has high lustre, made in fourteen tints.


FOR STAINING AND VARNISHING AT
SAME OPERATION ON FURNITURE, WOODWORK, &c.
Use **THE S-W VARNISH STAIN**.

THE SHERWIN-WILLIAMS Co. also makes
WAGON AND IMPLEMENT PAINT | **THE S-W VARNISHES**
BICYCLE ENAMEL | **P. M. E.** for Metal Surfaces
BATH ENAMEL | **KOPAL** a Varnish for
SCREEN PAINT | general use.
GRAPHITE PAINT | **EXCELLO** an interior
ALUMINUM PAINT | finish.
STOVE PIPE ENAMEL

and Special Paints for every purpose, ready for the brush.

 **THE SHERWIN-WILLIAMS Co.**
PAINT AND VARNISH MAKERS.

Cleveland, Chicago, New York, Newark, Montreal, Boston,
Toronto, San Francisco, Kansas City, Los Angeles.



REGISTERED

AN ELASTIC PAINT FOR PRO-
TECTING STEEL AND IRON

ONE QUART

BLACK

ONE QUART



THE SHERWIN-WILLIAMS Co.
PAINT AND VARNISH MAKERS.

CLEVELAND, CHICAGO, NEW YORK, NEWARK, BOSTON, KANSAS CITY, SAN FRANCISCO, LOS ANGELES,
MINNEAPOLIS, MONTREAL, TORONTO, WINNIPEG.

Qr85 V1296

0007-SWP-000176858

PD

Metalastic

AN ELASTIC
METAL PAINT

FOR PRESERVING
STRUCTURAL IRON
METAL BRIDGES
STEEL CARS
IRON FENCES
WIND MILLS
RAIN TABLES
GUTTERS, METAL
ROOFS, ETC.

MADE BY



THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.

Cleveland, New York, Montreal, Toronto,
Chicago, Newark, Boston, San Francisco,
Kansas City, Los Angeles, Minneapolis.

Metalastic

Metalastic is the most economical, durable, and satisfactory paint for preserving, and protecting metal surfaces such as structural iron, metal bridges, steel cars, iron fences, wind mills, rain tables, gutters, etc. It dries with an air tight film and positively prevents rust.

Metalastic is a right combination of good graphite, good carbon, and specially refined linseed oil. Neither carbon or graphite alone is entirely satisfactory in rust preventing qualities; properly combined in right proportions, they offer the best protection to all metal surfaces.


Metalastic can be used with equal success on wood and other paintable surfaces. It is durable and very economical.

DIRECTIONS FOR USE.

Metalastic comes in semi-paste form and should be thinned for use by the addition of one gallon of pure *boiled* linseed oil to each gallon of paint. So thinned it will cover more surface to the gallon than any other safe paint for metal surfaces.

Metalastic is put up in 1 gallon, and 5 gallon tins, and in barrels.

Metalastic



BLACK



BROWN

U5974

THE SHERWIN-WILLIAMS PAINTS FOR ALL KINDS OF GOOD PAINTING

FOR BUILDINGS, OUTSIDE AND INSIDE, AND ROOFS.
Use **THE SHERWIN-WILLIAMS PAINT (Prepared)**.
For the priming coat—Use **THE S-W LIQUID PRIMER**.

FOR INTERIORS, WALLS, ETC.

For a high enamel gloss finish
Use **ENAMELOID**.

For an egg shell gloss finish

Use **THE S-W SPECIAL INTERIOR COLORS**.

For an oil gloss finish

Use **THE SHERWIN-WILLIAMS PAINT**.

For a white varnish finish

Use **S.W.P., INSIDE VARNISH WHITE**.

FOR FLOORS.

Use **THE S-W FLOOR FINISHES**.

For Inside Floors—**THE S-W INSIDE FLOOR PAINT**.

Also **FLOORGLAC**. (For staining floors.)

For Porch Floors—**THE S-W PORCH FLOOR PAINT**.

For Varnished Floors—**THE S-W DURABLE FLOOR VARNISH**.

For protecting a wax finish—**THE S-W FLOOR WAX**.

For unsightly cracks—**THE S-W CRACK & SEAM FILLER**.

FOR BARN, ROOFS, FENCES, ETC.

Use **THE S-W COMMONWEALTH BARN RED**.

A bright, economical red.

THE S-W CREOSOTE PAINT.

Made in 12 good shades.

THE S-W ROOF AND BRIDGE PAINT.

Red and Brown.

FOR CUPBOARDS, SHELVES, ETC.

Use **THE S-W FAMILY PAINT**.

Durable oil paint. Can be washed.

FOR BUGGIES, BOATS, PORCH CHAIRS, ETC.

Use **THE S-W BUGGY PAINT**.

A varnish paint specially suited for outside exposure.

FOR CHAIRS, TABLES, DECORATING, ETC.

For a high enamel finish

Use **THE S-W ENAMEL PAINT**.

For varnishing and staining at one operation

Use **THE S-W VARNISH STAIN**.

FOR GUTTERS, RAIN TABLES, TIN ROOFS, ETC.

Use **METALASTIC**.

An elastic paint for preserving steel and iron.

THE SHERWIN-WILLIAMS CO. also makes

WAGON AND IMPLEMENT PAINT

BICYCLE ENAMEL

BATH ENAMEL

BORNEO PAINT

GRAPHITE PAINT

ALUMINUM PAINT

STOVE PIPE ENAMEL

and Special Paints for every purpose, ready for the brush.

THE S-W VARNISHES.

KOPAL a Varnish for general use.


EXCELLO an Interior finish.

MEDIUM

French Crown Green

OR PARIS GREEN IMITATION.

UNEQUALED
IN
COVERING POWER
FOR
BLINDS, FENCES,
ETC.



BEAUTIFUL,
UNFADING
AND
DURABLE.



MANUFACTURED BY

THE SHERWIN-WILLIAMS CO.
CLEVELAND, CHICAGO, NEW YORK, MONTREAL.

MEDIUM



THE
SHERWIN-
WILLIAMS

*FRENCH
CROWN
GREEN*

FOR
WINDOW BLINDS,
FENCES,
WAGONS,
MACHINERY,
IMPLEMENTS,
ORNAMENTAL
PAINTING, ETC.

**THE
SHERWIN-WILLIAMS
FRENCH CROWN GREEN**

FOR WINDOW BLINDS, WAGONS
MACHINERY, IMPLEMENTS
FENCES, BOATS, ORNAMENTAL
PAINTING, ETC.

The S-W. French Crown Green has all the requirements of beauty, durability, and permanency of color, and serves admirably as a substitute for Paris Green, possessing none of the poisonous properties of that green, and its covering power is more than four times as great.

While many other greens have been introduced and have disappeared, because in some essential point they have been found deficient, *French Crown Green* remains and constantly increases in popularity. Its tone is what is known as "blue green" or a color in which the primary color, blue, predominates. It is made in four shades, light, medium, dark, and double dark, medium being the favorite shade.


Every package is FULL Measure.

POT UP IN 1, 2, AND 5 LB. CANS
12 1-2 AND 25 LB. PAILS.

THE S-W. FRENCH CROWN GREEN



LIGHT (L.)



MEDIUM (M.)



DARK (D.)



DOUBLE DARK (DD.)

THE SHERWIN-WILLIAMS PAINTS FOR ALL KINDS OF GOOD PAINTING

FOR BUILDINGS, OUTSIDE AND INSIDE, AND ROOFS.
Use **THE SHERWIN-WILLIAMS PAINT (Prepared)**.
For the priming coat—Use **THE S-W LIQUID PRIMER**.

FOR INTERIORS, WALLS, ETC.
For a high enamel gloss finish
Use **ENAMELOID**.
For an egg shell gloss finish
Use **THE S-W SPECIAL INTERIOR COLORS**.

FOR FLOORS.
Use **THE S-W FLOOR FINISHES**.
For Inside Floors—**THE S-W INSIDE FLOOR PAINT**.
Also **FLOORAC**. (For staining floors.)
For Porch Floors—**THE S-W PORCH FLOOR PAINT**.
For Varnished Floors—**THE S-W DURABLE FLOOR VARNISH**.
For producing a wax finish—**THE S-W FLOOR WAX**.
For unsightly cracks—**THE S-W CRACK & SEAM FILLER**.

FOR BARN, ROOFS, FENCES, ETC.
Use **THE S-W COMMONWEALTH BARN RED**.
A bright, economical red.
THE S-W CREOSOTE PAINT,
Made in 12 good shades.
THE S-W ROOF AND BRIDGE PAINT.
Red and Brown.

FOR CUPBOARDS, SHELVES, ETC.
Use **THE S-W FAMILY PAINT**.
Durable oil paint. Can be washed.

FOR BUGGIES, BOATS, PORCH CHAIRS, ETC.
Use **THE S-W BUDDY PAINT**.
A varnish paint specially suited for outside exposure.

FOR CHAIRS, TABLES, DECORATING, ETC.
For a high enamel finish
Use **THE S-W ENAMEL PAINT**.
For varnishing and staining at one operation
Use **THE S-W VARNISH STAIN**.

FOR GUTTERS, RAIN TABLES, TIN ROOFS, ETC.
Use **METALASTIC**.
An elastic paint for preserving steel and iron.

THE SHERWIN-WILLIAMS CO. also makes
WAGON AND IMPLEMENT PAINT **STOVE PIPE ENAMEL**
BICYCLE ENAMEL **THE S-W VARNISHES**
BATH ENAMEL **KOPAL**
SCREEN PAINT **A Varnish for general use.**
GRAPHITE PAINT **EXCELLO**
ALUMINUM PAINT **An interior finish.**

and Special Paints for every purpose, ready for the brush.

 **THE SHERWIN-WILLIAMS CO.**
PAINT AND VARNISH MAKERS.

Cleveland, Chicago, New York, Newark, Montreal, Boston, Toronto,
San Francisco, Kansas City, Los Angeles, Minneapolis.

THE SHERWIN-WILLIAMS
LIQUID GOLD



THE SHERWIN-WILLIAMS CO.
 PAINT AND VARNISH MAKERS.

*Cleveland, Chicago, New York, Newark, Boston, Kansas City, San Francisco
 Los Angeles, Minneapolis, Montreal, Toronto, Winnipeg.*

STANDARD OIL CO. OF INDIANA
 CLEVELAND, OHIO
 SHERWIN-WILLIAMS CO. OF MASSACHUSETTS
 BOSTON, MASS.

RESISTANCE TO THUNDERBOLTS AND
 LIGHTNING. APPLY WITH CAMBRIC HAIR OR
 BRUSH FROM A SHALLOW DISH.

51 1038

A perfect protection for all metal surfaces. Is unaffected by moisture, extreme heat, cold or lubricating oil, absolutely inert, anti-corrosive, easily applied, dries quickly. Free from all ob-

ALUMINUM PAINT

FOR ENGINES, RADIATORS, STEAM PIPES, ETC.



ONE PINT



THE SHERWIN-WILLIAMS CO.
 PAINT AND VARNISH MAKERS.

*CLEVELAND, CHICAGO, NEW YORK, NEWARK, BOSTON, KANSAS CITY, SAN FRANCISCO,
 LOS ANGELES, MINNEAPOLIS, MONTREAL, TORONTO, WINNIPEG.*

noxious odors usually found with paint of this character. Best results are obtained by using camel hair or any soft brush. Stir thoroughly and use from shallow dish.

J4

**THE
SHERWIN-WILLIAMS
EMPRESS GOLD PAINT
AND
IMPERIAL GOLD ENAMEL**

**FOR GENERAL DECOR-
ATIVE PURPOSES**

These products are distinctly superior to any other similar goods on the market. The liquid used in them is specially prepared and is entirely free from the nauseating, banana-like odor common to all others.

Put up in convenient packages for home use.



**THE
SHERWIN-WILLIAMS
ALUMINUM PAINT**

**SHINES LIKE SILVER
NO BAD ODOR**

Put up ready for use in $\frac{1}{4}$ Pints, $\frac{1}{2}$ Pints, Pints, Quarts, and Gallons.

A wonderful paint product for use on wood or iron surfaces, such as radiators, pipes, gas fixtures, stoves, water boilers, etc.

Doesn't discolor or blister under extremes of heat or cold.

No banana-like odor.



W926

ONE QUART

THE SHERWIN-WILLIAMS VARNISHES



FOR OUTSIDE AND INSIDE APPLICATION.

THIS VARNISH IS FOR GENERAL PURPOSES AND IS MADE TO WORK EQUALLY AS WELL FOR OUTSIDE AND INSIDE USE. IT IS VERY DURABLE AND PLASTIC AND IS REMARKABLY EASY WORKING. IT IS EXCELLENT FOR OUTSIDE DOORS, SHUTTERS, RAILS AND OTHER WORK.

MADE BY
THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.

CLEVELAND
CHICAGO NEWARK BOSTON KANSAS CITY
NEW YORK MONTREAL TORONTO SAN FRANCISCO

ONE QUART

THE SHERWIN-WILLIAMS VARNISHES



REGISTERED

A RELIABLE VARNISH FOR INTERIOR USE.
FOR FULL DESCRIPTION SEE SIDE LABEL.

MADE BY
THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.

CLEVELAND NEWARK SAN FRANCISCO MONTREAL
CHICAGO BOSTON LOS ANGELES TORONTO
NEW YORK KANSAS CITY MINNEAPOLIS WINNIPEG.

This can contains

KOPAL

MADE BY
THE
SHERWIN-WILLIAMS
COMPANY

This is an all-round painter's varnish, without exception the best one sold. There is no varnish anywhere near its price which equals it. It is durable and elastic, working freely and easily under the brush. It is free from "devils" and can always be depended upon to give absolute satisfaction. It can be used inside as well as outside. For outside work: doors, boats, carriages etc., and for inside work in bath-rooms, kitchens or on inside blinds, it will give absolute satisfaction. Kopal will wear well under the most severe exposure. It will dry dust free in from 8 to 10 hours and be-

gum but of good hard Kanri gum, linseed oil, and turpentine.
See that the seal is unbroken.

273-1

ONE QUART

THE SHERWIN-WILLIAMS VARNISHES

MAR-NOT

REGISTERED

A DURABLE FLOOR VARNISH

MAR-NOT IS A PERFECT FLOOR FINISH. IT IS TOUGH, ELASTIC AND EASY WORKING. IT DRIES DUST FREE IN EIGHT HOURS AND CAN BE WALKED ON THE NEXT DAY. FULL DIRECTIONS FOR PROPER APPLICATION WILL BE FOUND ON SIDE LABEL.

MADE BY
THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.

CLEVELAND NEWARK SAN FRANCISCO MONTREAL
CHICAGO BOSTON LOS ANGELES TORONTO
NEW YORK KANSAS CITY MINNEAPOLIS WINNIPEG.

This can contains

Excello

MADE BY
THE
SHERWIN-WILLIAMS
COMPANY

This is an interior varnish, superior to any hard oil finish. It is excellent for all high grade finishing and general varnishing around the house. It is pale in color and can be used on the finest and most delicately grained woods. Excello produces a high and lasting gloss which does not easily mar or scratch. It does not pull under the brush and flows out smoothly, drying dust free in about 6 hours and hard in 24 hours. It can be rubbed and polished after 48 hours. Excello is another leader which has won immediate popularity upon its merit.

See that the seal is unbroken.

273-1

with powdered pumice
be rubbed down,
be rubbed down,
all faces of the oil
when the work is fin-
ished.

Old floors that have
been painted with
oil should be thor-
oughly cleaned and the
surface rubbed to re-
move the gloss before
applying the best re-
sults. Mar-not should
be well brushed out
when applying. The
best finish will be ob-
tained by the applica-
tion of two or more
thin coats rather than
one heavy coat.

Mar-not is another of
our specialties and
has won deserved re-
cognition and is unques-
tionably the best floor
varnish made.

**THE 8-1/2 SIX SIX
VARNISH SPECIALTIES**

Mar-not, a popular var-
nish for interior use,
EXCELLO, a varnish
leader - for interior
use.

DURABLE SPAN, for ac-
cure exposure.

MASTERS DRYER, a reliable
floor varnish.

DAY-2-NITE, a Master
Painters' Dryer.

SHELLACONE, a liquid
wood sealer.

*See that the steel is
sharpened.*

287

THE SHERWIN-WILLIAMS VARNISHES

THEY'RE RIGHT



**A PERFECT VARNISH
FOR GENERAL USE.
INSIDE OR OUTSIDE.**

Just the thing for general varnishing
about the house. Won't turn white
under water.



**A VARNISH LEADER
FOR INSIDE USE.**

Can be rubbed and polished. Far
better than hard oils and varnishes of
a similar nature.

**DURABLE
WOOD FINISH
(INTERIOR)**

**THE MOST DUR-
ABLE INTERIOR
FINISH MADE.**

Is not affected by steam or water.
Especially suited for use in bathrooms,
kitchens or laundries. Very transparent



**A DURABLE FLOOR
VARNISH. DOES
NOT MAR EASILY.**

Dries with a tough, wear resisting
gloss and doesn't show heel marks.

**EXTRA
FURNITURE
VARNISH**

**A RELIABLE FUR-
NITURE VARNISH.**

Dries dust free in six hours and be-
comes hard in twenty-four hours. It
can be rubbed. Great durability.



**THE MASTER PAINT-
ERS DRYER.**

The strongest pale dryer made. Mixes
readily with oil and will not curdle or
separate. Won't burn the paint or
cause surface drying.

In addition to these specialties we make a full line of varnishes for all purposes.
Each one is as good for its purpose as skillful, conscientious varnish makers using
the best of materials can produce. Ask for prices.

This can contains



A Durable Floor Varnish

MADE BY

THE

SHERWIN-WILLIAMS

COMPANY

This is a tough, elec-
tric "wear" will not
scratch or mar. It is
also suitable for lin-
oleum, oil cloth, etc. It
dries with a tough,
evenly under the tough,
and dries with a tough,
wear-resisting gloss. It
dries dust free in 8
hours and can be walk-
ed on in 24 hours.
It becomes thoroughly
hard in two days. Mar-
not should be applied
directly to the wood.
Shellac or Liquid Fill-
er should never be used
under it.

For New Work: To
obtain best results, for
first coat, thin with
Turpentine. For second
coat, use one
gallon of Mar-not. For
subsequent coats Mar-
not should be applied
as it comes in the can.
See that the surface
is thoroughly hard be-
fore applying the sec-
ond. For a dead fin-
ish, rub second coat

Xt 10571

Blackboard Filling



MADE BY

THE SHERWIN-WILLIAMS CO.

PAINT AND VARNISH MAKERS.

CLEVELAND, CHICAGO, NEW YORK, NEWARK, BOSTON, KANSAS CITY, SAN FRANCISCO,
LOS ANGELES, SAN DIEGO, MINNEAPOLIS, CINCINNATI, TORONTO, WINDSOR, LONDON, ENG



THE SHERWIN-WILLIAMS CO. COARSE

QUICK DRYING

SPECIAL BLACK

*These colors are ground exceedingly fine in materials prepared especially for the purpose
and possess all required quick drying, leveling and flattening properties. Use and
but they should be thinned with
spirits of turpentine only.*

THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS
CLEVELAND, NEW YORK, CINCINNATI, TORONTO
CHICAGO, KANSAS CITY, SAN FRANCISCO,
LOS ANGELES, MINNEAPOLIS

6081 10102

ROOF PIPE MANTEL

For the purpose of this advertisement, the following is a list of the various
uses to which this product is put, and the various places to which it is
applied. It is a product of the Sherwin-Williams Co., and is of the
highest quality.

PAINT DRY



THE SHERWIN-WILLIAMS CO.

PAINT AND VARNISH MAKERS.

CLEVELAND, NEW YORK, CINCINNATI, TORONTO
CHICAGO, KANSAS CITY, SAN FRANCISCO,
LOS ANGELES, MINNEAPOLIS

THE SHERWIN-WILLIAMS COLORS.
QUICK DRYING.
IVORY DROP BLACK
These colors are ground exceedingly fine and materials prepared especially for the purpose and possess all required quick drying and flattening properties. When used flat they should be thinned with Spirits of Turpentine only.
THE SHERWIN-WILLIAMS CO.
 PAINT AND VARNISH MANUFACTURERS
 NEW YORK, N. Y. 10038
 CHICAGO, ILL. 60606
 PHILADELPHIA, PA. 19106
 PITTSBURGH, PA. 15222
 ST. LOUIS, MO. 63103
 SAN FRANCISCO, CALIF. 94104
 WASHINGTON, D. C. 20004
 BOSTON, MASS. 02108
 CLEVELAND, OH. 44115
 DETROIT, MICH. 48226
 KANSAS CITY, MO. 64108
 LOS ANGELES, CALIF. 90012
 MEMPHIS, TENN. 38103
 MILWAUKEE, WIS. 53204
 MINNEAPOLIS, MINN. 55402
 OMAHA, NEB. 68102
 PORTLAND, ORE. 97208
 RICHMOND, VA. 23219
 SEATTLE, WASH. 98101
 SIOUX FALLS, S.D. 57104
 TAMPA, FLA. 33602
 WASHINGTON, D. C. 20004
 WICHITA, KANS. 67202

THE SHERWIN-WILLIAMS COLORS.
QUICK DRYING.
IVORY XRON BLACK
These colors are ground exceedingly fine and materials prepared especially for the purpose and possess all required quick drying and flattening properties. When used flat they should be thinned with Spirits of Turpentine only.
THE SHERWIN-WILLIAMS CO.
 PAINT AND VARNISH MANUFACTURERS
 NEW YORK, N. Y. 10038
 CHICAGO, ILL. 60606
 PHILADELPHIA, PA. 19106
 PITTSBURGH, PA. 15222
 ST. LOUIS, MO. 63103
 SAN FRANCISCO, CALIF. 94104
 WASHINGTON, D. C. 20004
 BOSTON, MASS. 02108
 CLEVELAND, OH. 44115
 DETROIT, MICH. 48226
 KANSAS CITY, MO. 64108
 LOS ANGELES, CALIF. 90012
 MEMPHIS, TENN. 38103
 MILWAUKEE, WIS. 53204
 MINNEAPOLIS, MINN. 55402
 OMAHA, NEB. 68102
 PORTLAND, ORE. 97208
 RICHMOND, VA. 23219
 SEATTLE, WASH. 98101
 SIOUX FALLS, S.D. 57104
 TAMPA, FLA. 33602
 WASHINGTON, D. C. 20004
 WICHITA, KANS. 67202

THE SHERWIN-WILLIAMS COLORS.
QUICK DRYING.
IVORY DROP BLACK
These colors are ground exceedingly fine and materials prepared especially for the purpose and possess all required quick drying and flattening properties. When used flat they should be thinned with Spirits of Turpentine only.
THE SHERWIN-WILLIAMS CO.
 PAINT AND VARNISH MANUFACTURERS
 NEW YORK, N. Y. 10038
 CHICAGO, ILL. 60606
 PHILADELPHIA, PA. 19106
 PITTSBURGH, PA. 15222
 ST. LOUIS, MO. 63103
 SAN FRANCISCO, CALIF. 94104
 WASHINGTON, D. C. 20004
 BOSTON, MASS. 02108
 CLEVELAND, OH. 44115
 DETROIT, MICH. 48226
 KANSAS CITY, MO. 64108
 LOS ANGELES, CALIF. 90012
 MEMPHIS, TENN. 38103
 MILWAUKEE, WIS. 53204
 MINNEAPOLIS, MINN. 55402
 OMAHA, NEB. 68102
 PORTLAND, ORE. 97208
 RICHMOND, VA. 23219
 SEATTLE, WASH. 98101
 SIOUX FALLS, S.D. 57104
 TAMPA, FLA. 33602
 WASHINGTON, D. C. 20004
 WICHITA, KANS. 67202

THE SHERWIN-WILLIAMS COLORS.
QUICK DRYING.
ENGLISH COACH BLACK
These colors are ground exceedingly fine and materials prepared especially for the purpose and possess all required quick drying and flattening properties. When used flat they should be thinned with Spirits of Turpentine only.
THE SHERWIN-WILLIAMS CO.
 PAINT AND VARNISH MANUFACTURERS
 NEW YORK, N. Y. 10038
 CHICAGO, ILL. 60606
 PHILADELPHIA, PA. 19106
 PITTSBURGH, PA. 15222
 ST. LOUIS, MO. 63103
 SAN FRANCISCO, CALIF. 94104
 WASHINGTON, D. C. 20004
 BOSTON, MASS. 02108
 CLEVELAND, OH. 44115
 DETROIT, MICH. 48226
 KANSAS CITY, MO. 64108
 LOS ANGELES, CALIF. 90012
 MEMPHIS, TENN. 38103
 MILWAUKEE, WIS. 53204
 MINNEAPOLIS, MINN. 55402
 OMAHA, NEB. 68102
 PORTLAND, ORE. 97208
 RICHMOND, VA. 23219
 SEATTLE, WASH. 98101
 SIOUX FALLS, S.D. 57104
 TAMPA, FLA. 33602
 WASHINGTON, D. C. 20004
 WICHITA, KANS. 67202

RED SEAL
FRENCH ZINC.



Made by

Ground in Refined Oil.

THE SHERWIN-WILLIAMS CO.

PAINT AND VARNISH MAKERS. Cleveland, Chicago, New York, Montreal, Boston, San Francisco.

CC 134 05983

FRENCH WHITE ZINC,
GROUND IN DAMAR VARNISH, OR
CHINA GLOSS,



MADE BY

THE SHERWIN-WILLIAMS CO.

PAINT AND VARNISH MAKERS.

Cleveland, Chicago, New York, Newark, Boston, Kansas City, San Francisco, Los Angeles,
San Diego, Minneapolis, Montreal, Toronto, Winnipeg, London, Eng.

Rt28 v6121

AMERICAN
White Zinc.



GROUND IN PURE LINSEED OIL.

BB29 U3700

AMERICAN
White Lead.



GROUND IN PURE LINSEED OIL.

THE SHERWIN-WILLIAMS COLORS.

FIRST QUALITY

SIGN PAINTER'S BLACK

FINELY GROUND IN OIL.

The Sherwin-Williams Co. MANUF'RS.
CLEVELAND, CHICAGO, NEW YORK, MONTREAL, BOSTON.

SUPERFINE

PREPARED GRAINING COLORS.

CHESTNUT.

DISTEMPER

ULTRAMARINE BLUE

GROUND IN WATER WITHOUT SIZE.

MANUF'D BY

CLEVELAND,
CHICAGO,
NEW YORK.

YELLOW F OCHRE

PAINT ON A FINE GROUND IN OIL



MADE BY

THE SHERWIN-WILLIAMS CO.

PAINT AND VARNISH MAKERS.

CLEVELAND, CHICAGO, NEW YORK, NEWARK, BOSTON, KANSAS CITY, SAN FRANCISCO, LOS ANGELES,
SAN DIEGO, MINNEAPOLIS, MONTREAL, TORONTO, WINNIPEG, LONDON, ENG.

V.L. 1609

12½ Lbs.

FR

Wash

12½ Lbs.

CH

Ochre

N OIL.



THE S. WILLIAMS CO.

CLEVELAND, CHICAGO, NEW YORK, ST. LOUIS, SAN FRANCISCO, MINNEAPOLIS.

WILLIAMS CO.

MAKERS.

AL, BOSTON, TORONTO, SAN FRANCISCO, MINNEAPOLIS.

100 0000

100 0000

12½ lbs.

French Washed Ochre



GROUND IN OIL.

107 5325

ENGLISH VENETIAN RE

GROUND IN OIL



MADE

T. J. SHERWIN-WILLIAMS Co.

PAINT AND VARNISH MAKERS.

Cleveland, Chicago, New York, Montreal, Boston, Toronto, San Francisco, Kansas City.

T 115 83220

12 $\frac{1}{2}$ Lbs.

12 $\frac{1}{2}$ Lbs.

ENGLISH

Venetian Red

GROUND OIL.



MADE BY

THE SHERWIN WILLIAMS Co.

PAINT AND VARNISH MAKERS.

CLEVELAND, CHICAGO, NEW YORK, NEWARK, BOSTON, KANSAS CITY, SAN FRANCISCO,
LOS ANGELES, MINNEAPOLIS, MONTREAL, TORONTO, WINNIPEG.

T.128 v.1032

12 1/2 lbs.

English Venetian Red

W

GROUND IN OIL.

7.530

12½ Lbs. H 12½ Lbs.

Metallic Brown.

GROUND IN OIL.

Manufactured by

THE SHERWIN-WILLIAMS CO.
CLEVELAND, CHICAGO, NEW YORK.

12½ Lbs.

F

12½ Lbs.

Princes Metallic

GROUND IN OIL.



Manufactured by

THE SHERWIN-WILLIAMS Co.

CLEVELAND, CHICAGO, NEW YORK.

12½ Lbs.

12½ Lbs.

SPECIAL

Metallic Brown

GROUND IN OIL.



MADE BY

THE SHERWIN-WILLIAMS Co.

PAINT AND COLOR MAKERS.

CLEVELAND. CHICAGO. NEW YORK. MONTREAL. BOSTON.

T. Co. 1901

6 LBS.

DRINGED VERMILION



THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS

CLEVELAND, OHIO, NEW YORK, NEWARK, BRISTOL, KANSAS CITY, SAN FRANCISCO,
LOS ANGELES, SAN DIEGO, MINNEAPOLIS, MONTREAL, TORONTO, WINNIPEG, LONDON, ETC.

MADE IN U.S.A.

Boston Green

For Window Blinds, Etc.



MADE BY

THE SHERWIN-WILLIAMS Co.

PAINT AND VARNISH MAKERS.

CLEVELAND, CHICAGO, NEW YORK, NEWARK, BOSTON, KANSAS CITY, SAN FRANCISCO, LOS ANGELES,
SAN DIEGO, MINNEAPOLIS, MONTREAL, TORONTO, WINNIPEG, LONDON, ENG.

1200 10796

RED SEAL

FRENCH *ZINC.*

Ground in Refined Linseed Oil



MADE BY

THE SHERWIN-WILLIAMS Co.
PAINT AND VARNISH MAKERS.

CLEVELAND, CHICAGO, NEW YORK, MONTREAL, BOSTON, TORONTO, SAN FRANCISCO, KANSAS CITY.

GREEN SEAL

FRENCH

ZINC.




Ground in Refined Linseed Oil


BY

The Sherwin-Williams Co.,

CLEVELAND, CHICAGO, NEW YORK.




U.S. 1041




U.S. 1919 1654

SHADE NO. 14



75 V100

PURE COLORED PAINT



PURE COLORED PAINT



THE SHERWIN-WILLIAMS CO.
PAIN AND VARNISH MAKERS.

CLEVELAND, NEW YORK, MONTREAL, TORONTO,
CHICAGO, NEWARK, BOSTON, SAN FRANCISCO,
KANSAS CITY, LOS ANGELES, MINNEAPOLIS.

PURE COLORED PAINT

THE SHERWIN-WILLIAMS PAINTS AND VARNISHES

Our list of products includes paints and varnishes for all kinds of good work. We make special paints for special purposes, and are in position to suit the requirement of all paint users.

The list includes:

Paints and Varnishes for all parts of buildings, inside and outside, and for all household use.

Paints and Varnishes for Railway use.

Paints and Varnishes for Street Railway use.

Paints and Varnishes for Marine use.

Paints and Varnishes for builders of carriages, wagons, implements and machinery, and for all manufacturing purposes.


We specialize in every department, and are able to give intelligent and individual attention to every order. We honestly believe we can give each paint consumer—no matter what his needs—the best service obtainable.




THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.

Cleveland, New York, Montreal, Toronto,
Chicago, Newark, Boston, San Francisco,
Kansas City, Los Angeles, Minneapolis.

N-3023

SUITABLE TRIMMERS	
	85
	13
	41
	33
	35
	12
	WHITE
	40
	12
	30
	45
	WHITE
	WHITE
	19
	30
	41
	41
	35
	37
	19
	30
	41
	42
	10
	13
	10
	30
	35
	41
	10
	47

PURE COLORED PAINT


SUITABLE TRIMMERS		SUITABLE TRIMMERS		SUITABLE TRIMMERS	
	9		60		45
	33 11 41 2		60 33 11 2		45 33 11 2
	10		61		46
	1 41 WHITE 40		61 33 11 47		46 33 11 47
	7		2		35
	1 34 41 WHITE		21 42 35 WHITE		44 30 21 16
	44		40		11
	41 40 35		42 36 30 19		7 WH 42 34
	12		1		26
	19 34 37 35		7 34 42 10		34 47 16
	13		42		17
	47 21 12 19		10 19 21 35		* French Crown Green M
	16		36		41
	41 34 21 42		34 36 35 25		41 25 35
	19		30		34
	12 21 44 15		33 35 36 16		34 10 16 36

*French Crown Green is higher in price than other colors and is of superior quality.

Also PURE WHITE



PURE COLORED PAINT **AND** **PURE WHITE PAINT**



are paste paints ground in the purest refined linseed oil. They are mixed very thoroughly and are ground to the last degree of fineness by specially constructed machinery.

They brush out smoothly and evenly and are easily applied. They have good covering capacity and will cover one-third more surface than paint made from lead alone.

Pure Colored Paint and Pure White Paint dry with a full oil gloss if properly thinned as directed. They wear well and if used according to directions will not crack, peel or scale off. They never chalk.

They hold their color for a long time and are not affected by acids or sulphurous gases. They are particularly suited for use in natural gas and oil regions. They are the best paints of their kind in the market to-day, and always give satisfaction and save money.

SELECTION OF COLORS FOR PAINTING.



WHILE the utmost freedom should be allowed every one to exercise his own taste in the selection of colors, a few hints as to harmony and contrast will be of service in making such selection as will be most likely to give satisfaction when the work is completed.

The buildings and their surroundings should be considered as a whole, that the finished picture may be pleasing. If the buildings are well surrounded by foliage, the light tints make a pleasing contrast. If they stand alone, or if there is no foliage in the vicinity, any of the colors will look well if properly trimmed.

It is almost a universal custom to use a darker color for trimmings than for the body. While this is quite proper on many styles of plain architecture, it is not always so; indeed, most of the more modern and elaborately finished frame buildings seem to require several colors, carefully arranged to harmonize, adapting the colors to suit the architecture. Where it is desired to preserve fully the design of the architect, the projecting parts, called high lights, should be a lighter color than the receding parts, called shadows. The parts nearest the ground should, by means of dark, strong colors, be made to look heavier than the upper parts.

Where more than one color is required, some knowledge of the natural laws of color harmony is necessary to determine what is best to use in each instance. No simple, concise rule can be given that will supply the lack of a natural or acquired education in harmony.

On the other side of this sheet, opposite each sample of color, will be found numbers; those in large, full-faced type designate the shade shown, those in smaller type are the suggested numbers for trimming. This is assuming that the color indicated by the large type is to be the body or prevailing color to be used. While these suggestions are made with a view to their use on exteriors, the same idea as to color combinations will hold good anywhere. A house, both outside and in, should be painted to harmonize with the architecture, and any general rules are often unsatisfactory.

We have given much study to the artistic combination of colors, and are ready to give any information on the subject that we can. If you are undecided what colors to choose, send us a photograph or architect's drawing of your building, and we will submit, free of charge, suitable suggestions for harmonious combinations.

AMOUNT REQUIRED.



No rule can be given that will give the exact amount of paint required in each case, because the surface to be covered, as well as the manner in which the paint is put on, will vary in nearly every instance.

The average amount required for two good coats on a smooth surface of new pine lumber may be found as follows:

Multiply the length by the height on each side of the building or room you wish to paint. Add these amounts together and you will have the total number of square feet to be covered. Divide this by forty-five, because one pound of Pure Colored Paint or Pure White Paint will cover forty-five square feet, and you will have the number of pounds to purchase. For old or rough or porous surfaces fifteen to twenty per cent. more paint will be required.

If you figure the amount of pure white lead that would be required, then buy 25 or 33 1/3 per cent. less of Pure Colored Paint, because it covers so much more surface.

DIRECTIONS FOR USING.



PURE Colored Paint and Pure White Paint are semi-ready and should be thinned for use with pure *raw* linseed oil. Take great care to see that you use only *pure linseed oil*. The market is full of substitutes for linseed oil, which are often offered as "just as good" as the pure article. Do not use them. Avoid so-called boiled oil. It is more often raw oil adulterated with special driers and other questionable liquids.

Be sure that the oil you use is pure and the driers made by reputable manufacturers and you will always get good results.

The quantity of oil to use will depend largely upon weather conditions and upon the surface to be painted. Pure Colored Paint and Pure White Paint will take more oil than white lead alone. It's best to be guided by the judgment of an experienced painter on this point. When the weather is not favorable for drying, add about a quart of The S-W. Extra Japan Dryer to one hundred pounds of the paint in addition to the necessary oil in order to hasten drying.

Mix the paint thoroughly. See that it is well broken up and thoroughly incorporated with oil. It is then ready for use.

JOHN WILLIAMS COLORS.

NAVY BLACK.

MANUFACTURED BY

JOHN WILLIAMS & CO. NEW YORK.

THE SHERWIN WILLIAMS COLORS.

SUPERIOR BLACK

MANUFACTURED BY

THE SHERWIN-WILLIAMS CO.

CLEVELAND

OHIO

NEW YORK.


THE SHIP PAINT WILLIAMS COLORS.

STEAMBOAT GREEN

MANUFACTURED BY

THE SHERWIN-WILLIAMS CO.

CLEVELAND, OHIO NEW YORK.



PULLMAN STANDARD CAR BODY COLOR

GROUND IN JAPAN (QUICK DRYING)



MADE BY

THE SHERWIN-WILLIAMS CO.

PAINT AND VARNISH MAKERS.

CLEVELAND

CHICAGO
NEW YORK

NEWARK
MONTREAL

BOSTON
TORONTO

KANSAS CITY
SAN FRANCISCO.

U.S. - 92476

QUICK DRYING

MACHINE FILLER

FOR CASTINGS, ETC.



MADE BY

THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.

CLEVELAND, CHICAGO, NEW YORK, NEWARK, BOSTON, KANSAS CITY, SAN FRANCISCO, LOS ANGELES,
SAN DIEGO, MINNEAPOLIS, MONTREAL, TORONTO, WINNIPEG, LONDON, ENG.

1000 10000

MACHINE PAINT

FOR CASTINGS, ETC.



MADE BY

THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.

CLEVELAND, CHICAGO, NEW YORK, NEWARK, BOSTON, KANSAS CITY, SAN FRANCISCO, LOS ANGELES,
SAN DIEGO, MINNEAPOLIS, MONTREAL, TORONTO, WINNIPEG, LONDON, ENG.

162-10687

THE SHERWIN-WILLIAMS FILLER

For producing a Hard, Smooth Finish on the Natural Woods used for Interiors
Buildings, Furniture, Pianos, Billiard Tables, Sewing Machine Cases, Etc.

ANTIQUE OAK

FOR ANTIQUE OAK, BUTTERNUT, ETC.

DIRECTIONS.

Thin with Spirits Turpentine to the consistency of thick cream; stir well from the bottom; apply with a brush (directly on the clean wood, no previous coating of Oil, Shellac, etc., being required) working over a time than can be cleaned off before hardening. When the Filler is well set rub off with clean cotton rags (best,) rubbing across the grain of the wood if possible. Clean out crevices carefully; thoroughly wipe off twelve hours or more before varnishing. Keep well covered to avoid evaporation. A cheap finish can be put the Filler thin, and instead of rubbing off let it dry hard, then sand paper off lightly before varnishing.



MADE BY

THE SHERWIN-WILLIAMS

PAINT AND VARNISH MAKERS.

CLEVELAND, CHICAGO, NEW YORK, NEWARK, BOSTON, KANSAS CITY, SAN
LOS ANGELES, MINNEAPOLIS, MONTREAL, TORONTO, WINNIPEG.

V. 19 10511

ONE QUART

SHELLACINE

A LIQUID
WOOD FILLER
FOR FIRST COATING
INTERIOR WOOD WORK

Before attempting to apply, stir thoroughly from the bottom. For coarse woods, best results are obtained by use of one coat Shellacine over Putty Filler, allowing at least six hours to dry before applying varnish.



THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.

Cleveland, Chicago, New York, Newark, Boston, Kansas City, San Francisco, Los Angeles,
Minneapolis, Montreal, Toronto, Winnipeg.



LIQUID FILLER

LIGHT.

Before attempting to apply, stir thoroughly from the bottom. If considered too heavy for some purposes, thin with pure Spirits of Turpentine only. For coarse woods, best results are obtained by use of one coat Liquid Filler over Paste Filler, then Varnish. Before applying varnish, allow at least six hours.



MADE BY

THE SHERWIN-WILLIAMS

PAINT AND VARNISH MAKERS.

CLEVELAND, CHICAGO, NEW YORK, NEWARK, BOSTON, KANSAS CITY, S.
LOS ANGELES, MINNEAPOLIS, MONTREAL, TORONTO, WINNIPEG



V. 204 V. 4028



**THE
SHERWIN-WILLIAMS
PORCH AND LAWN FURNITURE
ENAMEL**

MADE TO DRY ON
DRIES WITH A HARD GLOSSY
SURFACE. WILL NOT SOFTEN
AND STICK TO CLOTHING.

In making this line we have aimed to produce two definite and essential qualities. First, to give good durability—to make it so it will stand the severe outside exposure to which a paint of this nature is subjected; second, to present a line of colors particularly suited for use on porch and lawn furniture.

S-W. Porch and Lawn Furniture Enamel has these two qualities in the highest degree. It is made from pigments specially selected for the purpose, ground in varnish that through many trying tests has proved its ability to resist wear and maintain its gloss under the hardest exposure.

The colors in which the enamel is made are bright and clear in tone, and have been chosen because of their particular adaptability to the purpose. They are the colors that are the most generally used for porch and lawn furniture.

Porch and Lawn Furniture Enamel dries with a hard glossy surface that will not soften under heat and stick to clothing.

DIRECTIONS FOR USE.

Thoroughly wash article to be painted and see that it is dry and free from grease. Spread paint evenly and not too heavily. Stir thoroughly before attempting to apply. Use a soft bristle brush.

The enamel as it is in the can is ready for application, but if it is considered too heavy for certain work, a little pure spirits of turpentine may be added.

For renewing rattan chairs that have become dirty and dingy, use Sherwin-Williams Rattan Seat Enamel. It gives an exact imitation of the original rattan color and dries with a splendid, long wearing gloss. It is very elastic and does not crack and chip off with the bending of the rattan. Is not injured by soap or water.

Put up in ½ Pint, Pint and Quart penny lever cans.

**THE
SHERWIN-WILLIAMS
PORCH AND LAWN FURNITURE
ENAMEL**



*VERMILION



GRASS
GREEN



YALE
BLUE



WILLOW
GREEN



*CARMINE



BOG
GREEN



*RATTAN
For rattan
seats and
backs.

*These colors are higher in price than others on the card.

THE SHERWIN-WILLIAMS PAINTS FOR ALL KINDS OF GOOD PAINTING

FOR BUILDINGS, OUTSIDE AND INSIDE, AND ROOFS.
Use **SHERWIN-WILLIAMS PAINT (Prepared)**.
For the priming coat—Use **S-W LIQUID PRIMER**.

FOR STAINING SHINGLES
Use **S-W PRESERVATIVE SHINGLE STAIN**.
Made with creosote in 23 good shades.

FOR BARN, ROOFS, FENCES, ETC.
Use **S-W CREOSOTE PAINT**. 12 good shades.
S-W COMMONWEALTH BARN RED.
A bright, economical red.
S-W ROOF AND BRIDGE PAINT. Red and Brown.

FOR INTERIORS, WALLS, ETC.
Use **ENAMELOID**. For a high enamel gloss finish.
Use **S-W SPECIAL INTERIOR COLORS**. For eggshell gloss finish.

FOR FLOORS
Use **S-W FLOOR FINISHES**.
For Porch Floors—**S-W PORCH FLOOR PAINT**.
For Inside Floors—**S-W INSIDE FLOOR PAINT**.
Also **FLOORGLAZ**. (For staining floors.)
For Varnished Floors—**WAX-ROD**, a durable floor varnish.
For producing a wax finish—**S-W FLOOR WAX**.
For unsightly cracks—**S-W CRACK & SEAM FILLER**.

FOR CUPBOARDS, BAREBOARDS, SHELVES, ETC.
Use **S-W FAMILY PAINT**. Durable oil paint.

FOR CHAIRS, TABLES, DECORATING, WOODWORK, ETC.
Use **S-W ENAMEL**. For a high enamel finish.
For staining and varnishing at one operation—
Use **S-W VARNISH STAIN or FLOORGLAZ**.

FOR CLEANING AND POLISHING PIANOS AND FURNITURE—Use **S-W FURNITURE POLISH**.

FOR PORCH AND LAWN FURNITURE
Use **S-W PORCH & LAWN FURNITURE ENAMEL**.

FOR RADIATORS, GAS PIPES, STOVES, PICTURE FRAMES, ETC.
Use **S-W ALUMINUM PAINT**. For a silver finish.
Use **S-W IMPERIAL GOLD ENAMEL**.
Or **S-W EMPRESS GOLD PAINT**. For a gold finish.
Use **S-W RADIATOR ENAMEL**. For Colored Enamel Finish.

FOR BUGGIES, BOATS, ETC.
Use **S-W BUGGY PAINT**.

FOR ALL KINDS OF VARNISHING.
Use **SHERWIN-WILLIAMS VARNISHES**.
A special varnish for each particular purpose.

We also make

WAGON AND IMPLEMENT PAINT	SCREEN ENAMEL
BICYCLE ENAMEL	GRAPHITE PAINT
BATH ENAMEL	STOVE PIPE ENAMEL
HARMLESS SHEEP MARKING LIQUID	METALASTIC
	For iron surfaces.

and Special Paints for every purpose, ready for the brush.

 **THE SHERWIN-WILLIAMS CO.**
PAINT AND VARNISH MAKERS.

Cleveland, Chicago, New York, Newark, Boston, Kansas City, San Francisco,
Los Angeles, San Diego, Minneapolis, Montreal, Toronto, Winnipeg, London, Eng.

of the

NUMBER OF PRISONERS (NOT GANDHIS)

NUMBER OF PROGRAMS, (NOT GALLONS)					
L.P.	QII.	% QIII.	Gals	\$ per Each	

Physical Properties (After Drying.)				
# W.P.	Qty.	N.Os.	Cals.	# GEN CEN
2870				
2871				
2872				
2873				
2874				
2875				
2876				
2877				
2878				
2879				
2880				
2881				
2882				
2883				
2884				
2885				
2886				
2887				
2888				
2889				
2890				
2891				
2892				
2893				
2894				
2895				
2896				
2897				
2898				
2899				
2900				
2901				
2902				
2903				
2904				
2905				
2906				
2907				
2908				
2909				
2910				
2911				
2912				
2913				
2914				
2915				
2916				
2917				
2918				
2919				
2920				
2921				
2922				
2923				
2924				
2925				
2926				
2927				
2928				
2929				
2930				
2931				
2932				
2933				
2934				
2935				
2936				
2937				
2938				
2939				
2940				
2941				
2942				
2943				
2944				
2945				
2946				
2947				
2948				
2949				
2950				
2951				
2952				
2953				
2954				
2955				
2956				
2957				
2958				
2959				
2960				
2961				
2962				
2963				
2964				
2965				
2966				
2967				
2968				
2969				
2970				
2971				
2972				
2973				
2974				
2975				
2976				
2977				
2978				
2979				
2980				
2981				
2982				
2983				
2984				
2985				
2986				
2987				
2988				
2989				
2990				
2991				
2992				
2993				
2994				
2995				
2996				
2997				
2998				
2999				
3000				
3001				
3002				
3003				
3004				
3005				
3006				
3007				
3008				
3009				
3010				
3011				
3012				
3013				
3014				
3015				
3016				
3017				
3018				
3019				
3020				
3021				
3022				
3023				
3024				
3025				
3026				
3027				
3028				
3029				
3030				
3031				
3032				
3033				
3034				
3035				
3036				
3037				
3038				
3039				
3040				
3041				
3042				
3043				
3044				
3045				
3046				
3047				
3048				
3049				
3050				
3051				
3052				
3053				
3054				
3055				
3056				
3057				
3058				
3059				
3060				
3061				
3062				
3063				
3064				
3065				
3066				
3067				
3068				
3069				
3070				
3071				
3072				
3073				
3074				
3075				
3076				
3077				
3078				
3079				
3080				
3081				
3082				
3083				
3084				
3085				
3086				
3087				
3088				
3089				
3090				
3091				
3092				
3093				
3094				
3095				
3096				
3097				
3098				
3099				
3100				
3101				
3102				
3103				
3104				
3105				
3106				
3107				
3108				
3109				
3110				
3111				
3112				
3113				
3114				
3115				
3116				
3117				
3118				
3119				
3120				
3121				
3122				
3123				
3124				
3125				
3126				
3127				
3128				
3129				
3130				
3131				
3132				
3133				
3134				
3135				
3136				
3137				
3138				
3139				
3140				
3141				
3142				
3143				
3144				
3145				
3146				
3147				
3148				
3149				
3150				
3151				
3152				
3153				
3154				
3155				
3156				
3157				
3158				
3159				
3160				
3161				
3162				
3163				
3164				
3165				
3166				
3167				
3168				
3169				
3170				
3171				
3172				
3173				
3174				
3175				
3176				
3177				
3178				
3179				
3180				
3181				
3182				
3183				
3184				
3185				
3186				
3187				
3188				
3189				
3190				
3191				
3192				
3193				
3194				
3195				
3196				
3197				
3198				
3199				
3200				
3201				
3202				
3203				
3204				
3205				
3206				
3207				
3208				
3209				
3210				
3211				
3212				
3213				
3214				
3215				
3216				
3217				
3218				
3219				
3220				
3221				
3222				
3223				
3224				
3225				
3226				
3227				
3228				
3229				
3230				
3231				
3232				
3233				
3234				
3235				
3236				
3237				
3238				
3239				
3240				
3241				
3242				
3243				
3244				
3245				
3246				
3247				
3248				
3249				
3250				
3251				
3252				
3253				
3254				
3255				
3256				
3257				
3258				
3259				
3260				
3261				
3262				
3263				
3264				
3265				
3266				
3267				
3268				
3269				
3270				
3271				
3272				
3273				
3274				
3275				
3276				
3277				
3278				
3279				
3280				
3281				
3282				
3283				
3284				
3285				
3286				
3287				
3288				
3289				
3290				
3291				
3292				
3293				
3294				

[illegible]

0007-SWP-000176909

First line describing articles represents the EXACT wording assumed on the label. If the formula number is given, but not wanted on the label, always place this number in brackets [] directly under the description.

[illegible]

NAMES ON PACKAGES (NOT NECESSARY)

THE S-W.

S.W.P.	Qts.	½ Gal.	Gals.	¢ Each
+F.W.				
W.L.W.				
*81				
881				
882				
883				
884				
885				
887				
888				
890				
891				
*892				
893				
894				
895				
896				
897				
898				
*899				
900				
901				
902				
903				
904				
905				
906				
907				
908				
909				
910				
911				
912				
913				
914				
915				
916				
917				
918				
919				
920				
921				
922				
923				
924				
925				
926				
927				
928				
929				
930				
931				
932				
933				
934				
935				
936				
937				
938				
939				
940				
941				
942				
943				
944				
945				
946				
947				
948				
949				
950				
951				
952				
953				
954				
955				
956				
957				
958				
959				
960				

INSIDE P.		
		P.
Dust Color		
Grey		
Light Brown		
Light Tan		
Orange		
Red		
Slate		
Yellow		
Total each size		
Total No. Gals. P.		
PORCH P.		
		P.
45		
46		
47		
48		
49		
50		
51		
Total		
Total No. Gals. P.		
FLOOR P.		
		P.
Cherry		
Golden Oak		
Green		
Mahogany		
Oak		
Walnut		
Clear		
Grained		
Total each size		
Total No. Gals. P.		
FLOOR WALL		
1 ft.	2 ft.	3 ft.
CRACK AND SEAM FILLER		
Total Each Size		
THE S-W.		
Antique Oak		
Golden Oak		
Oak		
Red Oak		
Walnut		
Total each size		
Total No. Lbs. Filler		

Are higher to give than balance of list.

0007-SWP-000176910



40
1908
DCB