pl. Exh 35

To: Bill Bourke
cc: Dick Spencer

RECEIVED
SEP 1970

GRACE
ZONOLITE DIVISION
W. R. GRACE & CO

SUBJECT: Problems at 230 W. Monroe

ZONOLITE DIVISION
CHICAGO DISTRICT

DATE: 9/13/70

MESSAGE

While working with LeRoy Klavestad, job supt. for Asbestos & Magnesia, a number of interesting things came "out in the wash". It is the case that Asbestos & Magnesia has been having much trouble with other trades on this job as a result it appears to their spraying asbestos on the the building. They have had belts on their pumps cut, hoses on their guns cut numerous times, tarps pulled down, tarps and other equipment stolen. Charley Schultz, Illinois Dept. of Labor and Education has come on the job and told members of other Unions "stay away from that sprayed fire-proofing it can kill you" this coupled with the fact that he has been pretty tough on them while inspecting has made this job a very unpleasant one. The job itself was fairly clean, the man at the mixer and the man on the gun both wore respirators, the job area itself however was not entirely enclosed with tarps. Roy told me that they have been spraying about 130 bags a day

SIGNED

At Elmhurst College the following day I observed the application of asbestos-free material. It produces much less dust than what I observed at 230 W. Monroe but their appears to be much more waste with the new material, Randy Berman and myself estimated almost 1/3 of the material ended up on the floor.

Kurt Rose

RECEIVED
SEP 2[illegible] 1970
CAMBRIDGE

SIGNED

[illegible] FILLS WITH CARBON [illegible] PINK COPY

PLAINTIFF'S EXHIBIT
WRG 160

Pl. Exh 35

To: Bill Bourke
cc: Dick Spencer

RECEIVED
Sept. 1970
MONOLITE DIVISION
CHICAGO DISTRICT

GRACE
MONOLITE DIVISION
W. R. GRACE & CO

C7

SUBJECT: Problems at 230 W. Monroe

DATE: 9/13/70

MESSAGE

While working with LeRoy Klavestad, job supt. for Asbestos & Magnesia, a number of interesting things came "out in the wash". It is the case that Asbestos & Magnesia has been having much trouble with other trades on this job as a result it appears to their spraying asbestos on the the building. They have had belts on their pumps cut, hoses on their guns cut numerous times, tarps pulled down, tarps and other equipment stolen. Charley Schultz, Illinois Dept. of Labor and Education has come on the job and told members of other Unions "stay away from that spray-ed fire-proofing it can kill you" this coupled with the fact that he has been pretty tough on them while inspecting has made this job a very unpleasant one. The job itself was fairly clean, the man at the mixer and the man on the gun both wore respirators, the job area itself however was not entirely enclosed with tarps. Roy told me that they have ~~been spraying about 130 bags a day~~. At Elmhurst College the following day I observed the application of asbestos-free material. It produces much less dust than what I observed at 230 W. Monroe but their appears to be much more waste with the new material, Randy Berman and myself estimated almost 1/3 of the material ended up on the floor.

Kurt Rose

SIGNED

RECEIVED
SEP 21 1970
CAMBRIDGE

SIGNED

FILES WITH CATEGORY

PLAINTIFF'S EXHIBIT
WRG 160