FROM THE FILES
WGK LABORATORY
PLEASE RETURN

Wm. E. Ault - General Offices

June 5, 1969

W. F. Waychoff - WWAYC
C. Paton - CPATO
R. M. McCutchan - WGK
R. Blowers - WGK

S. C. Johnson & Son, Inc.
(Racine, Wisconsin) ——> R. Blowers - WGK
Specifications - Aroclor 1260
Spec. No. P.S. 33312 (issued 3/21/69; supersedes 10/31/61)

W. G. KRUMMRICH
J. W. Molloy

Attached is a print of the subject specifications (copies also sent to Mr. McCutchan and Mr. Blowers) for your files and for appraisal as to whether our product will comply.

You will note that the customer has only two "detailed requirements" along with two "general requirements". Our product would seem to conform to each of these four requirements, but this is not to anticipate your appraisal.

In the section on packaging requirements, the customer has fairly involved requirements concerning "hazard code". In this connection, please note that I have also attached a detailed listing of the hazard code requirements. Near the top of the specification's document, you will see that the reason for the issue of this particular revision of the specifications is to include the hazard code portion. Presumably, the remainder of the specification is the same as when issued previously, but I do not find a copy of the previous issue on file in the Marketing Department.

As to the hazard code requirements, they are at the time somewhat academic. As we recently examined the customer's specification for one of our fine chemicals, where the hazard code was also included, we learned that the customer is deferring making a final decision on warning label requirements. We are told that the estimate is September or October of this year as the time at which they will establish final and firm requirements. However, the document and the attachment will show you what the customer had in mind, but which they are now holding in abeyance. Please examine and report with regard to the four requirements mentioned above but please comment also with regard to the special markings and any implications that they would seem to pose if the customer should ultimately adopt them.

Please furnish your appraisal and any comments.

WM. E. AULT

weaich
attachments

0197060

TOWOLDMON0057342