MD-3-A

**PACKAGE TICKET** (DRY AND PASTE ONLY)

CODE 150789 LOT 35709

| NET WT/PKG | NO. PKG | PACK. WGT | LOCATION | PQ |
|---|---|---|---|---|
| 2680 | 1 | T— 30 | | |
| 2680 | 1 | T— 239 | | |
| | | | | |
| | | | | |
| | | | | |
| | STUMP | Lump - 5,360 | | |

TOTAL NET WT. 5,360 PKG. N-CODE

PROD. SPVR. JF DATE 6/3/80 WHSE. OPER.

N34680

DUP050104901

25
247

* 0g 0

MAY 12 35708

CODE KO-789-D PKG.

EST. WGT. 1199 LBS.

Total Weight ~~5199#~~ 5232 (Req. _____)

PROCESSING INSTRUCTIONS:

| PROCESSES |
|---|
| KO-789-D (I) |
| |
| |
| |
| TYPED BY |
| jlc 10-8-76 |

MAKING NOTES

REMARKS

NAME: "KROLOR" ORANGE Y NON-B

| INSTRUCTIONS | | | | | | -PRESSING- RECORD | | | |
|---|---|---|---|---|---|---|---|---|---|
| VAT | | | 25 | 247 | | PRESSLOAD | 1ST | 2ND | 3RD |
| DATE | | | 5.29.80 | | | STARTED | 4 Pm | | |
| TIME | | | 6:55 | | | CAKES USED | 4/3 | | |
| RELEASED BY | | | | | | WATER ON | 4 | | |
| PRESS | 22 | 23 | 24 | 25 | | HRS. WASHED | 6 | | |
| NO. OF CAKES | 46 | 46 | 52 | 48 | | OHMS | 6000 | | |
| PRESS with AGITATION | | | | | | HRS. WASHED | | | |
| WASH TO 5000 OHMS with 35-75°F water | | | | | | OHMS | | | |
| TEST AFTER 6 HOURS | | | | | | HRS. WASHED | | | |
| LOAD on 6 cars | | | | | | OHMS | — | | |
| | | | | | | CAKE CONDITION | | | |
| | | | | | | NO. CARS LOADED | 7 | | |
| | | | | | | EXPLAIN LOSSES | | | |
| SAMPLES 1 - 8 oz. jar | | | | | | | | | |
| DELIVER TO CTL for color | | | | | | SAMPLED BY | | RELEASED BY | |

-DRYING-

| | |
|---|---|
| DRY 16 HOURS AT 220°F ENVS | LUMPS - OK - WET - SALTS - |
| | ADDITIONAL DRYING HOURS REQUIRED |
| | NO. DRUMS 18 |
| SAMPLES | NO. CARS PULLED LUMP WGT 5357 |
| DELIVER TO | SAMPLED BY RELEASED BLL |

-GRINDING-

| | |
|---|---|
| MILL 938 HSP 3/32" RP SCREEN 3500 RPM | SCREEN RPM |
| MAX. TEMP. 210 °F | MAX. TEMP. °F |
| | EXPLAIN LOSSES |
| SAMPLE WITHOUT MIXING | DATE MIXED |
| SAMPLES 1 Env. + 1 Pint Can | |
| DELIVER TO CTL | SAMPLED BY RELEASED |

DUP050104902

35709

41

100

3.31 +
0.12 -
3.03 +
0.12 -
3.37 +
0.12 -
3.04 +
0.12 -
3.05 +
0.12 -
3.11 +
0.12 -
3.10 +
0.12 -
3.33 +
0.12 -
3.12 +
0.12 -
3.29 +
0.12 -
3.03 +
0.12 -
3.23 +
0.12 -
3.03 +
0.12 -
3.08 +
0.12 -
2.89 +
0.12 -
3.04 +
0.12 -
2.90 +
0.12 -
2.78 +
0.12 -
53.57 *

DUP050104903