

*Tyler Plant File
Port Allegany*

November 2, 1967

Mr. Earl N. Stout
Vice President-Manufacturing
Pittsburgh Corning Corporation

BARBER v. PITTSBURGH CORNING CO
ASBESTOS LITIGATION

Dear Mr. Stout:

SUBJECT: U. S. Public Health Service Environmental Surveys

Attached are copies of preliminary reports of the U. S. Public Health Service environmental study of asbestos exposure to your employees at your Tyler and Port Allegany Plants.

These reports indicate a need to consider appropriate corrective and/or protective measures that should be taken to reduce the potential hazard to employees being exposed to air borne concentrations in excess of the Threshold Limit Value for asbestos of 5 million particles per cubic foot. In my opinion, those employees so exposed include the following:

Tyler Plant: Feeder man - Scrap grinder - Saw operator - Packer

Port Allegany Plant: Feeder - Builder - Packer

I recommend that I visit these plants in the company of an industrial hygiene engineer to consider such appropriate corrective and/or protective measures. I further recommend, however, that these visits be delayed until the complete reports are received from the U. S. Public Health Service.

Sincerely,

Lee B. Grant,

Encs.

cc: Mr. J. T. Pestefano

THIS DOCUMENT WAS NOT A RECORD OF
PPG INDUSTRIES, INC. DID NOT COME FROM
IT'S FILES AND CANNOT BE AUTHENTICATED
BY PPG INDUSTRIES, INC.

AA 045

BB 0013295