PLAINTIFF'S EXHIBIT
ON-29

REPUBLIC - Canton

FE001314

FORM

CO. Republic Steel Canton

PLANT Canton

SIZE 23-25 Ring-Wiper

4 - Wire Block Clips SC-1657 - 7500
6 - Wire Spring Clips JK-1590 - 9000
1 - Ring-Wiper RW-66 - 1392
} P-T 58/PAL.

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
					(3TH)
6/9	JK	1107			
6-17	JK	870			
6-24	JK	986			

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-36520-R 20th	4/10/63	696	ARD 4-11	NO APPTS	4-10	4-10-63	TRK
" R.20 GD	4-11-63	696	4 YC	NO APPTS	4-16	4-16-63	"
" BD	4-11-63	1392	M&H	"	4-18	M&H	
" R.2 JDK	4-19-63	870	4-22	"	4-22	4-22-63	TRK
"	4-24-63	348	4-24	"	4-24	4-24-63	"
" R9	5-23-63	1370	5-23	"	5-23	5-23-63	"
"	"	174	W/A				
C-37134-R	5/5/63	1392	W/A				
"	"	1392	W/A				
"	"	1392	W/A				

FE001315

FORM F-28

CO. Republic Steel
PLANT Canton
SIZE 23×25 Ring Wiper

4 Wire Block Clips Jk-1657 – 750c
6 Wire Spring Clips Jk-1590 – 8000
1 Ring Wiper RW-66 – 1320
} P T

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					11/5 Toni Mc Nally -1

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C 17645-R	11/27/61	960	12/5/61	No Appts	12/5/61	12/5/61	TRK

FE001316

FORM F-2E

CO. Republic Steel Corp

PLANT Canton

For Set - 4 each - 1682, 1683-S, 1684, 1685; 4 each 1686 & 1687

SIZE 23×25 Brick B-2235 180 sets per T/L 18 sets per bolster

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
9/62					
6-9	JK	168			
6-17	JK	90	0		
6-24	JK	90			

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-36052-R	3/28/63	180 sets	3/21/63	[illegible] Cur	3/20/63	3/[illegible]	[illegible]
C-37134-R JDK	4-12-63 5-7-63	180 sets	RUSH	[illegible] Cur	5-13	5/[illegible]/63	
C-37724-R Lwd	5-15-63 5-29-63	180 sets		[illegible] "	6-25	Hold	
"	"	180 sets	CANCELLED		Not entered for production		

FE001317

FORM F-28-A

co Republic Steel Corp

PLANT Canton - Ohio

SIZE 23 x 25 Casings HT-1287

Bot - HT-1287-F

Top - HT-1287-E

PLANT INVENTORY Pattern @ Kutztown - Pa ORDER STATUS

DATE AND BY	IN USE 2 PC	IN USE TOPS	NEW 2 PC.	NEW BOT'S	USAGE	O. K TO	RECOMMENDED ORDER	CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
												K			

FE001318

FORM F-28

CO. Republic-Steel

PLANT Canton - Ohio

SIZE 26½ x 54 Reg & L.V. Trial

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					To be delivered by J.C.C. →

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-20518-R	PA 4/2/62 4/5/62						
"	"	1 Mandrel B-3297					
"	"	12 rings B-3296 — 8 4			Sched Sched	4-9-62 4-12-62	
"	"	5 covers C-135				scheduled	
"	"	1 - 2Pc Casing HT-1466 (C 2 X)				4/4/62	
"	"	including top plates				4/4/62 TRK	
"	"	SK-3009 Y attached					
"	"	and lined with					
"	"	brick B-3295					
"	"	50 - SK-2100 clips					
"	"	50 - SK-3500 clips					
"	"	15 ea 24 ga wipers SK-3199 ABC					
C-20518-R	PA 4/2/62 4/5/62	6 sets exothermic pencils			as released	-	

FE001319

FORM F-28

CO. Republic Steel

PLANT Canton O

SIZE 26½ × 54 REG & LV TRIAL

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-11297-R	9/5/61	2-3 Pc-NT-1466		10090 K	9/13/61	9/13/61	TRK
		2-3 Pc-NT-1466 9X INCLUDING TAPERED SK-3199X ATTACHED					
✓ "	"	40 Rings B-3911 1000 SPA CL 3 SK-3190 65 FM W/S SK-3199 BX			9/13/61		
		40 Rings B-3911 1000 SPA CL 3 SK-3190-A 65 FM W/S SK-3199 BX					
		3 SETS Rings B-3240-X					
		3 " " B-3240-X					
		30 COVERS C-115					
		32/16" LV					
		1-WOOD B-1612					
		50 WOOD 9/16 × 1 9/16 × 1½"					
		3 SETS Rings B-3240 (TAPERED)					
✓ C-15688-R	9-18-61	2-Bot NT-1466			9/15	9-20-61	TRK
"		3 SETS Rings B-3240			9/15	9/18/61	TRK
"	"	3 " " B-3240					
✓ N/C JDK	9-25-61	—	9-26	65 W/S SK-3199 BX	9-26	9/27/61	SOF. KISS
✓ C-17246 JDK	11-8-61 11-22-61	26 Rings B-3240					
		700 S/C SK-3203-3			11-13	11/13/61	SOF. KISS
		25 FM W/S SK-3199 BX					
"	"	70 Rings B-3240					
		75 FM W/S SK-3199 BX			11-15	11/15/61	TRK
		3295 LV					
		20 COVERS C-115					

FE001320

CO. REP.
PLANT CANTON
SIZE 20 1/2 X 23 1/2 RINGS

4 BL. CLIP	SK-1657	15000
4 CLIP	SK-1540	16000
2 EA. WIPER	SK-2479 A & B	7600 EA.
1 RING	B-2492	3500

C/L

PLANT INVENTORY

DATE 1948	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
4/8	WE				C/L 6 mos 1657
4-21	WE	1504	3000	6-16	Rec B-1693
4-29	W	4133	3000	6-10	
5-10	W/G	2506	3600	6-3	C/L 6/5
5-24	E	4700	3600	7-3	Rec C-O-14887. Hold Up C/L 6/5
6-1	N	3619	3600	6-30	
6-15	N/W	2015	3600	7-7	Balanced on C-3685-WB 1060 came Clear
7-7	N	5215	90/mo	7-16	Rec N.H-3402. Will need no more

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C1774 WB	3/12 3/15	—	4/15	7630 Fe	3/16/48	3-17-48	TRUCK
C2676 WB	4/16	3780	5/1		5/1	5-11-48	C&O-14887
C3685 WB	5/20	7980	—	No. [illegible]	7/1	6-28-48	NH-3402
" "	"	3500	?	"	"		"

FE001321

CO. LEP. CANTON

PLANT

SIZE 20x23 KINGS

BLOCK CLIPS	SK 1657	15000	1 ea
4 - SPRING CLIPS	SK 1540	16000	
2 ea. WIPERS	SK 1481 A & B	7600	
1 - KINGS	B 1698	3800	

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
12-30-47	N	2700	3400	1-24-48	
1-13-48	S	2400	4300	1-30	1 2 ea 1 2 6
2-12	W	3310	4300	2-6	Rush GN-42287
2-17	W	6099	3700	4-8	Rush MLW-19507
3-22	W	6926	3000	6-1	
4-8	WE	6360	3000	6-10	No More of this old style wiper - See B-2172

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C 8343 - B	12/30/47	2684	ASAP 1-16-48	1/2 CLIPS	1/16/48	1-16-48	PM-71092
C-133-W-B	1-21-48	1620	at once		1-30-48	1-30-48	GN-42287
C-678-WB PH	1-27-48	3780	2-9		2/9/48	2-9-48	M&LW-19507
C 703 WB	2/3/48	3780	ASAP 3/7	No SIK Clips	3/2/48	3-3-48	NP-8150

FE001322

CO. Rep Canton

PLANT

SIZE 20 x 23

Rings

4 - Block Clip SK 1657 - 15000
2 Ea - Spring Clip SK 1540 - 16000 — Cyl 16000
2 Ea - Wiper SK 1481 A & B - 7800 — Cyl 7800
1 - Ring B 1693 - 3900 — 3800

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
5-15-46	NE	4870	105/DAY	B 3700 6-30	
6-20-46	NE	8538	150/DAY	B 4500 6-16	Inc. CN-485733
7-17-46	NE	8517	187/DAY	B 4400 7-10-16	Inc. Sou 13648. Accurate Count. Order C/L for 10/3
8-20-46	NE	5566	147/DAY	B 4400 8-14-17	
9-25-46	NE	7600	147/DAY	B 4430 9-15	
10-29-46	NE	9735	115/DAY	@ 3500 1-1-47	Ordering C/L to Ship 11/15
11-26-46	EW	3300	150/DAY	1-11	Inc. MP-93739 Used 31800 in 1946 order
12-24-46	N	9927	115/DAY	3-10	C/L 12/10 & 3/1 Y
1-14-47	N	4029	110/DAY	@ 3600 3-15	
1-28-47	N	4456	110/DAY	@ 3500 3-15	
2-10-47	N	5000	100/DAY	@ 4000 3-6	
2-27-47	N	1950	115/DAY		
3-14-47	N	7700	115/DAY	5-5	Inc. 8+30
3-28-47	N	5715	115/DAY	5-10	Order C/L 4/15 & 5/14.
4-14-47	N	2470	115/DAY	@ 5100 5-13	
4-28-47	N	4180	170/DAY	@ 5100 5-13	Inc. GN-45976 Order C/L 6/1
5-14-47	E	1540 NB 2000 SB	200/DAY		Reserved C/L due to Ship 5/13 to 6/9 - Order C/L 7/1
6-10-47	C	1200 NB 1500 SB	135/DAY	3700 DAY 6-30	Inc. NYC-161620
6-26-47	N	3400 NB 3000 SB	100/DAY	@ 5400 8-20	Should go to 165/DAY PRR 53443 spotted 7/1 Unloaded
7-3	C	1750 NB 2000 SB	150/DAY	@ 5000 8-20	Inc. PRR-53443
7-25	C	2000 SB 1015 NB	110/DAY	@ 5000 9-1	Count in Stripper. Bldgs approximate
8-6	W/E	3571-LS 3500 SS	140/DAY	9-11	
8-24	G	1700 - L 3700 - D	4200	9-30	
9-10	N/W	8-3731 8-3631	4200	10-17	Inc. PRR-53443. C/L 10/1 to 10/25
9-30	W	B-4755 D-			Couldn't count dead storage
10-15-47	W	2760 NB 1560 SB	122/DAY	10/30/47 12/15/47	Inc. TNO 52350
10-28	W	2555	3800	12-25	Inc. WP-20475. C/L for 12/1
11-11	W	6160	4100	12-26	After C/L 11/27 to 12/10
11-26	W	4314	4100	12-27	
12-13	E	3400	3400	1-13	Inc. WAB-86031

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-1823 RB	5-14-46	3800	6-5-46		5-29-46	6-3-46	CN-485733
"	"	3800	6-25 DNW		6-18	6-18-46	Sou-13648
C-3737 RB	8-2-46	3800	9-1-46		9-3	9-3-46	DRGW-69194
C-4278 RB	8/8	3800	10-3 DNW		9/25	9-25-46	Sou-22241
C 6275 RB	11/8	3752	11/25		12/4	12-4-46	SP-82286
C-1951-RB	12/3/46	3696	12/16		12/27	12-24-46	MP-93739
C-262 TB	1/13	3780	2/10		3/14-47	2-19-47	PM-84230
C 262 TB	1/13	3780	4/1/47		3/28/47	3-31-47	GN-45962
C 2240 TB	3/31/47	3780	4/22/47		4/22/47	4-21-47	NKW-48436
C 2240 TB	3/31/47	3780	5/16/47	1100 B. Cl. Rs	5/16/47	5-13-47	NYC-161620
C 3014 TB	5/3/47	3612	6/9/47	1400 B Cl Rs	6/9/47	6-10-47	PRR-69750
C-3620 TB	5/23/47	3588	7-5-47 DNW	17500 B.Cl.Rs	6/27/47	6-20-47	PRR-53443
C 4673 TB	7/11/47	3780	9/1/47	No BL Clips	8/29/47	8-28-47	PRR-85143
C 6075 TB	9/12/47	3780	ASAP		9/25/47	9-25-47	TNo-52350
C 6075 TB	9/12/47	3780	10/25/47		10/24/47	10-22-47	WP-20475
C-7175-TB	11-6-47	3780	12-10-47	11000 B Wipers	12-9-47	12-8-47	WAB-86031

FE001323

FORM F-20

CO. REPUBLIC
PLANT CANTON
SIZE 20 X 23

RINGS

Block Clip	SK-1657	15000	C/L
Chip	SK-1540	16000	
Wiper	SK-1481-A&B	7600 EA	
Ring	B-1693	3800	

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
8/21	N	10529	6000	1-13-45	INC. GN-50324. 9/1/6, 1/26, 2/15
8-11	N	4508	6000	1-8	
8/28	N/S	7498	6000	2-14-45	Advance C/L 2/7 to 2/1 Order C/L for
					2-10 & 2/26
9-18-45	N	5988	DEC-4500	@6000 2-15	DEFER C/L 2/10 TO 3/10
12-6-44	N	7273	MAR-4000	3-23-45	INC-NP. 17727 | 3600 Cov. FEB 4650 " MAR | MILL ADJ CA-41472
12-29	N	9160		@5000 1-19	INC 11LW-703633
2-21-45	N	6356	F-2000	@4000 5-7	Ordered 3 C/L for 4/13, 5/10, 5/31
3-9	N	8074	M-3785	@4000 6/10	Incl-CN48275
4-24	N	9876		@4000 7-6	INC CN 487046
5-11	N	7992		@4000 7-11	
6-13	N	7664	MAY-4000	@4000 8-10	INC 6TW-46110 Order C/L 8/15 & 9/15
7-11	N	5800	June 3000	@4000 9/15/45	Inc. D&RGW 69630
8/7	N	9565	July 3000	@4000 10-19	Incl. B&O 385524. Defer C/L 9/8 to 10/1
8/31	N	12450	Aug 1500	@3550 12/10/45	Will hold up indefinitely. C/L for 9/15
					Incl. PRR 38212
9/15	N	11317		@4000 11/10	Release C/L 9/15 to 10/15. Order C/L "4" "23
10-1	N	13900		@3500 12-15-45	C/L 11/4 "23 - Make 9/15 & 10/15
10-31	C	3641	Oct. 3439 Nov.	@1110/Mo 12-20	Inc. NH-30232 C/L every 22 days.
11/27	N	10,239		@3000/Mo 12/26/46	
12/6	N	7,200		@6000 1-15-46	Order C/L 1/5-1/27 -
12/20	N	16000		@3000 2/20/46	Order Held C/L 12/10/45
1-4-46					
1/5/46	N	11,105			Incl 3500 received from Marathon Book Count
1/16/46	N	9605		@3000 3Mo	
3/1/46	N	7600	EST 3000/Mo 11/-6/15 1205	@3000 5/15/46	
3/13/46	C	2000		@3500 3/13/46	Showed order C/L for about 4/25/46
3/29	C	3300	3500/Mo	6-10-46	Found more rings at PC plant.
4/5	C	6656	3500/Mo	5/8	Order C/L for 5/1 on hand at C/L 5/10
4/20	N	3115	1800	@3500 5-10	C/L PRR-No Yd. Incl. Order C/L for 6/5 & 6/15

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CA-9324-J	8-2-44	3800	8-7 arrive		8-16	8-15-44	MILW-19487
"	"	3800	8-15 arrive		8-23	8-25	NYC-157260
"	"	3800	9-30 arrive		9-26	9-26	UP-187359
CA-26832-J	9-29-44	3800	11-7 arrive		11-9	11-9-44	GN-50324
CA-30560-J	10-17-44	3800	11-30 arrive		11-27	Cancelled	
"	"	3800	12-16 arrive		12-14	Inst'd to Milwaukee	
CA-42357-J	11-30-44	3800	12-29-45 arrive		12-18-44	12-18-44	ACL-13228
"	"	3800	1-18 arrive		1-15-45	1-18-45	NP-17727
"	"	3550	2-7 arrive		2-2	2-12-45	MILW-703633
CA-4142-K	1-9-45	3800	3-10		3-16	3-24-45	CN-482754
"	"	3800	4-1		4-17	4-17-45	CN-487046
CA 28650K	3-21-45	3600	5-25		5-21	5-19-45	GTW-46110
"	"	3600	6-20		6-13	6-14-45	D&RGW-69630
"	"	3900	7-15 arrive		7-16	7-16-45	B&O-385524
CA-58885-K	6-21-45	3550	8-1 arrive		8-9	8-8-45	PRR-38212
"	"	3900	10-15		10-15	10-15-45	NH-30232
CA 24072M	9-21-45	3900	11-15		11-14	10-12-45	UP-193558
"	"	3900	12-15		12-14	Cancelled	
CA-44805-MB	12-6-45	3900	WHEN READY			Cancelled	
CA-25775-PB	4-12-46	3500	5-1-46 arrive		4-26-46	4-25-46	PRR-566012
"	"	3800	5-20-46 arrive		5-16-46	5-16-46	PRR-68289

FE001324

REP ✓

JENSON ✓ RINGS ✓

BLK. CLIP	SK-1627	150000	✓
CLIP	SK-1740	16000	✓
WIPER	SK-1451 A+B	7800 EA.	✓
RING	B-1693	3900	✓

C/L

PLANT INVENTORY

DATE	QTY	ON HAND	USAGE	WORK TO	RECOMMENDED ORDER
				✓-✓	does not include SBU-79660
				6-1	OH for 2nd qtr.
					Usage 1st Qtr - to 6/1 mill = 0
					1-sq. for 7/1 to fill in 28 x 32
				9-5	
				11-15	Rec. MLW-795503 sq. for 11/16 x 12/6
					1/1, 1/11, 1/21, 1/31, 2/10, 2/20, 3/1, 3/12, 3/22
				1-7	Hold Rec. MRT-80331. Cancel sq. for 1/1
				2-21	Rec. SAL-17908
				2-15	Cancel 2/1-1/31, 2/1 3/10, 3/20, 4/10, 4/20
				3-15	Rec. DRGW-68016
				3-20	Rec. UP-187034
				5-21	
				4-15	4 for 6/1 to 6/10
				5-24	INC. PRR-47044
				6-7	
				7-15	
				8-1	
				8-21	Rec. PRR-14535. Add'l Qty, 9/1 to 9/30
					SEE RATE OF USAGE
				10-6	INCREASE 4
				10-15	RENEW YC-1772 60
				11-5	Sq. for 11/15
				12-21	INC. UP-187390 Sq. 1/30 x 12/16
				11-24	

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CA-20387-F	2/26/43	3900	4-15	NO WIPERS OR CLIPS	4-12	4-9-43	Sou-10665
		3900	✓-10		✓-6	5-7	Gov-12515
		3900	6-5	No ✓	6-✓	6-1	CB+Q-33527
		3900	7-20	No ✓	7-14	7-13	Sou-260777
CA-2924-H	7-9-43	3900	8-9		8-9	8-9	NP-9533
		3900	9-10	DOUBLE WIPERS	9-7	9-7	PRR-19209
		—	8-5	500 EA. WIPERS	8-5	8-5	Bust
		—	8-5	4500 EA. WIPERS	8-5	8-5	Just
CA-14947-G	8/11/43	1800	Rush	3600 EA. WIPERS + CLIPS	8-17	8-17	PRR-47206
CA-16647-H	8-17-43	3800	10-1		9-28	9-28	GN-49406
		3750	10-20		10-16	10-16	MLW-795503
		3800	11-10		11-6	11-5	Sou-267946
		3900	11-30		11-26	11-23	OWRN-18000
		3600	12-20		12-16	12-13	SAL-17908
CA-42540-A	11-4-43	3850	11-16		11-13	11-13	CBQ-30501
		3900	12-6		12-4	12-4	MRT-80331
CA-51007-G	12-7-43	3900	1-1-44		12-14-43	Sou	CA20593
		3800	1-11		1-6-44	1-6-44	DRGW-68016
		3800	1-21		1-17	1-17	UP-187034
		3900	1-31		1-27	Sou	SAL-17908
		3800	2-10		2-7	2-7	PTSF-34710
		3600	2-20		8-16	2-16	NW-87167
CA-6706-H	1/13/44	3800	3-10		3-6	3-6	ETRE-16407
		3800	5-10		5-5	5-5	SP-38885
		3600	4-10		4-6	4-5	PRR-47044
		3700	4-25		4-20	4-19	DRGW-68016
CA-33249-H	4-6-44	3800	6-20		6-27	6-24	Sou
		3800	8-1		8-7	8-8	Sou
CA-146-J	7-1-44	3900	7-20		11-[illegible]	[illegible]	[illegible]

FE001325

Form F-26 11-46

CO. REP.

PLANT CANTON

SIZE 20 1/2 x 23 1/2 BRICK

2 EACH #1194-1195-S-1196-1197-S, 4 EACH #1198 & 1199
B-1692 √00 SETS PER 80,000 #c/L

PLANT INVENTORY

DATE 1948	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
5-24	E	———	———		Unloading Ark 6-90 x 27
6-1	N	12 x √	200	11-1	
6-15	NW	11 x √	200	12-1	
7-7	N	10 x 0	200	12-1	
8-9	S	930	Will not use as 6 x 9 brick but will use up otherwise		

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY (SETS)	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER

FE001326

CO. REP.
PLANT CANTON
SIZE 20X23 BRICK

2 Ea #1194-1195-S-1196-1197-S, 4 Ea 1198 & 1199
HEATS PER LINING.
B-1697 500 SETS PER 90,000 # C/L

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
9-24-46	W/N	637	220/Mo	@170 1X-16	
10-4	N/L	447	170/Mo	@170 1X-25	ESTIMATE
11-6	E	300	150/Mo	1/10	
12-4-47	N	629	175/Mo	@175 12-31-47	Rec. C/L 33770 - Subject to for 4/5
1-2-47	N	620	175/Mo	@175 1-17-47	
1-28-47	N	565	125/Mo	@175 2-13	
2-20	N	535	"	"	EST.
2-27	C	475	"	6-10	This is on appl count.
3-8	N/W	918	"	@175 10-18	
3-21	N/W	1350	"	@175 £	
4-18	N				
5-14	E	AMPLE	200/Mo	11-1	Ordered C/L 8/1
6-10	C	960	175/Mo	@175 8-25-47	
6-26	N	880	"	"	To account.
7-3	C	1686	200/Mo	@200 10-20	
7-25	C	584	160/Mo	@200 10-5-47	
8-6-47	N/E	930	150	6 Mo.	
8-21	G	850	140	6 Mo.	Rec. NYC - 13V198
9-10	N/W	790	225	12-30	C/L for 1/10
10-15-47	N/W	520	250/Mo	12/17/47	Don't know when C-6074-TB
10-28	W	378	250	12-11	C/L for 1/10
11-12	W	331	250	12-22	C/L for 2/5
11-26	W	200	250	12-20	
12-16	E	2W	250	1-13	
12-30	N	620	250	2-15	Rec. MLW-711201
1-13-48	S	319	250	2-20	
2-12	W	913	250	6-1	Rec CNW-84206 C/L 5/11
2-19	W	876	250	6-4	Rec. CNW-64166. C/L 5/1 + extra
3-25	W	800	250	7-1	
4-21	NE	675	250	7-6	
5-11	W	460	250	7-5	Shipment of 5/18 will bring them to 1350 lbs - OK to 8/12/48

FE001327

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY SETS	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
2-4278-KB	8/26/46	500	ASAP	P-9838 A	READY 11-25	12-20-46	SP-33770
C 225 TB	1/3	500	6/1-	9716 A	3/10/47	3-19-47	PRR-95356
C-7620 TB	5/28/47	500	8/1/47	10181 A	7/15/47	7-30-47	NYC-135198
C 6074 TB	9/2/47	500	11/1	10505-A	11/25/47	12-13-47	M.L.W-711201
C-7176-T-B	11-19-47	500	1-10-48	P-10695 A	1-10-48	1-13-48	CNW-84206
C-7547-T-B	11-20-47	500	2-10-48	P-10701 A	2-2-48	2-4-48	CNW-64166
C 1432 LOB	2/27/48	2ND SETS 1000 LBS	4/25	11088 A	5/7/48	5-18-48	B+LE-90227

FORM F-28

CO. REP. ✓
PLANT CANTON ✓ BRICK ✓
SIZE 20·X23 ✓

2 EA. #1194 #1196 = 2 EA. 1195-S #1197-S, 4 EA. #1198 & #1199
23 HEATS PER LINING
B-1692 ✓ 500 SETS PER 80000 #C/C ✓ (Slotted)

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
7-43	N	1307	350	8-1	order car for 7/15
7-21/43	N	1675	"	9-15	Inc. C/C MLW-707876
8-17	N	1460	"	✓	
9-17	N	1239	"	10-15	C/C for 10/1 & C/C for 11/1
9-24	N	1078	2 WKS 211	10-15	
9-30	N	1158	400	12-5	Need C/C for 12/5
10-9	N	1284			
10-7	N	1056	400	12-20	order by Oct. 15
10-26	N	1368	500	1-15	Inc. SLSF-126295. C/C for 1/15 & 2/15.
11-11	N	1158	500	2-18	
12-7	N	1285	500	2-17	C/C for 3/1
12-21	N	DIONT. COUNT			
1-24	N	1182	350	4-1	
1-28	N	No Inv ✓			C/C for 5/1
2-29	N	1238	380	5-15	Inc. K.C.S.-17425
3-1	N	1990	380	8-1	Inc. CAO-12498. C/C for 6/1
3-24	N	1740	350	8-1	
4-14	N	1510	350	8-24	EST.
5-2	N	1350	"	8-24	"
5-23	N	1215	"	8-24	(GOOD COUNT)
6-23	N	1445	300	11-1	
7-6	N	1277	300	11-10	INC. ATSF-129424
7-25	N	1512	325	11/15	Inc. IC-340945. Order C/C for 10/10 & 11/20
8-22	N	1382	350	12-20	
9-7	N	NO COUNT			
9-30	N	1000	350	12-15	defer C/C of 11/20 to 12/15
10-11	N	1703	360	12-8	
11-1	N	1036	360	2-1	Inc. L&N-102361. Order car for 2/15
11-21	N	1005	295	3-15	
12-16	N	1858	350	2-20	C/C for 3/10
1-16	N	[illegible]			COUNT

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY (SETS)	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CA-27719-E		360	1/1/43	✓307 A	1-1	1-22-43	—
CA-49826-E		480	2-20	✓744 L/K	2-15	3-1	—
CA-9363-F	12/5/43	480	4-15	✓743 A	4-10	4-12	MLW-707876
CA-38899-F	4/11/43	500	7/15	6035 A	ready	8-6	SBQ-133054
CA-14943-G	8/14	500	ARRIVE 10-1	6282 A	10-15	10-14	SLSF-126295
"	"	500	ARRIVE 11-1	6283 A	10-25	10-28	DLW-48178
CA-42543-G	11-4-43	518	ARRIVE 1-5	6635 A	12-31	1-4-44	KCS-17425
"	"	500	ARRIVE 2-5	6642 A	2-10	2-9-44	PRR-109535
CA-34756-G	12-14-43	500	ARRIVE 3-1-44	6640 A	2-12-44	2-15	CAO-12498
CA-24539-H	3-11-44	500	6-1-44	6985 A	READY	6-1	ATSF-129424
CA-39982-H	4-28-44	500	7-1-44	6979 A	7-8	7-7	IC-340945
CA-9323-J	8-2-44	500	ARRIVE 10-10	7265 A	10-23	10-25	L&N-102361
"	"	500	ARRIVE 12-15	7266 A	12-13	12-15-44	SAL-16701
CA-10146-J	8-4-44	250	11-1	7177 A	11-7	11/9	[illegible]
CA-37290-J	11-13-44	500	2/15/45	7559 A	2-19-45	2-19-45	SOU-22081

FE001329

CO. REP.
PLANT CANTON BRICK
SIZE 20 X 23

2 EA. #1194-1195-S-1196-1197-S, 4 EA. #1198 & 1199
HEATS PER LINING
B-1692 500 SETS PER 80000 # C/L

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
1-16-45	N	913	335/Mo	@335 4-R	
2-6-45	N	763	450/Mo	2-6-45	
3-23	N	660	"	5-10-45	
3-21	N	960	"	7-15	INC SOV 22081 ACL 20337 next in
4-10	N	1320	"	9/15	Incl ACL-20337.
5-11	N	1050	"	9-15	Order c/c for 9/1/45
6-14	N	1290	450/Mo.	11-14	
7/13	N	1025	"	11/15	Order c/c 10/15
8/17	N	908	350/Mo	11/1	INC. CNJ 14483
9/21	N	810	"	12/6/45	
9/13	N	700	330/Mo	11/15	Release c/c due 8/31 for 10/1 + c/c due 11/1 for 11/15
10-5	N	500	220/Mo	4-1-46	
10-31	G	953	250/Mo		INC. CAO-8953H
11/20/45	N	1110	300/Mo	3/10/46	INCL STL BIN 3239
12/6/45	N	1000	"		
12/19/45	N	920	150/Mo	6 M/o	
1946					
1/3/46	N	850	150/Mo	6 M/o	Est only!
1/16/46	N	1105	150/Mo	7 M/o	Good Count (SEE OVER)
2/1/46	N	1060	150/Mo	7 M/o	
3/13/46	G	950	150/Mo	6 M/o	
3/29	C	860	150/Mo	9-15-46	
4/5	N	850	250/Mo	7-17	KSTL(No Count) Mass. has 350 nets which they will transfer.
5/1	N	608	260 Mo	7-10	317 nets @ mass. to be transferred.
6/10	N	553	225/Mo	9-1	Order C/C for Del 8/10 or Sooner Still some at mass? Will check 6/m.
8-13-N	N	384	245/Mo	@245 9-30	Order 4/h for 12/1
9-4	N/C	No brick count.			

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY (SETS)	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CA-47923-J	12-22-44	500 Lots SEE OVER	3-10-45	7690 A	3-10-45	3-15-45	ACL-20337
CA 9467 K	2-2-45	500	4-15-45	P 7834 A	5-7-45	5-17-45	ATSF-270577
SA-37290-J	11-13-44	487 - #1195-S		7557 A			
SA-9467-K	2-2-45	119 - #1195-S		7834 A	7/3/45	7-14-45	CNJ-144183
CA 47805-K	6-18-45	490 est.	10-1	8339 A	10-1	10-5-45	C+O-83534
CA-8145-M	7-20-45	500 ests	11-15	8470 A	11-5	11-2-45	STL B-M-3239
CA-44787-MB	12-6-45	500 "	WHEN RELEASED	P.O.			
C-3041-RB	6-27-46	500	8-25	P-9134 A	8-18-46	8-24-46	R.I.-141626
C-3743-R-B	8-2-46	500	10-25	P-9252 A	10-28	11-6-46	ATSF-258644

FE001331

FORM F-2

PLANT Canton

SIZE 24 1/2 × 24 1/2

Rings

4 Wipers - 2K-1667 - 13,000 — 11,400

4 Rings B-2003 - 3,200 — 2,760

12,800

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
3/10	A	540			
	A	540			
	B	480			not used, but missing 60
	B	480			
1/18	B	480			"
	B	480			"
	B	480			"
2/18	B	480			Rel. 300 3/20 300 3/13
3/10	C	324			

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-02062-A	8/17/50	540 (P)	8/23	No Number	11/1/50	Nov 1-50	TRUCK
C-20904-A	5/25/52	180	6/1/52		6/1/52		
	"	900					
C-20904-A	5/25/52	180	asap	No Number	8/15	8/15/52	
"	2/18/53	360	3/20/53	"	3/20	3/20/53	
"	"	240	3/23	"	3/13	3/13/53	
"	3/20/53	240	5/22	"	5/22	5/22/53	
C-555868-A	S.N. 3/25/45	Requirement Order Yr. 1955					
C-565868-R	11/1/56	Requirement Order Yr. 1956					
C-575868-R	11/1/57	Requirement Order Yr. 1957					
C-585868-R	11/1/58	Requirement Order Yr. 1958					
C-595868-R	11/1/59	Requirement Order Yr. 1959					

FE001333

CO. Republic

PLANT Canton

SIZE 24½ x 24½ Cosings

Bof - HT-1253-A Tob - HT-1253-B-1

HT-1253

PLANT INVENTORY

DATE AND BY	IN USE 2 PC.	IN USE TOPS	IN USE BOT'S	NEW 2 PC.	NEW TOPS	NEW BOT'S	RECOMMENDED ORDER
11/5						15	
12/5						15	Perlet-10/30/50-future
1/2/51						11	

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-02061-A	8/19/50	15 Bots	Cliff 9/6	14183-K	11/1/50	10/25/50	RDG-2135
		route A.C.L. Rule to va to Canton			Rdg-Wmd-Dbl Va-NKP		

FE001334

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25 #

TRIAL MATERIALS

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					FROM JM-P-40077 TO PLT 2 + LEMO 1933
					/
					/
					/

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
TNL	12-30-63	25 SETS LINERS NWB-3449			TO PLT 2 1-3-64 TO PLT 1 1-8-64		
	"	4 SETS INSERTS NWB-2					
	"	4 RINGS NU-RN 150			"		
247	1-15-64	~~50 LINERS NWB-3449~~					
		~~2000 UNITS 18-3370~~			1-27	MAR	522 (NEW POOL)
		~~4 SETS INSERTS NWB-2~~			1-27	JM	
		~~50 SETS LINERS NWB-3449~~			1-24	MAR	"

FE001335

FORM F-27

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25" x 25" LV

~~4 BLOCK CLIPS SK-1857~~

8 SPRING " SK-3270

1 RING-WIPER WURW 150

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CG458GB-R	4/27/64	REQT ORD.		1964			
" R.14 JDK	4-24-64 5-4-64	420	5-1		5-1	4-30-64	YRK
" R14 "	4-30-64 5-4-64	680	ARR 5-9		5-8	5-8-64	"
" R.17 GD	5-11-64 5-12-64	~~630~~ 420	ARR 5-18		5-18 5-20	5-20-64	"
" R.18	5/25/64	420	6-5		6-5	6-5-64	"
" R 20 GD	6-4-64 6-9-64	630	6-18		6-18	6-8-64	"
" R.23 GD	7-7-64 7-18-64	420	7-16		7-16	7/16/64	"
" R24 JDK	7-21-64 7-28-64	420	7-27		7-27	7-27-64	"
" R25 JDK	8-5-64	420	Spare		Spare	CANCEL	

FE001336

FORM F-2P

CO. REPUBLIC

PLANT CANTON

SIZE 25" x 25" LV INSERTS WU 62 45/PAL. DIM. = 24 3/4" x 68"

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-645868-R	4/27/64	REQT	ORD.	1964			
" R.14 JDK	4-28-64 5-4-64	540 SETS	5-11		5-4	4/30	GLT TKL
" R14 "	5-4-64 5-4-64	495 "	ARR 5-9		5-8	5-8-64 "	
" R.19 GD	5-11-64 5-12-64	540 250 "	ARR 5-18		5-18 5-20	5-20-64 "	
" R.18	5/25/64	540 "	6-5		6-5	6-5-64 "	
" R 20 GD	6-2-64 6-2-64	450 "	6-18		6-18	6-18-64 "	
" R. 23 "	7-1-64 7-1-64	495 "	7-16		7-16	TKL "	
" R 24 JDK	7-21-64 7-21-64	540 "	7-27		7-27	7-27-64 "	
" R25 JDK	8-3-64	540	8/12		8TC	CANCEL	

FE001337

FORM F-28

CO. Republic

PLANT Canton

SIZE 25" & 24"

2 - Block ass'y SK-1657

2 - Shank ass'y SK-3270

1 - Ring-Nut NURN150

1 - Insert NU-62

60 Per Pallet

45 Per Pallet - 24¾" Dim. "B"

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					NURN150
					NU-62

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-30990-L Rev #1	1/27/64	~~4640~~	~~4/28~~	CANCELLED			
" R-1 LD	1-30-64 1-23-64	180	1-27		1-27	1-27-64	TRK
" " 40	1-31-64	~~180~~	~~1-30~~		~~1-30~~	~~1-30-64~~	CANCELLED
C-64582-L Rev #1	1/27/64	Last Order in 1964					
" R-7 JDK	2-25-64 2-26-64	240	2/27		2/27	2/27/64	TRK
" R.9 JDK	3-2-64 3-2-64	480	3-4	No B/C	3-4	3/4/64	"
" R.10 JDK	3-5-64 3-5-64	480	3-19		3/19	3-19-64	"
" R.11 JDK	3-30-64 3-30-64	490	4-1		4-1	3/31/64	"
" R.12 JDK	4-3-64 4-8-64	420	4-8	No Clips	4-8	4-8-64	"
" R.12 "	4-10-64 4-8-64	630	4-21		4-21	4-21-64	"
C-30990-L Rev #1	1/27/64	~~7600 SETS~~	~~4/28~~	CANCELLED			
" R-1 LD	1-31-64 1-25-64	200 "	1-27		1-27	1-27-64	TRK
" " 40	1-31-64	~~2000~~			~~1-30~~	~~1-30-64~~	CANCELLED
C-64582-L Rev #1	1/27/64	Last Order in 1964					
" R-7 JDK	2-25-64 2-25-64	120 SETS	2/27		2/27	2/27/64	TRK
" R.9 JDK	3-2-64 3-2-64	495 SETS	3-4		3-4	3/4/64	"
" R10 JDK	3-5-64 3-5-64	540 sets	3-19		3-19	3-19-64	"
" R11 JDK	3-30-64 3-30-64	450 SETS	4-1		4-1	3/31/64	"
" R.12 JDK	4-3-64 4-8-64	540 "	4-8		4-8	4-8-64	"
" " "	4-10-64 4-8-64	450 "	4-21		4-21	4-21-64	"

FE001338

FORM F-2

CO. Republic

PLANT Canton

SIZE 25" ft LV

(Hdr = 4467 + 4468)

1 set per carton, 20 cartons per pallet

Brick NUB-3449 Stock 50 sets 8/JM - Ltr 4-7-64

PLANT INVENTORY

Canton Plant 8

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					C-30990-R Rev #1
					" R-1 2nd
					C-46828-R Rev #1
					" R.9
JDK 3/16/64					" R.12
JDK - 11/23/64					" R.14
					" R.17
					" R.18
					" "
					" R.20
					" R.24

Stock 20 sets JM - Ltr 1-6-65

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
	1/23/64	260 sets	w/H				
	1-23-64 1-23-64	50 sets	1-25	28567 JM 2	1-24	1-24-64	TRK
	1/23/64	Later Ord. Yr		1964			
" R.9 JDK JDK	2-19-64 3-5-64	50 sets	3-6	29956 "	3-6	3/5/64	TRK
" R.12 JDK	4-3-64 4-8-64	50 sets	4-6	29882 JM 2	4-6	4-6-64	"
" R.14 JDK	4-23-64 5-4-64	50 sets	at once	30651 JM 2	4/24	4-24-64	"
" R.17 GD	5-11-64 5-12-64	25 sets	ABB 5-18	31090 "	5-15	5-18-64	"
" R.18 GD	5-22-64 5-25-64	25 sets	ABB 5-25	31346 "	5-25	5-25-64	"
" " "	5-22-64 5-25-64	50 sets	6-1	31398 "	6-1	6-1-64	"
" R.20 GD	6-9-64 6-9-64	48 sets	OK 6-20	31708 "	6-19	6-19-64	"
" R.24 JDK	7-21-64 7-28-64	50 sets	7-28	32491 "	7-21	7/22/64	

FE001339

FORM F-28-A

CO REPUBLIC

PLANT CANTON

SIZE 25" x 25" HT-1562 CASINGS

A - Bottom
B - Top

... from Kutztown

PLANT INVENTORY

Ship via "Youngstown Cartage Co"

ORDER STATUS

DATE AND BY	IN USE 2 PC.	IN USE TOPS	NEW 2 PC.	NEW BOT'S	USAGE	O. K. TO	RECOMMENDED ORDER	CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
4/6 WL	48	2						C-29041-B	2/9/62	25 2-Pc	AT ONCE	16437K	4-13	4/10/62	TRK
10-23	42	6		0				"	"	25 2-Pc	AT ONCE	16440K	4-25	4-28-62	"
11-8 "	30	8		0				C-2358H-R	11/20/62	25 Bolts	AT ONCE	20662-K	12/21/62	12/21/62	"
12-27				25				C-64568-R Rel-5	12-31-63 2-3-64	10-Pc	ASAP	28951 K	2/24/64	2/24/64	"
								"	"	10-Pc	ASAP	28950 K	2/28/64	2/28/64	"
								"	"	20-Bolts	ASAP	28950 K	2/28/64		

FE001340

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25" x 25" LV

4 BLOCK CLIPS SK-1657
8 SPRING " ~~SK-3500~~ SK-3270
1 RING-WIPER WURW138 PAL. 27 13/16" x 54" 60/P
1 INSERT WU56 " 41" x 65" 76/P

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					WURW138 ✓
					240 ↗ ✓
					Rw: 5000 → ✓
					S/C 40,000
					WU56 ✓
					240 ↗ ✓
					JDK of 9/3/63 - Memo 9/3/63 ✓
					5000 → ✓

ORDER STATUS

AFTER INITIAL 240

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
~~C-38667-R~~ JDK	~~7-25-63~~ 7-19-63	~~240~~	AT ONCE	-No S/C-	7-18	M&H	CANCELLED
" JDK	7-25-63	60	7-29	2 m S/C only	7-29	7-29-63	TRK
" ~~RET~~ JDK ~~JDK~~	~~8-9-63~~ 8-12-63 ~~9-4-63~~	~~180~~	~~ASR~~ 8-19	NO S/C	8-19	8-19-63	"
"		60	9-5	S/C only	9-5	9-5-63	"
" rev "1		180	W/A	1200 S/C only			
C-30990-R	12/17/63	5000	W/A	(REVISED TO NU-1150)			
~~C-38667-R~~ JDK	~~7-25-63~~ 7-19-63	~~240~~	AT ONCE	----------	7-18	M&H	CANCELLED
" JDK	7-25-63	60	7-29		7-29	7-29-63	TRK
" ~~RET~~ JDK	~~8-9-63~~ 8-12-63	120 "	~~ASR~~ 8-19		8-19	8-19-63	"
"		—	—		—		
" JDK	9-4-63	152 "	9/5/63		9-5-63	9-5-63	TRK
" rev "1		148	W/A				
C-30990-R	12/17/63	5000	W/A	(REVISED TO NU-63)			

FE001341

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25" x 25" LV INS. LINING BRICK WUB-3411 4 EA. #4389 #4390

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
JDL C-3866-R	6-25-63 7-19-63	25 SETS	ARR 7-25	25315 JM Z	7-24	7/24/63	TRK
C-30990-R	12/17/63	250 SETS	W/A	REVISED TO WUB-3447			

FE001342

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25" x 25" LV RW 117

8 SPRING CLIPS SK-~~3270~~ 3500 } 9990 } PTL

1 RING WIPER RW 117 } 1092 }

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
5-24-62	D	1050	55/day	6-12	
6-29	D	780	" "	7-21	1/2 T/L 7/18 R.13
7-26	D	850	50/day	8-30	+ 500 on RW117
8-23	D	468	40/day	9-13	
8-30	JK	686	60/day	9-10	Not Rec'd small rings
9-26	D	260	"	10-1	
10-23	D	560	50/day	11-5	with 1/2 T/L RW 51 →
11-8	E	767			with 1/2 T/L RW 51 →
1963					
1-2	D	1560	35/day	43 days	
6-9	K	572			
6-17	K	1577			
6-24	K	572			
					with 1/2 T/L RW 51

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-29041-R	2/9/62	V092	AT ONCE		4-12	4/13/62	TRK
C-625868-R,R,R	JMW 5-21-62	1092	5-22		5-22	5/22/62	"
" R17	5-28-62	1092	6-6 am		6-6	6-6-62	"
C-625868-R	5/25/62	Requirement Order Yr.			1962		
SHIP SK-3		500 on NOT SHIP - ORDER IN PROG					
" Rel #17	PH 6-18-62	936	ASAP	7000 at -3500	6/27	6/27/62	TRK
" Rel #19	PH 7-9-62 7-11-62	624	7-17 am	4500 at -3500	7-17	7-16-62	"
" Rel #19	"	624	7-26 am		7-26	Cancel	
" R.22	PH 7-31-62	1092	AT ONCE		7-31	7-31-62	TRK
" R.22	8/27/62	624	8-30 am		8-30	8-29-62	"
"	9/13/62	624	9-14 am		9-14	9-14-62	"
" R.25	PH 9-26-62	468	9-28		9-28	9-28-62	"
" L.28	PH 9-28-62	520	10-5 am		10-5	10-5-62	"
" "	"	520	10-9 am		10-9	10/9/62	"
" "	"	520	10-29 am		11-1	11/1/62	"
" 30	PH 10/29/62	624	11-9 am		11-9	11/9/62	"
" 30	"	624	11-16 am		11-16	11-16-62	"
" 30	"	624	11-30 am		11-30	11/29/62	"
" 32	PH 11-26-62 11-26-62	624	ADD 12-12		12-12	12/12/62	"
" "	PH 12-14-62	-	ADD 12-15	10 m SK	12-14	12/14/62	"
C-635868-R	1/1/63	Requirement Order Yr.			1963		
" R.10	JDK PH 2-7-63 2-8-63	1092	ADD 2-12		2-13	2/13/63	TRK
" R.17	PH 2-18-63 2-20-63	572	ADD 3-22	69 M SK-1457	3-22	3/22/63	"
" R.19	PH 2-1-63 2-3-63	624	4-5		4-5	4-6-63	"
" R.22	JDK 4-23-63 4-25-63 4-30-63	312	4-28		4-28	4-28-63	"
" "	"	312	4-29	e	4-29	4-29-63	"
"	JDK 5-15-63	624			5-17	HH	
C-635868-R	1/1/64	Requirement Order Yr.			1964		
← CANCELLED		Rev'd 1/1 - 1/29/64					

FE001343

FORM F-28

CO. Republic

PLANT Canton

SIZE 25" ϕ LV

Coil C-130

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
Jack	4-19-63	5			4/27	4/30/63	Wetzig
Joe	7-10-63	12			7-16-63	N/A	

FE001344

FORM F-27

CO. Republic Steel
PLANT Canton
SIZE 25 X 25 Ring Wiper

4 - Block Clips - SK-1659 5000 } Pal T/L 132M/DRUM
8 - Spring Clips - SK-1590 10000 } Pal T/L 11M/DRUM
1 - Ring Wiper - RW-51 1140

PLANT INVENTORY

DATE 1960	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER	
9-19	D	980	350/da	9-21	Not Rec'd. 9/19 T/L	1
9-26	D	540	200/da	9-28	" " 9/26	1
					Order T/L's @ 10/3, 6, 10, 13, 17, 20, 24, 27. 880 ea SK-1590, 32000 SK-1659	1
10-10	D	1560	300/da	10-15		1
10-24	D	1920	250/da	11-1	Order T/L's @ 11/1, 4, 9, 14, 17, 23, 28	1
11-9	D	2000	200/da	11-19	Rec'd. 800 Shims	1
12-12	D	2400	"	12-25		1
12-20	D	2060	"	1-5	Down 12/24 to 12/28	2
					Cancel 12/29 C/L order C/L's	3
1-10-61	D	1680	"	1-18	Order 1/16 to 1/13, 19, 24, 30 To 1/8, 23, 27	10
						5
1-30-61	D	1680	25/da	2-5	order T/L's 2/2, 7, 10, 17, 21, 27	6
						7
						11
						12
						13
						14
						15
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-605868-R#18	9-23-60	1080 P	10/3	33M-1590 32M-1659	10/3	10/3/60	TRK
" "	"	1260 P	10/6	No Appts	10/6	10/6/60	"
" "	"	1260 P	10/13	"	10/13	10/12/60	"
" "	"	1260 P	10/17	"	10/17	10/17/60	"
" "	"	1260 P	10/20	"	10/20	10/19/60	"
" "	"	1140 P	10/24	"	10/24	CANCELLED	
" "	"	1260 P	10/27	"	10/27	10/26/60	"
C-605868-R#19	10-26-60	1260 P	11-1 am	33M-1590 32M-1659	11/1	11/1/60	"
"	11-2-60	1140	11-4 am	No Appts	11-3	Cancelled	
"	"	1260	11-7 am	"	11-8 11	11/10/60	TRK
"	"	1140	11-11 am	"	11-14	CANCEL	
"	"	1140	11-17 am	"	11-17	CANCEL	
"	"	1260	11-21 am	"	11-21	11/21/60	TRK
"	"	1260	11-28 am	"	11-28	11/28/60	"
" #20	11/28/60	1260	12/6	44M-1590 22M-1627	12/6	12/5/60	"
" "	"	1260	12/12	No Appts	12/12	12/12/60	"
" "	"	1260	12/16	" "	12/16	12/15/60	"
" "	12-22-60	1260	12/24	" "	12/29	12/29/60	"
" "	"	1260	12/27	" "	12/27	CANCELLED	
C-615868-R, R1	12/22/60	1260	1/4	44M 3/@ 22M D/C	1/61	1/4/61	TRK
" "	"	1260	1/5 thru 1/6	NO APPTS	1/5	1/5/61	"
" "	"	1260	1/13	" "	1/12	1/12/61	"
" "	"	1260	1/20	" "	1/18	1/17/61	"
" "	"	1260	1/24	" "	1/23	1/23/61	"
" "	"	1260	1/30	" "	1/26	1/26/61	"
" "	"	—	1/4	33M-S/C	1/4	1/5/61	TRK
C-615868-R	1/1/61	Requirement Order Yr. 1961					
" ~~R2~~ R1	2-1-61 2-1-61	REPLACEMENT MATERIAL	2/2	22M S/C	2/2	2/2/61	TRK
" R2	"	1140 P	2/2	66M S/C NO ALL CLS	2/2		
" "	"	1260 P	2/7	NO APPTS	2/7	2/6/61	"

FE001345

FORM F-2

CO. Republic Steel
PLANT Canton, Ohio
SIZE 25 X 25

Ring Wiper

4 - Block Clips - SK-1657 5000
8 - Spring Clips - SK-1590 10000 } P T/L 32 M/DRUM 11 M/DRUM
1 - Ring Wiper - RW-51 1140

PLANT INVENTORY

DATE 1960	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
5-27	D	1400	160/da.	6-10	Down 5/28 to 6/2 order 1/2 + 1/2 6/13
					order T/L's for 6/8, 16, 22, 29
6-10	D	1320	180/da	6-17	
6-21	D	1920	250/da.	6-29	Incl. 6/20 T/L
7-14	D	1680	300/da	7-19	Hot Incl. 7/15 T/L - T/L for 7/21 7/28
9-28	D	2900	325/da.	8-5	Incl. 7/28
					order T/L's 8/1, 3, 5, 8, 11, 15, 18, 22,
					25, and 29
8-23	D	2500	360/da.	8-31	Incl. 1000 Thiem. Not incl. 8/24 T/L
					Order T/L's for 9/1, 5, 8, 12, 15, 19,
					22, 26, + 29 with 6800 SK-1590 &
					32 M SK-1657
					CANCELLED

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-60588-P #13	6-2-60	720 P	6-13 a.m.	no appts	6-13	6/13/60	TRK
" #9	"	1140 P	6-16 a.m.	"	6-16	6/15/60	"
" #9		1140 P	6-22 a.m.		6-22	CANCELLED	
" "	"	1140 P	6-29 a.m.	"	6-29	6/29/60	"
" #10	6-16-60 6-16-60	1140 P	6-20 a.m.	"	6-20	6/20/60	TRK
" "	6-16-60	1140 P	6-23 a.m.	"	6-23	6/22/60	"
" #11	7/5/60	1080 P	7-14 a.m.	No dirt cuts 32M SK-1590.	7/14	7/14/60	"
" "	"	1140 P	7-18 a.m.	NO MATS	7/18	7/18/60	"
" "	"	1140 P	7-25 a.m.	" "	7/25	7/25/60	"
" #13	7-14-60 7-14-60	1140 P	7/15 a.m.	" "	7/18	7/14/60	"
" #14	7-19-60 7-19-60 7-19-60 7-19-60	1140 P	7-21 a.m.	" "	7/21	7/21/60	"
" #14	7-19-60	1140 P	7-28 a.m.	No Fit Clips 32 M SK-1590	7/28	7/28/60	"
" #15	7-29-60 7-29-60	960 P	8-1	32M-SK-1590 64M-SK-1657	8/1	8/1/60	"
" "	"	1140 P	8-3	NO MATS	8/3	8/3/60	"
" "	"	1140 P	8-5	" "	8/5	8/4/60	"
" "	"	1140 P	8-8	" "	8/8	8/8/60	"
" "	"	1140 P	8-11	" "	8/11	8/10/60	"
" "	"	1260 P	8-15	" "	8/15	8/15/60	"
" "	"	1140 P	8-18	" "	8/18	8/17/60	"
" "	"	1140 P	8-24	" "	8/24	8/24/60	"
" "	"	1140 P	8-25	" "	8/25	CANCELLED	
" "	"	1260 P	8-29	" "	8/29	8-29-60	TRK
" #16	8/26/60	1140 P	9/1	64M SK-1590 32M SK-1657	9/1	8-31-60	"
" "	"	1260 P	9/6		9/6	9/2/60	"
" "	"	1260 P	9/8		9/8	9/8/60	"
" "	"	1140 P	9/12		9/12	Cancelled	
" "	"	1260 P	9/15		9/15	9-14-60	TRK
" "	"	1260 P	9/19		9/19	9-19-60	"
" "	"	900 P	9/22		9/22	9/21/60	"
" "	"	1280 P	9/26		9/26	9-26-60	"
" "	"	1260 P	9/29		9/29	9/29/60	"

FE001346

FORM F-2

CO. Republic Steel
PLANT Canton, Ohio
SIZE 25 X 25 RING-WIPER

4 - Block Clips SK-1657 5000 } 32M / 1 Drum
8 - Spring Clips SK-1590 10000 } 11M / 1 Drum
1 - Ring-Wiper RW 5-1 1140 } P/L

PLANT INVENTORY

1960 DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
3-1	S	3000	400/Day		Eval 3/29 14
3-31	D	3600	350/Day	4-9	order T/L's on 4/6, 8, 11, 15, 18, 22, 25, 28
4-21	D	2300	275/Day	4-28	Incl. 4/30 T/L, Cancel 4/25 T/L 6
					order T/L's on 5/2, 6, 9, 13, 16, 20, 7
					23, 27, 31 8
5-4	D	2760	225/Day	5-16	9
					10
					11
					1 drum
					CANCELLED
					CANCELLED
					CANCELLED
					CANCELLED
					CANCELLED
					NO Further Usage

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO. P/L's	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-605868 R #5	2/18/60	1140	3/17"	No Appt's	3/11	3/11/60	TRK
"	"	1140	3/19"	"	3/14	3/14/60	"
"	"	1140	3/16"	"	3/16	3/16/60	"
"	"	1140	3/18"	"	3/18	CANCELLED	
"	"	1140	3/21"	"	3/21	3/21/60	"
"	"	1140	3/25"	"	3/25	3/25/60	"
"	"	1140	3/28"	"	3/28	3/28/60	"
"	"	1140	3/30"	"	3/30	3/30/60	"
"			3/2	32M SK-1590	3/476	3/11/60	TRK
"	"	one ship		32M SK1657	3/11	3/11/60	TRK
" " PH	3/17	720	3/23	No Appt	3/23	3/23/60	"
" #7 PH	4-5-60 4/5/60	1080	4/6	32M-SK-1657 66M-SK-1590	4/6	4/6/60	"
"	"	1140	4/8	No Abbts	4/8	4/7/60	"
"	"	1140	4/11	"	4/11	4/11/60	"
"	"	1140	4/15	"	4/14		
"	"	1140	4/20	"	4/20	4/20/60	"
"	"	1140	4/22	"	4/22	4/22/60	"
"	"	1140	4/26	"	4/25		
"	"	1140	4/29	"	4/29	4/27/60	"
" #8	4-22-60	1140	5/2	32M SK1657 32M SK-1590	5/2	5/2/60	"
" "	"	1140	5/6	No Appts	5/6		
" "	"	1140	5/9	"	5/9	5/9/60	"
" "	"	1140	5/13	"	5/12	5/12/60	"
" "	5-13-60	1140	5/16	"	5/16		
" "	"	1140	5/20	"	5/20		
" "	"	1140	5/23	"	5/23	5/23/60	"
" "	"	1140	5/27	"	5/27	CANCELLED	
" "	"	1140	5/31	"	5/31	5/31/60	"
" #9	6/2/60	1140	6/1	"	6/1	6/8/60	"
1000 - SK-2100 Clips Sent to Rep w.o. P.S. via 3/476 TRK.							

FE001347

FORM F-

CO. Republic Steel
PLANT Canton Ohio
SIZE 25 x 25

RW51
Ring-Wiper

4 - Block Clips - SK-1657 5000
8 - Spring Clips SK-1590 10,000
~~1 - Ring-Wiper RW51~~ —
1 - Ring-Wiper RW51 1140
PTL

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
12-22-59	D	5100	450/day	1-2-59	✓
-1960-					
1-7	E	3660	"	1-15	Shut 1/6
2-2	D	1500	"	2-5	

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-91948-R[60]	12-15-59 12-18-59	540 P	12/18/59	we Appt's	12/18	12/19/59	TRK
C-60868-R	1-1-60	Requirement Order Yr. 1960					
" RW#1	1/4/60	1140 P	1/4/60	No Appts	1/4	1/4/60	TRK
" RW#1	"	1140 P	1/6	8 sm SK-1590 7 sm SK-1657	1/6	1/6/60	"
" "	"	1080 P	1/8	No Appts	1/8	1/8/60	"
" "	"	1140 P	1/11	"	1/11	1/11/60	"
" "	"	1140 P	1/13	"	1/13	1/13/60	"
" "	"	1140 P	1/15	"	1/15	1/15/60	"
" "	"	1140 P	1/18	"	1/18	1/18/60	"
" "	"	1140 P	1/22	"	1/22	1/22/60	"
" "	"	1140 P	1/25	"	1/25	1/25/60	"
" "	"	1140 P	1/29	"	1/29	1/29/60	"
" "	"	—	Shut	55 M SK-1590 32 M SK-1657		1/8/60	TRK
" RW#2	1-11-60	—	1/15/60	32 M SK-1657 22 M SK-1590	1/15/60	1/15/60	"
C-60586 9-R[60]	2-2-60 2-4-60	1080 P	2/3/60	33 M SK-1590 32 M SK-1657	2/3	2/3/60	"
"	"	1140 P	2/5	NO APPTS	2/5	2/5/60	"
"	"	1140 P	2/8	"	2/8	2/8/60	"
"	"	1140 P	2/10	"	2/10	2/10/60	"
"	"	1140 P	2/12	"	2/12	2/11/60	"
"	"	1140 P	2/15	"	2/15	2/15/60	"
"	"	1140 P	2/17	"	2/17	2/17/60	"
"	"	1140 P	2/19	"	2/19	(illegible)	
"	"	1140 P	2/22	"	2/22	2/22/60	"
"	"	1140 P	2/26	"	2/26	2/25/60	"
"	"	1140 P	2/29	"	2/29	2/29/60	"
"	"		2/3	44 M SK-1590	SHUT	3/11/60	"
" #5	2/18/60	—	2/26	7500 7 sm SK-1657	2/26	2/25/60	"
" "	"	1140 P	3/2	6 sm SK-1590	3/2	3/2/60	"
" "	"	1140 P	3/4	No Appt's	3/4	3/4/60	"
" "	"	1140 P	3/7	"	3/7	3/7/60	"
" "	"		2/26	22 M SK-1657	SHUT	3/1/60	"

FE001348

FORM F-

CO. Republic
PLANT Canton
SIZE 25×25

RING-WIPER-RW-51

RW51W → 4 - Wire Block Clips - JK-1657 - 5000
8 - Wire Spring Clips - JK-1590 - 10,000
4 - 24ga Wipers - ~~JK-1568~~ - 4650
1 - RW51R Ring - ~~B-3467-A~~ - 1140
} P-T/L

PLANT INVENTORY

1959 DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER	
7/10	D	3800	400	7/19/59	Incl 7/10 (Incl. 1000 Reg)	1
						2
					with 288 B-1730 —	3
					ordered 18,500 Wipers	4
					for 11 T/L's	5
						6
120 RW-51 with attach Clips included this shipment					① ordered 19000 RW51W2	7
					② wipers for 11 T/L's RW568	8
					③ 7/14/59 - HHN	9
					④ Ship Partial - 7/10	10
						11
11/13	D	2940	50/day	11-19	Incl 11/13 T/L	12
						13
						14
						15
						16
						17
						18
						19
						20
						21
						22
						23
						24
						25
						26
						27
						28
						29
						30
						31

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-91948-R	6/19/59	1140 P	6/24	NO APPTS	6/24	6/24/59	TRK
" "	6-29-59	1140 P	6/26	" "	6/26	6/26/59	"
" RW#1	"	720 P	7/1	" "	7/1	7/1/59	"
" "	"	2068 P	7/3	" "	7/3	7/3/59	"
" "	"	1140 P	7/6	No Appts	7/6	7/6/59	"
" "	"	1140 P	7/10	" "	7/10	7/10/59	"
" RW#2 PH	11/24/59	1140 P	11/13	No Appts	11/13	11/13/59	"
" RW#3 CN	11-19-59	1140 P	11/16	" "	11/16	11/16/59	"
" GD	11-18-59	1080 P	11/18	"	11/18	11/18/59	"
"	"	1140 P	11/20	"	11/20	11/20/59	"
"	"	1140 P	11/23	"	11/23	11/23/59	"
"	"	1140 P	11/27	"	11/24	11/24/59	"
"	"	1140 P	11/25	"	11/25	11/28/59	"
"	"	1140 P	11/30	"	11/30	11/28/59	"
"	"	1140 P	12/2	"	12/2	12/4/59	"
"	"	1140 P	12/4	"	12/4	12/4/59	"
" Reg	"	720 P	12/7	"	12/7	12/8/59	"
" Reg	12-4-59	1140 P	12/9	"	12/9	Cancel EC	
" "	"	1080 P	12/11	"	12/11	12/11/59	"
" "	"	1140 P	12/14	"	12/14	12/14/59	"
" "	"	1140 P	12/16	"	12/16	12/14/59	"
" "	"	1140 P	12/18	"	12/18	12/18/59	"
" "	"	1140 P	12/21	"	12/21	12/21/59	"
" "	"	1140 P	12/23	"	12/23	12/23/59	"
" "	"	1140 P	12/28	"	12/28	12/26/59	"
" "	"	1140 P	12/30	"	12/30	12/29/59	"
"		1140 P	1/4	"	1/3 EC		
"		1140 P		"	"	Cancel	
"		1140 P		"	"		
"		1140 P		"	"		
"		1140 P		"	"		

FE001349

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25" × 25" RW51

4 BLOCK CLIPS SK-1657 5M
8 SPRING " SK-1590 10M
1 RING-WIPER RW51 1260
T/L — CLIPS IN (MAX. 3 PC. PER T/L) INUMS

PLANT INVENTORY

1963

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
6-9	K	120 F 930 U			✓
6-17	K	120 F 240 U	86/61	6/61	✓
6-20	K				✓
6-24	K	60 F 930 U			✓
					✓
					✓
					✓
					✓
					✓
					✓
					✓
					✓
					✓
					✓
					✓
					✓
					✓
					✓
					✓
					✓
					✓
					JOK 9/13/63
					✓
					✓
					✓

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-635868-R	1/1/63	REQ'T - ORD. 1963					
" R.14 R	3-1-63 3-1-63	1260	3-6	NO APPTS	3-6	3/6/63	TRK
" "	"	1260	3-8	" "	3-8	Hold Shipment	✓
" "	"	1020	3-13	22m B/C No B/C	3-13	3/13/63	TRK
" "	"	1260	3-15	22m B/C No B/C	3-15	Hold Shipment	✓
" "	"	1260	3-20	33m B/C No B/C	3-20	CANCELLED	
" "	"	1260	3-22	33m B/C No B/C	3-22	3/22/63	TRK
" "	"	1260	3-27	" "	3-27	Cancelled	✓
" "	"	900	3-29		3-29	3/29/63	TRK
" "	"	300	"		3-29	3/30/63	"
" R.19 PH	4-2-63 4-3-63	1260	4-4	NO APPTS	4-4	4-4-63	"
" "	" "	1260	4-11	"	4-11	CANCELLED	✓
" "	" "	1260	4-18	"	4-18		
" "	" "	1260	4-25	"	4-28	HOLD	
" " PH	4-15-63 4-18-63	—	4-16	22000 SK-1657	4-16	4-16-63	TRK
" "	" "	—	"	664 B/C	4-16	4-19-63	"
" " EBC	4-22-63	360	4-22	NO APPTS	4-22	4/22/63	"
" R.23 EBC	5-2-63 5-2-63	360	5-2	"	5-2	5-2-63	"
" " EBC	5-2-63	720	5-3	"	5-3	5-3-63	"
" 25 PH	5-9-63 5-9-58	720	5-10	"	5-10	5-10-63	"
" 26 PH	5-16-63	600	5-17	"	5-17	5/17/63	"
" 28 PH	5-31-63 5-31-63	300	6-1 OUT	"	6-1	6-1-63	"
" 32 PH	6-12-63 6-12-63	-	ADD. 6-17	99m B/C	6-17	6-17-63	"
" 39	9/13/63	—	9-13 OUT	66m B/C	9-13	9-13-63	"
" 42 JOK	11-4-63 11-4-63	-	11-5	99m B/C	11-5	11/5/63	"
C-645868-R PH	1/1/64 1-13-64	Requirement Order Yr. 1964 —	SAP	33m B/C	1-14	1-14-64	TRK
" #2							

FE001350

FORM F-28

CO. REPUBLIC
PLANT CANTON
SIZE 25" x 25" RW51

4 BLOCK CLIPS SK-1657 5M
8 SPRING " SK-1590 10M
1 RING-WIPER RW51 1260
} T/L CLIPS IN DRUMS (3 LY/TRK. - MAX.)

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					G.O. 2/4/63

FORM F-28

CO. Republic Steel
PLANT Canton
SIZE 25×25 RIN 51

4 Wire Block Clips Sk-1657 – 5000
8 Wire Spring Clips Sk-1590 – 10000
1 Ring Wiper RIN 51 – 1260
} P T/L

Ship Clips in drums
32 M B/c per drum
11 M S/c per drum

PLANT INVENTORY

Try for minimum of 3 drums of clips per T/L

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
8-23-62	D	1620	120/day	9-5	
8-30	JK	1400	110/day	9-11	9-4 1260 UNIVERSAL
	Possibly	240/day		9-4	
9-26	D	486	170/day	9-29	
10-23	D	1400	180/day	10-30	
11-8	E	796	340/day	11-10	

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-625868-R R22	PH 7/30 9/28/62	540	8-30	No Appts	8-30	8-29-62	TRK
" RR 25	PH-8/27/62 8-27-62	1260	9-4	11 m S/c 32 m B/c	9-4	Cancel	
" "	"	1260	9-10	22 m S/c	9-10	9-10-62	TRK
" "	"	1260	9-15	No Appts	9-14	9-14-62	"
" "	"	1260	9-24	No Appts	9-21	9-21-62	"
" "	"	540	9-28	No Appts	9-28	9-28-62	"
" "	"	—	—	11 m S/c 32 m B/c	8-30	8-29-62	TRK
" 25	9/14/62	—	9-24	22 m S/c 32 m B/c	9-21	9-21-62	"
" 28 PH	9-28-62 9-28-62	1260	10-1	22 m S/c 32 m B/c	10-1	9-29-62	"
" "	"	1260	10-15	NO APPTS	10-15	CANCELLED	
" "	"	1260	10-25	NO APPTS	10-25	10/25/62	TRK
" "	"	720	10-7	" "	10-5	10-5-62	TRK
" "	"	660	10-19	" "	10-19	10-19-62	"
" "	"	660	10-29	" "	11-1	11/1/62	"
" 29 PH	10-5-62 10-5-62	720	10-8	" "	10-8	10/8/62	TRK
" 28 GPE	10-10-62	720	10-15	"	10-15	10/15/62	"
" 30 PH	10/29/62	720	11-5	No Appts	11-5	11/5/62	"
" 30	"	540	11-9	No Appts	11-9	11/9/62	"
" 30	"	420	11-15	22 m B/c 11 m S/c	11-15	11-15-62	"
" 30	"	540	11-16	22 m S/c	11-16	11-16-62	"
" 30	"	720	11-22	No Appts	11-21	CANCELLED	
" 30	"	540	11-30	"	11-30	11/29/62	TRK
" 31 PH	11-5-62 11-5-62	1260	11-6	"	11/6	11/6/62	TRK
" 30 PH	10-22-62	—	11-5	33 m S/c 32 m B/c	11/5		
" 30 PH	11-8-62 11-12-62	1260	11-10	No Appts	11-9	11/9/62	"
" 30	"	540	11-19	"	11-19	11/16/62	"
" 30	"	1020	11-24	"	11-23	11/23/62	"
" 32 PH	11-26-62	1020	11-27 ARRIVAL	22 m B/c 32 m B/c	11-27	11/27/62	"
" "	"	1260	12-1 ARRIVAL	33 m S/c ONLY	11-30	11/30/62	"
" "	"	1280	12-4 ARRIVAL	NO APPTS	12-4	CANCELLED	
" "	"	1260	12-7 ARRIVAL	"	12-7	12/8/62	"

! = with ½ T/L RIN 117

FE001352

FORM F-28

CO. Republic Steel
PLANT Canton
SIZE 25 x 25 RW-51

4 - Wire Block Clips JK-1657 - 5000
8 - Wire Spring Clip JK-1590 - 10000
1 - Ring Wiper RW 51 - 1260
} P T/L

Ship Clips in drums
32 M B/C per Drum
11 M S/C per Drum

PLANT INVENTORY — Try for maximum of 3 drums / truckload — ORDER STATUS

1962

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER	CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
4-23	D	4000	400/day	5-2	Rec 4/23	C-625868-R R"8	4-3-62	1260	4/20	22m S/C	4/20	Cancel	
5-24	D	1800	170/day	6-3		" "	"	1260	4/13	22 m S/C	4/13	4/23/62	TRK
6-25	D	1320	100/day	7-16	T/L 7/12 1/2 T/L 7/18	" "	"	1260	4/27		4/27	Cancelled	
7-26	D	480	225/wk	7-28	NOTING 7-26	" "	"	1260	4/30		4/30	4/30/62	TRK
						" R.10	4-27-62 4-30-62	1260	5-4	22 M B/C 22 M S/C	5-4	5-4-62	"
						" "		1260	5-7	33 M S/C	5-7	5/7/62	"
						" "		1260	5-10	33 M S/C	5-10	Cancelled	
						" "		1260	5-14	33 M S/C	5-14	5-14-62	TRK
						" "		1260	5-17	22 m S/C	5-17	CANCELLED	
						" "		1260	5-21	22 m S/C	5-21	5/21/62	TRK
						" "		1260	5-24		5-24	CANCELLED	
						" "		1260	5-28		5-28	CANCELLED	
						" "		1260	5-31		5-31	cancelled	
						" Rel "14	5/28/62 5/28/62	1260	6-11	No Appts	6-4	6/4/62	TRK
						" "		1260	6-13	"	6-13	CANCELLED	
						" "		1260	6-20	"	6-20		
						" "		1260	6-27	"	6-27		
					with 208 RW 50 →	" Rel "16	6-12-62 6-12-62	1020	6-13	No Appts	6-13	6-13	TRK
						" Rel "18	6-21-62 6-22-62	1260	6-22	No Appts	6-21	6-21-62	"
					Ph. JMW	" Rel "19	7-9-62 7/11/62	1260	7-10	No Appts	7-10	7-10-62	"
					with 1/2 T/L RW 117	" Rel "19	"	540	7-17	No Appts	7-14	7-16-62	"
					with 1/2 T/L RW 117	" Rel "19	"	1260	7-26	only 32000 JE-1657	7-26	7-26-62	"
						" R.20	7-16-62 7-16-62	1260	7-17	"	7-17	7-17-62	TRK
						" R.21	7-19-62 7-19-62	1260	7-20	"	7-20	7-20-62	"
						" R.18	7-23-62	-		7500 B/C	7/21	7/21/62	Quick Freight
						" Rel "22	7/30/62 7/30/62	1260	7-31	32000 B/C 22000 S/C	7/31	7-31-62	TRK
						" "		1260	8-3	22000 S/C	8-3	CANCELLED	
						" "		1260	8-8	22000 S/C	8-8		
						" "		1260	8-13	22 m S/C ONLY	8-13	8-10-62	TRK
						" "		1260	8-17	"	8-14	8-17-62	"
						" "		1260	8-23	No Appts	8-23	8-23-62	"

FE001353

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25" x 25" RW 51

4 B/ CLIPS 3K-1657 5M
8 S/ " 6K-1590 10M } PT/L
1 RING-WIPER RW 51 1260

SHIP CLIPS IN DRUMS
32 M B/C PER DR.
11 M S/C " "

PLANT INVENTORY Per Mac- Try for maximum of 3 drums / Truckload ORDER STATUS

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER	CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
1962					Then no loss of rings								
2-23-62	D	4080	425/day	3-4	Ord T/L Thurm Ord 3 drs	[illegible]	Ph 1-31-62 2-5-62	1260	2-2	32 m B/C 32 m B/C	2-2	2/2/62	TRK
3-30	D	4800	454/day	4-10		" "	" "	1260	2-6	NO APPTS	2-6	CANCELLED	
						" "	" "	1260	2-9	"	2-9	2/8/62	TRK
						" "	" "	1260	2-13	"	2-13	2/12/62	"
						" "	" "	1260	2-16	"	2-16	2/15/62	"
						" "	" "	1900	2-19	"	2-19	2-19-62	"
						" "	" "	1260	2-21	"	2-21	2/21/62	"
						" "	" "	1260	2-23	"	2-23	2/23/62	"
						" "	" "	1260	2-27	"	2-27	2/27/62	"
						" "	" "	—	2/2	33 m S/C	2/2	2/8/62	TRK
						" "	—	—	2/2	33 m S/C	2/2	2/12/62	"
						" R-7	Ph 2/26/62	—	3/27	32 m B/C	2/27	2/27/62	"
						" R-7	Ph 2/26/62 2/27/62	1260	3/2	32 m B/C 11 m S/C	3/2	3/2/62	"
						" "	"	1260	3/7	33 m S/C	3/7	3/7/62	"
						" "	"	1260	3/9	NO CLIPS	3/9	3/9/62	"
						" "	"	1260	3/12	No clips	3/12	3/12/62	"
						" "	"	1260	3/16	No Appts	3/16	3/15/62	"
						" "	"	1260	3/19	"	3/19	3/19/62	"
						" "	"	1260	3/23	"	3/23	3/23/62	"
						" "	"	1260	3/26	"	3/26	3/26/62	"
						" "	"	1260	3/28	"	3/28	3/28/62	"
						" "	"	1260	3/30	"	3/30	CANCELLED	
						" "	"	—	—	11.14 S/C	3/9	3/19/62	TRK
						" "	—	—	—	33 M S/C	3/12	3/26/62	"
						" "	—	—	—	11 M S/C	3/9	3/23/62	"
						" "	—	—	—	11 M S/C	3/9	3/22/62	"
						" Rd #8	Ph 4/13/62 4-9-62	1080	4/4		4/4	4-4-62	"
						" "	"	1260	4/9	32 m B/C 22 m S/C	4/9	4-9-62	"
						" "	"	1260	4/12	32 m B/C 22 m S/C	4/12	4-12-62	"
					with 288 B-1230	" "	"	900	4/16		4/16	CANCELLED	
						" "	"	1260	4/18	22 m S/C	4/18	4-17-62	"

FE001354

FORM F-28

CO. REPUBLIC
PLANT CANTON
SIZE 25" x 25" RW51

4 BLOCK CLIPS SK-1657 5M
8 SPRING " SK-1590 10M
1 RING-WIPER RW51 1260
} PT/L

32M B/C / DRUM
11 M S/C / "

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-615868-R R-16	PM 11-1-61	1260	11-17	NO APPTS	11-17	11/17/61	TRK
" "	"	1260	11-20	"	11-20	11/20/61	"
" "	"	1260	11-22	"	11-22	11/22/61	"
" "	"	~~1260~~	~~11-24~~	~~"~~	~~11-24~~	Cancel	/
" "	"	1260	11-27	"	11-27	11/27/61	"
" "	"	1260	11-30	"	11-30	11/30/61	"
" "	"	—	11/6	1 drum 11M S/C - SK-1590	11/6	11/17/61	TRK
" R-17	11/30/61	1260	12/8	33 M S/C drum 10M SK-1590	12/8	12/8/61	"
" "	"	1260	12/12	No Appts	12/12	12/12/61	"
" "	"	1260	12/15	"	12/15	12/15/61	"
" "	"	1080	12/19	"	12/19	12/19/61	"
" "	"	1260	12/22	"	12/22	12/22/61	"
" "	"	900	12/28	"	12/27	12/27/61	"
" R-17	"	—	-	5 mm 33M S/C	12/18/61	12/12/61	TRK
" R 19	PM 12-20-61 12-20-61	1020	12-21	NO APPTS	12-21	12/21/61	"
" "	"	1020	12-29	"	12-29	12/29/61	"
C-625868-R	1/1/62	Requirement Order Yr. 1962					
" R. 2	PM 12-20-61 12-20-61	1260	1-3	33 M S/C	1-3	1/3/62	TRK
" "	"	1260	1-5		1-5	1-5-62	"
" "	"	1260	1-8	32M SK-1657	1-8	1/8/62	TRK
" "	"	1260	1-12		1-12	1/11/62	"
" "	"	-	1-18	55M S/C	SHIP IN NEXT T/L	HOLD	
" "	"	-	12-28-61	32M B/C	12-27-61	12/27/61	TRK
" "	"	—	1-3	22M S/C	1-3	1-5-62	"
" R-3	PM 1-10-62 1-11-62	1260	1/16	32M B/C	1/16	1-16-62	"
" "	"	1260	1/19	44M S/C	1/19	1-18-62	"
" "	"	900	1/22	No Appts	1/22	1-22-62	"
" "	"	1020	1/24	"	1/24	1-24-62	"
" "	"	1260	1/26	"	1/26	1-25-62	"
" "	"	1260	1/30	"	1/30	1/30/62	"

FE001355

FORM F-28

CO. REPUBLIC
PLANT CANTON
SIZE 25 x 25

RING WIPER
RW 51

4 - BLOCK CLIPS SK-1657 5000
8 - SPRING " SK-1590 10000
1 - RING WIPER RW 51 1260
} PT/L

32 M / DRUM
11 M / DRUM

PLANT INVENTORY

1961 DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
8-28	D	4070	400/day	9-7	
9-11	D	2160	"	9-16	
9-20	D	3300	"	9-28	
10/31	D	3300	350/da	11-9	
11-24	D	4200	350/da	12-7	

ORDER STATUS

	CUSTOMER ORDER NO.		DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
1	C615868-2, R.13		8-3-61 Ch 8-3-61	1260	8-16-61	NO APPTS	8-16-61	8/16/61	TRUCK
1	"	"	"	1260	8-18	"	8-18	8-18-61	"
1	"	"	"	1260	8-21	"	8-21	8-21-61	"
1	"	"	"	720	8-23	"	8-23	8/23	"
1	~~"	"	"	1260~~	~~8-25~~	~~"~~	~~8-25~~	Cancel	
1	~~"	"	"	1260~~	~~8-28~~	~~"~~	~~8-28~~	cancel	
1	"	"	"	1260	9-1	"	9-1	8-31	TRUCK
1	"	R-14	8/30/61	1260	9-6	No Appts	9-6	9/6/61	"
2	"	"	"	1140	9-8	[illegible]	9-8	9/8/61	"
3	"	"	"	1260	9-12	[illegible]	9-12	9-12-61	"
4	"	"	"	1260	9-15		9-15	9-15-61	"
5	"	"	"	1260	9-18		9-18	9-18-61	"
6	~~"	"	"	1260~~	~~9-20~~	~~"~~	~~9-20~~	Cancel	
7	~~"	"	"	1260~~	~~9-25~~	~~"~~	~~9-25~~	CANCELLED	
8	"	"	"	1260	9-22	NO APPTS	9-22	9-20-61	TRK
9	"	"	"	1260	9-28	"	9-28	9/28/61	"
1	"	R-15	9/25/61	1140	10-2	PPA-31/89 Ch 54-1167	10-2	10-2	"
2	"	"	"	1260	10-4		10-4	10/4/61	"
3	~~"	"	"	1260~~	~~10-6~~	~~"~~	~~10-6~~	Cancelled	
4	~~"	"	"	1260~~	~~10-10~~	~~"~~	~~10-10~~	CANCELLED	
5	"	"	"	1260	10-13		10-13	10/13/61	TRK
6	"	"	"	1260	10-17		10-17	10/17/61	"
7	"	"	"	1260	10-20		10-20	10/20/61	"
8	"	"	"	1260	10-23		10-23	10/23/61	"
9	"	"	"	1260	10-27		10-27	10/24/61	"
10	"	"	"	1260	10-30		10-30	10/30/61	"
✓	"	"	"	900	9/27	NO APPTS	9-29	9-29	TRK
1	"	R-16	11-1 Ch	1080	11-6	26500 S/C C&M Blg	11-6	11/4/61	TRK
1	"	"	"	1260	11-8	NO APPTS	11-8	11/8/61	"
1	"	"	"	1260	11-10	"	11-10	11/10/61	"
1	"	"	"	900	11-14	"	11-14	11/15/61	"

FE001356

FORM F-28

CO. Republic Steel Corp
PLANT Canton
SIZE 25 x 25 Ring-Wiper RW-51

4 - Wire Block Clips - SK-1657 - 5000
8 - " Spring Clips - SK-1590 - 10000
1 - Ring-Wiper - RW-51 - 1260
} P T/L 32 M/Drum 11 M/Drum

PLANT INVENTORY

1961

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
6-26	D	1920	400/day	6-30	Not Rec'd 6/26
7-14	D	660	425/day	7-15	" " 7/14
8-1	D	2100	458/da	8-5	Rec'd T/C's Running# with 22 ga →
					(Rec'd 3 more July# with 22 ga →
					Not Rec'd 8/2 T/C with 24 ga →
					T/C's for 8/7-9-10-14-16-18-21-23-25-
					28-30 / 33 M-SK-1590 / 44 M SK-1657
					600 ~~1200~~ of Steel Band Rec'd clips → GD 8/2 - SK-3500 S/C ATT'D ON 11 T/L

FE001357

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-615868-R #10	Ph 5/26/61 5/26/61	1260	5/31	No Appts	5/31	5/31/61	TRK
" Rel #10	"	1680	6/2		6/2	6/2/61	"
" #10	"	1260	6/5		6/5	6/5/61	"
" #10	"	1260	6/7		6/7	6/7/61	"
" #10	"	1260	6/9		6/9	CANCELLED	
" #10	"	1260	6/12		6/12	6/12/61	"
" #10	"	1260	6/15		6/15	6/13/61	"
" #10	"	1260	6/19		6/19	6/16/61	"
" #10	"	1260	6/21		6/21	Cancel	
" #10	"	1260	6/23		6/23	6/23/61	"
" #10	"	1260	6/26		6/26	6/26/61	"
" #10	"	1260	6/28		6/28	CANCELLED	
" #10	"	900	6/29 ARR		6/29	6/29/61	"
" #10	"	—	5/31	33 M SK-1657 44 M SK-1590	5/31	6/2/61	TRK
" #10	"	—	6/2	11 M SK-1590	6/2	6/2/61	"
" #10	—	—	6/2	33 M-SK-1590	6/2	6/15/61	"
" #10	—	—	6/2	33 M-SK-1590	6/2	6/16/61	"
" #11	Ph 6-27-61 6-28-61	1080	7-6	33 M S/C 32 M P/C	7-6	7-6	"
" "	"	1260	7-7	NO APPTS	7-7	CANCELLED	
" "	"	1260	7-11	NO APPTS	7-11	7/11/61	TRK
" "	"	1260	7-14	"	7-14	7/14/61	"
" "	"	1260	7-17	"	7-17	7/17/61	"
" "	"	1260	7-20	"	7-20	7/20/61	"
" "	"	1260	7-21	"	7-21	7/21/61	"
" "	"	1260	7-27	"	7-27	7/28/61	"
" #12	7/17/61	1260	7-31 ARR	"	7-31	7/31/61	"
" "	"	1260	8-2 ARR	"	8-2	8/2/61	"
" #13	Ph 8-3-61 8-3-61	1080	8-7	33 M SK-1590 44 M P/C	8-7	8/7/61	"
" "	" "	1260	8-9	NO APPTS	8-9	8/9/61	"
" "	" "	1260	8-11	"	8-11	8/11/61	"
" "	" "	1260	8-14	"	8-14	8/14/61	"

FORM F-28

CO. REPUBLIC
PLANT CANTON — Ring-Wiper
SIZE 25 ϕ — RW 51

4 - BLOCK CLIPS SK-1657 5000
8 - SPRING " SK-1690 10000
1 - RING WIPER RW-51 1260
} P T/L — 32 M / DRUM, 11 M / DRUM

PLANT INVENTORY

1961 DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
3/27	D	1720	250/day	3-6	M.T Ord 3/27
3-13	D	3000	200/day	3/28	Ord 3/13 T/L - Expd 3/15 T/L 3/23-3/24-T/L 4/3
5-10	D	1500	425/day	5-13	
5/22	D	1900	475/day	5-26	
6/25	D	2640	500/day	5-30	Ord 5/24 Order as per # 10

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-116868-R.22	2-1-61 2-1-61	1260 P	2/10/61	No. Appts	2-9	2/9/61	TRK
" "	"	1260 P	2-17	" "	2-16	2/16/61	"
" "	"	1260 P	2-21	" "	2-21	2/21/61	"
" "	"	1260 P	2-27	" "	2-27	2/27/61	"
" "	3/2/61	1260 P	3-8	32m 3/10/63 44m 3/10/63	3-7	3/7/61	"
" "	"	1260 P	3-13	No Appts	3-13	3/13/61	"
" "	"	900 P	3-17	" "	3-23	3/22/61	"
" "	"	1260 P	3-22	" "	3-30	3/29/61	"
" "	"	1260 P	3-27	" "	3-28	3/28/61	"
" 4 ADD	3/24/61 3/27/61	1260 P	3-25	" "	3-24	3/24/61	TRK
" 5 ADD	3-31-61	1140 P	4-3	only 77 m s/c	4-3	4/3/61	"
" 5	# 3-31-61 4-2-61	1260 P	4-6	No Appts	4-6	4/6/61	"
" Rel #5	4-3-61	1260 P	4-10	" "	4-10	4/10/61	"
" "	"	1260 P	4-13	" "	4-13	Canc 4/6	
" "	"	1260 P	4-17	" "	4-17	4/17/61	TRK
" "	"	1260 P	4-20	" "	4-20	4/20/61	"
" "	"	1260 P	4-24	" "	4-24	4/24/61	"
" "	"	1260 P	4-27	" "	4-27	4/27/61	"
" 6 CI	5-1-61 5-1-61	1140	5-2	66 M S/C 32 M B/C	5-1	5/1/61	"
" "	"	1260	5-5	No Appts	5-5	5/5/61	"
" "	"	1260	5-8	"	5-8	5/8/61	"
" "	"	1260	5-11	"	5-11	5/11/61	"
" "	"	1260	5-15	"	5-15	5/12/61	"
" "	"	1260	5-18	"	5-19	5/18/61	"
" "	"	1260	5-22	"	5-22	5/22/61	"
" "	"	1260	5-25	32 M SW-165	5-24	5/24/61	"
" "	"	1260	5-29	NO APPTS	5-26	5-26	"
" 7 PH	5-11-61 5-11-61	1260	ADD 5-17	NO APPTS	5-17	5/16/61	TRK
" 8 PH	5-10-61 5-17-61	1260	ADD 5-20	"	5-19	5/19/61	"
" 10 PH	5-26-61	——	ADD 5-31	32 M B/C	5-26	5-26	"
* 1 Collar, 20 Rings with 2260 Rivets Attached							

FE001358

CO. Republic -

PLANT Canton

SIZE 25 x 25

1 or 2 Vol

RINGS

4 - Block Clips SK-1657 - 5 or 10 M
8 - Spring Clips - SK-1550 - 16,000
4 - 24 ga Wipers - SK-2703-A - 8,000
1 - rings - B-2643 - 1,950

1 C/L

5000
8,000
4000
900

1-7/L Pallet 12 ctd

(1-)

PLANT INVENTORY

1953 DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
11/30	6	41			

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-11919-A	6/5/51	7500	at once	[redacted]			
[redacted]		—					

FE001359

CO. Republic

PLANT Canton

SIZE 25×25

Low Volume Brick

Class- 2600 I.F Brick

4 each Brick #2965 - #2975 inclusive, 8 - #2976

B-2641 - 650 sets / 60,000# o/h

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					~~Discontinued~~

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
~~C-11319-A~~	~~6/5/57~~	~~100 sets~~	at once		Not scheduled 6/11/57 ~~as ordered~~ ~~use Hot W truck originally ordered for~~		

FE001360

FORM F-28 REV. 11-66

CO. Republic

PLANT Canton

SIZE 25 x 25

Low Volume Casings

Bot - HT-1416-A

Top - HT-1416-B

HT-1416

PLANT INVENTORY

DATE AND BY	IN USE 2 PC.	IN USE TOPS	IN USE BOT'S	NEW 2 PC.	NEW TOPS	NEW BOT'S	RECOMMENDED ORDER
							~~DO ALLOC~~

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
~~G-41319-A~~	~~6/5/64~~	~~25-2 Rs~~	~~at once~~		~~Not scheduled~~ ex allocation		

FE001361

CO. Republic

PLANT Canton

SIZE 25×25×83 – low Vol Rings

Clip – SK-1550 – 23,000 ✓
24 ga Wiper SK-1928-A X – 11,200 ✓
Ring B-2604 – 2,788 ✓
C/L

Clip SK-1550
24 ga Wiper SK-2703-A
Ring B-2604
A-N713A

PLANT INVENTORY and Ring B-2604-B

ORDER STATUS

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER	CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
11/3/51	H	46				C-09833-A	5/23/50	150-B-2604	OFF 8/30	~~84/101~~	7/24	9-18	TRUCK
2/13	G	43				"	"	30-B-2604-A	or 8/30	— "	7/24		
3/3	G	43			(2) MRD	C-15713-A	11/13/51	50	MR 11/19/51	No agents 300 clips 225 wipe	11/15	11/15/51	"
3/15	H	43			"	"	"	—	"		11/19	11/15	" (BFD 6FD)
					"	"	"	75	W/H				
					DD-W-6	C-20884-A BFD RLT	3/24/52 6-4-52	as per memo see below	—	—	4 wks	9/18/52	TRUCK

4 sets Semi-IFB B-2598
2 sets C-22 Brick B-2598
1 set J-V Brick B-2598
100 Rings B-2604
1000 Clips SK-1550
2 Bussers
1 Mortar Box
20 bags L-V Mix
6 Hot Top Covers
Misc. Tools
Liquitol - (this might be included.)

FE001362

CO. Republic

PLANT Canton - Ohio

SIZE 25x25x83 -- Low Vol Brick

4 eq Brick #2811 to #2821, 12 eq Brick #2822, 4 eq Brick #2823

(B-2598 727) sets per 80,000# C/L (insulating fire brick for low volume

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-09833-A	5/23/50	14 sets	qtr 8/30	137NH-CL N.W.	7/	9-13	TRUCK

FE001363

FORM F-20 REV. 11-46

CO. Republic

PLANT Canton

SIZE 25×25×83 Low Vol Casings (Low Volume)

Trial Installation:

bot - HT-1400-A & HT-1400-C HT-1400-C - experimental

top - HT-1398-B

PLANT INVENTORY

DATE AND BY	IN USE 2 PC.	IN USE TOPS	IN USE BOT'S	NEW 2 PC.	NEW TOPS	NEW BOT'S	RECOMMENDED ORDER
							Per let - 10/30/50 - future route from Kutztown - Rdg - WMd - P&WVa - NKP
							DO-MRO

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-09833-A	5/23/50	1398-B } 5-20 1400-A }	OFF 8/30	13762-H	7/24	9-13	TRUCK
"	"	1398-B } 1- 1400-C } 2 Rs	"	"	7/24		
"	"	Make up Table - Conveyors, supports, drying & cutoff burners			7/24	9-30	TRUCK
					7/24		
C-15713-A	11/13/51	5 set tops covers	JK 11/19		11/19	11/15	BFA

FE001364

FORM F-2F

CO. Republic Steel
PLANT Canton
SIZE 25x25

RINGS

4 - Wire Block Cl. A1 - SK-1657 - 7500
8 - Wire Spring Cl. A1 - SK-N90 - 10,000
4 #22ga Wibeli - SK-2703-A - 5100
1 - Ring - B-2862 - 1260

P-11/2

32M - 8 kits = 1 Drum
11M 5 kits = 1 Drum

PLANT INVENTORY

1959

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
5-25	D	2300	400/day	5-30	P-11/2 →
6-17	D	3850	"	6-26	Stock 1000 Shrimp N. 0111 →
6-29	C	2469			1477 AW 51 ✓
			→		Integrated Ring B-2862-A → ✓
					✓
					✓
					Per G.D.
					✓
					✓

ORDER STATUS

Cancel 6/16

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
P-195868-R #17	5-5-59 5-29-59	6/1 6/8	6/10	6/12 6/15	6/17	6/27	6/24 6/26
		6/1 6/8	6/10	6/12 6/15	Cancel 6/19	6/22	Current
" #17	5-5-59 5-29-59	720 P	6/5	99000 SK-1590 27000 SK-2703-A 33000 SK-1657	6/5	6/5/59	TCL
" #17	5-5-59 5/29/59	720 P	6/3	No Rings	6/3	6/3/59	TCL
" #17		120 P	6/8		6/8	6/8/59	"
" #17	5-6-59 6-12-59	—	6/12	33000 SK-1657	6/12	6/12/59	"
" #18	7/1/59	—	7/3	66 SK-1590 22 SK-1657	7/3	7/3/59	"
" #19	11-13-59	—	11/13	22 M SK-1657	11/13	11/13/59	"
" #20	11-17-59 11-17-59	—	11/18	22M SK-1590 22 M SK-1657	11/18	11/18/59	"
" #20	12-4-59 12-4-59	—	ASAP	1590-7704	12/11	12/11/59	"
C-605868-R	11/1/60	Requirement Order Yr. 1960					
C-615868-R	11/1/61	Requirement Order Yr. 1961					

FE001365

CO. Republic Steel
PLANT Canton
SIZE 25 × 25

RINGS

4 – Wire Block Clips – JK-1657 – 7500
8 – Wire Spring Clips – JK-1590 – 10,000
4 – 22 gm Wipers – JK-2703-A – 5100
1 – Ring – B-2862 – 1260
} P-T/L

11 M Skids = 1 Drum
32 M B/Clips = 1 Drum

PLANT INVENTORY

1958

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
A-15	D	4900	275/day	1-2-59	60 Ph – 11/26/58 → P-T/L → Excel 1000 than Rel No Appts →
1	?	~	~	~	
– 1959 –					
1-13	D	2500	275/day	1-22	
2-2	D	3000	350/day	2-12	Not Engl 2/2
2-23-59	D	17001 2700	400/day	3-3	Excel 3/3
3-9	D	3000 T. 3200	475/day	3-17	Excel 3/9
3-24	D	2300	400/day	3-29	
4-9	D	900	275/day	4-11	T/L than 4/13
4-23	D	3000	350/day	5-1	
5-11	D	3600	300/day	5-23	
					P-T/L →
					Cancel 4/13 shipment →
					1/2 T/L with B-19301

CO. Republic Steel

PLANT Canton

SIZE 25×25

Rings

4 - Wire Block Clips - St-1657 - 7500
8 - Wire Spring Clips - St-1590 - 16,000
4 - 22 ga. Wipers - St-2703-A - 5100 } P-7/L
1 - Ring - B-2862 - 1260

11 M S/Clips = 1 Drum
32 M B/Clips = 1 Drum

PLANT INVENTORY

1958

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
6-26	D	1020	200/day	7-1	T/C 7/3-7-14-21-28
7-17	D	1600	200/	7-22	
8-18	D	2100	375/day	8-24	Incl 8/18
9-8	D	3100	300/day	9-18	Incl 9/8 Cancel 9/11
10-2	E	3300	320/day	10-12	10/7-9-13-16-20-23-27-30
					Cable 10/9
10-8	D	700			
10-22	D	3580	400/day	11-6	Cancel 10/30

FE001367

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-58568-E-Rel #15	8-6/27/58	1260-P	6/27/58	No Appts	6/27	6/27/58	TRL
" Rel #17	7/2/58	960 P	7/7	66 M S/Clips 25 M Wipers	7/7	7/2/58	"
" "	"	720 P	7/10	No Appts	7/10	7/10/58	-
" "	"	1260 P	7/14	"	7/14	CANCELLED	
" "	"	1260 P	7/21	" "	7/21	7/21/58	TRL
" "	"	1260 P	7/26	" "	7/29	7/24/58	"
" " P	7-21-58	1260 P	7/23	" "	7/23	7/23/58	"
Reinstated " Rel #20	7-25-58 7-28-58	1260	7/28	No Appts	7/28	7/28/58	"
" "	"	1260	7/31	" "	7/31	7/30/58	"
" "	"	600	8/4	33M Wipers 11M S/Clips 22M Clips	8/4	8/4/58	"
" "	"	1260	8/7	No Appts	8/7	8/6/58	"
" "	"	1260	8/11		8/11	8/11/58	"
" "	"	1260	8/15		8/14	8/14/58	"
" "	"	1260	8/18		8/18	8/20/58	-
" "	"	1260	8/22		8/21	8/20/58	"
" "	"	1260	8/25		8/25	Cancelled	
" "	"	1260	8/27		8/27	8/27/58	TRK
" "	"	1260	8/29		8/28	8/27/58	"
" Rel #24	8/29/58	600 P	9/3	11 M - Wipers 11 M - S/Clips 22 M - Clips	9/3	9/3/58	"
" Rel #24	"	1260 P	9/5	33 M - Clips ONLY	9/5	9/4/58	"
" Rel #24	"	9/9 9/11	9/16	9/18 9/22	9/25	9/30	
No Appts P-7/L →		9/8 9/11	9/15	9/17 9/19	9/26	9/29	
GFE-10/7/58 " Rel #26	10/6/58	360 P	10/9	33 M - S/Clips 33 M - B/Clips 11 M - Wipers	10/9	10/6/58	TRL
" Rel #26	10/6/58	10/8 10/13	10/16	10/20 11/23	10/27	10/30	11/3
" No Appts P-7/L →	10/6/58	10/8 10/15	10/16	10/20 10/22	10/28		11/4
" Rel #28	10/29/58 10/29/58	—	11/3	55 M SC-1590 33 M SC-1657 22 M Wipers	11/3	11/4/58	TRL
" Rel #28	10/29/58 10/29/58	11/6 11/16	11/12	11/14 11/18	11/21	11/24	11/28 11/24
" No Appts P-7/L		11/7 11/CAN.	11/12	11/17 11/19	11/21	11/24	
" Rel 28	10/29/58	720	11/10		11/10	11/10/58	TRL

FORM F-28

CO. Republic Steel
PLANT Canton
SIZE 25×25 Rings

4 - Wire Block Clips - SE-1657 - 7500
8 - Wire Spring Cl. pl - SE-1590 - 10000
4 (28ga) Wipers - SE-2703-A - 5100
1 - Ring - B-2862 - 1260
} P T/L

10 M S/Cl. pl = 1 drum
32 M S/Cl. pl = 1 drum

PLANT INVENTORY

1958

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
1-8	D	1300	180/day	1-15	
1-28	G	7640	330/day	2-5	
2-12	JRS	4560	180/day	3-3	Incl 3/10 T/L
2-21	JRS	4466			
3-11	D	1800	180/day	3-21	Incl 3/10
4-2	D	1000	160/day	4-8	
4-30	D	1900	180/day	5-10	Incl 4/30 T/L's 5/8-15-22-29 1½×1½ T/L 5/5
5-20	D	2000	200/day	5-30	Incl 5/20

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-585868-R	1/1/58	Requirement Order Yr. 1958					
" Rel #1	1/14/58	1260	1/10/58	No Appts	1/10/58	1/9/58	Truck
" "	"	1260	1/15	10M wipers 32M S/Cl.pl 32M B/Cl.pl	1/15	1/22/58	"
" "	"	1260	1/20	No Appts	1/20	1/20/58	"
" "	"	1260	1/24	" "	1/23	1/22/58	"
" "	"	1260	1/29	" "	1/29	1/29/58	"
				Can not ship		Hold Shipment	
" Rel #4	2/5/58	2/5 2/10	2/13	2/17	2/24	2/27	for instructions
		2/5 2/10	2/12	CANCEL			
" Rel #4	2/5/58	1260	2/6	20M wipers 32M S/Cl.pl 32M B/Cl.pl	2/6	2/6/58	TRK
" " "	"	720 P	2/17	No Appts	2/19	2/19/58	"
" Rel #6	2/26/58	900	3/10	28M S/Cl.pl 28M B/Cl.pl 28M wipers	3/10	3/10/58	"
" " "	"	1260 P	3/17	No Appts	3/17	3/17/58	"
" " "	"	1260 P	3/24	No Appts	3/24	3/24/58	"
" " #7	3/4/58	1260 P	3/13	No Appts	3/13	3/12/58	"
" " #9	3/12/58 4-1-58	1200 -	4/3	No Appts	4/3	4/3/58	"
" " #10	4/17/58	1260 P	4/18	No Appts	4/9	4/8/58	"
" "	"	1260 P	4/16	20 M wipers 44 M Cl.pl No B. Clips	4/16	4/14/58	"
" "	"	1260 P	4/24	No Appts	4/24	4/23/58	"
" "	"	1260 P	4/30	No Appts	4/30	4/29/58	"
" " #11	5/1/58 5/2/58	720 P	5/5	No Appts	5/5	5/6/58	"
" #11	"	1080 P	5/8	10 M. Wipers 11 M. S/Cl.pl 28 M Cl.pl	5/8	5/8/58	"
" #11	"	1260 P	5/15	No Appts	Sus	Cancelled	
" #11	"	1260 P	5/22	" "	5/22	5/20/58	TRK
" #11	"	1260 P	5/29	" "	5/29	5/27/58	"
" #13	5/22/58	960 P	6/3	25M Wipers 53M Cl.pl	6/3	6/3/58	"
" "	"	1260 P	6/9	No Appts	6/9	6/9/58	"
" "	"	1260 P	6/16	"	6/16	6/14/58	"
" "	"	1260 P	6/13	No Appts	6/23	6/22/58	"
" "	"	1260 P	6/30	"	6/30	6/30/58	"
" #14	6-10-58 6-11-58	1260 P	6/12	"	6/11	6/11/58	TRK

FE001368

CO. Republic Steel
PLANT Canton
SIZE 25 x 25 Rings

4 - Block Clip SK-1657 7500
8 - S/clip SK-1590 10000 P
4 - (W20A) Wiper Ring SK-2703-A 5100 T/L.
1 - Ring B-2862 1260

11 m S/CLIPS = 1 drum
32 m B/CLIPS = 1 drum

PLANT INVENTORY

1957 DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER	
7-24	D	2580	350/day	7-31		✓
8-8	D	3600	"	8-18	Cancel 8/16	✓
9-12	D	2860	225/day		Not Incl 9/12	✓
10-7	D	2280	225 day	10-17		
10-29	D	3180	250/day	11-10	Not Incl 10-29	✓
11-20	D	3600	180/day	12-10	Not Incl 11-22 Cancel 11/22	✓
12-12	D	1500	"	12-20	" " 12/13	✓
						✓
					~~Hold 3/4 m~~	✓
						✓
						✓
						✓
						✓
						✓
						✓
						✓
						✓
						✓
						✓
						✓
						✓
						✓
						✓
						✓
						✓
						✓
						✓

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-575868-R	1/7/57	Requirement Order Yr. 1957					
" Rel 19	6/26/57	780	7/11/57	P.O. No Appts	7/11	7/11/57	TRC
" "	"	1060	7/17	"	7/17	7/17/57	"
" "	"	1260	7/21	"	7/22	7/22/57	"
" "	"	720	7/28	"	7/29	7/29/57	"
" #21 PH	7-23-57 7-23-57	1260	7/26	"	7/[illegible]	7/26/57	"
" #22	7/25/57	—	7/29	NOM-3L 1690 NOM-3A 1687 NOT W/CLIPS	7/29	7/29/57	"
" "	"	1080	8/2	30M W/CLIPS ONLY	8/2	8/1/57	"
" "	"	8/5 8/9	8/12 8/16	8/19 8/29	8/26 8/30		
No Appts P/L		8/5 8/8	8/12 Cancel	8/19 9/23	8/26 8/30		
" #21 PH	9/13/57 8-1-57	—	7/26	11M-3L 1690	SHTG	7/29/57	TRC
" #25	8-1-57	1260 P/U.	8/7	NO NOTES	8/7	8/7/57	"
" #26 PH	8-6-57 9-6-57	1140 P	9/9/57	" "	9/9	9/9/57	"
" #26	"	900 P	9/13/57	14 m 2 CLIPS 32 m 13 CLIPS 30M WIRES	9/13	9/13/57	"
" "	"	1260 P	9/11	NO APPTS	9/11	9/11/57	TRC
" "	"	1260 P	9/18	"	9/18	9/17/57	"
" "	"	1260 P	9/23	"	9/23	9/23/57	"
" "	"	1260 P	9/27	"	9/27	9/26/57	"
" #28	PO-10-7-57 10-9-57	10/10 10/18	10/21	10/25 10/30			
No Appts P/L		10/9 10/17	10/21	10/24 10/29			
" 28	PH-10-7-57 10-9-57	720 P	10/14	35M W/CLIPS 44M CLIPS 32 M-B/CLIPS	10/14	10/14/57	TRC
[redacted]							
" 29 PH	10/23/57 10/25/57	720 P	10/26	No Appts	10/26	10/26/57	"
" Rel 31 PH	11-4-57 11-4-57	960 P	11/8	20M-W/CLIPS 11M-S/CLIPS	11/8	11/7/57	"
" Rel 31 PH	11-4-57 11-4-57	11/13 11/15	11/20	[illegible]	11/27		
NO Appts P/L		11/13 11/14	11/19	Cancel	11/27		
				Cancel			
" Rel 32	11/26/57	12/8 12/23	[illegible]				
NO Appts P/L		[illegible] 12/20	[illegible]				
" Rel 32	11/26/57	900 P/U	12/13	20M-W/CLIPS 44M-S/CLIPS 32M-B/CLIPS	12/13	12/26/57	TRC

FE001369

FORM F-28

CO. Republic Steel
PLANT Canton
SIZE 25 x 25 Rings

4- Block Clip SK-1657 5000
8- Spring Clip SK-1590 9000
4- (2 Grd) Wiper SK-2703-A 4350
1- Ring B-2862 1080

P 7500
P 11,000
T/L 5100
T/L 1260

P T/L - 21 Pallets

PLANT INVENTORY

1957

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
1-24	D	2700	400/day	1-29	
2-14	D	2280	300/day	2-21	
3-27	D	3180	375/day	4-6	
4-19	D	2040	300/day	4-27	
5-3	D	1980	"	5-10	Incl 5-3
5-29	E	4170	"	6-13	with ½ P. T/L of B-1730 →
/	/	/	/	/	Incl 2 T/L 5/29 ✓
6-21	D	3540	360/day	7-8	Incl 6/14 T/L's 7/11-17-21-28
					T/L quantities → 1260 rings

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-575868-R	1/7/57	Requirement Order Yr. 1957					
		P Comp 1/24/57 ✓			T/L with 1260 rings		
C-575868-R Rel #7	1/28/57	2/1 2/8 2/11	2/15 2/18	2/22 2/25 2/27			
		P-T/L 2/1 2/11	2/18	2/22 2/25 2/27			
C-575868-R Rel #7	1/28/57	540 P	2/4	2/18 20 Grd Wipers 4 Grd Wipers 21 Grd Block Clips	2/4/57	2/4/57	TRL
" "	"	540 P	2/7	"	2/7/57	2/7/57	"
C-575868-R #7	2-7-57	600 P	2/8	"	2/8/57	2/8/57	"
C-575868-R #11	2/21/57	3/1 3/8	3/11 3/15	3/18 3/22	3/25 3/29		
	"	3/1 3/7	3/11 3/14	3/18 3/21	3/25 3/28		
C-575868-R #11	"	720 P	3/4/57	20 Grd Wipers 4 Grd Wipers 1 Grd Block Clip 3 Grd Clips	3/4	3/4/57	TRL
C-575868-R #12	4/1/57	4/12 4/15	4/22 4/29				
		4/11 4/15	4/22 4/29				
C-575868-R #12	"	900 P	4/5/57	28 Grd Wipers 4 Grd Block Clips 3 Grd Clips	4/5	4/5/57	TRL
C-575868-R #14	4/23/57	5/6 5/10	5/17 5/22	5/29			
		5/6 5/9 *	5/16 5/23	5/29			
C-575868-R #14	4/23/57	900 P	5/3	28 Grd Wipers 4 Grd Block Clips 30 Grd Wipers	5/3	5/2/57	TRL
C-575868-R #15	5-24-57 5-24-57	1260	5/24	P T/L	5/24	5/23/57	"
C-575868-R #16	5/29/57	1260 P	5/29/57	No Appls	5/29/57	5/28/57	"
" #16	"	—	5/29/57	reg Appls	6/4/57	6/4/57	"
" #17	5/31/57	720 P	6/4/57	reg Appls	6/4/57	6/4/57	"
" #17	"	900 P	6/10/57	44 Grd Wipers 32 Grd Block Clips 32 Grd Wipers	6/10/57	6/10/57	"
" 17	5/31/57	1260 P	6/17	No Appls	6/17	6/17/57	"
" "	"	1260 P	6/21	"	6/21	6/20/57	"
" "	"	1260 P	6/27	"	6/27	6/26/57	"
" 18	6/13/57 6/13/57	1260 P	6/14	"	6/14	6/14/57	TRL

* 1 FREE PALLET AS ALREADY ON HAND

FE001370

FORM F-28

CO. Rebublic - Steel
PLANT Canton
SIZE 25x25

11350 Wipers in one wood box in future shipments - 11/9/56
Rings

4 - Block Clips - SE-1657 - 5000
8 - Spring Clips - SE-1590 - 9000
4 - (22ga) Wipers - SE-2703-A - N350
1 - ring - B-2862 - 1080
P-T/L

PLANT INVENTORY

1956 DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
8-23	D	4560	350/day	9-6	9 T/L's left No Block Clips →
9-19	D	3600	"	9-20	
9-21	D	4700	425/day	10-2	Recl 9/21
10-17	D	3000	"	10-24	No Block Clips →
11-6	D	4800	325/day	11-21	Cancel 11/7-14-21-28
11-26	D	4700	300/day	12-10	Recl 11/26 No Appts - Ring out →
12-17	G	1340	300/day	12-24	Recl 12/17
1957					
1-4	D	1080	425/day	1-6-57	Not Recl 1/4 " with appl. →
					P-T/L. →
					No Appts. →
					(Note)
					Next release for Dec shipments
					have wipers boxed in new wood box
					(bulletin arrangement) 11350 Per Box.
					Tell Bill Helmer about order

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-565868-R #31	8/23/56	9/7 9/10 9/17	9/19 9/21	9/24 9/27 9/4			
P-T/L		9/7 9/10 9/17	9/19 9/21	9/24 9/26 9/14			
C-565868-R-#31	8/23/56	5M0 "	9/19/56	39 M W-pers 61 M Clips	9/21/56	9/5/56	TRK
C-565868-R-#34	9-9/21/56	10/1 10/3	10/5	10/7 10/11	10/20	10/17 10/24	
		10/1 10/3	10/5	10/8 10/10	10/22	10/17 10/24	
C-565868-R-#34	9-9/21/56	10/15	10/26	10/30		[redacted]	
		10/15	10/26	10/29			
C-565868-R #35	9-9/21/56 10-17-56	540	10/19	[illegible]	10/19	10/19/56	TRK
C-565868-R-#36	9-10/29/56	5M0 P	11/2	61 M wipers 100M Clips 70 M Bk Clips	11/2	11/3/56	"
C-565868-R-#36	9-10/29/56	10/31 11/5 11/7	11/9 11/12	11/4 11/14 11/19	11/23 11/23	11/26 X/X	11/21 11/30
		10/31 11/5	11/9 11/12	X/X 11/16 11/19	X 11/21	11/26 X/X	
C-565868-R-#36	11-10-29-56		11/2	[illegible]	SHTG→	Cancel	
C-565868-R-#37	11/27/56	12/3 12/10	12/14	12/19 12/21	12/26 12/28		
		12/3 12/10	12/14	12/19 12/21	12/26 12/28		
C-565868-R #37	11/27/56	540 P	11/27 12-7	33M wipers 33M-B. Clips 15M-Cl. Clips	12/3/56	12/6/56	TRK
C-565868-R-38	9-12/14/56 12/14/56	540 P	12/17		11/17/56	12/17/56	TRK
C-565868-R #39	9A 12-29-56 12/31/56	1080 P	12/31/56	NO APPT'S.	12/31/56	12/31/56	" "
C-575868-R #3	12/14/56	1/2 1/4 1/7	X/X 1/11	1/14 1/16 1/18	1/21 1/23	1/25 1/26	1/28 1/30
P/L's NO APPTS		1/2 1/4 1/7	1/11	1/14 1/16 1/18	1/21 1/23	1/25 1/28	X/X → Cancel
C-575868-R	9A 1-3-57 C.S.-57	1080 P	1/4	NO APPTS	1/4/57	1/4/57	TRK
C-575868-R-#5	12/31/56	No Rings P	1/8	28 M-W-pers 23 M-SE 1590 18 M-SE 1657	1/9/57	1/9/57	"
" #3	12/19/56	720 P	1/9 AT ONCE	No Appts	1/9/57	1/9/57	
C-70597-C	1/8/57	—		5M WIPERS SE-1928A	1/25/57	1/25/57	

Appts only →

FE001371

FORM F-28

CO. Republic Steel
PLANT Canton
SIZE 25 x 25 Rings

4 - Block Clips - SK-1657 - 5000
8 - Spring Clips - SK-1590 - 9000
4 - #22ga Wipers - SK-2703-A - 4350
1 - ring - B-2862 - 1080
} P-T/L

PLANT INVENTORY

1956 DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
3/8	G	3360	400/day	3/16	Incl 3/7
3-21	G	3390	400/day	3-29	Incl 3/9
4-5	Drw	4560	400/day	4-15	Not Incl 4/5
4-26	Drw	4070	450/day	5-5	Not Incl 4-26 P-T/L →
5-W	D	4740	430/day	6-√	11 T/L's Trans 1/2 T/L 6/5
6-11	D	5700	400/day	6-27	
6-29	D	5400	300/day	7-14	T/L's 7/5-9-13-17-20-24-27
8-17	D	4440	350/day	8-19	

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-565868-R-#12	3/12/56	1080 P	3/16/56		3/16/56	3/16/56	TRK
						CANC'L FILLED	
C-565868-R-#13	3/12/56	4/2 X 4/9	4/11 4/13	4/16 4/18 4/20	4/23 X 4/26	4/30	
" "		4/2 4/9	4/11 4/13	4/16 4/18 4/20	4/23	4/30	
C-565868-R-#13	3/23/56	720 P	4/6	25M Wipers 25M Blk Clips 70M Clips	4/6	4/5/56	TRK
C-565868-R-#13	3/23/56	540 P	4/13/56	No Appl's	4/13/56	4/13/56	TRK
" "	"	540 P	4/26/56	"	4/26/56	4/26/56	"
C-565868-R-#20	4/27/56	5/2 5/9	5/14 5/16	5/21 5/21	5/25 5/28	6/1	
P-T/L 11 Appl's		5/2 5/11	5/14 5/16	5/21 5/21	5/25 5/28	6/1	
C-565868-R-#20	4/27/56	540 P	5/7	87M Clips 45.5M Wipers 45M Blk Clips	5/7	5/7/56	TRK
" -#20	"	540 P	5/9	No Appl's	5/9	5/9/56	"
C-565868-R-#25	4/27/56	1080 P	5/16		5/18	5/16/56	"
" "	"	1080 P	5/22		5/22	5/22/56	"
						Cancel	
C-565868-R-#26	5/28/56	6/4 6/8 6/11	6/13 6/15	6/19 6/21	6/25 6/27	6/28	
P-T/L		6/4 6/8 6/11	6/13 6/15	6/18 6/20	6/25 6/27		
C-565868-R-#26	5/28/56	540 P	6/6	55M Blk Clips 99M Clips 48M Wipers	6/6/56	6/6/56	Truck
C-565868-R-#26	5/28/56	540 P	6/15		6/15	6/15/56	Truck
C-565868-R-#28	8-10-56	8/13 8/17 8/20	8/22 8/24	8/27 8/29			
P T/L		8/13 8/16 8/20	8/22 8/24	8/27 8/29			
" #28	8-10-56	540 P	8/15/56	40M Blk Clips 72M Clips 35M Wipers	8/15	8/15/56	TRK

FE001372

CO. Republic Steel

PLANT Canton

SIZE 25x25

4 - Block Clips - St-1657 - 5000
8 - Spring Clips - St-1590 - 9000
4 - #22 ga Wipers - St-2705-A - 4350
1 - Ring - B-2862 - 1080
} P-T/L

PLANT INVENTORY

1955

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
10-27	E	4075	450/day	11/5	Incl 10/26 T/L → P-T/L
11-8	G	2540	400/day	11-12	
11-16	G	2880	400/day	11-23	Incl 11/16
11-28	Dow	4800	"	12-10	Incl 11/28
12-14	Dow	4720	"	12-25	Cancel 12/9 T/L
-1956-					
1-12	Dow	3500	400/day	1-20-56	
1-23	G	3200	400/day	1-31	Incl T/L 1/18
2-13	G	2830	400/day	2-20	Incl T/L 2/9

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-555868-A-#40	10/27/55	11/7 11/9	11/14 11/16	11/8 11/21	11/23 11/25	11/28 11/30	
		11/7 11/9	11/14 11/16	11/18 11/19	11/22 11/25	11/28 11/30	
C-555868-A-#40	10/27/55	540 P	11/3/55	43500-W-Clips 9500-Wire Clips 5000-Blk Clips	11/3/55	11/3/55	TRUCK
" #41	11-1-55 11/1/55	540	11/3	No Appts	11/4	11/4/55	TRUCK
C-555868-A-#42	11/10/55	540	12/1 Canc-1	43200-Wips 8640-Clips 4320-Blk Clips	12/1	12/2/55	TRUCK
C-555868-A-#42	11/10/55	12/5 12/7	12/9 12/12	12/16 12/19	12/23 12/28	12/30	
No Appts - Space P		12/5 12/7	12/9 12/12	12/19	12/23 12/28	12/30	
C-555868-A-#46	11/21/55	1080 P	11/22	NO APPTS	11/23	11/25/55	TRUCK
" #47	11/19/55 12-19-55	1080 P	12/21		12/21	12/21/55	"
C-565868-R	11/1/56	Requirement Order Yr. 19 56					
C-565868-R #15	12/6/55	1/6 1/9	1/11 1/13	1/16 1/19	1/23 1/26	1/30	
"		1/6 1/9	1/10 1/13	1/16 1/18	1/23 1/25	1/30	
C-565868-R #1	12/16/55	540 P	1/3/56	43500 Wipers 90000 Clips 58000 Blk Clips	1/3/56	1/4/56	TRK
C-565868-R #4	1-13-56 1-18-56	1080 P	1/20		1/20	1/20/56	"
C-565868-R #5	1-17-56	2/3 2/6	2/9 2/13	2/15 2/17	2/20 2/22	2/27 2/29	
No Appt's P		2/3 2/6	2/8 2/13	2/15 2/17	2/20 2/22	2/27 2/29	
C-565868-R #5	1-17-56	540 P	2/1	47850 Wips 99000 Clips 55000 Blk Clips	2/1	2/1/56	TRK
C-565868-R #8	1-31-56 1/31/56	1080 P	2/10	No Appts	2/10/56	2/10/56	TRK
C-565868-R #6	2/1/56	3/4 3/6	3/9 3/13	3/15 3/19	3/21 3/23	3/26 3/29	
No Appts - P T/L	Shipped Cancelled Panel	10	9/9 3/12	3/14 3/19	3/21 3/23	3/26 3/28	
C-565868-R-#8	2-3-2/6/56 2/8/56	1080 P	2/24	No Appts 48M wipers	2/24/56	2/24/56	TRK
C-565868-R-#6	2/10/56	540 P	3/5/56	65M Blk Clips 96M Clips	3/5/56	3/5/56	"
" [illegible]		540 P	3/7	NO APPTS	3/7	3/7/56	"

FE001373

FORM F-28

CO. REPUBLIC STEEL
PLANT CANTON
SIZE 25 X 25

4	BLOCK CLIPS	SK-1657	5000
8	SPRING CLIPS	SK-1590	9000
4	#22 GA. WIPERS	SK-2703-A	4350
1	RING	B-2862	1080

P T/L

PLANT INVENTORY

1955

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
6/15	G	6720	500/day	6-26	Rel 6/13
6/28	G	7320	475/day	7-13	Rel 6/27 Cancel 7/5
7-19	G	6960	475/day	8-1	Rel 7/14 1 T/L's Ring
7-27	E	8000	370/day	8-18	Cancel T/L's 7/29 8/3 8/8 8/12 & 3000 SK-1928-A 12th 8/1
8-17	Dow	7640	425/day	8-23	
8-25	Dow	3120	450/day	9-1	not incl 8/25 T/L
8-31	Dow	3840	"	9-9	Rel 9/14 9/16 9/19 9/22 9/26 9/28 9/30 No appts.
9-16	Dow	4080	500/day	9-24	
9-27	E	4140	400/day	10-7	Rel T/L 9/26
10-11	G	3780	400/day	10-21	
					1 Ph-60 of 9/1/55
					all appointments for 12 T/L's of coil in thru T/L →

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-555868-A	12-30-54	Require upnt Order 1955					
" #24	6-20-55	900	7/1/55	NO WIPERS 4 Ring Clips (350 # Coils)	7/1/55	7/5/55	Truck
" #24	6-20-55	7/5 7/6	7/8 7/11	7/13	7/15	7/20	7/22	7/25		
No appts		7/6 7/8		7/13	7/14		7/22	7/25		
C-555868-A										
" #27	7/21/55	P 1540	8/1/55	NO WIPS 27m Clips 20 mil. Clips	8/1/55	9/1/55	Truck
" #27	7/21/55	8/3 8/5 8/8	8/10	8/12	8/11	8/19	8/22	8/25	8/30
No appts		P 8/4							
C-555868-A " 31	8/18/55	8/18 8/19	8/23 8/25	8/26 8/29	8/24	8/26	8/29	9/6	9/8	9/12
No appts - P		8/18 8/19	8/23 8/25	8/26 8/29				9/7		9/12
C-555868-A " 31	8-18-55	P 720	9/2	60m SK-1657 SK-1590 SK-2703	9/2	9/2/55	Truck
" 4	"	P 900	8/31	No 29596 Wipers Ultra No B. Clips	8/31	8/31/55	Truck
" #31	9/8/55	P 540	9/8	No Appts	9/8	9/8/55	"
C-555868-A " 34	9/8/55 9/9/55	9/14 9/16	9/19	9/22 9/26	9/28	9/30	
No Appts - P		9/14 9/16	9/19	9/23 9/26	9/28	9/30	
C-555868-A " 36	9/20/55	— 10/6	10/10 10/12	10/14 10/17	10/19 10/21	10/24 10/26	10/28	10/31
No Appts P		10/6	10/10 10/12	10/14 10/17	10/19 10/21	10/24 10/26	10/28	10/31
C555868-A " 36	9/20/55	540 P	10/4/55	45,000 lbs. .75 M Cl. Pl. 10m All Al. C.	10/4/55	10/4/55	Truck

FE001374

CO. REPUBLIC STEEL

PLANT CANTON

SIZE 25 x 25

Can be used with
Bot-NT-1408-C
Top-NT-1394-B
&
Bot NT-1374-C
Top NT-1353-B-1

4 BLOCK CLIPS SK-1657 · 5,000
8 SPRING CLIPS SK-1590 · 9,000
4 #22 GA. WIPERS SK-2703-A · 4,350
1 RING B-2862 · 1,080
} P T/L

PLANT INVENTORY

1955 DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
1/27	E	5640	330/day	2/13	Truck 2/16 T/L T/L 2/25
2-3	E	Called Today			
2-14	E	T/L 3/28	Cancel 3/1		4 7 9 11 14 18 21 23 25 28
		Cl. spring	8 6" blk clips		
3/9	G	7020	400/day	3-23	Truck 3/7 T/L 3/30 + 10/April
					Cancel 3/11
3/15	E	5460	400/day	3/28	
3/29	E	7800	380/day	4-18	Truck T/L 3/28
4-13	E	4860	470/day	4-23	Truck 4/17 T/L
4-25	E	7260	380/day	5-14	Truck 4/25 T/L
5-6	E	7140	350/day	5-26	Cancel 5/9 5/23 5/30 6/13
5-26	G	6600	480/day	6-8	Truck T/L 5/25 13 T/L's June

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-555868A 3/4"	12/2/55	960	1/12/55	1250 Wipers 35 M Rings	1/17/55	1/12/55	TRUCK
"	"	1080	1/19	100 M clips 20 M wipers 40 M Rings	1/19	1/18/55	"
"	"	1080	1/21	" " "	1/21	1/21/55	"
"	"	1080	1/26		1/26	1/24/55	"
" #6	1-11-55	540	1/24	100 M clips 20 M wipers 40 M Rings	1/24	1/24/55	TRUCK
" #5	1-14-55	1/20 1/25	1/28	2/2 2/4	2/9	2/11	2/14 2/18 2/21
NO APPTS. ON THESE SHIPMENTS		1/20 1/25	1/28	2/2 2/4	2/9	2/11	2/14 2/16 2/21
" #6	1/31/55	1900	2/25	No date here	2/25	2/25/55	TRUCK
" #9	2/18/55	2/28 3/2	3/7	3/9 3/11	3/16	3/18 3/21	3/23 3/25 3/28
		2/28 3/2 3/7	3/7	3/9	3/16	3/18 3/21	3/23 3/25 3/28
" #9	2/10/55	540	3/4/55	100 M - SE-1590 24,975 - SE-1590 - M	3/4/55	3/4/55	TRUCK
" #11	3/10/55	540	3/30	100 M CLIPS 40 M 22 WIPERS	3/30 4/1	4/1/55	"
" #11	3/10/55	4/1 4/7	4/8	4/12 4/14	4/18	4/20	4/22 4/26 4/29
NO APPTS. ON THESE SHIPMENTS		4/8	4/8	4/12 4/15	4/18	4/20	4/22 4/25 4/29
" #11	"	1080	4/5	not to apply	4/4	4/4/55	TRUCK
" #14	4/8/55	1080	4/13	" "	11/13	4/13/55	"
" "	"	1080	4/20	" "	4/20	4/19	"
" #16	4-18-55	540	5/2	30 M 80 WIPS 50 M CLIPS 35 M Rings	5/2	5/4/55	TRUCK
" #16	4-18-55	5/1 5/6 5/16	5/11 5/13	5/16 5/18 5/20	5/23	5/25	5/27 5/31
NO apptS		5/2 5/4 "	5/10 5/12	" 5/18 "	"	5/24	5/27 5/31
" #16	4-18-55	540	5/16/55	no apptS	5/16/55	5/16/55	TRUCK
" #21	5-26-55	6/2 6/3 6/16	6/6 6/13	6/15 6/17 6/20	6/22	6/24	6/27 6/29
NO APPTS		6/1 6/3 "	6/13 6/13	6/15 6/17 6/20	6/22	6/24	6/27 6/29
" #21	5-26-55	540	6/10	25 M 80 WIPS 40 M CLIPS 30 M R. Clips	6/10	6/10/55	TRUCK
" #26	6-17-55	540	7/30	no apptS	7/29	CINS	C.L. ✓

FE001375

CO. Republic Steel Corp.
PLANT Canton, Ohio
SIZE 25 #

226A 4 Block Clips SK-1657 5000
4 Spring Clips SK-1540 4000
4 Wipers SK-1928-A 4000
1 Rings B-2474 960 & 1080
P -T/L

PLANT INVENTORY

1954 DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
6-28	Dow	5960	240/day	7/11	Rel 6/25 T/L's Shut down 7/3 to 7/6
7-20	Dow	4640	250/ "	8/6	" 7/19
8-5	G	5780	240/day	8/29	Rel T/L 8/5
8-25	E	7500	300/day	9-19	Rel 8/28 9/9-16-20-23-27
/	/	/	/	/	No offset
9-9	Dow	4100	250/day	9-26	Not Rel 9/10 T/L
10-1	Dow	4680	225/day	10-22	Rel 9/27. T/L's 10/5-8-14-18-21-25- and 10/28 - omit SK-1657 add 15M SK-1540
10-7	Dow	4200	228/day	10/25	Rel 10/5 T/L
10-27	E	5000	"	11/15	T/L 11/4-10-15-22-26-30 plus offset
12-8	G	5400	250/day	12-29	Rel T/L 12/6 T/L 12/16 11/3-10-17-24-31
-1955-					
1-4	G	5760	350/day	1/19	Rel 1/3

FE001376

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-545868-A	9/29/54 ALL SHIPS NO SK-1657	7/19	7/20	7/21	7/23	7/22	7/30
Rel 15		7/14	7/16	7/21	7/22	9/27	7/30
C-545868-A	7/22/54 ALL SHIPS NO SK-1657	8/5 8/9	8/17	8/16	8/20	8/23	CANCEL
Rel 16		8/4 8/12	8/9	8/16	8/19	8/23	
C-545868-A	8/30/54	9/9	9/16	9/20	9/23	9/27	
Rel #19 ALL SHIPS NO SK-1657	ADD SK-1540	9/10	9/17	9/20	9/23	9/27	
C-545868-A		9/5 9/8 9/14	10/18 10/21	10/25 10/28			
Rel 18		10/5 9/8 9/12	10/18 10/22	10/26 10/28			
" Rel 18			10/5	15M and SK-1540 added	10/5	10/5	TRUCK
C-545868-A	11/4/54	11/4 11/15	11/22	11/26 11/30			
Rel 20 P.		11/4 11/16	11/22	11/27 11/29			
C-545868-A Rel 20	10/27/54 11-4-54	900	11/10	4000	11/10	11/10/54	TRUCK
Rel - #22		1080	12/6	4M0 WIPERS NO SK-1627	12/6	12/6/54	"
" "		1080	12/13	"	12/15	12/13/54	"
" "		1080	12/20	12M ; CLIPS	12/20	12/20/54	"
" "		1080	12/27	4M CLIPS	12/27	12/27/54	"
C-42637-A	Left 11-23 11-30-54	54 —	11/29	4000 WIPERS SK-1201-A	12/6	12/6/54	TRUCK
" Rel	Rt 12/1/54		11/29	8M CLIPS SK-2100	12/9/54	12/7/54	"
C-545868-A-23	12/3/54	1080	12/13	"	12/3	12/3/54	TRUCK
" Rel #24	12-6-54	1080	ATTACHED	"	12/8	12/8/54	"
" Rel 25	Rt 12/10/54 12-10-54	1080	12/16	8M SK-2100 4M SK-2703-A	12/16	12/14/54	"
C-42637-A	Rt 12-10-54 12-10-54	—	12/16		12/16	12/14/54	"
Standing order sent 12-24							
C-545868-A	12/10/54	1/3 1/10	4M	4M 4M			
Rel #1 P.		1/3 1/10	CANCEL		✓		
C-42637-A	12/11/54	—	12/27	8M-SK-2100 4M-SK-2703-A	12/27	12/27/54	TRUCK

CO. Republic Steel
PLANT Canton, Ohio.
SIZE 25 中

226A RINGS

4 BLOCK CLIPS	SK-1657	5000
4 SPRING CLIPS	SK-1540	4000
or 4 #246A WIPERS	SK-1928-A	4000
1 RING	B-2474	960 # 1080

P T/L

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
11-17	H	6600	300/day	12-4	Rec'd 11/11 T/L Cedar 12/3-7-11-14-18-21-25-28-31
11-30	G	6120	300/day	12-20	Ord'd T/L 11/24. Order T/L 1/4-7-12-14-18-21-25-28
- 1954 -					
1-5	Dow/G	8520	350/d	1/29	Rec'd 1/4 T/L
1-19	G	9960	350/d	2/15	Rec'd T/L 1/13 9 T/L for Feb.
2-9	G	7680	350/d	3-1	Rec'd T/L 2/18 Cancel 3/11 Slab 3/4-5-9-14-16-19-23-26-30
3-1	Dow	7380	300/d	3/25	T/L 3/2-5-9-12-16-19-25-26-30
3-18	Dow	8000	475/d	5-5	
4-1	Dow	8700	400/day	4-27	Rec'd 3/30 10 T/L's for April
4-15	Dow	7600	375/day	5-5	7 T/L's for May No SK-1657
4-27	G/E	6300	400/day	5-17	Rec'd T/L 4/26
5-5	Dow	7500	375/day	5-28	Not Rec'd 5/5 8 T/L Trip
5-20	G	7100	"	6-11	Rec'd T/L 5/19
6-8	E	8700	360/day	7-11	Rec'd T/L 6/7 Cancel 6/11 6/15 & 6/18

FE001377

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-535868-A	1/1/53	Requirement Order Yr. 1953 (Cancel)					540
Rel 29	10/23/53	1/2 / 1/5 Cancel	1/9	1/12	1/13	1/16	1/19 / 1/23 Cancel / 1/25 / 1/30
DATE SHPD		1/2	Cancel	1/12	1/11	1/18	1/19 / 1/24 / 1/31
C-535868-A	Ext 11/16/53						
Rel 30		12/3 / 12/7	12/11	12/14	12/8	12/22	12/28 Cancelled / 12/31
DATE SHPD		12/3	12/10	12/14	12/17	12/22	12/31
C-545868-A	11/1/54	Requirement Order Yr. 1954					
Rel-1	11/30/53	1/4 / 1/7	1/12	1/14	1/13	1/21	1/25 / 1/29 Cancel / 1/28 / 1/14 / 1/13
DATE SHPD		1/4	1/12	1/14	1/13	1/21	1/25
C-545868-A	Ext 1/20/54						
Rel #4		2/4 Cancel / 2/4 Cancel	2/8	2/11 Cancel	2/15	2/18	2/22 Cancel / 2/26
DATE SHPD		Cancel	2/8	Cancel	2/15	2/18	2/22 / 2/26
C-545868-A	2/10/54	3/2 / 3/5	3/9	3/12	3/16 Cancel	3/23	3/26 / 3/30
Rel #6		3/5	3/9	3/12	Cancel	3/23	3/26 / 3/30
C-545868-A	Ext 2-2-54 2-25-54 4-15-54	4/5 / 4/8	4/12	4/14	4/16	4/19 / 4/23	4/26 / 4/28 / 4/30
Rel #10		4/5 / 4/8	4/12	4/14	4/15	4/19 / 4/23	4/26 / 4/28 / 4/30
NO SK-1657 - 11 Sets To - 22 ga. Wipers shibbed & forever NSF T/L's Rel to be 24 ga.							
ALL 22GA C-545868-A Rel #11	4/16/54	5/4 / 5/7	5/10	5/13 / 5/17	5/20	5/24	5/26 Cancel / 5/28 Cancel
ALL 226A C-545868-A Rel #14	5/10/54	6/1 / 6/7	6/14 CAN	6/14 CEL	6/15 LED	6/22	6/23 / 6/30

FORM F-28

CO. Republic Steel Corp.
PLANT Canton Ohio
SIZE 25 #

Rings (22GA) 4 - Block Clips SK-1651 5000
4 - Spring Clips SK-1540 4000
4 - Wipers SK-1928-A 4000
1 - Ring B-2474 960 #1080

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
12/17	G	54/20	350/day	12/31	Recd 12/16 84 SK-1540
					T/L 12/20 x 12/27 Estimate T/L 12/23

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-545868-A Rel 26	12/16/54	1080.	12/23	24 M SK-1540 wipers	12/23	12/22/54	Truck
" "	"	1080.	12/30	" "	12/30.	12/29/54	"
C-555868-A	12/30/54	Requirement Order Yr. 1955					
" #5.	1/4/55.	—	1/24.	35M wipers	1/24/55.	1/24/55	Truck
" #6	1/31/55	—	2/25	20M wipers	2/25/55	2/25/55	"
" #9	2/18/55	—	3/4	24M Wipers	3/4/55	3/4/55	"
" #16.	4/18/55.	—	5/2.	10000 wipers	5/2.	5/4/55	"
" #21.	5/26/55.	—	6/10.	10200 wipers	6/10 6/13	6/13/55	"
C-594558-R	6-22-55	—	7/1.	12160 wipers	7/1.	7/5/55	"
C-555868-A-27	7/21/55	—	8/1.	3000 wipers	8/1	(illegible)	

FE001378

CO. REPUBLIC STEEL
PLANT CANTON, OHIO
SIZE 25# RINGS

4 BLOCK CLIPS	SK-1657	5000
4 SPRING CLIPS	SK-1540	4000
4 #24GA WIPERS	SK-1928-A	4000
1 RING	B-2474	960 & 1080

P. T/C

PLANT INVENTORY

1953 DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
3/10	G	5610	500/d	3/21	Recd 3/6 T/C T/C's #'d 00-06
					#'d 3-6-8-10-13-15-17-20-22 "
				4/	24-27-29-30 "
3/31	E	4320	540/d	4/8	Recd T/C 3/27 "
4-30	G	5580	530/d	5/10	Recd T/C 4/29 "
6-2	B	5140	550/d	6-14	Recd T/C 6/1 "
6-17	H	5060	550/d	6-26	Recd 6/17 T/C "
7-10	G	4300	"	7-18	Recd T/C 7/9 Extra T/C 7/15
7-29	E	4900	500/d	8-8	Recd 7/28 T/C "
8-20	H	5520	450/d	9-1	13 T/C Sept. "
9-11	E	6300	375/d	9-28	Recd 9/8 Must may 30 day disp.
9-24	E	8400	375/d	10-19	Recd 9/23 cancel 9/25 & 9/28
/	/	/	T/C Oct	5 7	9 14 16 19 21 23 28 & 30 "
10-19	H	7300	310/day	11-11	Recd 10/14 Cancel 10/23 Order
/	/	/	/	/	T/C's 11/4 11/5 11/9 11/11 11/13 11/16 11/19
					11/23 11/26 11/30

9/3 Apply to Snow Pail #19 - 9M 1540+ 16M 1637-1 4MM wipe included

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-535868-A	4/1/53	cont.	Requirement Order Yr. 1953				
C-535868-A #18	3/11/53	4/1. 4/3.	4/6.	4/8.	4/10.	4/13.	4/15.
Date Shipped		(4/1) 4/3	(4/7)	4/8	4-13	(4/15)	4/16
		4/17. 4/20.	4/22.	4/24.	4/27.	4/29.	4/30.
		4/17 (4/22)	4/21	4/24	(4/29)	4/27.	4/28.
C-535868-A #15	4/22/53	5/1. 5/4.	5/6.	5/8.	5/11.	5/13.	5/15.
Date Shipped		5/1 (5/4)	5/6	5/8	(5/11)	5/11	5/15
		5/18 5/20	5/22.	5/25	5/27	5/29.	
		(5/20) 5/18	Ship 840 Mag Steel	(5/25)	5/27	5/29	
C-535868-A #17	5/1/53	6/1. 6/3.	6/5.	6/8.	6/10.	6/12.	6/15.
Date Shipped		(6/1) 6/2	6/5	(6/10)	6/8	6/12	(6/17)
		6/17. 6/19.	6/22.	6/24	6/26.	6/29.	
		6/15 6/19	(6/22)	6/24	6/26	(6/29)	
C-535868-A #19	6/3/53	7/1. 7/2.	7/6.	7/8.	7/10.	7/15.	7/15. Add'l
		7/6 7/1	(7/3)	7/9	7/10	7/20	7/13 (7/17)
		7/20 7/22	7/24.	7/27	7/29.	7/30.	
		(7/22) 7/15	7/24	(7/27)	5/28	7/31	
C-535868-A #19	4/3/53.	540.	7/17.	P.		7/17.	7/16/53 TRUCK
this shipment #21	7/9/53	960.	7/15.	P		7/16.	7/17/53 "
C-535868-A #22	7/9/53	8/3 8/5	8/6	8/7	6/10	8/12	8/14
Date Shipped		(8/5) 8/3	8/6	8/7	(8/10)	8/12	8/13
		8/17 8/19	8/20	8/21	8/24	8/26	8/28
		(8/17) 8/19	8/19	8/21	(8/24)	8/26	8/28
C-535868-A #27	8/27/53	9/1. 9/2.	9/4.	9/9	9/11	9/14.	9/16. 9/18 9/24.
Date Shipped		9/1/53 9/2	9/4	9/8	9/10	9/15	9/16 (9/18) (9/21)
		9/23 9/25.	Date	9/30			
		9/23 CANCEL		9/30			9/4/53
C-535868-A #28	9/24/53	10/5. 10/7.	10/9.	10/14	10/16.	10/19.	10/21. 10/23 10/30 10/30
Date Shipped		(10/5) 10/7	10/9	(10/14)	10/14	(10/20)	10/21 10/23 10/30 (10/30)

FE001379

CO. REPUBLIC STEEL

PLANT CANTON

SIZE 25# RINGS

4 BLOCK CLIPS SK-1657 5000
4 SPRING CLIPS SK-1540 4000 } PALLETIZED T/L
4 WEAR STRIPS SK-1928A 4000
1 RING B-2474 ~~960~~ 1080

PLANT INVENTORY

1952 DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
10/10	D	6900	465/d	10/25	Incl T/L 10/9 15 T/L's NOV.
10/30	G	6840	460/d	11/14	T/L's 12/1, 3, 5, 8, 10, 11, 12, 15, 17, 19, 22, 23, 26, 29, 31.
11/19	D	6960	480/d	12/4	
12/8	H	6600	"	12/22	T/L's 1/2-5-7-9-12-13-14-16-19-21-23-26-28-30
12/30	E	approx. 7000 inside +	approx 525/d	1-12-53	Incl T/L 12/30 Hold T/L 1/4 Reschedule later
2/4/53	H	5280	475/d	2/15	Incl 2/2 T/L. T/L's 3/2-4-6-9-11-13-16-17-18-20-23-25-27-30
2/18	H	5340	500/d	2/28	Incl 3/18 T/L Extra T/L 3/3

FE001380

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-525868-A	11/1/52	Requirement Order Yr. 1952					
C-525868-A #3	10/14/52	11/3	11/4	11/6	11/7	11/10	11/11	11/12	11/14
DATE SHIPPED		10/31	11/3	11/4	11/6	11/7	11/11	(11/12)	11/14
C-6		11/17	11/18	11/19	11/21	11/24	11/26	11/28	
		11/17	(11/18)	11/20	(11/21)	11/24	(11/26)	11/28	
C-525868-A #24	10/21/52	12/2	12/3	12/5	~~12/6~~	~~12/10~~	12/11	12/14	12/15
DATE SHIPPED		(12/2)	12/4	12/5	(incl)	12/9	(12/11)	12/12	
		12/12	12/19	12/20	12/23	12/26	12/29	12/31	
		12/15	(12/17)	(12/19)	12/23	12/23	12/29	12/30	
C-535868-A	1/1/53	Requirement Order Yr. 1953							
C-535868-A #1	12/18/52	1/2	1/5	1/7	1/9	1/12	1/13	1/14	1/16
DATE SHPD		Cancelled	1/5/53	1/6	1/9	1/12	1/14	1/15	1/16
		1/19	1/21	1/23	1/26	1/28	1/30		
DATE SHPD		(1/21)	1/19	1/23	(1/27)	1/28	1/30		
C-535868-A #1	12/18/52	180						1/5/53	TRUCK
C-635868-A	1/1-30-53 1-30-53	2/2	2/5	2/6	2/9	2/12	2/13	2/16	2/18
REL # DATE SHPD		(2/4)	2/2	2/6	(2/9)	2/11	2/13	(2/16)	2/18
		~~140~~	2/23	2/25	2/26	~~2/27~~			
DATE SHPD			2/24	2/23	2/26	~~2/27~~			
C-535868-A #6	2/6/53	~~3/2~~	3/4	3/6	~~3/9~~	3/11	~~3/13~~	~~3/16~~	
DATE SHPD			3/3	3/4	3/12	3/10		3/19	
		~~3/7~~	3/18	3/20	~~3/23~~	~~3/25~~	3/27	~~3/30~~	
		(incl)	3/18	3/20	(3/24)	3/26	3/27	(3/31)	
C-535868-A #7	1/30/53	720		2/20	no appnt		2/20	2/20	TRUCK
" #8	2/6/53	840		3/13	"		3/13	3/13/53	"
" #13	2/20/53	1080		3/3			3/3	3/6/53	TRUCK
" #7	1/30/53	1260		2/27	No appnt		2/27	2/27	TRUCK
" #8	2/6/53	900		3/2	Incl Appt's		3/2	3/5	"
Shipping date circled indicates T/L with Appnt									
C-535868-A #8	2/6/53	900			Incl Appt's		3/16	3/19/53	TRUCK

4/20 cancelled see below

3/13 CANCELLED see below

NOW 6

CO. REPUBLIC STEEL

PLANT CANTON

SIZE 25#

RINGS

4 Bak. Clips SK-1657 5000
4 Spc. Clips SK-1540 4000
4 Wipers SK-1928-A 4000
1 Ring B-2474 960

PALLETIZED T/L

PLANT INVENTORY

DATE 1952	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
2/13	G	3440	450/day	2/21	DO NOT
2/13	G	2040	Loss/d	3/1	Incl 3/29 T/L - Add T/L 3/4-6-11- "
					13-18-20-25-27 - Incl wipers "
					clips T/L 3/5 - Omit Bak Clip thruout
3/25	H	7000	450/d	4/10	Incl 3/24 T/L Rec 4/4-4-7-8/10 - MRO
					4/10 11 14 16 18 21 YY YY 25 YY 30
			10M Extra SK-1540		
4/14	E R T	7740	600/d	4/27	Incl T/L 4/14 shipped (4/11 schedule)
5/7	H	5870	450/d	5/10	Incl 4/28 T/L 14 T/L's MAY 13-14 & 10
5/28	H	6900	500/d	6/11	Incl 5/26 T/L. Order 15 T/L's NO MORE
					for June 2, 4, 6, 9, 10, 12, 13, 16, 18, 20, 11
					23, 24, 26, 27, 30 "
7/30	H	4080	450/d	8/1	Cancel all on order L-19 T/L "
8/13	H	5920	"	8/26	Rec 14 T/L's 9-2, 4, 5, 10, 12, "
					15, 17, 19, YY, 23, 24, 26, 29 "
9/5	E	8100	"	9-23	Incl 9/5 T/L "
9/18	H	6600	450/d	10-Y	Incl 9/12 Order 15 T/L's Oct.
					1 thru "
					"
					"

CO. REPUBLIC STEEL
PLANT CANTON
SIZE 25X25 RINGS

4 BLK. CLIPS SK-1457 5000
4 CLIPS SK-1540 4000 } 1 T/L
4 WIPERS SK-1928-A 4000
RING B-2474 960 } 1 T/L PALLETIZED

PLANT INVENTORY

1951 DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
10/4	H	7440	450 Day	10/10	Incl T/L 10/11 15 T/L Now
10/18	H	7380	"	11/3	Incl T/L 10/15 Cancel next T/L
11/7	G	5940	450/day	11/10	Incl T/L w/v Dec 10/3-5-7-10-
" /	/	/	/	/	12/11-13-14-17-19-21-24-27-28-31
11/19	G	6340	450/day	12/13	Incl T/L 11/28 Omit Wipers & (D) 11/1
					Blk clips 1/5/52 T/L
12/19	G	7840	450/day	1/5/52	Incl T/L 12/17 Ship
					Feb 2-4-6-8-11-13-15-18
1952					20-22-25-27-29
1/2/52	H	1560	020-11875	450/DAY 1/4/52	
1/21/52	H	3780	450	1/29	Incl T/L 1/16 Cancel Blk clips on
					12 Feb T/Ls & Wipers on C-515868-A T/L #26
					7 more. Extra T/L 3/14
					no apptmt.

FE001382

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
515868-A #21	9/18/51	10/1 10/2	10/3	10/5 10/8	10/10	10/12	10/12
DATE SHIPPED		10/2 10/2	10/3	10/4 10/8	10/9	10/10	Canceled
		10/16 10/19	10/19	10/22 10/24	10/26	10/30	10/31
NO BLOCK CLIPS	" T/L	10/12 10/18	10/19	10/22 10/23	10/25	Canceled	10/31
C-515868-A #21	9/10/51	540	10/15		10/15	10/15	TRUCK
	10/5/51	11/2 11/5	11/7	11/9 11/12	11/13	11/14	
DATE SHIPPED		11/2 11/5	11/6	11/9 11/12	11/13	11/14	
NO BLOCK CLIPS 4 T/L	"	11/16 11/15	11/19 11/16	11/21 11/19	11/23 11/21		
No Block Clips No Spring Clips No Wipers 4 T/L	"	11/26 11/26	11/27 11/28	11/28 11/29	11/30 11/30		
NO BLOCK CLIPS	11/8/51	12/3 12/5 12/4 12/4	happening Also no Block clips		12/7 12/5	12/10 12/11	Canceled
no appts	"	12/11 12/13 12/12 12/13	12/14 12/14	12/17 12/19 12/19 12/22	12/21 12/26	12/24 12/28	12/27 12/29 12/31 1/3
C-515868-A #1	11/30/51	1/2 1/4 1/4 1/4	1/7 1/7	1/9 1/11 1/8 1/9	1/14 1/14	1/16 1/15	
Date Shipped							
NO BLK CLIPS		1/18 1/21 1/16 1/22	1/23 1/24	1/25 1/28 1/25 1/28	1/30 1/29	1/31 1/31	
C-515868-A #26	12/21/51	360	12/28	no appts	12/28	1/29	TRUCK
C-525868-A #4	12/21/51	2/4 2/6	2/8	2/11 2/13	2/15	2/18	
DATE SHIPPED		2/4 2/5	2/6	2/11 2/12	2/15	2/18	
NO BLK CLIPS		2/20	2/22	2/25 2/27	2/29		
ON ALL T/Ls		2/19	2/20	2/22 2/26	2/28		
C-525868-A	1/1/52	Requirement Order Yr. 1952					
" #5	1/28/52	960	2/14	no appts	2/14	2/14/52	TRUCK
" "	"	540	2/17	"	2/17	2/17	TRUCK
C-525868-A #6	2/4/52	3/3 3/5	3/6	3/7 3/10	3/11	3/12	3/13 3/14
DATE SHIPPED		3/4 3/6	3/6	3/7 3/10	3/11	3/12	3/13 3/14
NO BLK CLIPS		3/17 3/18	3/19	3/20 3/21	3/24	3/25	3/26 3/27 3/28
ON ALL T/Ls		3/17 3/18	3/19	3/20 3/21	3/24	3/25	3/26 3/27 3/28

DO-1/16 U.
DO-MRO
Incl 960 pcs. 1/16
DO-MRO
"
"
Cancel Remainder Red is Rel #8 10 MRO
additional 960 pcs Rings
3/3 & Rel Xed 3/5/52 "

CO. REPUBLIC STEEL

PLANT CANTON

SIZE 25 x 25 RINGS

4 BLK CLIPS – SK-1657 5000
4 CLIPS SK-1540 4000
4 WIPER SK-1928-A 4000
RING B-24-754 900

1 T/L 1/2 T/L = 540

(P) PALLETIZED

PLANT INVENTORY

1951 DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
4/30	D	5540	135 M	5/11	Incl 4/27 T/L
6/4	E	4250	130 M	6/14	Incl 5/31 T/L
6/25	D/H	4020	134 M	7/3	Incl T/L 6/25 ✓ 15 T/L July
7/31	E/H	4980	12000	8/1 ✓	Incl T/L 7/28
8/16	H	4410	13560	8/29	Incl T/L 8/25
9/10	A	5040	13500	9/21	Incl T/L 9/7 1 T/L For

DO-47
900 Rings Approx
(P) T/L SHOTS
15 T/L DO-47 C-515868-A Rel #12
4 T/L - one Rel #12

900 rings approx
(P) T/L shots

DO-47
Rel #16

DO-MRO
DO-MRO

DO-MRO

DO-MRO
DO-MRO
DO-MRO

ORDER STATUS

● → ONLY B/L SCHEDULED IN SHOP

CUSTOMER ORDER NO.	DATE	QUANTITY		DATE WANTED	FERRO ORDER NO.		DATE SCHED.	DATE SHIPPED	CAR NUMBER	
C-515868-A #10	4/13/51	5/1	5/3	5/4	5/7	5/9	5/11	5/14	5/16	5/18
(P) T/L SHOTS (15 T/L) DATE SHIPPED		5/1	480 5/3	5/4	5/7 W	5/9 C	5/11	5/14 W	5/16	5/18 C
"	"	5/21	5/23	5/25	5/28	5/30	5/31			
DATE SHIPPED		5/21 W	5/23	5/23	5/28 W	5/29	5/31			
C-515868-A #12	5/1/51	6/4	6/6	6/8	6/11	6/13	6/15	6/18	6/20	6/22
DATE SHIPPED		6/4 W	6/6	6/8	6/11 W	6/13	6/15	6/18 C	6/20 W	6/22
DATE SCHEDULED		6/25	6/27	6/29	6/19	6/21	6/26	6/28		
DATE SHIPPED		6/25	6/27	6/29 W	6/19	6/21 W	6/26	6/28		
		●12	●12	●	11/13	Rel 13	Rel #13	Rel #13		
C-515868-A #14	6/29/51	7/2	7/3	7/6	7/9	7/11	7/11	7/12	7/16	7/18
DATE SHIPPED		7/2	7/3	7/5	7/9	7/11	7/10	7/11	7/16	7/17
Sched	6/27/51	7/20	7/23	7/29	8/2	8/3	8/8	8/12	8/12	7/13
Shipped		7/18	7/21	7/31	8/2	8/3	8/7	2 T/L 8/15	7/12	7/13
C-515868-A #14	6/29/51	7/20		7/9			7/9		CANCELLED	
C-515868-A #16	"	T/L 900		ASAP			7/21	7/21	TRUCK	
"	"	T/L 900		ASAP			7/31	7/21	"	
C-515868-A #14	6/29/51	420		8/6			8/6	8/6	"	
No apply on		8/13 7/25								
C-515868-A #17	8-1-51	8/10	8/13	8/15	8/17	8/20	8/22	8/24	8/27	8/28	8/31
DATE SHIP'D		8/10	8/13	8/15	8/17	8/20	9/22	8/23	8/28	8/28	8/31
C-515868-A #15	8/23/51			9/19	9/21	9/24	9/25	9/26	9/28	
				9/18	9/20	9/24	9/26	9/26 Rush	9/28	
No SPRING CLIPS OR BLOCK CLIPS ON THESE →		9/3	9/5	9/7	9/10	9/12	9/14	9/17	9/18	
		8/31	9/5	9/6	9/7	9/12	9/12	9/20 9/14	9/18	
C-515868-A #19	8/23/51	P H 20		9/4			9/4	9/4	TRUCK	
C-515868-A #20	9-6-51	900		ASAP	req. app		9/7	9/10	"	
" 20	"	900		ASAP	regular app		9/13	9/13	"	

FE001383

CO. REPUBLIC STEEL

PLANT CANTON

SIZE 25 x 25 RINGS

4 BLK CHIPS SK-1657 5000
4 CHIPS SK-1540 4000
4 WIPER SK-1928-A 4000
1 RING B-2474 900

1 T/L 1/27/L - 540
(P) Pitt. Fig. 1

PLANT INVENTORY

DATE 1951	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
1/15	A	5940	425	1/29/L.	900 Rings & Appurt. To be T/L Shipts - Assigned
1/29	D	5500	400	2/14	Run 14 T/L thru 3/16
3/17	A	3600	450/day	3/20	Inc 18 T/L

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY		DATE WANTED	FERRO ORDER NO.		DATE SCHED.	DATE SHIPPED	CAR NUMBER		
C-505868-A-18	RED 12/11/50 12/19/50	12/18	12/18	12/19	12/20	12/21	12/26	12/27	12/28	12/29	
DATE SHIPPED		12/18	12/18	12/19	12/26	12/27	12/27	12/28	12/28	12/29	
C-515868-A-2	12/19/50	12/19	1/19	1/22	1/23	1/24	1/25	1/29	1/30	1/31	2/2
DATE SHIPPED		1/18	1/19	1/23	1/24	1/26	CANCELLED	2/1/51	CANCEL	2/2	2/5
" #2	12/19/50	2/5	2/7	2/8	2/26	2/19					
DATE SHIPPED		2/6	2/7	2/8	CANCEL	CANCEL					
C-515868-A-7	2/12	WHY?									
00-MAD (900 Rings & Appurt. (3/4 Shipts (P)) BAL. FEB. REQTS		Requirement Order Yr. 1951.									
C-515868-A	1/1/51										
" #7	2/12/51	2/19	2/21	2/23	2/26	2/27	2/28				
DATE SHIPD.		3/19	3/21	3/23	2/26	2/27	3/28				
Ditto (P) (March REQTS.) C-515868-A-7	2/12/51		3/2	3/5	3/6	3/7	3/8	3/9	3/12	3/13	3/14
DATE SHIPPED			3/2	3/5	3/6	3/7	3/8	3/9	3/12	3/13	3/14
" #7	2/12/51	3/15	3/16								
DATE SHIPPED		3/15	3/16								
3 T/L per week - (Mon. Wed. & Fri.) until further advised per Krynock phone 2/16/51 - 1 per day											
2/26 to 3/16 Inc. Jan 2/22/51 - Krynock											
C-515868-A-7 #4-Jan/51	2/23	540		ASAP	P		3/1	3/1/61	TRUCK		
DO-47 900 Rings & Appurt (P) T/L Shipts	C-515868-A-8 3/6/51	4/2	4/4	4/6	4/9	4/10	4/12	4/13	4/16	4/18	
DATE SHIPPED		4/3	4/4	4/5	4/9	4/10	4/12	4/13	4/16	4/18	
" "		4/20	4/23	4/24	4/26	4/27	4/30				
DATE SHIPPED		4/20	4/23	4/24	4/26	4/27	4/30				
		DO-97	DO-97	DO-97	DO-97	DO-97	DO-97				
900 Rings & Appurts (P) T/L Shipts. For March DO-97	C-515868-A-9 3-3-16	3/19	3/21	3/23	3/24	3/28	3/30				
DATE SHIPPED		3/20	3/21	3/23	3/26	3/28	3/30				

FE001384

CO. REPUBLIC STEEL
PLANT CANTON
SIZE 25 x 25

BLOCK CLIPS - SK-1657 5000
4 CLIPS SK-1540 4000
#24944 WIPER SK-1928-A 4000
RINGS 1 RING B-2474 900
} T/L
(P) - Parkerized

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
9/18	D	5640	375		
10/2	D	4475	400		Incl 9/29
10/6	D	3060	425		Incl 10/3
10/31	D	3180	425		Incl 10/23
11/5	D	1910	350		

with B 3013 rings

900 rings # Appl's to be shipped by truck palletized

Rel #25 - T/L - P

900 ring only - 1st 4 T/L - Wiper Rings & Appl.

900 Rings & Appurt. for T/L Shaw-Pall.

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-505868-A #19	9/16	900 P	9/12		9/12	9-13-50	TRUCK
" "	"	900 P	9/13		9/13	9-14	"
" "	"	900 P	9/14		9/14	9-15	"
" "	"	900 P	9/19		9/19	9-19	"
~~" "~~	~~"~~	~~900 P~~	~~9/20~~		~~9/20~~	Cancelled	
~~" "~~	~~"~~	~~900 P~~	~~9/21~~		~~9/21~~	cancelled	
" #20	9/1	900 P	9/25		9/25	9-26	TRUCK
" "	"	900 P	9/27		9/27	9-27	"
" "	"	900 P	9/29		9/29	9-29	"
" "	"	900 P	10/2		10/2	10-2	"
" "	"	900 P	10/4		10/4	10-4	"
" "	"	900 P	10/6		10/6	10-6	"
C-505868-A	ref 9/15	360 P	11/1/50		11/1/50	NOV. 1	"
~~C-505868-A #23~~	~~10/10~~						
C505868A #23	10/3/50	10/9	10/10	10/13	10/17	10/18	10/20	10/23
DATE SHIPPED		10/9	10/10	10/12	10/13	10/17	10/17	10/18	10/20	10/23
C505868A #23	10/3/50	~~10/24~~	~~10/25~~	~~10/27~~	~~10/30~~	10/31	"	11/2	11/3	11/6	11/7
SHIPPED →		CANCEL	CANCEL	CANCEL	CANCEL	10/31	11/2	11/3	11/6	11/7
C505868A #23	10/3/50	11/8	11/10	11/13	11/15	11/17	Rel #25	11/20	11/21	11/22	12/5
SHIPPED →		11/8	11/10	11/13	11/15	11/20	→	11/21	11/22	12/5
C-505868-A-#25	10/31/50	11/27	11/29	12/1	12/11	12/13	12/15			
Date Shipped		12/5	12/6	12/7	12/11	12/13	12/14			
C-505868-A #27	12/7/50	on								
C-505868-A #1	12/7/50	12/51	1/3/51	1/5/51	1/8/51	1/10/51	1/12/51	1/15/51		
DATE SHIPPED		12/5	1/3	1/5	1/10	1/11	1/12	1/16		
C-505868-A #2	PH-12/12	12/12	12/14							
DATE SHIPPED		12/16	12/16							

FE001385

CO. REPUBLIC

PLANT CANTON

SIZE 25X25

Bl. CLIP SK-1657 5000
+ CLIP SK-1540 4000
#2494.4 WIPER SK-1928-A 4000 } T/L
RINGS 1 RING B-247Y 900

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
5/8/50	D	7140	10500	5/28/50	
5/29	D	5575	10500	6/13	
6/28	C	5460	10500	7/19	
7/12	D	7040	9750	7/31	After 7/14 shipment leaves 7/14 Cy 7/31 Ky 7/26 Ky 7/24, 7/24, 7/25, 7/1, 7/3, 7/2, 7/9, 7/11, 7/15 & 7/17
7/25	B/E	3065	10500	8/1	Leave 7/26 7/27. Will order 7/26 7/24, 7/27 7/25, 7/28 & 7/31. Omit Block clips & wipers from these 5 7/26
8/11	D	2340	465/DAY	8/16/50	

FE001386

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10,868- #11	5/9/50	900 P	6/29/50		6/29/50	6-28-50	TRUCK
" "	"	896 P	6-29		6-29	6-29	"
" "	"	900 P	7-6		7-6	7-5	"
" "	"	900 P	7-6		7-6	7-6	"
" #12	6-14	~~900~~ P	7-10		7-10	~~7-11~~	~~Called~~
" "	"	900 P	7-10		7-10	7-12-50	Truck
" "	"	900 P	7/24		7/24	7-24-50	"
" "	"	900 P	7/26		7/26	7-26-50	"
" "	"	900 P	7/28		7/28	7-28	"
" "	"	900 P	8/1		8/1	8-1	"
" "	"	900 P	8/3		8/3	8-3	"
" "	"	900 P	8/7		8/7	8-7	"
" "	"	900 P	8/9		8/9	8-9	"
" "	"	900 P	8/11		8/11	8-11	"
" "	"	900 P	8/15		8/15	8-15	"
" "	"	900 P	8/18		8/18	8-18	"
" 15	7/27/50	900 P	8/21	No Bl. Cl.-Sh No W. Sh.	8/21	8-21	"
" "	"	900 P	8/23	"	8/23	8-22	"
" "	"	900 P	8/25	"	8/24	8-23	"
" "	"	900 P	8/25	"	8/25	8-24	"
" "	"	900 P	8/28	"	8/28	8-28	"
" #17	8/11 8-15	900	8/16		8/16	8-16	TRUCK
" #18	8-15	900	8/17		8/17	8-17	"
" #19	8/16	900 P	8/29		8/29	8-30	"
"		900 P	8/30		8/30		
"		900 P	8/31		8/31	8-31	"
"		900 P	9/1		9/1	9-5	"
"		900 P	9/5		9/5	9-6	"
"		900 P	9/6		9/6	9-7	"
"		900 P	9/7		9/7		
"		~~900~~ P	9/11		9/11	Cancelled	

FORM F-28 11-48

CO. Republic — Via Brewer Truck

PLANT Canton

SIZE 25 x 25 — RINGS

Block Clip – SK-1657 — 10,000 — 5000
4 Spring Clip – SK-1540 — 12,000 — 1-C/L — 4000 — 1-T/L
4 Wiper – 24 ga SK-1928-A — 12,000 — " — 4000
1 Ring – B-2404 — 2,900 — 900 (P) Phillips

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
3/16	A	2700	750	3/17	Will order 10 T/L (as rec'd)
3/23	A/E	2760	2500	4/11	" " 7.5 S/L on 7-10-14 & 18-21-28
4/17	A	2760	1250	4/24	Changed to 2 T/L thru 5/5 (as shown)

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-505868-R4	3/10/50	900 P	4/17		4/17	4-17-50	TRUK
28 " #7	4/18	900 P	4-18		4-18	4-18	"
" "	"	900 P	4-18		4-18	4-19	"
" "	"	900 P	4-20		4-20	4-20	"
" "	"	900 P	4-20		4-20	4-20	"
" #6	4/14/50	900 P	4-24		4-24	4-24	"
" "	"	900 P	4-24		4-24	4-25	"
" "	"	780 P	4-26		4-26	4-26	"
" "	"	960 P	4-26		4-26	4-26	"
" "	"	900 P	√-2		√-2	5-2	"
" "	"	900 P	√-2		√-2	5-3	"
" "	"	960 P	√-4		√-4	5-3	"
" "	"	900 P	√-4		√-4	5-4	"
" "	"	900 P	√-18		√-18	5-17	"
" "	"	780 P	√-18		√-18	5-18	"
" "	"	900 P	√-23		√-23	5-22	"
" "	"	900 P	√-23		√-23	5-23	"
" "	"	900 P	√-25		√-25	5-26	"
" "	"	900 P	√-25		√-25	5-26	"
" #11	√-9	900 P	6-1		6-1	6-1	"
" "	"	900 P	6-1		6-1	6-1	"
" "	"	900 P	6-8		6-8	6-7	"
" "	"	900 P	6-8		6-8	6-8	"
" "	"	900 P	6-12		6-12	6-12	"
" "	"	900 P	6-12		6-12	6-13	"
" "	"	900 P	6-15		6-15	6-14	"
" "	"	900 P	6-15		6-15	6-14	"
" "	"	900 P	6-22		6-22	6-21	"
" "	"	900 P	6-22		6-22	6-22	"
" "	"	900 P	6-26		6-26	6-26	"
" "	"	900 P	6-26		6-26	6-27	"

FE001387

FORM F-26 11-48

CO. Republic
PLANT Canton
SIZE 25X25 RINGS

Block Clip	- SK-1653	10,000	1 C/L	5000	T/L
4 Spring Clip	- SK-1540	12,000		4000	
4 Wiper	- SK-1928-A	12,000		4000	
1 Ring	- B-2474	2,900		900	(P) Palletized

PLANT INVENTORY

DATE 1950	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
1-3	D	2640	7500	1-3	Incl 1/30 T/L
1-13	D	3600	8250	1-26	T/L 2/1-2-8-9-14-15-21-22-27 & 28
1/25	C	3300	7500	2-7	Whse
2-6	D	4080	7500	2-22	
2/15	D	3000	6600	2-28	Incl 3/4 T/L

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-94781-A	9/29/49	5544	1/3/50		1/3/50	1-3-50	TRUCK
"	"	900	1/4/50		1/4/50	1-3-50	"
C94367-A	10/19-12 11-1	2856	11/21	+mc clips	11/22	11-22-49	NKW-43680
C-06168-A	11/8/50	900 (P)	11/18/50		11/18/50	1-18-50	TRUCK
"	"	780 (P)	11/19/50		11/19/50	1-19-50	"
"	"	900 (P)	11/20/50		11/20/50	1-20	"
"	"	900 (P)	11/25/50		11/25/50	1-24	"
"	"	900 (P)	11/26/50		11/26/50	1-26	"
"	"	900 (P)	11/27/50	No Blk Cl. Pc. No Spr Cl. Pc.	11/27/50	1-30	"
C-505868-A	11/20/50	Requirement Order Yr. 1950					
C-06606-A	11/24	900 P	2-1		2-1	2-2	"
"	"	900 P	2-2		2-2	2-3	"
"	"	900 P	2-14		2-14	2-14	"
"	"	900 P	2-17		2-17	2-17	"
"	"	900 P	2-20		2-20	2-20	"
"	"	900 P	2-23		2-23	2-23	"
"	"	900 P	2-27		2-27	3-1	"
"	"	900 P	3-1		3-2	3-2	"
"	"	900 P	3-6		3-6	3-7	"
"	"	900 P	3-8		3-8	3-8	"
C-505788-A #2	2-28	900 P	3-13		3-13	3-14	"
"	"	900 P	3-N		3-N	3-15	"
"	"	900 P	3-20		3-20	3-20	"
"	"	900 P	3-24		3-24	3-23	"
"	"	900 P	3-28		3-28	3-28	"
"	"	900 P	3-31		3-31	3-30	"
" #4	3/10/50	900 P	4/3		4/3	4-3	"
"	"	900 P	4/6		4/6	4-5	"
"	"	900 P	4/10		4/10	4-11	"
"	"	900 P	4/12		4/12	4-4	"
"	"	900 P	4/14		4/14	4-14	"

FE001388

FORM F-28 11-48

CO. REP.

PLANT CANTON

SIZE 2½X2½

RINGS

BL. CLIP	SK-1687	10000	6000	T/L
CLIP	SK-1540	12000	4000	
WIPER	SK-1928-A	12000	4000	
RING	B-2474	2900	900	

PLANT INVENTORY

DATE 1949	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
8-11	E	2190	8400	8-19	Rec. 2 T/L 8/10. 3 T/L 8/23
8-23	E	2790	12000	8-29	Rec. T/L 8/26. T/L 9/6-9-14-21
9-7	E	4800	8100	9-25	3 T/L each on 9/18, 9/26, 10/4 & 10/12
9-21	G	3900	10200	10-2	3 T/L each on 10/20, 10/28 & 11/5
11-17	G	4380	12000	11-28	Rec. 11/16 T/L. T/L 11/28, 29, 30,
					12/5-6-7. Omit clips in 2 T/L 11/21
11-30	D	5016	10500	12-14	Rec. N.R.D-43650.
12-13	D	5510	10500	12-29	Rec. 2 T/L 12/12
12-27	D	3840	7500	1-11	T/L 11/18-19-20-25-26-27

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-94001-A	8/5/49	900	8/15/49		8/17/49	8/17/49	TRUCK
"	"	900	"		8-15	8-15	"
"	"	900	"		8-16	8-15	"
"	"	900	8-30		8-30	8-26	"
"	"	900	"		8-30	8-26	"
"	"	900	"		8-30	8-29	"
C-94126-A	8/18	900	8/23		8/20	8-23	TRUCK
"	"	900	8/23		8/25	8-24	"
"	"	900	8/23		8/26	8-25	"
C-94367-A	9-1	900	9-19		9-19	9/16	TRUCK
"	"	900	"		"	9-19	"
"	"	900	"		"	9-20	"
"	"	900	9-26		9-26	9-23	"
"	"	900	"		"	9-26	"
"	"	900	"		"	9-28	"
"	"	900	11/14		11/15	11-15	"
"	"	900	11/14		11/15	11-16	"
"	"	900	11/15		11/16	11-16	"
"	"	~~900~~	11/21		11/21	Replaced by O/L 11/22	
"	"	~~900~~	11/21	NO CLIPS	11/21		
"	"	~~900~~	11/22	NO CLIPS	11/21		
C-94781-A	9/29/49	900	"		12-5	12-5	TRUCK
"	"	900	"		12-6	12-5	"
"	"	900	"		12-7	12-6	"
"	"	900	"		12-13	12-12	"
"	"	900	"		12-14	12-12	"
"	"	900	"		12-15	12-13	"
"	"	900	"		12-21	12-20	"
"	"	900	1-10	NO WIPER CLIPS ORDERED	1-10	1-10-50	"
"	"	900	1-10		1-10	1-9-50	"
"	"	900	12/29		12/29	12-30	TRUCK

FE001389

FORM F-28 11-46

CO. REPUBLIC STEEL

PLANT CANTON

SIZE 4.26 x 4.25 RINGS

4- BLOCK CLIPS SK 1657 10000
4- CLIPS SK 1540 12000
4- WIPERS SK 1928-A 11800
1- RINGS SK 2474 29025 C/L

Timpnel Register

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
3-29	C	3960	9000	4-9	2750 available @ Massillon
4-4	C	3760	9000	4-7	Due This O.K. 4/11
4-7	C	1750	9000	4-8	RECEIVED 3736 FROM MASSILLON
4-15	N	1744	4500	6-24	Due T/L 5 4/16
6-7	C	3180	5200	6-19	
6-21	C/O	2985	9100	7-9	
7-14	C	3660	5400	8-1	Due 4/6 & 4/9 Rush. Leave suspense out of next Shipments. Order 2700 for 7/10
7-21	C	7508	6000		Order 2700 for 8/5
7-1	C	1590	6000	7-28	3 T/L ordered on 7/29 Pa prompt shipment
8/2	E	2340	1800/day	8/15	2 T/L to arrive 8/10 Ord 3rd T/L Rush
8/9	E		2300/day	8/15	Must ship 1 T/L to arrive 8/10. Ord 3rd T/L Rush as soon as convenient. Pur Dept will call in order on 8/10

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-91529-A	3/24/49	2904	3/29/49	Cancelled	3/29/49	Cancelled	Cancelled
" "	"	2904	4/7	Cancelled	4/7	Cancelled 4/11	
" "	"	2904	4/16	Cancelled	4/14	Cancelled 4/20	
" "	"	2454	4/25	Cancelled	4/26	Replaced 4/26 3 Pc. for 5245	
C-91761-A	3/29/49	2924	5/5	Cancelled	5/5	2400 Rec'd 4/11 3 Pc. for 5245	
" "	"	2904	5/13	Cancelled	5/18	Replaced 4/11 3 Pc. for 4/7	
C-90681-A	1/20/49	900	—	No Bl. Clips	3/16/49	3-16-49	TRUCK
C-91529-A	3/24/49	900	4/11		4/11	4-11-49	TRUCK
C-91529-A	"	900	4/11		4/11	4-11-49	TRUCK
C-91529-A	"	900	4/11		4/11	4-11-49	TRUCK
C-91529-A	"	900	4/20		5/2	5-3-49	TRUCK
C-91529-A	"	900	4/20		5/4	5-3-49	TRUCK
C-91529-A	"	900	4/20		5/4	5-3-49	TRUCK
C-91529-A	"	360	Rings	only	NOW	4-12-49	OUR TRUCK
C-91529-A	"	900	5/16		5/16	5-16-49	TRUCK
C-91529-A	"	900	5/16		5/16	5-16-49	TRUCK
C-91529-A	"	900	5/16		5/16	5-16-49	TRUCK
C-91761-A	3/29/49	900	6/29		6/29	6-28-49	TRUCK
C-91761-A	"	900	6/29		6/29	6-29-49	
C-91761-A	"	900	6/29		6/29	6-29-49	
C-91761-A	"	900	6/7		6/7	6-3-49	TRUCK
C-91761-A	"	900	6/7		6/7	6-3-49	TRUCK
C-91761-A	"	900	6/7		6/7	6-6-49	"
C-93870-A	7/25/49	900	7/25	No Wipers	7/28	7-22-49	TRUCK
" "	"	900	7/25	"	7/25	7-25-49	
" "	"	900	7/25	"	7/25	7-25-49	
C-93948-A	8/4/49	900	8/12		8/10	8-10	
" "	"	900	8/12	No B clips	8/11	8-10	
" "	"	900	8/12	"	8/11	8-11	

FE001390

FORM F-28 11-46

CO. Rep Canton
PLANT Canton
SIZE 25 X 25

Block Clips SK-1657 10M
Clips SK-1540 12M
Keepers SK-1928-A 11800
Rings R2474 2925
C/L

PLANT INVENTORY

DATE 1948	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
10-26	S	950	10000	10-28	Due T/L 10/27. C/L 11/17 + 12/10 + 3/4 T/L 1/15
11-2	W	10055	10000	11-5	Hold Due CN-47435
11-9	C	2470			Due CB&Q-34750
11-22	C	2944	10000	12-1	Hold Due PRR-65346 C/L 11/15 + 12/8
12/1/48	W	2120	300/day		Due 8 Mil - 31694 & PRR-65346
12/8/48	E	4200	400/day	12/31	Orders 3 flats ship 12/13 - 15/16 - 18
12/15/48	C	3708	5000	1-8	will release 1/4 Due NYC-166833, 388 BROKEN
12-22	E	7800	7800	1-22	Due IC-18433 C/L 1/3, 1/4, 1/12 + 1/20
12-13	C	4970	9000	1-29	Due UP-197536 C/L 1/12, 1/20, 1/28
1-1	N	4100	9500	2-14	Due CRI-22697 Ship 2/14 + 2/24
					C/L as early
2-15	N	6041	10000	3-5	C/L 3/29 4/7, 4/16 4/4/49
2-22	E	7370	10200	3-10	Due LV-61060 + 2 T/L
3-2	O	7185	9600	3-18	Due PM-91100
3-15	E	7800	7800	4-6	Due SF-276159. Will bring
					about 1900 over from
					Hannibal which should
					carry them about 4/28

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-7599-WB	10/19/48	2924	11/1-5/48	No Clips	11/2/48	11-9-48	Soo-42690
"	"	3060	11/25/48	15M Clips	11/25/48	11-26-48	M&StL-23094
C-7748-WB		760	10/25/48		10/25/48	10-25-48	TRUCK
"	"	760	10/27/48	"	10/27/48	10-26-48	"
"	"	760	10/28/48	No Bl. Clips	10/28/48	10-27-48	"
"	"	2924	11/1/48	5M Bl. Clips	11/8/48	11-2-48	CB&Q-34750
C-7913-WB	10-28-48			15M Clips 10M Bl. Clips	10/23/48	10/23/48	Soo
"	"		only	12M Clips	10/27/48	10-27-48	CN-47435
"	"			12M Clips	11/12/48	11-9-48	Soo-42690
"	"			12M Clips	11/25/48	11-26-48	M&StL-23094
C-7746-WB	10/28/48	760	10/29/48	No Bl Clips	10/29/48	10-28-48	TRUCK
C-7981-WB	11/2/48	1892	11/19/48		11/19/48	11-18-48	PRR-65346
C-7982-WB	11/2/48	2924	12/1/48		12/1/48	12-2-48	B&O-380965
"	"	2924	12/8/48		12/8/48	12-8-48	NYC-166833
C-8950-WB	12/1/48	2924	12/23/48		12/24/48	12-22-48	IC-184338
"	"	2924	1/13/49		1/13/49	1-12-49	ITC-6191
C-9213 WB	12/6/48	2924	1-23		1-21	1-20-49	CRP-22697
"	"	2924	2-5		2-4	2-3-49	PRR-64448
"	"	2924	1/4/49		1/5/49	1-5-49	UP-197536
* INCLUDE IN ACT REGISTER IN ALL FUTURE SHIPMENTS							
			HRANGE FOR REGISTER ASAP				
C90273-A	1/2/49	2924	3/5/49		2/11/49	2-11-49	LV-61060
"	"	2924	2/25/49		2/25/49	2-24-49	PM-91100
C90631-A	1/20/49	2924	3/1		3/2	3-2-49	PRR-618324
"	"	2915	3/10		3/11	3-10-49	SF-276159
"	"	2924	3/20	Cancelled	3/21	Cancelled	
C90273 A	1/25	900	2/17	No Clips 2M Wippers	3/17	2-16-49	RDS
"	"	900	2/17	8M SK-1540 7M Wipp.	2/17	2-16-49	

FE001391

FORM P-28 11-46

CO. Republic
PLANT Canton
SIZE 25 x 25

Rings

4 - Block Clips SK-1657 10000
4 - Clips SK-1340 12000
4 - Hyers SK-1938-A 11500
1 - Rings B-2474 7850

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
6-26	JN	6894	100/day	@3000 9-1	Inc. ERIE-79031 - Includes B-7003 Rings
7-3	C	2160	100/day	@3000 8-30	Plus 31464 B-7003
7-12	W	7760	100/day	@3000 9-6-47	This includes all B-2003 Rings
7-19	W	2745	100/day	9-17	
7-26	G	2210	3000	9-17	
8-2	W	7710	3500	10-3	1 c/c SAP, 1 c/c 10/1
8-9	W	5201	3500	—	Inc. B-7010-466174
8-16	C	2196-NS 1304-STR	3700/mo	@2900 11/10/47	Inc. NYC 15x734 also c/c for 11/47
10-25	W	3879	3500	11-21	c/c for 11/15 & 12/15
11-1	W	3477	3300	12-10	c/c for 11/25
11-8	W	3727	3300	12-26	
11-15	E	2755	2900	1-8	c/c 1/12. Omit all clips
11-30	N	2670	2900	FW	
12-13	E	3380	2600	2-20	Inc. CN-486169. 1/c 1/16 & 2/24
2-13	W	6793	2600	2-27	Inc GN-42287
2-7	W	3247	2600	4-1	Inc MKW-716518. c/c 4/15
2-20	W	2992	3500	4-19	c/c 4/19
4-10	W	4478	3500	5-19	Inc. B-7010-380704 c/c 5/14
4-17	W	3813	3000	5-26	Defer 5/19 c/c 5/26 & 6/14
4-24	W	3296	3800	6-16	Inc C-7010-1124
5-10	WC	4233	3300	6-18	c/c 6/12
5-22	E	3700	3300	7-14	Inc 1 c/c 7-3-7010-46
6-5	N	3978	3300	7-6	
6-12	MN	4394	4800	9-12	Inc 500-2737
7-7	W	6036	5700	8-8	Inc NH-340712. c/c 8/9 & 8/14
7-10	W	3412	5700	8-6	Inc NH-340712. Will return c/c to carry 9/1
8-7	S	7016	5700	8-14	Inc PRR 66669. c/c to run 9/15 & 9/30
8-30	C	7160	5700	9-29	Inc NYC-16x229. 2 c/c for October
9-14	C	4260	5700	10-16	Inc. WTK-6-2604-7. c/c 10/15 & 11/1
10-12	C	1550	5700	10-22	c/c 11/12 & 11/27. Ship 11/5 c/c early

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-2625-TB	5-23-47	2848	arrive 6-24-47		6-13-47	6-11-47	ERIE-79031
C 4675 TB	7/11/47	2856	8/10	NO BLK CLIPS	8/9/47	8-19-47	SOU-140444
C-5946-TB	9/12/47	2856	ASAP		9/19/47	9-18-47	B+O-466174
C 6073 TB	9/24/47	2856	arr 10/15		10/6/47	10-8-47	NYC-152734
C-6922-TB	10/29/47	2856	arrive 11-15-47		11-10-47	11-7-47	MP-446442
C-7178-TB	11/6/47	2856	arrive 12-1-47		11-27-47	11-24-47	UP-750444
C 8346 TB	12/26/47	2856	1/15	No CLIPS	1-9-48	1-8-48	CN-486169
C 433 WB	1/21/48	1582	at once	1200 Wipers	1/30/48	1-30-48	GN-42287
C-419-WB	1-21-48	7788	arrive 2-2-48		2-11-48	2-11-48	MKW-716518
C 811 WB	2/9/48	1344	2/28	No Pl. Clips	2/24	2-27-48	CN-473747
C 1140 WB	2/27	2940	4/6		3/29	3-30-48	B+O-380704
C 2214 WB	3/31	2924	any time		4/16	4-16-48	C+O-11121
C 2625 WB	4/16	2924	5/15		5/7	5-17-48	R+LE-35046
C 3686 WB	5/6/48	2924	6/15		6/11	6-10-48	SOU-272375
C-4439-WB	6-16-48	2924	6-21		6-22	6-21-48	CIL-376
"	"	"	7-1		7-2	6-28-48	NH-340712
"	"	"	11 8920	12 M WIR'S.	7/13	7-23-48	PRR-666698
C-5294-WB	7-15-48	2924	8/9/48		8/9/48	8/9/48	PM-909666
"	"	2924	8/24/48		8/24/48	8-25-48	NYC-167339
C-5764-WB	8/5/48	2924	arrive 8-27	NO CLIPS ASSEMBLED CLIPS	8/18/48	8/20/48	GN-48539
C-5903-WB	8-17	2924	9-15	NO BL. CLIPS	9-15	9-16-48	WLE-368447
"	"	2924	9-30	NO BL. CLIPS	9-30	9-28-48	TC-60336
C-7229-WB	9/21/48	2924	10/15/48	15 M BL. CLIPS No CLIPS	10/5/48	10-12-48	ACL-51771
"	"	2924	11/1/48	No Clips. 10 M BL. Clips	10/27/48	10-27-48	CN-494352

FE001392

CO. REPUBLIC STEEL 270 sets

PLANT CANTON

SIZE 25X25 BRICK

1050 - #1452 - 8 Pal 135 ea #1452 $3/pallet 540 ea #1454 $5/pallet
1051 - 1453 8 Pal
1060 1454 2 Pal
1090 1455 - 2 Pal 4 CA. #1452-1455 INCL

STACK IN 50 CARS

PLANT INVENTORY

1954 DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
4-1	Dow	1046	400/mo	6-16	c/e 6/10 & 7/10
4-15	Dow	1206	300/mo	8-15	Rel C&O - 6746 Defer 4/30 to 5/10
4-27	E	1017	400/mo	7-16	
5-5	Dow	1046	300/mo	8-19	Good count
5-20	G	1145	300/mo	9-14	Rel C&O 27446 c/e 7/14 & 8/10
					on Rel. #7
6-8	E	1050	250/mo	10/15	Hold up 8/1 c/e
6-22	Dow	7147	"	11/19	Rel C&O 27446 Defer 7/10 to 8/1
7-2	G	926	"	11/12	c/e 9/5 - 11/1
8/5	E	810	"	11/10	Hot Rel c/e 8/1
8/25	E	910	275/mo	12-1	Defer 9/15 to 10/29 c/e 11/29 12/29
9-29	Dow	774	300/mo	11-21	
10-11	Dow	576	"	11-25	
10-5	Dow	500	"	11-25	
10-27	E	1580	"	12-25	Rel Myles 50787 c/e 7/15
11-24	G	387	350/mo	11/10/55	c/e 1/28
12-8	G	203	300/mo	1/9/55	Hot Rel C&O 27565
12-22	G	554	300/mo	2/9/55	Rel C&O 27565 270 sets 3/18
1-05					
1-4	G	537	350/mo	2/16	Rel C&O - 6849 c/e 4/8
1-27	E	500	850/mo	3/10	c/e 5/10
2-14	E				c/e 5/1 and 5/24
3-9	G	540	360/mo	4/23	Rel 2/28 c/e 6/15
3-15	E				
3-30	G	540	400/mo	5/9	Rel C&G 5175 c/e 7/1
4-13	E	294	500/mo	4-30	c/e's 7/1 & 7/15
4-25	E	370	400/mo	5-20	
5-6	G	265	350/mo	5-29	mill ck of 4/12 ?
5-26	G	280	400/mo	6-16	Rel IC-41553 270 7/28
6-16	G	705	"	8-5	270 8/16
7-27	E	696	500/mo	9-8	Rel 7/14 c/e change 9/9 to 8/24

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-545868-A	4/1/54	Requirement Order Yr. 1954					(cont)
" #9	4/2/54	270 P.	4/20	20517 NW OH	10/20	11/20/54	MILW-60787
" "	"	270 P.	11/29	" "	11/29	11/29/54	C+O 27565
" #19	10/4/54	over P.	12/15	20557 NW OH	12/15	12/14/54	C+O 6849
" #21	11/4/54	270 P.	1/15/55	20618 NW OH	1/04/55	1/17/55	CNW 105176
" #22	11/26/54	over P	2/28	20756 NW OH	2/28	2/25/55	ATSF-11528
" #27	12/16/54	270 P.	3/18	20821 NW OH	3/18	3/17/55	CG-5175
C-555868-A	12/30/54	Requirement Order Yr. 1955					
" #3	1/6/55	over P	4/8/55	20890 NW OH	4/8/55	4/17/55	PRR 73269
" #7	1/31/55	over P	7/20	20935 NW OH	7/21	7/21/55	C+O 6804
		270 P.	7/14	20936 NW OH	7/ul	CANC	PL
C-555868-A-#8	2/18/55	270 P.	5/1/55	21051 NW OH	5/24/55	5/5/55	IC-41553
" "	"	270 P.	5/24/55	21051 NW OH	5/24/55	5/24/55	C+O 27558
" Rel 10	3/10/55	over P	6/7	21136 NW OH	6/7	6/8/55	PRR 189999
" Rel 15	4/13/55	over P	7/1	21285 NW OH	7/1	6/30/55	CB+Q 45999
" Rel 17	4/18/55	over P	7/15	21295 NW OH	7/15	7/14/55	IC-33213
" Rel 22	5/24/55	270 P.	7/29	21441 NW OH	7/29	7/28/55	C+O 27142
" Rel 25	6/17/55	270 P.	8/26	21486 NW OH	8/26	8/19/55	NYC 73574

FE001393

CO. Republic

PLANT Canton

SIZE 24½-x-24½

Rings

Block Clip – SK 1657 – 10000
Spring Clip – SK 1540 – 12000
Wiper SK-1928-A SK-1667-V – 15000
Ring B-3474 B-2003-V 3850

12400 SK-1928-A for 12" x 5"
in B-3474 for all Bottoms with 24½" x 5"

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
5/5/46	N	5676	140/DAY	@14500 4-V-3	
6/10	N	3776	170/DAY	@3700 3-15	Inv. PM-9331-V3 Ordered 3 C/L 7/15; 7/31; 8/14
8/13	N	6243	117/DAY	@3500 10-11	Inc. SAL-17024
9-4	N/C	2731	117/DAY	@3500 10-18	INC. - MILW-714907
9-24	N/N	9943	117/DAY	@3500 10-18	INC. D+RGW-61590 - Defer 10-15 C/L to 11-1
10-9	N/W	3218	115/DAY	@3500 11-19	ESTIMATE
11/6	E	8000	150/DAY	11-26	Inc. MILW-718275 - Ordered C/L for 11/1
1-27-47	N	7424	108/DAY	@3000 2-14	Inc. ATSF-129533
1-14-47	N	9620	119/DAY	@3500 1-27-47	
1-28-47	N	8076	90/DAY	@2700 2-24	Inc. GN-41386
2-10	N	7000	100/DAY	@3000 4-21	
3/21	C	4550	130 DAY	4-3	Rec. 14 for 3/20 Delivery - Will place order for 13000 Wipers for ASAP
3-24-47	S/N	5790	@175/DAY	4-20	
3-18	N/W	4983	@85/DAY	5-18	
4/1	N/N	4495	@175/DAY	5-27	order C/L for 5/1
4/18	N	4115	115 DAY	@3500 5-26	Order C/L 5/26.
5/13	E	4500	125/DAY	@3500 6-25	Order C/L 6/20 Rec B-3474
6-10	C	12000	75/DAY	@2500 7-24-47	Inc. IC-113971
6/26	N	SEE B-3474			All together
7-3	C	3464			Rec B-3474

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-1824-RB	5-14-46	2950	6-20-46		6-20-46	6-21-46	N.W. 49047
C-3036-RB	6-27-46	3100	7-15	No Clips No Wipers	7-9-46	7-3-46	ACL-21414
"	"	3100	7-31	No Wipers	7-25	7-25-46	SAL-17024
"	"	2950	8-20	10885 Hiwo	8-25	8-20-46	MILW-714907
C-3738-R-B	8-2-46	3000	9-15-46	13500 Wipers 2 Pkgs Special	9-13	9-12-46	D+RGW-61590
C-3036-RB	6-27	SHEE	Wipers	15152			
C-4803-R-B	9-16-46	2880	11-1-46	No Clips No Wipers	11-1-46	11-1-46	Milw-718275
C-6274-RB	11/18/46	3096	12/1	6 pr SK Clips 13500 Wipers	12/3	12-14-46	ATSF-129533
C-6950-RB	12/13	3096	1/2/47	" "	11/3	11-2-47	GN-48386
C-1479-TB	3-5-47	—	ASAP	5875 Wipers SK-1667	2-26-47	2-26-47	TRUCK
"	3/3/47 3-5-47	—	ASAP	13M Wipers SK-1667	3-5-47	3-6-47	"
C-1596-TB	3/1/47	3096	3/20		3-9-47	3-20-47	RI-146389
C-2495-T-B	4-10-47	3096	5-1-47	12400 SK-1928-A	4/25	4-22-47	PRR-81771
C-3073-TB	5/2/47	3096	5/26	"	5-9	5-16-47	IC-17397

FE001395

CO. REP.

PLANT CANTON — RINGS

SIZE 24 1/2 X 24 1/2

BLK. CLIP	SK-1657	10000	C/L
CLIP	SK-1540	13000	
WIPER	SK-1667	12400	
RING	B-2003	3100	

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
1-16-45	JW	2900	DEC-3900	@6000 1-31-45	Soo-175990 IN YARD BUT NOT INC.
2-6-45	N	6467	JAN-4100	3-16-45	3840 EST. FEB INC SSW-38758 4960 " MAR DEFER C/L 2-15 to 3-15
2-23	N	4400	EST. FEB 3600	@5000 3-2-45	EST. MAR-5000 C/L 3/6 NOT INC.
3-7	N	3982	F3500	@4500 3-15	INC MILW-1P100 Ordered C/L 4/1 4/13 7/11 1/20
4-10	N	4479	M3900	@4500 5-10	Incl. Soo-43840
4-24	N	5479		@4500 5-30	
5-11	N	6080		@4600 6-20	INC MILW-718488 Order C/L for 6/15 + 7/15
6-13	N	4860	MAY-4300	@5000 7-7	INC 1-11 Soo 2200 INC CN-475015-L
					Order B C/L - 7/15 - 8/10 - 8/15
7/15/45	N	6010	JUNE 5000	@6000 8/13/45	Incl C/L PRR 66004 Order C/L 9/10 9/25
8/7	N	8439	July	@5000 9/22	WAB 85116 in yd. Instruct sent.
8/31	N	10200		@3200 12/10	INCL. WAB. 85116
9/13	N	7589		@7000 10/14	Release C/L 9/25 for 9/25, 9/10 for 10/5; 9/17 for 10/22
10-5	N	8689		@5000 1-1-46	OBS. C/L 10/17 to 11/15 INC ATSF-148053
10-31	G	9524	OCT. 1994	@3200 1-20-46	INCL PRR-76713 1/4 @ 29 dep.
11/21	N	8150		@2000 2-10 @4500 2-6	
12/6/45	N	9000	NOV. 3050	@4500 2/6/46	
12/19/45	N	9000			
1946					
1/2/46	N	7883		3700/MO 2/2/46	Inc. CP 192304. Sent 300 to Manville. Will order C/L every 25 days starting 2/10/46. Will hold by order until 1/15/46
2/1/46	N	5215	EST 5000/MO	4/1/46 @3000	Order C/L for 3/15, 4/2, 4/20
3/13/46	G	EST 5250	2/1-3/12 1284	4/29/46	
3/29/46	C	9400	7000 MO	@3000 6-19-46	
4/5	N	1500	3600 MO	6-8	Inc. CB+Q 34730
4/30	N	16960	HIGH	6/14	INC. CN-475771 Order C/L for 6/20.

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CA-423584	11-30-44	3100	ARRIVE 1-3-45		1-6-45	1-8-45	Soo-175990
"	"	2900	ARRIVE 1-23		1-17-45	1-19-45	SSW-38758
"	"	3100	ARRIVE 2-16		2-6	2-2-45	Milw-18100
"	"	3100	3-15		3-16	3-20-45	Soo-43840
CA-28651-K	3-21-45	3100	arrive 4-4		4-17	4-17-45	ATSF-128023
"	"	2900	arrive 4-23		4-30	4-28-45	MILW 718488
"	"	3100	arrive 5-11		5-17	5-16-45	Soo-47550
"	"	3100	arrive 5-30		6-7	5-28-45	SN-472015
CA-47804-K	5-18-45	3100	arrive 6-28		6-16	6-16-45	PM-83787
"	"	3100	arrive 7-15		7-9	7-9-45	PRR-66004
CA-59884-H	6-21-45	3100	arrive 7-25		7-16	7-16-45	C+O-6284
"	"	3100	arrive 9-10-45		8-3	8-3-45	WAB 85116
"	"	3100			9-25	9-25-45	ATSF-148053
CA-8146-M	9-20-45	3100	10-8		10-8	10-8-45	PRR-76713
"	"	3100	11-15		11-26	11-27-45	UP-192304
CA-16759-PB	3-11-46	3100	arrive 3-15		3-15	3-15-46	Nye 15440
"	"	3100	arrive 4-5		3-27	3-26-46	CB+Q 34730
"	"	3100	arrive 4-20		4-20	4-19-46	CN-475771
CA-25774-PB	4-12-46	3100	5-31		5-31	6-3-46	PM-99123

FE001396

CO. REP. ✓

PLANT CANTON ✓

SIZE 24½ X 24½ ✓

RINGS -

BLK. CLIP	SK-1677	10000 ✓
CLIP	SK-1540	13000 ✓
WIPER	SK-1667	12800 ✓
RING	B-2003	3200 ✓

C/L

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
4-12-43	N	6809	2000	7-1✓	OK for 2nd quarter
4-26-43	N	5705	"	"	" " " "
5-17	N	5144			Defer C/L due 6/15 to 7/15
6-27	N	6026	3700 / 7/1-7/15		Usage - haul increase - water
8/11	N	6100	12000 7/27-8/11	10-1	
9-10	N	7300	2000	12-10	
10-7	N	9250	SEP-2400		May defer C/L for 18/✓
10-26	N	7380	OCT-2700	12-?	Ck. 60V0 in tool, 1/2/43 11/10 - C/L 1/20
11-18	N	7400	4500	12-28	1/6, 1/20, 2/5, 2/20, 3/5, 3/20
12-7	N	6987		1-10	Req. U.P.-19121✓
12-21	N	7467	2500	1-21	Req. G.N.-43833
1-4-44	N	6853	DEC-8441	1-28	Req. PM-93288. Extra C/L on 2/1
1-18	N	6800	6500	2-20	Hold Req. DRGW-68789
1-29	N	10080	JAN 6820	3-27	Req. R.B.-33122
2-1	N	10080	FEB. 5500	4-20	
2-24	N	7180	6200	5-1	C/L 5/12, 5/26, 6/9 & 6/23
4-13	N	10894	6000	6-3	INC. C+O-10731
5-2	N	11900	APR. 6000	7-2	
5-23	N	12000 EST.	5000	8-✓	INC. THB-4525
6-23	N	12159	6000	8-23	
7-25	N	11671	150 days	10-1✓	Inc. C.G.-6073. Cancel on 8/15
8-22	N	8443	4500	10-✓	
9-7	N	9100	5600	10-27	C/L 10/5, 10/22 & 11/9
9-20	N	6630	5800	10-✓	
10-11	N	7884	4800	12-6	INC. C.G.-41335
11-4	N	7618	5000	12-15	Inc. CNW-73700. Change can 11/30 to 11/26
11-21	N	4690	5000	12-29	C/L 11/3, 11/22, 12/10 & 2/28
12-11	N	4788	4800	1-11	
12-28	N/S	4778	6000	1-30	INC. MN-41306

FE001397

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CA-20350-F	9/26/43	3200	5-20	No WIPERS No CLIPS	5-17	5-17-44	PRR-78111
"	"	2400	8-1	" " "	7-27	7-27	IC-96573
CA-2925-B	7-9-43	3100	9-1		8/27	8-26	SLSF-150034
CA-16641-H	8-17-43	3100	10-5		9-30	9-27	SOU-306999
"	"	3000	11-5		11-1	10-30	SAL-18713
"	"	3100	12-5	Only 6343 wipers	12-1	12-1	UP-191214
CA-42545-H	11-4-43	3100	12-20 arrive 12-10		12-15	12-15	GN-43833
CA-42542-G	11-4-43	1200			12-7	12-7	CP-227417
SA-16641-G	8-17-43		6457 Ref. on SK-1667		12-7	12-7	CP-227417
CA-5100H-G	12-2-43	3100	1-5-44		12-31-43	12-30	PM-93288
"	"	3100	1-20		1-17-44	1-15-44	D+RGW-68789
"	"	3025	2-5		2-2	1-31	IC-33122
"	"	3000	2-20		2-16	2-16	N+W-44931
CA-6507-H	1/14/44	2800	3-1 arrive		1-26	1-26	MILW-703673
CA-6505-H	1/14/44	3100	3-11 arrive		3-7	3-7	SOU-15758
"	"	3100	3-24 arrive		3-21	3-21	IC-37911
"	"	3100	4-5 arrive		4-3	4-5	C+O-10691
"	"	3100	4-17 arrive		4-13	4-12	IC-18516
"	"	3100	4-28 arrive		4-24	Canceled	
CA-34296-H	4-11-44	3100	5-17 arrive		5-9	5-9	MILW-19731
"	"	2900	5-26 arrive		5-22	5-19	THB-4525
"	"	3100	7-15		7-15	7-17	CG-6073
"	"	3100	8-15		8-16	Canceled	
CA-59437-H	6-29-44	3100	9-1 arrive		8-28	8-29	IC-19950
CA-21338-J	9-13-44 per M+W	3100	10-5 arrive		10-2	10-3	CG-41335
"	"	3100	11-1 arrive		10-28	10-28	CNW-73700
"	"	3100	12-6 arrive		11/29	11-29-44	GN-[illegible]
"	"	3100	12-19 arrive		12/15	12-18-44	M+W-[illegible]

See next Page

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25" x 25" LV BRICK B-3332

8 EA. #4212 & 4213

24 Sets/Pallet

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
6-19	WR	37			
7-16	D	165			
8-23	D	142			
9-26	D	120			
10-24	D	90			
10-23	D	85			
11-8	E	58			
11-20	D	26			
12-27	D	116			
-1963-					
6-9	K	49			
6-17	K	26			
6-24	K	19			

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
✓ C-29041-R	2/9/62	150 SETS	AT ONCE	16441 HW CL	4-12	4/11/62	TRK
✓ C-625868-R,R15 PH	5-31-62 5-31-62	150 SETS	ASAP	18099 HW CL	6-25	6-26-62	"
✓ C-625868-R	4/4/62	Requirement Order Yr. 1962					
" Rel #30 PH	10/29/62	96 SETS	CIT 12.17	20052 N.W. CL	12/13	12/13/62	TRK
✓ C-635868-R	1/1/63	Requirement Order Yr. 1963					
" R.16 PH	3-15-63 3-15-63	50 SETS	ASAP 4-5	12497 HW CL	4-1	4-1-63	"
" R.24 PH	5-6-63 5-7-63	50 SETS	ASAP	2781.5 "	5-24	5-31-63	"
		~~Requirement Order Yr. 19~~					
✓ C-645868-R	1/1/64	Requirement Order Yr. 1964					
CANCELLED		Rev'd 1-16-64					

FE001398

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25" x 25" BRICK B-2002 1 SET: 4 EA. #1452-55 PER PAL - 135 1452 OR 1453

270 sets Per C/L PER PAL 540 1454 OR 1455

135 sets Per T/L

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
11-20-62	D	500	330/mo	6 wks	
-1963-					
6-9	K	135			
6-17	K	36			
6-24	K	OK			

FORM F-28

CO. Republic Steel Corp

PLANT Canton

SIZE 25×25 Brick B-2002

Per Set = 4 each 1452 - 1455 incl

Per Pallet - 135 ~~each~~ 1452 OR 1453

Per Pallet - 540 ~~each~~ 1454 OR 1455

270 sets Per carload

PLANT INVENTORY

1961 DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
9-20	D	390			
10-31	D	204	650/mo	11-10	Not incl 10/25
11-24	D	220	459/mo	12-3	
1962					
1-29	D	200	659/mo		Not Incl 11/25
2-23	D	480	"	3-19	Incl C70-6765
3-30	D	270	"		Incl 3/20
4-23	D	300	"	5-7	Incl 4-11
6-25	D	614	300/mo	3 mos	Defer 7/16 to 8/8 arrival
7-26	D	210	300/mo		
8-23	D	400			
9-26	D				
10-23	D	550	339/mo	12/7	
11-28	E	over			
					routed - B20 →
					" " →
					" " →

FE001402

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-615868-R	1/1/61	Requirement Order Year 1961					
" Rel 15	9/25/61	270 sets	11-17	13382 HW Chic	11-17	9/17/61	MILW-275017
" Rel #15	"	270 sets	11-28	13383 HW Chic	11-28	9/24/61	DCI-2061
" " 16	10-1-61	270 sets	ARR 12-11	14136 "	12-6	12/6/61	C&O-27182
" " "	"	270 SETS	ARR 12-21	14177 "	12-15	12/15/61	C&O-271057
C-625868	11/1/62	Requirement Order year - 1962					
" Rel #1	11/30/61	OVER	can 1-15-62	14682 "	1/18/62	1/18/62	C&O-271163
" "	"	270 sets	can 2-1-62	14685 "	1/25/62	1/25/62	IC-33026
" Rel 2	12-20-61 Ch 12-28-61 Pk 12-28-61	270 SETS	can 1-10-62	15056 "	2/2/62	1/3/62	C&O-271038
" " 3	CDM 1-8-62 1-10-62 1-11-62	OVER	ARR 2-5	15403 "	4/30	1/30/62	C&O-271346
" " "	"	270 SETS	ANR 2-16	15404 "	2/9	2/9/62	C&O-6765
" " "	"	270 SETS	ANR 3-1	15405 "	2/23	2/23/62	GTW-591406
" " 6	Pk 1-31-62	270 SETS	ARR 2-12	16010 "	3-5	3/13/62	B&O-469245
" " "	"	270 SETS	ARR 3-27	16011 "	3-20	3/20/62	NYC-178230
" 7	Pk 2-26-62 2-27-62	over	can 4-9	16587 "	4-2	4-3-62	GN-36377
" 7	"	over	can 4-23	16586 "	4-11	4-11-62	SP-683473
" 7	"	270 sets	can 5-3	16588 "	4-28	4-23-62	IC-25472
" 8	Pk 4-3-62 4-3-62	270 sets	can 5-7	17252 HW P	4-30	5/1/62	TP-71902
" 8	Pk 4-3-62 4-3-62	270 sets	can 5-14	17253 HW P	5-7	5/7/62	NYC-73716
" 8	"	270 sets	can 5-23	17254 HW P	5-16	5/16/62	B&O-282806
" R.10	Pk 4-27-62 4-30-62	over	can 6-7	17642 HW P	5-28	5-28-62	SP-215792
" R 23	R 8-3-62	OVER	ASAP	17643 HW P	8-3	8-3-62	B&O-468622
" R.10	"	over	"	HW P			Cancel
" R 11	Pk 4-30-62 4-30-62	135 sets	ASAP	17678 HW P	4-30	4/30/62	TRK
" R 22	Pk 7-30-62 7-30-62	270 Set	can 9-4	18695 HW P	8-28	8-28-62	NYC-176486
" R 22	"	over	can 9-28	18696 HW P	9-21	9-4-62	MKT-130
" R.10	Pk 4-27-62 4-30-62	270 sets	ARR 8-15	18737 "	8-8	8-8-62	NYC-176479
" R.23	Pk 8-2-62 8-2-62	270 SETS	ARR 9-15	18735 "	9-7	9-7-62	B20 288366
" R 25	Pk 8-29-62 8-27-62	270 sets	can 11-6	19065 "	10-30	10/30/62	GMO-9494
" R.32	Pk 11-26-62 11-26-62	OVER	ARR 12-14	20547 "	11-30	11/30/62	B&O-466320
" "	" "	270 SETS	ARR 12-28	20546 "	12-21	Cancel	

FORM F-26

CO. Republic Steel
PLANT Canton, Ohio
SIZE 25 x 25 Brick B-2002

4 ea. #1452 - #1455 incl. 135 ea. #1452 + #1453/Rail
540 ea. #1454 + #1455/Rail
24 Pallets to a 50' car

PLANT INVENTORY ~~15 Sets Per Pallet~~

DATE	BY	ON HAND	USAGE	P.K. TO	RECOMMENDED ORDER
1960					
8-23	D	270	55T/mo	9-7	Adv. 8/31 to ASAP. 9/20 + 10/5 to 9/[illegible]
9-19	D	330	650/mo	10-4	Cancel 9/1 c/l
9-26	D	150	600/mo	10-3	No Snd. 9/20 c/l Order c/l's 30 Sets
					for 11/17, + D/5, 12/20
10-10	D	630	500/mo	11-17	
10-24	D	450	425/mo	11-24	Defer 10/30 T/L to 1/20
11-9	D	730	??		
12-13	D	290	425/mo	12-31	
12-20	D	210	"	1-9	Release c/l for 12/28 Ship
1961					
1-10	D	284	450/mo	1-24	
1/30	D	270	"	2-17	not incl 1-24 T/L - Rel o/L 2/16
					order o/L 3/6 - 3/23 - 4/10
2/27	D	500	400/mo	4-3	Incl 3/16 Defer 3/23 to 4/23
3-13	D	325	375/mo	4/8	Not Incl 3/6 c/L
3/28	D	210	525/mo	5-7	
5-10	D	150	600/mo		Not Incl 5/4
5-25	D	200	750/mo	6-1	Incl 135 nets from Incl 5/18 T/L
10					order c/L 7/15, 7/25 & 8/7 am.
6-26	D	270	550/mo	7-9	Not Incl 6/26
7-24	D	270	650/mo	7-26	Incl 7/7
8-7	D	280	750/mo		Incl 7/21 c/L
8-28	D	205	"	9-5	
9-11	D	18	800/mo		

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-615868-R Rel #16	9/26/60	over P	ASAP	6029 NW OH	9/1/60	9/9/60	TRUCK
" Rel #16	"	over	10/20	6030 "	10/20/60	10/21/60	C&O-19776
" Rel [illegible]	"	over P	ASAP	6029 "	9/1/60	[illegible]	T CHANNEL
C-615868-R Rel #1	9-20-60	over P	10/30	6046 "	1/18/61	1/13/61	C+O-291844
C-615868-R Rel #8	9-28-60 12-22-60	over P	12/28	7091 "	12/28	12/29/60	C+O-291408
C-615868-R R.1	"	over P	1/26	7094 "	1/26	1/26/61	C+O-7127
" 2	2-1-61	over P	2/16	7003 "	2/16	2/16/61	C+O-12543
C-615868-R	1/1/61	Requirement Order Yr.			1961		
" R.2	3-1-61 2-1-61	270 SETS	3/6	8854 NW OHIO	3/6	3/6/61	C+O-9384
" "	"	270 SETS	4/23	8957 "	4/24	4/25/61	C+O-8159
" "	"	270 SETS	4/10	8955 "	4/10	4/10/61	C+O-14358
" Rel #6	4-5-1-61 5-1-61	OVER 270 SETS	5/4	10533 "	5/4	5/4/61	C+O-3447
" "	"	270 SETS	5/18	10528 "	5/18	5/18/61	C+O 4099
" "	"	OVER 270 SETS	6/1	10529 "	6/1	6/1/61	UAB-6624
" "	"	270 SETS	6/15	10530 "	6/12	6/12/61	C+O-6805
" "	"	270 SETS	6/29	10531 "	6/26	6/26/61	C+O-27419
" #9	5-25-61 6-12-61	270 SETS	NOT OVER	10958 "	7/23	7/23/61	C+O-28240
" #10	5-26-61 5-26-61	OVER	7-18 NEW	11084 "	7/7	7/7/61	C+O-27187
" #10	"	270 SETS	7-25 NEW	11085 "	7/17	7/17/61	C+O-6774
" #10	"	270 SETS	8-26 NEW	11086 "	7/21	7/24/61	UP-161426
" #11	6-27-61	270 SETS	8-10 NEW	11702 "	8-4	8/4/61	C+O-6784
" "	"	OVER 270 SETS	8-21 NEW	11703 "	8-15	8/15/61	IC-25809
" #13	8-3-61 8-3-61	270 SETS	10-6 NEW	12415 "	10-2	10-2	PM-72220
" "	"	270 SETS	9-1 NEW	12411 "	8-25	8-25	SSW-47700
" "	"	270 SETS	ARE 9-11	12412 "	9-5	9-5-61	GTW-591401
" "	"	270 SETS	9-12	12413 "	9-12	9-13-61	C+O-6735
" "	"	270 SETS	9-20	12414 "	9-20	9-21-61	C+O-14443
" 15	9/25/61	OVER 270 SETS	10-12	13378 "	10-12	10/13/61	C+O-27100
" 15	9/25/61	270 SETS	10-23	13380 "	10-23	10/25/61	ERIE 65787
" 15	9/25/61	270 SETS	11-6	13381 "	11-6	11/6/61	NYC-72332

FE001404

FORM F-28

CO. Rep. Steel Corp.
PLANT Canton, Ohio
SIZE 25x25 Brick B-2002 - 360 sets per Carload

4 ea #1457 - #1455 Incl. / 35 ea #1452 & #1453 / Pallet
540 ea #1454 & #1455 / Pallet
24 Pallets to a 50' car

PLANT INVENTORY — ORDER STATUS 1958 Req'mt P

1958 DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER	CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
10-2	E	82			Not Incl 9/26	C-605868-R #27	10/6/58	over P	11/10	28719 - NW OH	12/8	12/16/58	GRO 27632
10-28	D	489	450/mo	12-1	Not Incl 10/27	" "	"	over P	11/28	28720 - NW OH	11/28	11/29/58	GRO 27644
12-15	D	270+	"	1-2	Not Incl 12/8	" #30	11-26-58 12-26-58	OVER P	1/2/59	29041 NW OH	1/12	1/8/59	Lee 23908
1959						" #31	11-26-58	OVER P	2/2/59	29042 NW OH	2/2	2/6/59	GRO 6717
1-13	D	300	350/mo	2-11	Not Incl 1/12	C-545868-R #4	1/16/59	OVER P	3/3/59	29460 NW OH	3/3/59	3/3/1459	BRO 285547
1-22	D	371	450/mo	2-26		"	"	OVER P	3/16/59	29461 NW OH	3/16/59	3/17/59	WSP 5934
1-29	D	338	550/mo	3-10	Incl 2/N	" #7 GD	2-25-59	OVER P	4/1/59	29548 "	4/1	4/2/59	GRO 6743
2-9	D	85	"	3-14	Not Incl 3/5	" #7	2-25-59 "	OVER P	4/15	29549 "	4/15	4/16/59	NKP 77903
2-24	D	135	550/mo	4-1	Not Incl 3/17	C-545868-R	4/1/59	Requirement Order Yr. 1959					
3-9	D	135	"	4-16	Not Incl 4/2 Vallium #5 Carbon Filling	" Rel 10 #1	2-27-59 3-27-59	over P	5/1	29858 - NW OH	5/1	4/30/59	NKP 77964
3-23	D	506	"	5-1	Incl 4/15 T/L 3/18 3/20	" "	"	over P	5/18	29859 - NW OH	5/18	5/18/59	BRO 287449
5-11	D	539	500/mo	6-12	Incl 5/1	" #12	3-31-59 3-31-59	OVER P	6/1	30096 NW OH	5/28	5/28/59	GRO 27100
5-25	D	710	"	7-8	Incl 5/18	" #17	"	OVER P	6/15	30097 NW OH	6/10	6/10/59	WAB 21023
6-17	D	442	"	7-15	Not Incl 6/10	" #15	N-4-1959 N-28-59	over P	7/1	30333 NW OH	11/10	11/11/59	CBQ 27531
7-10	D	280	"	7-28	Not Incl 7/1	" #15	"	over P	7/15	30334 NW OH	11/17	11/17/59	LTN-99863
11-13	D	168	600/mo	11-21	Not Incl 11/12	" #19 GD	11-13-59 11-13-59	OVER P	12/1	100 " NW OH	12/1	12/7/59	IC-27041
12-1	D	442	"	12-23		" #19	"	OVER P	12/15	695 " NW OH	12/15	12/17/59	PENN 7583
1960						" #19	"	OVER P	12/30	696 " NW OH	12/30	1/4/60	GRO-6793
1-7	E	270	"	1/20		" #19	"	OVER P	1/15/60	696 " NW OH	1/15/60	1/14/60	GRO-6737
2-1	S				Suggest duplicate to last order	C-605868-R #1	12-30-59 1/14/60	OVER P	2/1/60	1164 "	2/1	2/3/60	IC-33088
2-17	D	312			Brick 4-10	" #1	1/14/60	OVER P	2/15/60	1566 "	2/15	2/16/60	GRO-27032
3-31	D	600+	450/mo	5-9	Not incl. 3/25 T/L load 4/15 T/L	C-605868-R	1/1/60	Requirement Order Yr. 1960					
4-20	D	690			defer 5/2 to 5/20 160 to go P.V	" Rel #2	2-4-60 2-11-60	360 Sets P	3/26	2298 - NW OH	3/26	3/24/60	SAL-24823
					"	" #3	2-9-60	360 Sets P	3/11	2301 "	3/31	3/15/60	BRO-469156
5-4	D	540	375/mo	6-22	"	" " 2	2-18-60 "	360 Sets P	3/26	2302 "	3/25	3/30/60	ATSF-13601
6-10	D	570	300/mo		Def-rel 1/2 to 1/4	" Rel #4	3/14/60	135 #1453-4 360 Sets P	5/20	3798 "	5/20	5/27/60	GRO-27314
6-21	D	480	375/mo		Rel T/L 7/15	" Rel #11 #10	3-17-60 3-25-60	360 Sets P	7/15	3997 "	7/15	7/18/60	KCS-60420
7-14	D	300	600/mo	8-1	rel 7/8/1	" " 14	3-29-60 4-14-60	360 Sets P	8/10	3994 "	8/10	8/19/60	PRR 604987
7-28	D	435	500/mo	8-25	Incl PRR 604201	" " 14	5-19-60 5-19-60 5-19-60	360 " P	9/7	1263 "	9/7	9/12/60	GRO-6734
						" " 17	8-1-60	Asst P	1471 "	9/20	9/20/60	BRO-288243
						" " 15	8-1-60	over P	10/5	1413 "	10/1	10/1/60	GRO-8051

FE001406

FORM F-28

CO. REP. STEEL CORP. — 135 EA. # 1452 & #1453 / PALLET · 342 EA. # 1454 & #1455 / PALLET

PLANT CANTON O — 4 EA. # 1452 - 1455 INCL.

SIZE 25 × 25 Brick B-2002 270 SETS PER PALLETIZED 9/L (24 PALLETS TO A 50' CAR)

PLANT INVENTORY

1956 DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER	
11-26	D	680	#25/MO	1-10-57	Defer 12/1 to 2/15	✓
12-17	G	709	425/MO	2-5	Rel IC-32407	✓
1957						✓✓
1-4	D	438	500/MO	1-30	Hot Rel 1/10	
1-22	D	424	"	2-20	Rel 1/10	✓
2-14	D	506	400/MO	3-21	Hot Rel 3/15 Hold 3/1	✓
3-27	D	304	450/MO	4-17	Hot Rel 3/21	✓
4-19	D	844	400/MO	6-22	Hold 4-30 Rel 4-10	✓
5-3	D	680	"	6-16		✓
5-29	E	296	350	6-22	Hot Rel 5/20 Defer 6/1 to 7/1 and change quantities.	✓
6-21	D	405	300/MO	8-10		✓
7-24	D	405	400/MO	8-24	Rel 7/8	✓✓
8-8	D	580	"	9-20		✓✓
9-12	D	476	350/MO	10-20		✓✓
10-7	D	675	275/MO	2½ MO	Hold 10/15	✓
10-29	D	386	350/MO	12-1		✓
11-20	D	472	200/MO	2-1	Defer 12/5 to 12/30	✓
12-12	D	337	175/MO	2-10		★
1958						✓
1-8	D	540				✓
1-28	G	270	38/MO	3/19	c/e 3/13	✓✓
2-12	JPS	525	175/MO	5-12		✓✓
3-10	D	607	225/MO	5-20	Rel 3/4 Defer 3/13 to 5/1	✓
					Change to 945-1350-1620-1620	✓
4-2	D	370	225/MO	5-20	Hot Rel 4/1	✓
4-30	D	540	"	7-10		✓
5-20	D	742	"	8-20		✓
6-26	D	370	250/MO	8-10	c/e 8/10 & 9/17	✓
7-17	D	472	160/MO	9-27	Rel. 8/11 to 8/18 & 9/17 to 9/1	
9-8	D	375	450/MO	10-1	Rel 8/28	

FE001408

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-575868-R	1/7/57	Requirements Order 1957					
" #1	11/18/56	OVER	1/10/57	24813 NW OH	11/14/57	11/14/57	NKN 530464
" "	"	OVER	1/30/57	24814 NW OH	1/30/57	1/31/57	NKN 50288
" Rel 2	1/17/56	over P	2/15/57	24458-NW OH	2/15/57	2/14/57	SP 219180
" Rel 4	12/19/56	over P	5/20/57	25125-NW OH	5/20	5/21/57	NYC 176281
" Rel 8	1/28/57	over P	3/21	25428-"	3/21	3/21/57	C&O 6708
" " "	"	over P	4/9	25433-"	4/9	4/10/57	NKP 86517
" " "	"	over P	7/30	25434-"	7/30	7/30/57	CIL 1620
" Rel 8	1/28/57	over P	No Rel. Ship at once	Ship 2/15/57 with	2/15/57	2/15/57	TCC
" Rel #13	4/1/57	OVER P	7/1/57	25836 NW OH	7/8/57	7/8/57	NH 33042
" Rel 19	6/26/57	over P	8/26	26391-"	8/26	8/26/57	CG-5307
" Rel 23	7/15/57	OVER P	9/20	26570-"	9/20	9/23/57	C&O 6761
C-585868-R #2	1/20-58 1/30-58	OVER P	2/1/58	26571-"	1/31/58	1/31/58	SPN 20192
" #27	5-2-57 9-6-57	OVER P	11/11	26740 "	11/11	11/18/57	C&O 469315
" #27	"	OVER P	12/30	26741 "	12/30	12/30/57	C&O 6712
C-585868-R	1/1/58	Requirement Order Yr. 1958					
" #2	1/10/58	OVER P	2/1/58	27470 NW OH	2/3/58	2/4/58	C&O 6823
" "	"	OVER P	4/1/58	27471 "	4/1/58	4/1/58	C&O 6773
" #3	1/10/58	40 SETS	ONCE	27484	2/3/58	2/10/58	TRL
" #5	2/3/58	OVER P	5/12/58	27558 NW OH	5/12/58	5/12/58	C&O 27710
" #11	5/5/58 5/21/58	over P	7/5/58	27920 NW OH	7/3/58	7/3/58	C&O 6870
" #16	2/2/58	OVER P	ASAP	28146 NW TAI	7/15	7/28/58	C&O 19788
" #16	"	OVER P	8/18/58	28147 NW OH	8/18	8/11/58	NYC 5320
C-628884-R	7/18/58	4 RR Cars 01462-01453	ASAP ONCE	IMPRESS NOTE w/ Material Cards	IVK 8-4	8/27/58	ONLY
C-585866-R Rel 21	7-25-58	OVER P	8/28	28242 NW OH	8/28	8/28/58	NYC-72831
" Rel 21 CD	7-28-58 7-28-58	over P	10/16	28302 NW OH	9/16	9/16/58	SOU 36015
" Rel 25	8/29/58	OVER P	9/26	28488 NW OH	9/26	9/26/58	NKN 53448
" "	"	over P	10/10	28503-NW OH	10/10	10/9/58	C&O 28288
" "	"	over P	10/27	28504-NW OH	10/27	10/28/58	IC 39004

FORM F-28

CO. Republic Steel

PLANT Canton

SIZE 25 x 25 Brick

135 Ea #1452 & 1453 / pallet 540 Ea #1454 & 1455 / pallet

4 Ea #1452 - 1455 Incl.

B-2002 270 Sets per pallet o/c

24 Pallets to a (SHIP IN 50's)

PLANT INVENTORY

1955

135 - 1452
135 - 1453
540 - 1454
540 - 1455

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
7/19	G	506	450/mo	8/v1	Not Rec'd IC-33713 270 9/9
					Defer 8/9 x 8/16 to 8/18 & 8/25
8-15	Dow	605	500/mo	9-21	4C 9/19 10/20 x 11/15
9-26	DW	47V	"	9-23	d/c 12/10
9-16	Dow	709	450/mo	10-31	Not Rec'd RI 30027 Hold 9/19
9-27	E	870	425/mo	11-27	
10-11	G	590	"	11-19	Rec'd RI-30027
10-27	E	49V	400/mo	12-5	
11-8	G	84	400/mo	11-14	d/c 12/20
11-15	G	337	"	12-10	Rec'd BRO-28286
11-28	Dow	28	500/mo	—	Not Rec'd 12/25
12-14	Dow	15V	400/mo	12/26	Not Rec'd 12/27
1956					
1-2V	Dow	270	500/mo	1/29/56	
1-23	G	75	500/mo	1-28	Not Rec'd ACL-14304
2-13	G	236	"	2-26	Rec'd RI-30517 d/c 5/1
3-8	G	456	550/mo	4-V	Rec'd LRA-16VV3 d/c 5/15
3-21	G	675	550/mo	4-27	Rec'd NYC-77285 d/c 6/1
4-5	Dow	371	500/mo	4-27	Not Rec'd NYC-41736 Defer
					4/18 to 4VV d/c 5/1 to 7 bal
					#1457 x 11 pak #1453
4-16	Dow	641	"	6-5	Defer 5/15 to 5/25, 6/1 to 6/14, 6/VV to 7/V
5-VV	D	625	"	6-29	
6-11	D	203	550/mo	6-22	Not Rec'd NKW-57059
					d/c 8/27 V 9/10
6-29	D	675	400/mo	8-18	
8-4	D	61V	"	9-VV	Rec'd Mild 15405
8-29	D	439	"	9-26	
9-20	D	472	425/mo	10-10	Not Rec'd 9/7
9-26	D	612	375/mo	10-28	
10-17	D	646	"	11-25	Not Rec'd 10/23
11-16	D	593	500/mo	12-12	

Transferred under FE001410 to #957 W&L page

ORDER STATUS

Ferro Corp. Cleveland

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-555868-A	2/18/55	Requirement Order Yr. 1955				(Cont'd)	
" Rel 25	7/15/55	add'l Pilm	8/25	21638-NW OH	8/25	8/25	CBQ 22101
" Rel 28	7/21/55	over	9/9/55	21678-NW OH	9/9	9/7/55	RI 30027
" Rel 32	8/18/55	over	11/25	21753-NW OH	11/25	11/28/55	HILW 275113
" " "	"	over	10/20	21754-NW OH	10/20	10/19/55	IC-33139
" " "	"	over	11/9	21762-NW OH	11/9	11/10/55	BHO 282286
" " 35	9/9/55	over	12/21	22070-NW OH	12/21	12/20/55	Pee 48856
" " 39	9/29/55	over	1/15/56	22071-NW OH	1/13/56	1/13/56	ACL 14304
" Rel 36 Rel 44	11-9-55	over	12/20	22072-NW OH	12/17	12/9/55	NYC 177616
" " 43	11/10/55	over	1/27/56	22073-NW OH	1/27	1/27/56	RI 30512
" "							
C-565868-R	1/11/56	Requirement Order Yr. 1956					
" Rel 2	1/16/56	over	2/10/56	22421-NW OH	2/10/56	2/9/56	CBQ 22505
" "	"	over	2/24	22422-NW OH	2/24	2/23/56	LAK 16223
" "	"	over	3/9/56	22423-NW OH	3/9/56	3/9/56	NYC 72285
" "	"	over	3/23	22424-NW OH	3/23	3/26/56	NYC 41736
" " 7	2/1/56 Rel 3/10/56	over	4/6	22724-NW OH	4/6	4/9/56	SP 312948
" " "	"	over	5/11 V1	22725-NW OH	5/11	5/11/56	NW 51970
" " 9	2/15/56	over	5/11/56 P	22892-NW OH	5/11/56	5/4/56	L&N 98698
" " Rel 14	3/13/56	over	5/28 P	23143-NW OH	5/28	5/28/56	N&W 520059
" " 17	3/23/56	over	6/18 P	23215-NW OH	6/18	6/18/56	MILW 15402
" Rel 21	4/30/56	over	9/8 P	23520 "	9/7	9/7/56	L&N 99902
" " "	"	over	10/1 P	23521 - "	10/1	10/2/56	NYC 41868
" Rel 29	8-10-56	over	10/23 P	24153 "	10/23	10/29/56	NP 30975
" "	8-10-56	OVER	11/10 P	24154 "	11/9	11/8/56	CG 5391
" " 34	9/21/56	over	11/20 P	24457 "	11/20	11/23/56	IC 32407
" " "	"	over	11/20 P	24458 "	11/20	Cancelled	

CO. Republic — Palletizing 135 Arr Rollet - #1452 & #1453 ; 540 Arr Pallet - #1454 & 1455

PLANT Canton — 4 Each #1452 – 1455 Incl. 50' cars only Pgh, W.R.H. 21.6 mo

SIZE 25 x 25 Brick — 13 - 2002 270 sets per Palletized C/C 8/18/53

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
12/30/52	E	30K			
-1953					
2/4	H	1080	600/mo	3/30	Incl RR 26974
3/10	G	1048	"	5/1	Not Incl Bro 282388 in yd.
4/30	G	1100	"	6/30	Incl Bro 297027 cfl 9/12 9/26
6/3	G	1055	"	6-25	Incl Bro. 287471
6/17	H	1070	"	8-7	Incl NKP-16707
7/10	E	995	"	8-29	Incl WLE 26144 cfl 10/12 & 10/26
7/20	E	600	700/mo	8-26	Incl B&O-298039
8-20	H	705	700/mo	9-19	Incl Sou - 330332 cfl 11/11 & 12/1
9-11	E	590	550/mo	10-12	Incl 421476
9-24	E	980	420/mo	12-4	Incl NYC 71149 Hold up 11/10 11/20 12/1
10-16	H	1230	420/mo	1-16	Incl CRO-6734
11-12	H	1450	420/mo	2-25	Incl PRR-85944
11-30	G	1181	420/mo	2-22-54	Incl PRR 85944
-1954					
1-4	[illegible]	978	275/mo	323	Rel 6's 1/15 2/6 & 2/26. Order (see over)
					3's 4/10 & 4/30. cfl 4/30 add pallet
					#1454 & take out pallet #1459
1-19	[illegible]	8dy	375/mo	3/22	Not Incl CRO-6765
2-9	G	835	63/day	4-14	Incl CRO-6765 cfl 5/20 6/10
3-1	Dow	870	300/mo	5-28	Not Incl 335 cfl Defer 3/19 to 6/10
3-18	Dow	1145	300/mo	5 trucks	Incl PRR-119927 Hold 4/9/54

Brickyard phoned to stop at Massillon for partial unloading for Massillon

Canton to take 135 sets

Disposition to take 135 sets

ORDER STATUS

CUSTOMER ORDER NO.	1/1/53 DATE	Requirement Order Yr. 1953 QUANTITY SETS	DATE WANTED	DEALER ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-535868-A	12/18/52	270	4-7-53	P 18225 NW OH	4/6 4/16	4-16-53	CTO 14236
" Ref #6	12/18/52	270	4-20-53	P 18226 "	4/20	4-20-53	B&O 292027
"	"	270	5-3-53	P 18227 "	5/4	5-4-53	B&O 285104
"	"	270	5-16-53	P 18228 "	5/15	5/22/53	B&O 282471
"	"	270	5-30-53	P 18229 "	5/29	5/29/53	NKP 16207
C-535868-A #5	12/18/52	135 sets	ASAP	P 18230 NW OH	12/29	12/30/52	Truck
" #9	2/6/53	270	6/13	P 18721 NW OH	6/12	6/12/53	RDG-104490
" "	"	270	6/27	P 19722 NW OH	6/26	6/26/53	WLE-26144
" "	"	270	7/11	P 18965 NW OH	7/10	7/10/53	B&O 298039
" "	"	270	7/25	P " "	7/24	7/27/53	CNW-6460
" "	"	270	8/8	P 19723 NW OH	8/7	8/7/53	SOU 330332
" "	"	270	8/22	P 19723 NW OH	8/21	8/31/53	PRR 121472
C-535868-A #18	5/15/53	270	9/12	P 19329 NW OH	9/11	9/11/53	SP-69759
" #18	"	270	9/26	P 19329 NW OH	9/25	9/30/53	CIL-1645
" #23	7/10/53	270	10/12	19330 NW OH	10/12	10/12/53	CTO 6734
" #23	7/10/53	270	10/26	19330 NW OH	10/26	10/26/53	PRR 604125
" #24	7/30/53	8/10 - 270 8/20 - 270 9/10 - 270	ASAP	P 19384 NW OH	9/15	9/14/53	NYC 71249
" #25	7/30/53	270	11/1	P 19385 NW OH	11/2	11/4/53	PRR 85944
"	"	270	2/15	" "	2/16	Transfer to	
" 26	8/27/53	270	2/16	P 19487 NW OH	2/15	1454 Standing	
" 26	8/27/53	270	2/26	P 19488 NW OH	2/26	order	
SHIP IN 50 FT. CARS ONLY -						WRH note 8/28/53	
C-545868-A	1/15/54 PH 10/8/54	Requirement Order Yr. 1954					
" #2		270	3/15	P 19385 NW OH	3/15	1/14/54	CTO 6765
" "	"	270	2/6	P 19487 "	2/5	2/4/54	CM-59719
" "	"	270	2/26	P 19488 "	2/26	2/25/54	PRR 119927
" "	"	135	6/10	P 17889 "	6/10	6/10/54	CTO 27101
" "	"	270	4/10	P 19900 "	4/9	4/12/54	CTO 6746
" "	"	over	4/30	P 19901 "	5/10	5/10/54	CTO-27446
" #7	7/19/54	270	8/1 p	P 19981 "	8/12	8/2/54	ACL 14345
" 7	"	135	9/15	20184 "	9/16	J. MASSILLON	

FE001412

CO. REPUBLIC

PLANT CANTON

SIZE 25x25 BRICK B-2002 4 CA. #1452-1455 incl. 270 ~~360~~ sets per ~~Lot~~ # C/L

PLANT INVENTORY

1951 DATE	BY	I ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
11/19	G	694	540	11/5/51	Incl GM50 76080 c/l 3/15 4/11 4/15
12/19	G	634	500	11/25/51	Incl Milw 76896 c/c DO MRO
/	/	/	/	/	5/10 5/26 "
1952					"
1/3	H	1842	500/mo	2/23/52	Incl NYC 110815 "
1/21	H	978	"	3/17	Incl PRR 107592 "
2-13	G	670	"	3/13	Incl B&O 370529 "
3/3	G	778	500	4/15	" SF 14305 E 4/2-4/6 "
3/25	H	900	550	5/5	Incl DTI 18/16 Pallstyr Fortune F/C
					Stock 4/11-21 5/1-12-22 K/4-17-23
					c/l's 3/3-14-25 "
4/14	E.T	est 800	550/mo	4/1	Incl. GTW 515583 Cadmium Sou
/	/	/	/	/	Acc. #1455-5 (1/4" Undercut)
5/7	H	adjust 1275	550/mo	7/15	Incl WAB 84790 & B&O 291914
5/28	H	adjust 1310	"	8/8	Incl CRO 8197 Hot Incl B&O 26875
					Cadres c/l 8/5 8/30 9/14 9/29 10/13
					10/28
7/30	H	1445	550	10/13	Incl 26875 - Reach 7/15-30
					4-17-23 7/3-14 To 11/18-28 12/13 op
					11/18 — E 8/15 + after OK as is
8/13	H	adjust 1237	550/mo	10/20	
9-4	E	AMPLE			
9-18	H	1247	550/mo	11/20	Incl NYC 62395 Cadres
					c/l's 1/23 2-10 2-25 3-11 3-25
10/10	D	1017	"	11/30	Hot Incl B&O 26608
10/30	C	1027	"	12/19	Incl Milw 23003
11/19	D	1113	"	1/14/53	Hot Incl PM 59504
12/8	H	1040	"	1-30	Incl PM 59504. c/l's 4/7 4/20
					5/3 5/16 5/30

ORDER STATUS

CUSTOMER ORDER NO.	DATE	-SETS- QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
~~DO-MRO~~ C-525868-A K.	1/1/52	Requirement Order Yr. 1952					
C-525868-A 2	11/30/51	360	3/8/52	16408	3/18/52	3/19/52	GTW-515583
" "	"	270 P	4/11	16409	4/11	4/21	WAB-84790
" "	"	270 R	4/21	16410	4/21	4/26	B&O-291914
" #3	12/21/51	270 L	5/1	16517	5/19	5/22	B&O-26875
" #3	"	360	4/26	16518	5/26	/	Cancelled
C-525868-A #3	4/21/52	OVER	5/26	16765 A	5/22	6/22	CRO-8197
" #3	12/21/51	OVER	5/12	17038	5/12	6/12	PLE-35566
C-525868-A #12	4/21/52	270 P	11/13	17035	11/13	11/13	PM-59504
"	"	270 P	11/28	17036	12/13	12/12	C&O-6813
"	"	270 P	12/12	17037	12/12	12/17	B&O-282299
" #11	3/18/52	270 P	12/29	17039	12/29	12/29	SP-69092
" "	"	270 P	2/13/53	17040	1/13/53	1/14/53	RI-262974
" "	"	270 P	7/25	17041	7/25	8/12/53	PRR-77470
C-525868 #3	4/21/52	OVER		16765-A	12/29	cc 12/	#5
" #16	9/1/52	270 P	8/15	17307	8/15	8/15	SP-66555
" "	"	270 P	8/30	17308	8/29	8/29	NYC-62395
" "	5/10 5/26	270 P	9/14	17309	9/15	9/15	CNW-106291
" "	"	270 P	9/29	17310	9/29	9/29	B&O-266084
" "	"	270 P	10/13	17311	10/13	10/13	MLW-23003
" "	"	270 P	10/28	17312	10/28	10/27	L&A-16094
" #21	12/30/52	270 P	1/27/53	17702	1/29/53	1/27/53	B&O 296187
" "	"	270 P	2/10	17703	2/10	2/10/53	B&O 282740
" "	"	270 P	2/25	17704	2/25	2/25/53	B&O 282388
" "	"	270 P	3/11	17705	3/11	3/11/53	NP-30290
" "	"	270 P	3/25	17706	3/25	3/26/53	MP-87184

FE001414

CO. REPUBLIC

PLANT CANTON

SIZE 25×25 BRICK

4 EA #1457 thru 1455

B2002 360 sets per 8 hr "E"

PLANT INVENTORY

DATE	BY	ON HAND	USAGE (Monday)	O.K. TO	RECOMMENDED ORDER
10/2	D	516	720		
10/6	D	774	400	12/13	Incl C.O 15159
10/9	D	613	365	12/20	Not incl 3046 / 13487
10/8	D	873	450	2/16	Incl UP 34668
10/15	D	700	"	12/19	E 3/25 - 4/15
11/1	D	533	"	3/5	Eng. C.O. - 3765. Rec. 4 5/7 & 6/1
11/1	D	890	"	3/10	Incl NYC 1W338 DO-MRO
11/30	D	818	500	6/18	Incl NYC 134044 2c/c 8/1 & 8/10
6/4	E	1800	400 M	8/1	Incl UP 351038
6/25	E/H	884	400	9/1	Incl ACL 56547 c/c
7/31	E/H	537	450	9/5	Incl TC 30869 Rec c/c 11/10 & 12/1
8/10	H	571	400	9/30	" B&O 266980 DO-97
9/10	H	331	500	9/30	Not incl NYC 124370 c/c 12/1 "
/	/	/	/	/	12/6 11/15 x 1/22/52 Adv. DO-97
/	/	/	/	/	10/6 11/9 x 11/30 to SAP DO-MRO
10/11	H	488	500	11/3	Incl NYC 124370 2 GTW 57310 DO-MRO
/	/	/	/	/	Adv. 10/19 c/c Rec c/c SAP DO-MRO
10/18	H	1315	500	11/7	Not incl Milw 21589 DO-MRO
/	/	/	/	/	(Being unloaded) DO-MRO
11/8	G	336	500	11/28	Incl Milw. 21589 Rec c/c 11
11/					"
					"
					DO-MRO
					"
					"
					DO-MRO

FE001416

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C505868A #24	10/4/50	360	1/15/51	14338	1/15/51	1-15-51	C&O-3765
"	"	360	1/30/51	14336	2/20	c/c	c/c
"	"	360	1/31/51	14337	2/5	c/c	c/c
"	"	360	1/30/51	14338	2/10	c/c	c/c
C-515868-A-#1	12/7/50	360	2/8/51	14602	2/8/51	2-7-51	UP-183554
" "	"	360	3/2/51	14603	3/2/51	3/2	NYC-121338
C-515868-A	1/1/51	Requirement Order Yr.			19.51		
" #3	1/9/51	360 sets	3/25/51	14752	3/23/51	3/29	NH-32378
" #3	1/9/51	360 sets	4/15/51	14753	4/13/51	4/20	NYC-134044
" #5 Rec'd PM 1/29 w/s/c 1/31/51		360 sets	5/7	14861	5/7	5/8	UP-351038
" #5 Rec'd PM 1/29 w/s/c 1/31/51		360 sets	6/1	14862	6/1	6/4	ACL-56547
C-515868-A-#11	4/13/51	360 "	4/25	15230	4/25	6/26	IC-30869
"	"	360 "	7/28	15231	7/27	7/27	B&O-266980
C-515868-A-#12	5/1/51	360 sets	8/25	15320	8/24	8/24	NP-14269
"	5/1/51	" "	9/1	15321	8/31	9/6	NYC-124370
C-515868A #15	4/27/51	250	ASAP	15585	9/25	9/25	GTW-573010
" #19	7/31/51	360	10/19	15734	10/19	10/17	MILW-21589
" #18	7/31/51	360	11/19	15735	11/19	11/16	B&O-225978
C-515868-A-#22	9/8/51	360	12/2	16001	12/20	12/3	MILW-26896
"	"	360	12/16	16002	12/17	12/17	NYC-60815
"	"	360	1/6/52	16003	1/7/52	1/9/52	PRR-107592
"	"	360	1/28/52	16004	1/28/52	1/28	B&O-370559
" #15		110 rec'd 5/1		15385			
" #25	10/5/51	OVER	Mamt	16086 A	11/19/51	11/21	GTW-26080
" #27	11/8/51	360	2/12/52	16244	2/12/52	to Rep	
" "	"	360	2/26	16245	2/26	2/27/52	L&N-471482
" "	"	360	3/12	16246	3/12	3/11/52	DT&I-18126
" #25		OVER		16086-A		12/3/52	Truck
" #27	11/8/51	360	2/12/52	16301-A	2/12/52	2/12/52	SF-341365

CO. REP.

PLANT CANTON

SIZE 2½ X 2½ BRICK

4 EACH #1452, 1453, 1454 & 1455

B-2002 360 SETS PER 50,000 #C/L

PLANT INVENTORY

DATE 1949	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
6-14	C	1039	200	11-1	
6-21	P/A	1100	150	7/11/50	
7-15	C	925	250	9/1	Cod 1000 pcs #1454 to be shuffled with C/L mix
8-12	E	612	200	11/3	Pulled up. Released Flugel C for Oct 12 shipment.
9-2	E	1125	480	9-26	Advised 10/5 9/26 10/19. 9/L 11/3 & 12/1
9-30	E	460	300	10-27	1st C/L Dawn. 9/30 instead 10/19
9-21	G	236	300	10-24	
10-7	G	432	300	12-29	9/L 1/5, 1/31 & 2/11
10-28	D	674	320	1-27	
12-13	D	407	320	1-20	C/L 3-1. Palletize all
12-27	D	282	300	1-25	
1/31/50	D	1195	1320	1-21	#1455 average - 60% #1455 ½ inside on edges ½
1-13	D	913	300	3-4	Sub. C-10388
1-25	C	1437	300	3-10	
2-6	D	386	320	3-2	Not incl ½ C/L
2-14	D	490	750	9-12	Incl PRR 123309
3-3	A/E	170	250	6-7	C/L 6/1
4-17	A	363	390	5-15	C/L 4/20 & 7/10
4-8	D	1193	250	0/20	Incl PM 84362 (Too much stock?)
5-29	D	325	300	7-1	C/L 8/20 - 9/10
6-13	C	511	270	210	Incl RE 30815. Sched at 20 00.
6-29	F	750	275		Incl C-10419 - Depr 7/10 C/L 6. 9/21
7/10	D	495	450	9/5	Release 7/31, 8/11, 9/11 & 9/21 alternate to 1/L
					ASAP, 8/10, 9/1 & 9/15
7/25	M/E	341	350	8/W	Too many on order. Double checked inventory. OK with
8/11	D	446	425/700	9/1-/50	Roderick to let cars as released. Plans to ASAP car
					leave up after 1st car is billed. H-W. maps 8/29
					7/10 January @ 29 days. 7/10-7/25 - 6 days
9/15					C/L 9/20 - 10/5

DRY PRESS ORDER STATUS

CUSTOMER ORDER NO.	DATE REC. 1949	QUANTITY (SETS)	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-91530-A	2/24/49	360	11/15	12271-OH	11/15	11-15-49	C&O-9788
C-93999-A	8-9-49	1000-#1454					
C-94177-A	8/18/49	360	1/3/50	Not Issued OH-NW 12889-NW	1/3/50	1-6-50	C&O-10388
C-94366-A	9-1	360	2/1/50	12956-OH-NW	2/1/50	2-3-50	PRR-123309
" "	" "	(OVER)	3/1/50	13173-OH-NW	3/1/50	3-2-50	NYC-131017
C-505868-A	11/20/50	Requirement Order Yr.			1950		
" #3	2/28/50	360	ASAP	13460-OH-NW	4/24/50	4-26-50	PM-84362
" #5	4/4/50	360	6/1/50	13556-OH-NW	6/1/50	6-1	P+LE-30815
" #8	4-18	360	6-20	13610-OH-NW	6-20	6-24	C&O-10419
" "	" "	360	9-25	13611-OH-NW	9-25	9-8	W&B-19048
" "	" "	360	7-25	13612-OH-NW	7/25	7-22	[illegible]
" #12	5/29/50	360	8/10	13798-OH-NW	8/10	8-8	NYC-132208
" #12	"	440	9/10	13799-OH-NW	9/1	9-1	NYC-108392
" #14	7/18/50	300 1453 360 1454	10/15/50	13986-OH-NW	10/6/50	10-2	C&O-15159
" #14	"	360 sets	10/15/50	13987-OH-NW	10/25/50	10-28	SAL-13987
" #7	9/6/50	360 sets	11/20/50	14198-OH-NW	11/20/50	Nov 20	NW-49772
" #7	"	360 sets	12/10/50	14199-OH-NW	12/11/50	12-11-50	NP-39668

FE001418

FORM F-20 11-46

CO. REP.

PLANT CANTON

SIZE 2¾ x 2¾ BRICK — 4 EACH #1452, 1453-[illegible], 1454 & 1455 — B-2002 360 SETS PER 80,000 #C/L — NOT SLOTTED

PLANT INVENTORY

DATE 1948	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
11-29	W/	[illegible]			Shipg C-1184-WB on 7/20
12-1	E	[illegible]			WB with 1000 #1455 & leave 975
12-1	N	575	700	8-27	Usage may increase
12-3	W/N	633	330	8-3	C/L 9/1 + 500 #1453 - C/L 10/1
12-3	N	975	300	8-6	
12-10	W	970	300	9-6	
12-10	BS	970	300	9-15	Welldon C/L may visit
12-10	CR	830	300	10-7	Due UP-182176
12-23	C	710	200	1-7-49	Due PRR-169557 C/L 1/11/49
12-23	CR	1470	200	1-20	C/L 2/1
12-26	SP	1470	300	12-10	C/L SAP C/L 11/1/49
12-27	W	248	500	11-20	C/L 2/10
12-27	CR	851	330	12-27	
12-31	W	28	660/mo	1/1/49	Due C&O 83680 - will get 400 per #1452
					Fire - Moses
1-1	E	Richfield			Rider of C/L 3/1, 1200 #1452, 1456 of 1453 &
					200 of 1453 (not stated) Due Jersey Balance
					Unpublished 1000 of 1454 - 0 of 1455 Due 1000 of
					in earliest if possible
1-2	C	2490	330	1-13	Due GN-46760 #400 + 1455 from Mass
1-3	E	1250		OK	Unloading NYC-117676.
1-13	C	2140	330	2-3	Due NYC-117676 C/L 4/20 & 5/10
1-21	N	4774	400	2-5	Due C&O-83704 C/L 6/1 - N&M ARE SETS
2-16	N	776	400	3-1	Will ADD C/L add pieces
2-22	E	1260	330	2-22	Hold for ERIE-81196
3-2	C	2167	400	3-21	Due ERIE-81196 C/L 6/10
3-16	E	1140	300	3-26	Will get from Hamilton
3-29	CR	1214	300	4-20	Due LV-76159
4-1	W	1273	270	6-20	Due CRO-10103
5-2	BS	2511	240	5-20	Due NYC-106238. Keep 10 Add'l C/L for
5-17	N	1736	300	6-15	Hold Due NYC-153000 ERIE

FE001420

DRY PRESS ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY (SETS)	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C 4006 WB	9/1/48	280 3623 #1453 #1455	8/8	11407 A	9/9	8/16/48	UP-182176
C 4576 WB	9/20/48	280 sets	10/1, Tue	11498 NW ON	9/21/48	9-20-48	CG-4401
C 4577 WB	9/20/48	280 sets 280 sets #1453-5	9/1/48	11499 NW ON	8/21/48	8-23-48	PRR-569557
C-1184-WB	2-19-48	SHTGE 900 - #1453-5	1/1	11067 A	1/1 OK	8/16/48	UP-182176
C-7221-WB	9/29/48	360 sets	ASAP	11824 NW ON	11/3/48	11-4-48	C&O-83680
C-7911-WB rev	10/28/48 10/28/48	360 sets	ASAP	11955 NW ON	10/14/48	12-3-48	GN-46760
C-7980-WB	11/2/48	360 sets	12/31	11969 NW ON	11/15/48	12-28-48	NYC-117676
C-7911-WB		SHTGE 558	#1455	11824 NW ON	CAR	12-3-48	GN-46760
C-8301-WB	11/9/48	360 sets 360 sets	1/15/49	12001 NW ON	1/14/49	1-14-49	C&O-85704
	"	360 sets	2/10/49	12002 NW ON	2/10/49	2-18-49	ERIE-81196
C-7911-WB	11/8/48	SHTGE 670 - #1453-5 #1455	2/10/49	11955 NW ON		12-28-48	NYC-117676
C 9403 WB	12/16	400	31	12130 NW ON	3/15	3-18-49	LV-76159
C 9403 WB	12/16	200 #1453	asap	11969 NW ON	12/24	12-28-48	NYC-117676
C-7980-WB	11-2-48	SHTGE 670 - #1455	1455	11969 NW ON	2-10	1-14-49	C&O-85704
C-8301-WB	11-9-48	SHTGE 98 360 - #1453-5 #1455	2/10/49	12001 NW ON		2-18-49	ERIE-81196
* C-9027-A	1/20/49	330 sets	4/20/49	12280 A	4/1/49	4-6-49	C&O-86103
C-9030-A	1/26/49	360 sets	#1/10/49	12279 NW ON	4/1-4	4-22-49	NYC-106238
* The 2 above cars will include #1453 - instead of #1455							
Do not include #1453 - 5 in future C/L							
C-8301-W-R	11-9-48	SHTGE 567 #1453		12002 NW ON	NEW CAR	3-18-49	LV-76159
C 9105-A2	2/10	280	5/15	12282 NW ON	5/15	[illegible]	[illegible]
		280		Planned 12284 NW ON	5/15/49	5-13-49	NYC-153000
C 9028-A	3/10	280	6/1	12449 NW ON	6/1	[illegible]	[illegible]
C 9028-A	3/10	280	6/15	12447 NW ON	6/15	[illegible]	[illegible]
C-9403-WB		SHTGE 470 #1455		12130 NW ON	4-20	4-22-49	NYC-106238

CO: RFR.

PLANT: CANTON

SIZE: 24"x24"x15"x5" BRICK — B-2002 — 360 SETS PER 80000# C/L — SLOTTED

HEA. #1452, 1453-S, 1454 & 1455

HEATS PER LINING.

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
9-14-46	W/N	114-S 330-B	7 DAY 11-15	@ 200 MO 11-15	
10-29	N	109-B	7 DAY	@ 170 MO 12-1	Estimate
11-26	K	28 RC	150/MO	11-15	Ord. 6/1
1-[illegible]	N	316	170/MO	@ 2-15 HF	NE CASO-138289 Shipped C-3739-RB
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	will Ord 6/1 Life 10/9/46 to 1/1/47 = 40.8
[illegible]	N	410 V	170/MO	@ 170 1-15	
3-6-47	N	413	170/MO	@ 1-15 3-15	
3-10	N	1250	[illegible]	[illegible]	Est.
3-24-47	C	590	150 MO	@ 150 3-20	Est. Rec C/L 6/1
3-19	N	323	90/MO	@ 90 3-15	
4-1-47	N	305	150/MO	@ 180 3-20 V	order C/L - Brick for 6/15
4-16	N	1171	110 MO	@ 110 3-20	Ord
5-14	C	550	@ 150	5/15	Order C/L 8/1
6-10	C	460	@ 160	@ 160 5-18	Not Inc. SOU 10418
7-23	C	594	[illegible]	@ 160 6-20	Inc. SOU 10418
7-25	C	1411	180 Mo.	@ 150 8-5-47	
8-[illegible]	N/E	500	170 Mo	10/1	Not Inc. - SOU-13869
9-2-47	C	500	420	11/10/5	Inc. SOU-13869
9-10	N	395	210	11-1	C/L S.A.P. for C/L 12/1
10-[illegible]	N	950	AVG 130/MO	@ 130 MO 12-17	Incl Ec. 16432
10-28	E	870	210	12-17	C/L for 1/15/48
11-[illegible]	W/S	870	210	12-30	C/L for 2/10
11-26	S/W	870	210	[illegible]	
12-30	N	635	210	3-1	
H3-47	S/W	806	210	2-28	
2-12	W	716	144	3-15	Not Inc. B-10468 Bot. C/L 11 with 900 extra # 1453-S
2-19	W	191	144	3-28	
3-14	W	913	200	5/1	
4-5	W	650	170	6-30	
4-24	W/E	878	170	7-1/4	

FE001422

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
		5673			(Reserved)		
C-4809-R-B	9-16-46	360 See Rec'd	11-5-46	F-9397 A	12-2-46	12-18-46	CASO-138289
"	"	SHTGE 88 = #1454	"	F-9397 A	(CANCELLED NX SAR)	3-19-47	PRR-35356
C-5376-TB	3/7/47	360	6/1	F-9225-A	5/10/47	5-20-47	Milw-718362
C-5496-T-B	4-10-47	360	6-15-47	F-10035 A	6-6-47	6-4-47	Sou-10418
C-3623-TB	5-23-47	355	8-1-47	F-10180 A	8-4-47	8/11/47	Sou 13869
C-6076-TB	9-17-47	360 NO	ASAP	F-10506-A	10/6/47	9-29-47	IC-16432
C-6076-TB	9-17-47	360 See Rec'd	12/1/47	F-10524 HW	12/5/47	12-12-47	LV-78343
C-7177-TB	11-19-47	360	1-5-48 X	F-10700 HW	1-8 To 1-20		Bro-465822
C-6076-TB	9-17-47	SHTGE 204 - #1453-S		F-10624 AH	1-8 To 1-20	1-20-48	
C-8585-TB	12/1/47	360	3/1	F-10852 HW	3/10/48	3-25-48	NS-26081
C-7177-TB	11-19-47	360	5/3	F-11025 A	5/31	6-4-48	Nyc-167169
C-6076-TB	9-17-47	SHTGE 204 - #1453-S		F-11025 AH	5/31	6-4	
C-4184 WB	2-19-48	360 SETS	7/20	F-11067 A	7/20	7-26-48	PRR-122129

CO. REP.

PLANT CANTON BRICK

SIZE 24 1/2 X 24 1/2

4 EA # 1452, 1453-S, 1454 & 1455.
HEATS PER LINING
B-2002 360 SETS PER 80000 # C/L

Started

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
11/16/45	MA	412	300/MO	@ 350 11-26	INC - C+N / 0720 -
11/16/45	MA	260	260/MO	@ 260 11-7-45	INC - C+O - 8973 -
11/16/45	MA	1220	220/MO	11-20	
11/21/45	MA	760		6-10	INC - C+O 86991 - Advise C/L for 6/10 -
11/20/45	MA	1260		11-30	
11/19/45	MA	1260	285/MO	6-11	
11/19/45	MA	1250	300/MO	7-19	C/L 9/11 Advised Some open. Ordered 9/15
11/19/45	MA	1250		7/29	C/L 740 NOT YET IN - ORDER PER TOPS
11/19/45	MA	1250		8/25	INC. CNW 14483 but not C/L shipped
11/19/45	MA	1250			7/25 Order C/L counting of 440-1452
					2440-1453, 1440 on-1454, 1455 for 11/5
12/5/45	MA	1050	300/MO	@ 300 10/20	INC. CNW 83856
12/5/45	MA	1001	300/MO	@ 300 11/4	Release 1/2 C/L mix held up. Order C/L
					for Nov 25 counting of (240 - 1452, 240 - 1453-S, 240 - 1454, 240 - 1455)
12/5/45	MA	1181	285/MO	@ 220 11-20-45	INC. B40-391285 09-58883-K
12/5/45	MA	1771	285/MO	@ 220 1-20-46	
12/5/45	MA	1000	285/MO	4/1/46	INC. THB-4704
12/5/45	MA	1000	285/MO	4/1/46	NOTIFY - RODERICK WHEN 25 - CA37639
					ARE SHIPPED. SENT 35 SETS TO MISSION
12/5/45	MA	1000	285/MO	4/15/46	
12/5/45	MA	1000			
12/5/45	MA	1000	215/MO	5 MO	Inc. + Milw 711649 (Shortage Inc.)
12/5/45	MA	1000	170/MO	@ 170 4 MO	
12/5/45	MA	1000	170/MO	4 MO	CAN 3/4 IN YD - NOT INC.
12/5/45	MA	1000	200/MO	5 MO	Inc. PRR-565279
12/5/45	MA	1000		11/MO	No Count (6/45)
12/5/45	MA	1000		9-19	
12/5/45	MA	1000		8-20	Advised 4 C/L Jan 9 (1 1/4 C/L & 8 X 37)
12/5/45	MA	1000	200/MO	@ 200 9-13	@ PRESENT USAGE NO ORDER, AS OF 1-17-46, WILL NOT ORDER TILL 9-K
12/5/45	MA	1000			

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY (SETS)	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CA-32872-K	4-3-45	180	6-20	8087-A	7-10-45	7-14-45	SNJ-14483
CA-32872-K	4-3-45	360 360 on	7-1	9088-A	7-25	8-11-45	CNW/83856
CA-33797-K	6-6-45	860	at once	8319 HA	9-6	9-7-45	C+O-12626
CA-58883-K	6-21-45	360 SETS ON	9-20	8313 A	9-21	9-28-45	B+O-391285
CA-8147-M	7-20-45	180 SETS ON	10-26-45	8498-A	10-30	10-31-45	THB-4704
CA24070M	9-24	Odd Pcs on	11-25	8576 A	12-8	12-11-45	Milw-711649
CA37639MB	11-2	25	At Once	8207 OH	11-23	12-14-45	PRR-38959
CA24070M	9-24	58 # 1455	SHTG	8576 A	3-26-46	3-26-46	PRR-565279
CA-4498-PB	1-7-46	340	3-11	8764 A	3-26-46		
C-3035-RB	6-27-46	180	8-30	P-9133-A	8-23-46	8-27-46	L+N-98091
C-3739-RB	8-2-46	375 SETS ON	10-15-46	P-9870 NW OH	10-28-46	11-14-46	DL+W-442447
"	"	SHTG 126 - 474	1452 1453-S	P-9870 NW OH		2-10-47	D+W-45390
"	"	SHTG 17 - #	1453-S	P-9870 NW OH		2-13-47	L+N-96907

FE001424

CO. REP. ✓

PLANT CANTON ✓ BRICK ✓

SIZE 24½ x 24½ ✓

4 EA. ✓ #1452 - #1453-6 - ~~#1454~~ ✓ = 14 ✓

26 HEATS PER LINING

B-2002 ✓ 360 ✓ SETS PER 80000 # C/L ✓ (Slotted)

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
11-1-43	W	1234	110	7-15	NONE
11-8-43	W	1340	110	"	"
11-15-43	W	1450			Req. CC10-8093 NOT INCLUDED
11-22-43	W	1544	110		C/L for 10/15 - Water leakage
11-29-43	W	1650	110	11-1	18.
12-6-43	W	1705	110	11-10	C/L for 1/10
12-13-43	W	1815	150	11-15	
12-20-43	W	1965	300	12-26	Req. SPS-10298. ½ C/L 12/27 + C/L 1/10
12-27-43	W	2110	130	1-30	
1-3-44	W	2309	300	2-13	C/L for 3/1
1-10-44	W	2545	300	3-1	C/L for 3/15
1-17-44	W	NO COUNT			
1-24-44	N	346	340	4-5	INC. T+P-50613
1-31-44	N	416	340	4-15	C/L for 5/15 + 6/15
2-7-44	N	661	340	6-5	
2-14-44	N	1001	340	7-20	INC. C+NW-145132
2-21-44	N	1255	300	7-20	
2-28-44	N	1527	300	8-23	
3-6-44	N	1847	300	10"-5	C/L for 9/1
3-13-44	N	1990	300	11-6	C/L for 10/15
3-20-44	N	2006	275	11-13	
3-27-44	N	2279	275	11-25	C/L for 11/10
4-3-44	N	NO COUNT			
4-10-44	N	1560	270	11-20	NOT INC MP-120280
4-17-44	N	1830	270	2-14-45	INC. I.C-79945
4-24-44	N	2100	270	1-6	Order C/L for 1/5 & 2/1
5-1-44	N	2370	270	1-15	Change C/L 2/1 to 1/15 & C/L 1/90 sets 26 X 3
5-8-44	N	2640	270	1-25	C/L for 3/1
5-15-44	N	OUT	257		PAGE

FE001426

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY (SETS)	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CA-27720-E		250	12/15/43	5308 H	12-15	12/21/43	—
CA-49827-E		335	3/1/43	5345 LH	2-23	3-8	—
CA-20352-F	2/26/43	335	5-1	5845 A	5-10	5-12	CC10-8093
CA-26776-F	3-19	170	7-1	5911 A	6-24	7-3	RT-133214
CA-114944-G	8-12	360	Arrive 10-15	6284 A	10-15	10-15	SPS-10298
CA-16639-H	8-17-43	360	11/15	6310 A	11/15	11-12	NKP-85036
CA-42537-H	11-4-43	344	arrive 12-26	6526 A	12-6	12-14	GN-35750
CA-42537-H	"	180	arrive 1-10-44	6529 A	1-17	1-24-44	T+P-50613
CA-42537-H	11/4/43	16		6546 A	1-17		
CA-54757-G	12-14-43	360	arrive 3-1-44	6644 A	2-21	2-25	NKW-146812
CA-6704-H	1/13/44	360	arrive 3-15	6697 H	3-10	3-14	CNJ-217745
CA-10034-H	1-27-44	270	4-10-44	6733 A	3-20	3-25	CNW-145132
CA-24540-H	3-11-44	360	arrive 5-16	6868 A	5-6	5-9	H+LE-25711
"	"	360	arrive 6-16	6898 A	6-3	6-9	SOU-157071
CA-59438-H	6-29-44	360	arrive 9-5	7153 A	9-13	9-15	MP-170280
CA-5760-J	7-21-44	216 300 over	CWN	7240 A	9-30	10-5	IC-199418
CA-21337-J	9-13-44	360 300 over	12-10	7399 A	12-9	12-9-44	CNW-145132
CA-37289-J	11-13-44	360	arrive 1-5-45	7555 A	1-16-45	1-24-45	
"	"	180	7 -	7816 HR	4-28	4-30-45	CG-56798
CA-47924-J	12-22-44	360 300 over	3-1-45	7691 HR	3-6-45	3-8-45	C+O-86941
CA-9468-K	1-23-45	340	4-1-45	7833 H 290	5-10-45		BM-68082

CO. Republic Steel BRICK. Hd #2195-2198 Inc.
PLANT Canton
SIZE 2½x2½x2½ V5 x V5 Heats per lining B2407 250 Sets per 80000# GL

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
1/4/46	N	137	2½/mo.		
7/1/46	N	4	2½/mo.		
4-5	N	20	—	—	Lining 10 sets not OK.
5-15	N	0	—	—	ALL IN TEST RUN Release ASAP.
9-N	N/C	No bricks count.			
9-14	N/N	130	?	?	Inc. NP-26370
10-9	N/L	Sur B-7007			
11-6	E	90	150/140	11/26/11/46	Have put 60 in Service - Will hold bal.
7-7-47	N	74	—	—	Ordrd C/N for 7/1
					Will not use until tests completed
					See follow up.
1-14-47	N	74	—	—	
1-28-47	N	74	✓	✓	
2-13	N	74	✓	✓	
3-18	N/W	68			
4-1	N/W	68			Will use 4 sets.
4-15	N	64			

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY (Sets)	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CA-50236 Revised 12-31-46 Phone 6-21-46	12-27-46	2-3	ATCinco	8754 A	[illegible]	3-25-46	PRR-565279
"	"	275	ASAP	9126 A	9-3-46	8-30-46	NP-26370
CA-4533-R-B	11-27-46	250	2-6-47			Cancelled	

FE001428

FORM F-28-A

CO Republic

PLANT Canton

SIZE 25 X 25 Streamline Castings

Bot - HT-1408-C

Top - HT-1394-B

PLANT INVENTORY

DATE AND BY WHOM	IN USE 2 PC.	IN USE TOPS	NEW 2 PC.	NEW BOT'S	USAGE	O. K. TO	RECOMMENDED ORDER
4-20		18		15			✓
9-14		20		0			✓
10-24				2			✓

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-625868-R	1/1/62	Requirement Order Yr. 1962 →				Bots + 2 Pc -	
C-635868-R	1/1/63	Requirement Order Yr. 1963				Bots + 2 Pc	
C-645868-R	1/1/64	Requirement Order Yr. 1964				"	"
← cancelled		Rev'd - 1/22/64					

FE001429

CO. Republic

PLANT Canton

SIZE 25×25 — Streamline Castings — Bol - HT-1408-C; Tob - HT-1394-B

PLANT INVENTORY

DATE AND BY	IN USE 2 PC	IN USE TOPS	NEW 2 PC.	NEW BOT'S	USAGE	O. K TO	RECOMMENDED ORDER
9-10		0		6			25 Bot Set
11-6				1			
11-26				21			
12-17				17			
-1957-							
1-9		13		21			
1-27				29			Ductile Iron → PH-6FE-45
2-14		8		28			
3-27				28			
4-19		9		28			
5-29		31		29			
6-21		31		29			
7-24				4			
9-12	0			3			
10-29	0			3			
-1958-							
1-28				5			
2-17	6	11					
6-26				5			
8-28				6			
10-25		27		38			
11-25				31			
-1959-							
1-13		27		31			
3-24		6		9			
-1960-							
2-6		75		0			
2-17				18			
3-31				12			

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-565868-R	1/1/56	Requirement Order			1956		
" Rel #23	9/10/56 Pd. rel'd 9/18/56 11/29/56	25 Bolts	ASAP	24988-K	10/24/56	10/31/56	TRK
" Rel #36		10 Bolts	1/3/57	24734-K	1/3/57	1/8/57	"
C-575868-R	1/1/57	Requirement Order Yr. 1957					
C-585868-R	1/1/58	Requirement Order Yr. 1958 (Bot & 1 Pc)					
C-585868-R-" 23	8/6/58	25 Bot Set	9/5/58	18324-K	9/16/58	9/19/58	TRK
C-595868-R	1/1/59	Requirement Order Yr. 1959 (Bot & 2 Pc)					
C-605868-R	1/1/60	Requirement Order Yr. 1960					
" Rel #2	1-5-60	15 Bolts	ASAP 2/10/60	2336-K	2/8/60	2/12/60	TRK

FE001430

CO. Republic

PLANT Canton

SIZE 25×25 Streamline CASINGS

~~obsolete Bot-HT-1408-A has only 4 3L-2200 pins for 4 clips 3L-1590~~

Bot-HT-1408-C has 8 - 3L-2200 pins for 8 clips 3L-1590

Top-HT-1394-B

PLANT INVENTORY

1955 DATE AND BY	IN USE 2 PC.	IN USE TOPS	NEW 2 PC.	NEW BOT'S	USAGE	O. K. TO	RECOMMENDED ORDER
Redrilling at Ohio Foundry during later part of Dec 1954 and early Jan 1955 Bots HT-1408-A changed to HT-1408-C							
3/9 B.	103						Truck 2/v
3/19 E	80	Rdlt		153	8 clip		
	35	8 clip		70	4 clip		
5/16 F				137	10/mo	13 mo	
5/26 G				141	10/mo	14 mo	
6/16 G				124	"	12 mo RD.	
6/28 F				113	"	11 mo RD	
7-19				103			
7-27				114 (8)			
				14 (8)			
8/12 Rdlt				107			
9-7	57						
9-15	57	25		88			
10-11	63	10		90			
10-27		11		66			
11-8		11		55			
11-28		3		38			
12-14		8		38			
1956-1							
1-9		6		28			
1-23				18			assume 100 each for HT 1408-A & HT 1394-A
2-13		5		18			
3-9				12			
3-24		76		12			
4-5		24		0	10/mo		35 Bots 5/29 & 25 6/29
4-26	20	32		0			
5-11		38		0			
5-11		17		0			Adv. 6/9 to 6/25

FE001431

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-42636-A		10		P-20764		1/2/55	Truck
C-55586-A Rel #3	1/6/55	25-Tops	2/16/55	20888-K	2/18/55	2/2/55	"
C-42636-A		10		P-20764		1/20/55	Truck
" "		10 Bots		P-20764		2/23/55	"
" "		53 "		P-20764		2/24/55	"
" "		6 "		"		3/2/55	"
C-59839-R	7/5/55	30-Tops	8/12/55	21641-K	8/12/55	8/18/55	CNW 86742
C-565868-R	1/1/56	Requirement Order Yr. 1956					
C-565868-R-#9	4/6/56	25-Bots	5/29/56	22891-K	5/29/56	5/31/56	Truck
" " 18	"	25-Bots	6/29/56	23386-K	6/29/56	6/6/56	"
Redrilling of Castings (labor & materials)							
C-55436-R	2/25/55	HT	as released	21072-OH	as rel.	3/16/55	Truck
" "	"	4 2 1 2	stop	"		3/23/55	"
" "	"	11	stop	"			
" "	3/30/56 →	Balance	due cancelled	per C/N of		3/30/56	
		No.	New Bots				
6/29/56		22	25				
8-22		6					
10-27	220	28	18				

CO. Republic

PLANT Canton — Streamline Castings — Bot. - HT-1408-A — Top HT-1394-B

SIZE 25 x 25

PLANT INVENTORY

DATE AND BY	IN USE 2 PC	IN USE TOPS	NEW 2 PC.	NEW BOT'S	USAGE	O. K TO	RECOMMENDED ORDER
12/30/54 E		0		36	30/mo	2/6/53	Rel Water. Put all Top Sect. back in Source of 3/19 Shipt. may be ready early and needed.
- 1953 -							
11/21/53		15		9			Total 6V Bots Old & New used per mo.
2/2 A		36		0			Rec 100 Bot 6/5 7/5 & 8/5
2/18 A	124	27		1 ✓			
3/10	118	21		64			Incl 6V-33631
3/31 E				40	50/mo	4/54	Not Incl 600 350491 change 6/5 Streamline to 50 3pc Old Style
4/30 B				197	50/mo	4 mos	Incl R36-24758
6/8 C				139	"	8-9	
6/17				130			
7/10 C	89	—	—	104 ✓	50/mo	9/10	50 Bots 10/9
7/29 E				174	"	11/5	Incl 7/14 shipt.
8/26 G	73			154		11/54	
9-11 E	83	10 Bot		237		2 mos	24 Bots to wear balls
10-18 A				270	30/mo	9 mos	Incl 10/8 T/C
11-30 B	16	38		266	—	—	
- 1954 -							
1-5	54	39		284			
1-19	—	4	—	262	—	—	—
2-9	49	37	—	241	—	—	—
3-1 D	80	2		239			Not Incl 23 at shipper
3-18 D	84	0		241 ✓			
4-1 Dan	84	3	—	238	—	—	—
4-14 Dan	84	1		235			
4-27 B				230			
5-5	83			221			
5-20	83			211			
6-8		3		205			
	81			204			

FE001432

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
See previous page							
C-535868-A	7/1/53	Requirement Order Yr. 1953.					
~~" Rel #10~~	~~2/16/53~~	~~100 Bots~~	~~6/1/53~~	~~18569-K~~	~~4/--~~	Cancelled ✓	
" Rel #10	"	100 Bots	7/6	19078-K	7/14/53	7/14/53	D&H 26439?
" "	" 50 50	100 Bots	8/17	19216-K	8/14/53	8-28-53 8-28-53	TRUCK
" Rel 20	7/10/53	50 Bots	10/9	19336-K	10/9	10/8/53	TRUCK
C-545868-A	1/1/54	Requirement Order Yr. 1954.					
C-555868-A	12/30/54	Requirement Order Yr. 1955					

FORM F-28-A

CO REPUBLIC

PLANT CANTON

SIZE 25" ø OLD STYLE CASINGS

Bottom - HT-1374-C 410#

Top - HT-1253-B-1 835#

PLANT INVENTORY — Ship via Youngstown Cartage Co — ORDER STATUS

1961 DATE AND BY	IN USE 2 PC	IN USE TOPS	NEW 2 PC.	NEW BOT'S	USAGE	O. K TO	RECOMMENDED ORDER	CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
12-26	371	15	9	30				C-635868-R, R.4	1-11-62	29 2-PC	ARQ 2-16	18701 -K	2-9-62	2/8/62	TRUCK
1962								" "	"	14 2-PC	ARQ 2-15	18703 -K	2-16	2/19/62	"
2-23		46	0	56				" "	"	13 2-PC	ARQ 2-13	18704 -K	2-22	2/23/62	"
5-24				19				" R.3	1-10-62 1-11-62	25 BOTS	ARQ 2-20	18703 -K	2-16	2/19/62	"
8-14	133	7	0	40				" "	"	25 BOTS	ARQ 2-20	18704 -K	2-22	2/23/62	"
10-22	224	10	0	0				" 5 GD	1-29-62 1-29-62	25-2 Pc	ARQ 2-5	19591 K	3-9	3/3/22/62	"
11-8		37		0				" "	"	25-2 Pc	ARQ 2-5	19598 K	3-23	3/26/62	"
12-28				0				" 8 PH	4-3-62 4-3-62	25-Bots	ASAP	17295 K	5/9/62	5/3/62	"
							GD-PH 4/18/62	" 9 PH	4-18-62	50-Bots	ASAP	19508 K	5/25/62	5-15-62	"
								" 8	4-3-62	25-Bots	ASAP	17295-K	5/9	5/7/62	"
								" 19 PH	7-11-62 7-11-62	50 Bots	at once	18475-K	8/3/62	8-3-62	"
								" 24	8/7/62	25 Tops	Sept	18794-K	9/14/62	9-4-62	"
								" 24	8/7/62	25 Tops	Oct	18795-K	10/9/62	10/9/62	"
								" 26 PH	9/11/62 9/11/62	50 Bots	rush	19270 K	9/26/62	9-24-62	"
								" 26	"	25-2Pc	rush	19315 K	9/28/62	9-28-62	"
								" 26	"	25-2Pc	rush	19271 K	10/9/62	10/4/62	10TTRK
								" 31 PH	11-5-62 11-5-62	25-Bots	ASAP	20161 K	11/21/62	11/27/62	"
								" 31	"	25 Bots	ASAP	20161 K	11-26	11/29/62	"
								C-635868-R	1/1/63	Requirement Order Yr. 1963					
								" Rel #2 PH	12-19-62 12-19-62	25 Bots	ASAP	20859 K	1/14/63	1/10/63	TRK
								" Rel #2	" "	25 Bots	ASAP	20860 K	1/18/63	1/17/63	"
								" Rel #5 PH	1-8-63 1-9-63	25 Bots	ASAP	21145 K	1/28/63	1/28/63	"
								" Rel #5 PH	1-23-63	25-2Pc	ASAP	21409 K	3/8/63	2/8/63	"
								C-645868-R	1/1/64	Requirement Order Yr. 1964					

FE001433

FORM F-28-A

CO Republic Steel

PLANT Canton

SIZE 25 X 25 Old Style Casings

Bot - HT-1374-C

Top - HT-1253-B-1

PLANT INVENTORY

DATE AND BY	IN USE 2 PC.	IN USE TOPS	NEW 2 PC.	NEW BOT'S	USAGE	O. K. TO	RECOMMENDED ORDER
-1960-							
9-26		0	0	22			
10-10				14			Not Qual 10/4
10-24	235	0	0	42			
11-20		5	0	15			
12/61							
1/10	250	8		9			
3/27	260	45		28			
4-22	260	25	0	93			
5-25		0	0	8			order 50 Bots 7/5
6-26	358	45	0	61			
7-14		5	0	62			25 2pc 50 Bots Saf
8-1	310	20	0	73			
9-11	318	24	0	64			
9-21							

FE001434

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-615868-R	1/1/61	Requirement Order Yr.			1961		
" Rel #2 PH	3/1/61 2-1-61	25 Bots	Feb '61	8959 - K	2/28	2/28/61	TRUCK P
" "	"	25 Bots	Mar '61	8960 - K	3/15	3/17/61	" D
" "	"	25 Bots	Apr '61	8961 - K	4/11	4/5/61	" D
" Rel #5 PH	3-30-61 4-3-61	25 Tops	ASAP	10049 - K	4/24/61	4/25/61	" X
" Rel #5 PH	4-3-61 4-3-61	25-2Pc	ASAP	10095 - K	5/4/61	5/9/61	" D
" "	"	10 Tops	"	10049 - K	5/4/61	5/4/61	TRK D
" "	"	10 Tops	"	10049 - K	5/9/61		
" "	"	25-2 Pc	"	10096 - K	5/9/61	5/11/61	" D
" "	"	5-Tops	"	10049 K	4/24	5/1/61	TRK D
" Rel #6 PH	5-1-61 5-1-61	50-Bots	ASAP	10518 - K	5/26/61	5/26	"
" "	"	50-Bots	6/5/61	10519 - K	6/2/61	6/5/61	" D
" R.7 PH	5-11-61 5-11-61	25 2-PC	ASAP	10726 - K	6-15	6/15/61	" D
" "	" 5-11-61	25 2-PC	ASAP	10728 - K	6-15	6/13/61	TRK D
" Rel #10 PH	5-26-61 5-26-61	50 Bots	au 7-5-61	11114 - K	6-30	6/28/61	"
" #12	7/17/61	13 - 2pc	ASAP	12079 - K	8-16	8/17	Tak
" "	"	28 - Bots	ASAP	12079 - K	8-16		
" "	"	12 2-PC	"	" "	8-16	8/17	Tak
" "	"	27 Bots	"	" "	"		
" 15	9/25/61	50 Bots	ASAP	13395 - K	10/27/61	10/27/61	"
" 15	"	50 Bots	until 12/1	13396 - K	11/24/61	11/22/61	"
" 15	10/4/61	25-2Pc	ASAP	13532 K	11/10/61	11/8/61	"
" 15	"	25-2Pc	ASAP	13533 K	11/17/61	11/15/61	"
" 15	"	25-2Pc	ASAP	13534 K	11/24/61	11/30/61	"
" 15	"	25-2Pc	ASAP	13535 K	11/30/61	11/30/61	"
" 16	"	50 Bots	ASAP	14175 K	12-8	12/13/61	"
" "							
1961-2568-C	1/1/62	Requirement Order Yr.			1962		
" #3 PH	11-20-61 12-20-61	50 Bot	1-25	15010 K	1-24	1/26/62	TRK
" R.3 PH	1-4-62 1-8-62	25 Bots	ASAP 2-26	15392 K	2/19	CANCELLED	
" "	" 1-11-62	25 Bots	NDR 2-26	K	2-19	Not ORDERED	

FORM F-28-A

CO Republic - Canton

PLANT Canton

SIZE 25 x 25

Old Style Castings

Bot = HT-1374-C Top - HT-1753-B-1

PLANT INVENTORY

1959

DATE AND BY	IN USE 2 PC.	IN USE TOPS	NEW 2 PC.	NEW BOT'S	USAGE	O. K. TO	RECOMMENDED ORDER
1-13	344	39	0	0			
3-24	330	15		18			
5-11			19	38			
7-10			6	90			60 - 2/2/59
11-11	299	31	6	84			Both Types
12-24				55			
1-19-60				36	48/mo		
2-26				42			
3-17				46			
3-31				40			
4-20	235			86			
6-20				76			
7-4	213	0	0	72			
7-28				70			
8-23		0	0	40			

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-595868-R #5	1/21/59	48-2Pc	ASAP	29601-K	2/24/59	2/ /59	TRK
" "	"	24-Bolts	ASAP	29601-K	2/24/59	2/25/59	
" #6	1/8-2/4/59	12-2Pc	Mar 1959	29602-K	3/9/59	3/ /59	
" #6	2/5/59	50-Bolts	"	"	3/9/59	3/ /59	"
C-595868-R	1/11/59	Requirement Order Yr.			1959	(Bot & 2Pc)	
" #6	2/14/59	25-2Pc	March 1959	29771-K	4/14/59	4/16/59	TRK
" #9	2/18/59	48-2Pc	Apr-May 1959	29772-K	4/20/59	4/ /59	
" #9	2/18/59	96-Bolts	"	29772-K	4/20/59	4/21/59	"
" #5	1/21/59	13-2Pc		29601-K	SHTG	3/ /59	
" #5	"	11-BOT		29601-K	SHTG	3/11/59	"
#6		13-2Pc		29602-K	SHTG	3/ /59	
#6		25-BOT		"	SHTG	3/11/59	"
C-595868-R #12	2/13-2/15/59 3/11/59	50 Bolts	5/15	30098-K	5/15	5/21/59	"
"	"	50 Bolts	6/1	"	6/1	6/2/59	"
#9		13-2Pc		29772-K	SHTG	4/ /59	TRK
#9		24-BOT		" "	SHTG	4/21/59	
C-595868-R #14	11/16/59	25-2Pc	ASAP	659-K	12/30/59	1/21 & 1/23/60	TRK
"	"	25 Bolts	"				
C-595868-R #20	12/16/59	25 Bolts	"	1341-K	1/26/60	1/28/60	TRUCK
C-605868-R	1/1/60	Requirement Order Yr.			1960		
" Rel #2	1-11-60	35 Bolts	Off 2/10	2336-K	2/8/60	2/12/60	TRK
" Rel #2	"	25 Bolts	Also 3/15	2335-K	3/4/60	3/11/60	"
" #4	2/4/60	50 Bolts	" 4-1	3007-K	3/31/60	4/4/60	"
" #12	7/11/60	25-Tops	Promptly	5468-K	8/8/60	8/4/60	TRK
" #12	"	16-2Pc	"	5468-K	8/8/60		
" #12	"	22-2Pc	"	5471-K	8/10/60	8/11/60	TRK
" #12	"	22-2Pc	"	5472-K	8/12/60	8/19/60	"
" #16	9/26/60	25-Bolts	9/26	6010-K	9/26/60	9/24/60	"
" #16	"	12-Bolts	10/25	6011-K	10/25/60	10/28/60	"
" #17	9/26-30/60	25-2Pc	ASAP	6976 K	10/25/60	10/28/60	"
" #16	9/26/60	13 Bolts	10/25	6011-K	11/28/60	12/2/60	"
" #17	9/26/60	25-2Pc	DEC	6976-K	12/23/60	1/30/61	"

FE001435

CO. REPUBLIC

PLANT CANTON

SIZE 25×25 OLD STYLE CASINGS

BOT- HT-1374-C HAS 8-SK-2200 PINS FOR 8 CLIPS SE-1590

TOP- HT-1253-B-1

PLANT INVENTORY

DATE AND BY	IN USE 2 PC.	IN USE TOPS	NEW 2 PC.	NEW BOT'S	USAGE	O. K TO	RECOMMENDED ORDER
1956							
8-23				30			50 Bots 11/8
9-10	318			6			Rush 10/10 to SAP
9-24	331	5		0			
10-17	333	13		17			
11-6				46			
11-26				21			
12-17				19			
1-1957							
1-24	359	0		0			Not Avail 1/3
1-29				50			
2-14	314	17		33			
3-27	281			41			Trial - 10 Ductile Iron Bottoms →
4-10	270	3		14			No Extra Charge - To be marked
5-29				0			"DUCT" before HT-1374-C
6-21	306	28		0			on bolting flange.
7-24	230	19		0			
8-8	213	17		0			
9-12	231	12		4			
10-24	217	50		0			
1-1958							
1-8	222	67		50			
1-28				33			
2-17	213	74		17			25 Bots 3/20
4-14	190	?		0			
5-20	200	?		19			
6-26				5			
7-11	201	201		0			
8-8		65		0			
10-2		88		27			50 Bots 11/3
10-28	276	51		8			
				11			

FE001436

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-565868-R	1/1/56	Requirements ORD. Yr. 1956					
" #30	8-10-56	50 Bots	ASAP	24155-K	9/21/56	9/27/56	TRK
" #33	9/14/56	50 Bots	ASAP	24388-K	10/24/56	10/31/56	"
" #34	9/24/56	25-2Pc	ASAP	24468-K	11/5/56	11/19/56	"
" #36	10/29/56	50-Bots	1/3/57	24734-K	1/3/57	1/15/57	"
C-575868R	1/7/57	Requirement Order Yr. 1957					
" Rel #9	3/4/57	50-Bots	Rush	25462-K	3/12/57	3/18/57	TRK
"	4-19-57	50-2Pc	ASAP	26003-K	5/7	Cancelled	
" Rel #24	7/29/57	50-Bots	Rush	26587-K	9/17/57	9/23/57	TRK
" Rel #30	10/30/57	40-Bots	ASAP	27095-K	12/6/57	12/12/57	"
" Rel #30	"	10-Bots	ASAP	27095-K	12/6/57		
C-585868-R	1/1/58	Requirement Order Yr. 1958 (Bot & 2Pc)					
" #5	3/3/58	25-Bots	3/20/58	27557-K	3/20/58	3/26/58	TRK
" #8	3-17-58	25-Bots	3/13/58	27483-K	3/13/58	3/13	"
" #12	5-9-58	25 Bots	5/12/58	27931-K	5/12	5/12/58	"
" #15	6-20-58	25 Bots	ASAP	27727-K	7/15/58	7/23/58	"
" #15	"	25 Bots	ASAP	28135-K	7/21/58	7/28/58	"
" #18	7-9-58	25-2Pc	ASAP	28211-K	7/28/58	7/28/58	"
" #18	7-18-58	25-2Pc	ASAP	28233-K	8/6/58	8/6/58	"
C-585868-R #23	8/6/58	25-Bots	ASAP	28324-K	9/5/58	9/10/58	"
" #23	"	25-2Pc	ASAP	28325-K	9/10/58	9/10/58	"
C-83689-R	8/22/58	12-2Pc	10/1/58	28466-K	10/1/58	9/29/58	
"	"	25-Bots	"	28466-K	10/1/58		
"	"	13-2Pc	"	"	SAME	9/30/58	"
"	"	38-Bots	"	"	SAME		
C-585868-R #27	10/16/58	50-Bots	11/3	28718-K	11/5/58	11/6/58	"
		Bot					
		11					
		0					

18/57 D

1-13-57 D

FORM F-28-A 11-49

CO. Republic

PLANT Canton

SIZE 25 × 25

Obsolete -> ~~Bot HT-1374-A has only 4 - 5/8-2200 pins for H clips SK-1590~~
Bot - HT-1374-C has 8 - 5/8-2200 pins for H clips SK-1590
Top - HT-1253-B-1

Old Style Casings

PLANT INVENTORY

1955 DATE AND BY	IN USE 2 PC	IN USE TOPS	NEW 2 PC.	NEW BOT'S	USAGE	O. K TO	RECOMMENDED ORDER
Redrilling at Ohio Foundry during later part of Dec 1954 and early Jan 1955, Bots HT-1374-A changed to HT-1374-C							
							Redrilling →
3/16 G	354						
3/29 E	301	8 clip		171	8 clip		
	80	3V	4 clip	47	4 clip		
5/6 E				108	15/mo	7 mo	
5-26 G				114	15/mo	7 mos	50 2pc 7/7
6-18 G	245	20		88	20/mo	4 mos	
7-27 B		4V		18	(New)		Bot-HT-1374-C; Top-HT-1253-B-1 →
				29	(Redrilled)		" "
8-17				9	New		HT-1374-C →
				29	to be drilled		
8-25	284	16		0	New		52 tops for machine slurry
9-15	334	4		23			
9-27 B				48	30/mo	11/14	Per GFE 11/15 - order to 2 3/4"
10-11 G	68			100			
10-27 E				95		3/mo	
11-8 G				76			Castr. 11/18 to 11/5 ✓
11-28	372			160			✓
12-14				133			
1956 -							
1-17	367	9		125			
1-23	353	11		107		1	assume 100 each for HT 1408-A & HT 1374-A
2-13	354	9		69			75 for 4/9
3-9	347	9		49			
3-21	345	7		110			
4-5				76	40/mo		Defer 5/9 to 5/29
4-26	276			55	40/mo	6/6	
5-11	294	8		18			
6-11				85			

FE001437

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-42636-A		40		P-20764		1/7/55	Truck
C-555868-A #3	1/6/55	45 "C" Bots	2/16/55	20888-K	2/13/55	2/24/55	"
C-42636-A		44		P-20764		1/20/55	Truck
C-555868-A #3	1/6/55	60 "C" Bots	Cleanup	20888-K		2/8/55	"
"		50 " "		P-20764		2/23/55	"
"		7 "		P-20764		2/24/55	"
"		54 "		"		3/2/55	"
C-42636-A		6 "		"		3/15/55	"
C-555868-A-R #23	2/16/55	20-2pc	ASAP	21438-K	2/1/55	2/1/55	"
" "	"	30-2pc	"	"	2/13/55	2/28/55	"
" #26	2/15/55	75 " Bots	3/14/55	21641-K	3/12/55	3/18/55	CNJ 86743
" #29	2/21/55	50-2pc	2/10/55	21680-K	2/9	2/7/55	ROG 20259
" #32	3/18/55	75 "C" Bots	10/1/55	21759-K	10/4	9/30/55	Truck
" "	"	75 "C" Bots	11/15	21760-K	11/15	11/25/55	"
~~C-555868-R #23~~	~~12/1/55~~	~~75 "C" Bots~~	~~3/10/56~~	~~21862-K~~	~~3/15/56~~		
C-565868-R	1/1/56	Requirement Order Yr. 1956					
" #3	12/10/55	25 "C" Bots	3/5/56	21862-K	3/5/56	3/2/56	Truck
" #9	4/5/56	50 Bots	5/10/56	22891-K	5/29/56	5/31/56	"
" #18	4/16/56	25 Bots	6/29/56	23286-K	6/29/56	6/26/56	"
Redrilling of castings (labor & material)							
C-55436-R	2/25/55	40	as released	21072-OH	as released	3/15/55	Truck
" "	"	18	~~3/4~~	"		3/23/55	"
" "	"	72	4/4				
6/29/56	3/2	19	6/4				
~~Bots~~							

CO. Republic Canton

PLANT Canton

SIZE 25 x 25 Castings Top - HT-1253-B-1 Bot HT-1374-A

PLANT INVENTORY

1953 DATE AND BY	IN USE 2 PC	IN USE TOPS	NEW 2 PC.	NEW BOT'S	USAGE	O. K TO	RECOMMENDED ORDER
3/18 H	148	13		56			DO-41-6
3/30	147	11		89			Rec'd RR-38 ✓07 ✓
4/30 E				155	50/mo	7/30	
6/3 E				184	"	9-20	Rec'd T/L 5/26
7/10 E	220	—	—	204			Rec'd T/L 6/26 100 2pc 50
							8/20 x 9/10 100 Bots 9/1
7/19 E				165	50/mo	10/10	Rec'd 6/26
8-20				198			Rec'd 8/7
9/11 E	228	5		175	"	11/26	35 tops out for repair
10/18 M				207			Rec'd PDG 24073
11/30 G	406	12		151			Note: of the 406 2pc 197
							are lined and on spares.
— 1954 —							
1-5	389	15		146			
1-19	371	11	—	139	—	—	—
2-9	—	—	—	136	—	—	—
2-27 D	364	11		114			Not Rec'd Tops with bottom trouble
3-18 D	345	13		96			
4-1 Dow	345	13	—	93	—	—	50 Bots ASAP
4/4 Dow	350	70		70			order 50 Bot 6/10
4-27 G				58			
5-4	355	11		51			50 Bots 7/1
5-20				40			
6-8 E		0		70	25/mo	9/1	Rec'd 5 ✓07 T/L (138 pc lined & in
							Stage ready to use)
6-28 7/20 Dow	334	0		114			Rec'd 134 2pc in Stage
				161			" 6-29 T/L
8/5	—	—		147			
8/25 E				124	est 24/mo	5 mo	
9-9 Dow				117			
11-1 Dow				131			End Count

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-535868-A-16	11/22/53	50-2 Pc	6/5/53	18990-K	6/5/53	5/29/53	RDG 25951
" #20	7/10/53	50-2 Pc	8/20	19335-K	9/10	8/18/53	RDG 24010
" "	"	50-2 Pc	9/10	" "	9/10	8/29/53	RDG 7104
" "	"	100 Bots	9/1	19337-K	9/1	9/11/53	RDG 24073
C-545868-A	1/1/54	Requirement Order Yr. 1954					
" Rel #8	11/2/54	50 - Bots	Rembly	20081-K	5/19/54	5/20/54	Truck
" Rel #12	11/16/54	50 - Bots	6/10/54	20108-K	6/10/54	6/7/54	"
" Rel #13	5/10/54	50 - Bots	7/10/54	20158-K	7/1/54	6/29	"
C-556868-A	12/30/54	Requirement Order Yr. 1955					
C-H2636-A	CN-1/10/55	Change total on order to 350					
C-42636-A	phone 12/10	Supplement - To 200 total					and burned to the scrathead
		ABOUT 12/8 TO CANTON FROM G. H. FORY					
C-42636-A (12-7-54 Customer)	11/30/54	Go Either HT-1374-A or HT-1403-A for drilling & CED Pan Nales					to ohio FOUNDRY

La-Mond
KAYNOOK →

FE001438

F-181-R10/1

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. Republic Steel Corp
PLANT Canton
SIZE 25 x 27 - QL

Rev. at 4/18/69
~~BLOCK CLIPS BK-1837~~ Permanent
4 8 SPRING CLIPS BK- 4710 → 4 with HT-3058 8 with HT-3023
RING-WIPER — FBR-312 — Liner F-51

T/L = 700 FBR-312
720 F-51

PLANT INVENTORY 100/Pallet 30½"x55" ... 90/Pallet Pallet 38x71½

ORDER STATUS

DATE	BY	ON HAND	USAGE	O. K. TO		CUSTOMER ORDER NO.	DATE	RINGS	Liners	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
						C-10955-36	4/1/69	5/o	for 1969					
						R 1772 Ph	4-16-69	700	720	4-18	No Appts	4-18	4-18-69	TRUCK
						R. 1881 "	4-17-69	700	720	4-21	11M 5/C 4710	4-21	421	"
						R. 1881 "	"	700	720	4-23	" "	4-23	4-23 69	"
						R 1881 ph	4-21-69	700	720	4-25	" "	4-25	4-25-69	"
						Rel 2001 Ph	4/24/69	900	630	4-28	No Appts	4-28	4-28-69	"
						Rel 2001 "	"	700	720	4-30	No Appts	4-30	4-30-69	"
						Rel 2001 "	"	700	720	5-2	No Appts	5-2	5-2-69	"
						R# 2133 ph	5-1-69	700	720	5-5	No Clips	5-5	5-5-69	"
						R# 2133 ph	5-1-69	500	810	5-7	no Appts	5-7	5-7-69	"
						R# 2133 ph	5-1-69	890	630	5-9	" "	5-9	5-9-69	"
						R 2254 Ph	5/10/69	700	720	5-12	11M 5/C	5-12	5-12-69	"
						R 2254 Ph	5/8/69	700	720	5-14	No Appts	5-14	5-14-69	"
						R 2382 Ph	5/15/69	900	630	5-19	No Appts	5-19	5-19-69	"
						R 2382 Ph	5/15/69	1300	450	5-21	No Appts	5-21	5-21-69	"
		Revised Ring F-51-X →				R. 2612 JC	5-12-69	400	360	5-2	"	6-2	6-2-69	* "
						R 2508 Ph	5/22/69	—	1080	5-26	No Appts	5-26	5-26-69	Truck
Start of 5/c placed inside of ring pallets						R 2508 "	"	900	630	5-28	No Appts	5-28	5-28-69	"
						R 2508 "	"	900	630	5-29	No Appts	5-29	5-29-69	"
To the #4 Elec. Furnace Shop						Rel# 2612 "	5-28-69	700	540	6-2	" "	6-2	6-3-69	"
						Rel# 2612 "	"	700	720	6-4	" "	6-4	6-5-69	"
						Rel. 2612 JC	5-27-69	98	180	6-2	"	6-2	6-2-69	* Truck
These are F-51-X also						5C	6/4/69	—	180 (F51-X)	ASAP	No Appts	6-9	6-9-69	"
						Rel# 2749 M	6-5-69	700	540	6-9	Cut 5/C	6-9	6-9-69	"
						Rel# 2749 "	"	700	720	6-11	Cut 5/C	6-11	6-11-69	"
							6-3-69	—	960	M-M	"	6-11	M-M	"
200 FBR 312 have wipers with center slots - These are F-51-X →						Rel 2817 Ph	6/12/69	200 →	180 (F51-X)	6-19	—	6-19	6-19-69	"
						Rel 2817 Ph	6/12/69	2500	540	6-19	6M 5/C	6-19	6-19-69	"
						Rel 2817 Ph	6/12/69	→700	720	6-17	6M 5/C	6-17	6-17-69	Truck
						Rel 2749					6M 5/C	6-11	SHIP	Cancel
						To Research		3	3	5-14	3M 5/C	5-14		

FE001439

F-181-R10/68

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. Republic Steel Corp
PLANT Canton
SIZE 25 x 27 -QL

T/L = { FBR-312 • 700 / F-51 • 720

SPRING CLIPS SK-~~4520-X~~ SK4700.
RING-WIPER FBR-312 Liner - F-51

PLANT INVENTORY 100/Pal

30½ x 55 with 22ga W/S ORDER STATUS

DATE	BY	ON HAND	USAGE	O. K. TO		CUSTOMER ORDER NO.	DATE	RINGS	Liners	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
						C-10955-56		[illegible]	1969					
						" Rel 685 PA	2/6/69	900	540	2/10/69	22M SK-4520-X	2/10	2-10-69	TRUCK
						" Rel 685	"	700	720	2/12	No Appls	2/12	2-12-69	"
						" Rel 818 PA	2/13/69	700	720	2/17	~~11M S/C~~	2/17	2-17-69	"
						" Rel 818	"	700	720	2/19	No Appls	2/19	2-19-69	"
						" Rel 818	"	700	720	2/21	11M 4520X	2/21	2-21-69	
											11M S/C		SHTG	
						" Rel 941 PA	2-20-69	700	720	2-22	11M SK4520-X	2-21	2-22-69	"
						" " "	"	700	630	2-24	NO APPLS	2-24	2-24-69	"
						" " "	"	700	720	2-26	" "	2-26	2-26-69	"
						" " "	"	700	720	2-28	" "	2-28	2-28-69	"
					→	Begin Shipping C-		4700 —	Uniform					
						" Rel. 1073 PA	2-27-69	900	540	3-3	11M S/C	3-3	3-3-69	"
						" " 1073 "	"	700	720	3-5	NO CLIPS	3-5	3-5-69	"
						" " 1073 "	3-3-69	1000	540	3-7	11 M S/C	3-7	3-7-69	"
						" R. 1191 PA	3-6-69	700	720	3-10	NO CLIPS	3-10	3-10-69	"
						" R. 1191 "	"	700	720	3-12	11 M S/C	3-12	3-12-69	"
						" R. 1321 "	3-13-69	700	720	3-17	NO CLIPS	3-17	3-17-69	"
						" R. 1321 "	"	700	720	3-19	11 M S/C	3-19	3-19-69	"
						R 1433 PA	3/20/69	700	720	3-22	NO CLIPS	3-21	3-21-69	"
						R 1433	"	700	720	3-24	11M S/C	3-24	3-24-69	"
						R 1433	"	700	720	3-26	22M S/C	3-26	3-26-69	"
						R1535		700	720	3-31	22M S/C	[illegible]	3-31-69	"
						R1535		700	720	4-2	22M S/C		4-2-69	"
					→	Start	4-3	ALL NEW CLIPS		SK-4720				
						R1535		700	720	4-3	NO CLIPS	[illegible]	4-3-69	"
						R 1669 PA	4-3-69	700	720	4-7	NO APPLS	4-7	4-7-69	"
						R 1669 "	"	700	720	4-9	" "	4-9	4-9-69	"
						R 1669 PA	4/7/69 4-10-69	700	720	4-11	No Appls	4-11	4-11-69	"
						R 1772 PA	"	700	720	4-14	" "	4-14	4-14-69	"
						R 1772 "	"	700	720	4-16	" "	4-16	4-16-69	"

PL JDK 3/24/69 *
Include 22M X
each T/L X
66M Total

FE001440

F-181-R10

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

Co. Republic Steel Corp
PLANT Canton
SIZE 25 x 27 - Q.L.
~~BLOCK CLIPS SR-1037~~
~~SPRING CLIPS SR~~
RING—WIPER — FBR-299 Liner F-51

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	
INV.	500	FBR 310	4/22 pa.	0S	FBL-299 →

F-181-R10

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. Republic
PLANT Canton
SIZE 25X27 QL

~~BLOCK CLIPS SK-1657~~
~~SPRING CLIPS SK~~
RING ~~WIPER~~ ~~WIPER~~ FOR 299 ~~INSERT~~ F-51

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	
		Billed as FBR242 on R4015			
			Billed as FBR242		
			"	"	
			"	"	"
			"	"	" (R.4015)
			"	"	" (R.4086)
			"	"	" "
			"	"	" "
		Shipped FBR242. Billed as FBR242 →			
		Ship FBR299 and Bill as FBR242			
		" "	"	"	" "
			"	"	" "
		"	"	"	" "
		Ship FBR299 & Billed FBR242			
		" "	"	"	"
		START SHOWING AS FBR299			
		Ship & Invoice as FBR 299 →			
		" "	"	"	" →
		Shown & Billed as FBR242 →			

ORDER STATUS

CUSTOMER ORDER NO.	DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
~~C-10704-S2~~	~~5/13/68~~	S/O	1960					
~~"~~	~~5-22-68~~							
		202					8/21/68	
R4086 Pk	5-22-68	600	720	5.26		5.26	8/27	
R4086 Pk	5-23-68	600	720	5.28		5.28	8-29	
R4086 Pk	5-22-68	700	540	5.30		5.30	8-31	
		400					8/23	
		600	60 short 24				8/24	
R4263 Pk	9-5-68	~~600~~ 540	540	9.10		9.10	9-10-68	"
" R. 4347 "	9-12-68	700	720	9-16		9-16	9-16-68	
"	"	700	720	9-18		9-18	9-18-68	"
" R4418	9-20-68	700	720	9-23		9-23	9-23-68	"
" R4415	9-20-68	700	720	9-25		9-25	9-25-68	"
" R4657	10-9-68	500	540	10-10		10-10	10-10-68	"
" Rel 4675 Pk	10/10/68	600	720	10/14	No Appts	10-14	10-14-68	"
" R4723 "	10-14-68	500	360	10-15		10-15	10-15-68	"
" R4746 "	10-16-68	300	180	10-17	No Appts	10-17	10-17-68	"
" R4763 "	10-17-68	300	360	10-21	"	10-21	10-21-68	"
" R4763 "	10-22-68	497	360	10-23	"	10-23	10-23-68	"
" R4856 "	10-25-68	700	720	10-25	"	10-25	10-28-68	"
" R4955 "	10-31-68	700	720	11-4	"	11-4	11-4-68	"
" R4955 "	11-6-68	700	720	11-7	"	11-7	11-7-68	"
" R5045 "	11-7-68	800	630	11-11	"	11-11	11-11-68	"
" R5045 "	11-12-68	700	720	11-13	"	11-13	11-13-68	"
" R5135 Pk	11/14/68	700	720	11-18	No Appts	11-18	11-18-68	"
" R5135 Pk	11/14/68	700	720	11-20	No Appts	11-20	11-20-68	"
" R5260 "	11-21-68	800	630	11-22		11-22	11-22-68	"
" "	"	700	720	11-25		11-25	11-25-68	"
" "	"	700	720	11-27		11-27	11-27-68	"
JC	11-22-68	~~500~~	~~FBR310 w/2~~	~~92 Hwy~~		~~12-2~~	~~12-2-68~~	
TWC	10-14-68	104	FR-298		Spring Clips	10-14	10-14-68	

FE001442

FORM

co. Republic
PLANT Canton
SIZE 25 x 27 Trial

4 Block Clips SK-1657 One-piece casing HT-3001
8 Spring Clips SK-3403-X
1 Ring Wiper FR-216 Ferroboard Wrap-up liner - F-51

PLANT INVENTORY 52/pal 30 x 54½

ORDER STATUS 90/PAL. (38 x 71½)

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER	CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
						SWE	3-2-67	~~178~~ FR-216		No Clips	3-6	~~m-4-H~~	
					Remo - 2077	"	3-6-67	170 F-51		-		m 4-4	
					to Plt #2 on P-50701	C-35439-82	1/30/67	5 - HT-3001		3/a	3-20	3/20/67 TRK	
					Release 1203 3/21	"	"	30 F-51			3-20		
						"	"	30 F-216		300 3/a only	3-20		
						" R 1226 PH	3-22-67	14 FR 216		120 Sd ONLY	3-27	3/27/67 TRK	
						" "	"	14 F-51			3-27		
					CLIPS AT INC	" R-1716 WJC	4-6-67	144 FR-216		1200 3/a Special 5/c only	5-1	5/1/67 TRK	
						" "	"	156 F-51			5-1		
					Note - Casings were returned to us	" "	"	5 - HT-3001			5-1		
					4 SHPD AGAIN 5-1-67. THESE 5 TO BE DELIVERED TO PLT. 2 7-14-67								
						WMC-BFA	6-13-67	200 FR216		No CLIPS	6-15	MH	
					Shipped to Plt #1 7/20/67	WMC	6-23-67	1 HT-3001 "X"			6-28	111 4-H	NEW LINE

F-405

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. REPUBLIC
PLANT CANTON
SIZE 25×27 QL

BLOCK CLIPS SK-1657
~~SPRING CLIPS SK-~~ I.C. PWI-077
RING-WIPER FBR-360 LINER F- 51

100/PAL 39"×52" ORDER STATUS 80 - 38×71½

CUSTOMER ORDER NO.	DATE	RINGS	LINERS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
S10-7100 57-831		S/O	4-1-77	TO	3-31-78			
RF1	4-4	700	640	4-5		4-4	4-4-77	
R2	5-4	700	640	5-5		5-4	5-4-77	
R#4	5-19	700	640	5-20		5-19	5-19-77	
R#5	6-4	700	640	6-13		6-10	6-10-77	
R6	6-24	700/600	640	6-27		6-24	6-28-77	
R7	6-27	400	320	6-25		6-25	6-25-77	
R8	6-30	700/600	640	7-1		7-1	7-1-77	
R10	7-8-77	800	560	7-12		7-11	7-11-77	
R11	7-14	400	80/640	7-15		7-14	7-14-77	
R12	7-13	700	640	7-19		7-18	7-18-77	
R13	7-19	500	720	7-22		7-21	7-21-77	
R15	7-30	700	640	7-26		7-25	7-25-77	
R17	7-25	700	640	7-28		7-27	7-27-77	
R18	7-25	700/400	640/800	7-29		7-28	7-28-77	
R18	7-29	700/900	640/560	7-29		7-28	7-28-77	
R19	9-14	900/500	560/320	9-16		9-16	9-16-77	
R20	10-3	800	560	10-4		10-3	10-4-77	
R21	11-7		160			11-7	11-7-77	
R21	11-7	700	480	11-8		11-7	11-7-77	
R22	11-15	700	640	11-16		11-15	11-16-77	
R23	3-1	700	640/336	3-2		3-1	3-1-78	
AFTER THIS T/L - ASK ZITO IF ANOTHER T/L SHOULD BE MADE → 32-8200483-83		1-1-78	S/O 4178THK	U 3-31-79				
R2	11-24	700	640	11-25		11-24	11-24-78	
Need 80-FR-337 & 90-F-154-X → R003	6-1	680	680	6-1		6-1	6-1-78	
R004	6-29	700/600	640	6-30		7-7	7-7-78	
TELL ZITO WHEN THIS T/L GOES → 005	7-13	700	640/627	7-15		7-17	7-17-78	
006	9-6-78	700	640	9-7		9-6	9-6-78	
TELL ZITO WHEN THIS T/L GOES → 007	10-13	700	640	10-13		10-12	10-12-78	
008	10-19-78	700	640	11-3		11-2	11-2-78	
TELL ZITO WHEN THIS T/L GOES → 009	2-20	700	640/624	2-21		2-20	2-20-79	

FE001444

F-181-R10

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. REPUBLIC
PLANT CANTON
SIZE 25x27

BLOCK CLIPS SK-1657
~~SPRING CLIPS~~ SK- INSIDE CLIPS PNI-077
RING-WIPER ~~FBRW~~ FBR-360 ~~INSERT WD~~ F-51

PLANT INVENTORY

100/PAL 29"x52"

DATE	BY	ON HAND	USAGE	O. K. TO

ORDER STATUS

80/PAL 38"x71½"

CUSTOMER ORDER NO.	DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
310-5100557-831		510	1975					
R#14	8-11	700	640	8-12		8-12	8-12-75	
R#15	9-15	700	640	9-16		9-15	9-15-75	
R#16	9-23	700	640	9-24		9-23	9-23-75	
R#17	10-2-75	700	640	10-3		10-2	10-2-75	
R#18	10-10	800	640	10-14		10-13	10-13-75	
R#19	10-21	700	640	10-22		10-21	10-21-75	
R#20	10-31	700	640	11-3		11-3	11-3-75	
R#21	11-7	700	640	11-11		11-10	11-10-75	
R#22	11-17	700	640	11-18		11-17	11-17-75	
R#23	12-8	700	640/720	12-8		12-8	12-8-75	
R#24	12-16	700	640	12-17		12-16	12-16-75	
310-6100557-831	1-1-76	510	1976	THRU 3-31-77				
" R#1	1-5-76	600	720	1-6		1-5	1-5-76	
R#2	1-9-76	700	640	1-10		1-9	1-9-76	
R#3	1-22-76	600	720	1-26		1-26	1-26-76	
R#4	2-5-76	700	640	2-9		2-9	2-9-76	
R#5	3-22-76	700	640	3-25		3-24	3-24-76	
R#6	6-1	800/700	640	6-2		6-1	6-1-76	
R#7	6-23	800	560/640	6-24		6-23	6-23-76	
R#8	7-12	800	640/560	7-13		7-12	7-12-76	
R#9	8-2	600	720	8-2		8-2	8-2-76	
R#10	8-5	700/600	640	8-6		8-6	8-6-76	
R#11	8-13	800	560	8-14		8-18	8-18-76	
R#12	8-31	600	720	9-1		9-1	9-1-76	
R#14	9-16	600	720	9-17		9-16	9-16-76	
R#16	10-7	800	560	10-11		10-11	10-11-76	
R#17	11-17	700	640	11-18		11-17	11-17-76	
R#18	2-14	700	640	2-15		2-14	2-14-77	
R#19	3-3	700	640	3-3		3-3	3-3-77	
R 21	3-14	700	640	3-15		3-15	3-15-77	
(310-7100557-831	4-1-77	510	4-1-77 THRU 3-31-78)					

FE001445

F-405

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. Ferro Corp
PLANT Canton
SIZE 25 x 27 QL

BLOCK CLIPS SK-1657
SPRING CLIPS SK- INSIDE OD's FE-077
RING-WIPER FSR-360 LINER F- 51

100 pcs 29-52½ ORDER STATUS 50 pcs 4-1 x 7½

CUSTOMER ORDER NO.	DATE	RINGS	LINERS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
310-400057-831	11/24	S/O	1-1-74	12	31-74			
R #18	7-25	700/600	640	7-29		7-29	7-30-74	
R #19	8-14	700	640	8-16		8-15	8-15-74	
R #20	8-21	700/600	640	8-23		8-22	8-23-74	
R #21	8-26	800/600	560	8-28		8-27	8-28-74	
R #22	8-29	700/600	640	9-3		9-3	9-3-74	
R #24	9-18	900	560	9-19		9-18	9-18-74	
R 25	9-26	600	640	9-27		9-26	9-26-74	
R 26	10-7	600/577	640	10-8		10-7	10-7-74	
R 27	10-9	600	640/720	10-11		10-10	10-10-74	
R 28	10-25	800	560	10-25		10-24	10-24-74	
R 29	11-7	700	640	11-11		11-11	11-11-74	
R 30	11-21	700	640	11-25		11-25	11-25-74	
R 31	11-27	800	560	12-2		12-2	12-3-74	
R 32	12-11	600	640/720	12-13		12-12	12-13-74	
R 33	12-18	800	640	12-20		12-19	12-19-74	
R 34	12-26	600	720	12-27		12-27	12-30-74	
310-510057-831	S/O	1975						
R #1	1-9-75	700/600	640	1-13		1-13	1-13-75	
R #2	1-22	800/900	560/640	1-24		1-23	1-23-75	
R #3	1-30	700	640/720	2-3		2-3	2-3-75	
R #4	2-13	800/700	640	2-17		2-17	2-17-75	
R #5	2-26	800	560	2-28		2-27	2-27-75	
R #6	3-10	700	640	3-12		3-11	3-11-75	
R #7	3-20	800	560/640	3-21		3-20	3-20-75	
R #8	5-5	800	640	5-6		5-6	5-6-75	
R #9	5-22	800	640	5-23		5-23	5-23-75	
R #10	5-29	700	640	5-30		5-29	5-29-75	
R #11	6-16	700/800	640	6-17		6-16	6-16-75	
R #12	7-14-75	700	720/640	7-15		7-14	7-14-75	
R #13	8-8-75	600	720	8-9		8-8	8-8-75	

FE001446

F-405

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. Republic
PLANT Canton
SIZE 25×27 QL

BLOCK CLIPS SK-1657
SPRING CLIPS SK- INSIDE O.D. P.N. I-077
RING-WIPER FSR-360 LINER F- 51

100/100 29×52½ ORDER STATUS 50/50 2-1-74

CUSTOMER ORDER NO.	DATE	RINGS	LINERS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
310-310057-R31		5/0 11/23 TO		12/31/23				
R-7	7-18-73	600	720	7-20	NO CLIPS	7-19	7-19-73	
R 8	7-25	700	640	7-27		7-26	7-26-73	
R 9	8-2	700	560	8-3		8-3	8-3-73	
R 10	8-15	700	640	8-17		8-16	8-16-73	
R 12	8-29	700	640	8-30		8-30	8-30-73	
R 13	9-11	700	640	9-13		9-12	9-12-73	
R 14	9-26	700	640	9-28		9-27	9-27-73	
R 15	10-12	700	640	10-15		10-12	10-12-73	
R 16	10-25	700	640	10-29		10-26	10-24-73	
R 17	11-7	600	720/640	11-8		11-7	11-8-73	
R 18	11-14	700	640	11-16		11-15	11-15-73	
R 19	11-19	700	640	11-21		11-20	11-20-73	
R 20	12-11	700/500	640	12-14		12-13	12-18-73	
R 21	12-20	800/700	640	12-26		12-26	12-26-73	
310-410057-R31	1-1-74	5/0	1-1-74	—	12-31-	74		
"	1-10-74	800/700	560	1-14		1-14	1-14-74	
R2"	1-24-74	700	640	1-29		1-28	2-6-74	
R3	2-6-74	700	640	2-7		2-7	2-8-74	
R4	2-11-74	400	800/640	2-11		2-11	2-11-74	
R6	2-14-74	900	560/640	2-18		2-15	2-18-74	
R7	2-21-74	700/800	640	2-25		2-25	2-26-74	
R8	3-1-74	600	720/640	3-4		3-1	3-4-74	
R9	3-7-74	700	640	3-11		3-11	3-11-74	
R10	3-21	700	640	3-25		3-25	3-25-74	
R11	4-9	700	640	4-11		4-10	4-18-74	
R13	5-6	700	640	5-9		5-8	5-8-74	
R14	5-22	700	640	5-24		5-23	5-23-74	
R15	6-6	700/600	640	6-10		6-10	6-10-74	
R16	6-26	800	560	6-28		6-27	6-27-74	
R17	7-9-74	700	640	7-10		7-9	7-9-74	

FE001447

F-405

OGLEBAY NORTON COMPANY
FERRO ENGINEER DIVISION

co. Republic Steel Corp
PLANT CANTON
SIZE 25 X 27 QL

BLOCK CLIPS SK-1657
~~SPRING CLIPS SK-~~ Inside Clip PWI.077 - 4 per ring
RING-WIPER FBR-360 24a LINER F-51-X

100/Pal 24 x 5 1/2 ORDER STATUS 28 1/2 x 11 1/2

CUSTOMER ORDER NO.	DATE	RINGS	LINERS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
310-210057-831								
" Ld.	9-13-72	100	20	10-11			MwH	
" R 3895	10-4-72	0692	640 ②	10-5		10-4	10-5-72	
R. 4299	10-31-72	700	640	11-1	" "	11-1	11-2-72	
R 4525	11-16-72	700	640	11-21	" "	11-20	11-20-72	
R 4669	11-29-72	600	640	11-30		11-29	11-30-72	
R. 4992	12-12-72	400	720	12-14		12-13	12-14-72	
310-210057-831		S/O	1-1-73	—	12-31-73			
R 5170	12-22-72	500	640	12-23		12-22	12-27-72	
" R 142	1-9-73	700	720	1-11	SOAT'd	1-10	1-10-73	
Non Nsh.	1-15	700		MwH			1-11	
R. 310	1-19	700	560 ③	1-22		1-22	1-22-73	
R 430	1-26	400	640	1-29		1-29	1-30-73	
R. 438	2-2	600		2-5		2-5	2-2-73	
R. 561	2-2	300	320	2-5		2-5	2-2-73	
R. 637	2-7	700	640	2-9		2-8	2-8-73	
R 743	2-14	700	640	2-16		2-15	2-15-73	
R. 885	2-22	700	640	2-26		2-26	2-26-73	
R. 1053	3-6	600	640	3-5		3-6	3-7-73	
R 1126	3-14	700	560	3-16		3-15	3-15-73	
R. 1454	3-29	700	560	4-2		4-2	4-2-73	
R. 1648	4-10	700	640	4-12		4-11	4-11-73	
R. 1781	4-17	700	640	4-20		4-18	4-19-73	
R. 1931	4-26	600	720	4-30		4-30	4-30-73	
R. 2166	5-10	700	640	5-11		5-11	5-11-73	
R 2324	5-21	700	640	5-25		5-24	5-25-73	
R. 1	6-7	700	560	6-11		6-11	6-11-73	
R. 2	6-21	700	640	6-25		6-25	6-25-73	
R. 3	6-28	600	720	6-29		6-29	6-29-73	
R. 4	7-2	700	640	7-6		7-6	7-6-73	
R. 6	7-9	500	480	7-12		7-12	7-12-73	

① 92 NONA
600 Regular

② 80 NONA
560 Reg.

③ 320 NONA
240 REG.

FE001448

F-181-R10

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. REPUBLIC STEEL CORP.
PLANT CANTON
SIZE 25 x 27 — 9L

BLOCK CLIPS SK-1657
~~SPRING CLIPS OK~~ INSIDE CLIP PWI077 → 4 EA. PER T&P
~~RING WIDER WURM~~ FBR 360 220 ~~INSERT WU~~ LINER F-51X

T/L = 2 PALLETS RINGS 700
8 PALLETS LINERS 640

10 / PALLET - 29 x 52½ ORDER STATUS 8 / PALLET = 38 x 71½

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO

F-181-R1

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

co. Republic Steel Corp
PLANT Canton
SIZE 25 × 27 - 8L

[redacted] → 200/Box about 40 lbs 6×12×12"
[redacted] Inside Clip - PWI-077
RING-WIPER [redacted] FBR-360 [redacted] Liner - F-51-X

T/L = 7 Pallets rings (700)
8 Pallets Liners (640)

PLANT INVENTORY 100/Pallet 29"×52½" → with #2290 W/S ORDER STATUS 80/Pallet 38×71½

DATE	BY	ON HAND	USAGE T/L	O. K. TO T/L	T/L	T/L	CUSTOMER ORDER NO.	DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
allocate	Ring-Wipers →		700	700	600	900	~~Ph SOE - 6/29/70~~		~~700~~	~~640~~	7/6 Q	~~No Clips~~	7/15/70	M-H	
	Liners →		720	640	720	560	310-010057-831 Rel #2354 Ph	7-9-70	700	648	7/14 F	2M T/C	7/14	7-15-70	T. Col
							310-010057-831 Rel 2545 Ph	7/16/70	700	661	7/22/70	No Clips	7/22/70	7-22-70	Trucks
							" Rel 2633 Ph	7/22/70	600	720	7/25/70	2M clips	7/27/70	7-27-70	TRUCK
			~~Order~~ No. ~~Cancelled~~ #010057-831					7/24/70	510 THRU GHL				12-31-70		
							" Rel 2732 Ph	7/30/70	700	640	8/3/70	2M clips	8/3/70	8-3-70	TRUCK
							" R. 2841 "	8-6-70	700	640	8-12	4M clips	"	8-12-70	"
							" Rel #3044 "	8-20-70	600	720	8-24	"	8-24	8-24-70	"
							" Rel 3138 "	8-27-70	600	720	8-31	4M clips	8-31	8-31-70	"
							" Rel 3373 "	9-15-70	700	640	9-17	4M "	9-17	9-17-70	"
							" Rel 3419 Ph	9/17/70	700	630	9-23	4M clips	9-22	9-22-70	"
							" Rel #3596 "	9-30-70	700	640	10-2	4M "	10-1	10-1-70	"
							" Rel 3679 Ph	10/7/70	800	560	10-9	No Clips	10-9	10-9-70	
							" Rel 3848 "	10-19-70	700	640	10-21	2M S/C	10-20	10-20-70	"
							" Rel 3954 "	10-27-70	700	640	10-29	2M S/C	10-28	10-28-70	"
	NOTE: ALL SHIPMENTS														
							310-010057-831	10/4/70	510 for Liners & Rings to				12-31-1970		
	7/11 ST LOAD OUT DAY,						" Rel 4065 Ph	11-3-70	300	320	11-5	4M S/C	11-4	11-5-70	TR.
							" " "		~~400~~	~~320~~			SHTG		
	BEFORE "ASKED FOR"						" R. 4148	11-10	600	640	11-11	No Clips		11-10-70	"
							" Rel 4222 Ph	11-17-70	700	640	11-18	4M clips	11-17	11-17-70	"
	DELIVERY SO THAT						" R. 4300"	11-23-70	700	640	11-25	No Clips		11-24-70	"
							Shrunk pack 2 pallets of rings on next TL for trial.								
	LOAD WILL DELIVER						" R. 4404 Ph	12-3-70	700	640	12-7		12-11	12-4-70	TR.
							" " "	12-4-70	—	—	12-1	8M Rings	12-11	12-4-70	"
	BEFORE NOON.						" R. 4492		700	640	12-14	4M Rings	12-16	12-14-70	"
							" R. 4573	12-17	600	720	12-23	4M Rings	12-30	12-18-70	"
							310-010057-831	12-28	510	Scrap 1-1-71		New	12-31-71		
							" Rel #4789 Ph	12-30-70	700	640	1-4	8M Rings	1-4-71	1-4-71	TR.
							" Rel 148 "	1-4-71	600	720	1-11	No Clips	1-8-71	1-8-71	"

FE001450

F-181-RIP-5

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. REPUBLIC STEEL CORP. [redacted]
PLANT CANTON 4 SPRING CLIPS [redacted] PWI-077
SIZE 25×27 QL / RING-WIPER [redacted] FBR 312 [redacted] LINER F-51-X

T/L = 7 Pallets rings (700)
8 Pallets Liners (640)

PLANT INVENTORY 100/Pallet — 29×52½ → 22ga W/S — ORDER STATUS 80/Pallet — 38×71½

DATE	BY	ON HAND	USAGE	O. K. TO	
2 Pallets-(200 FBR312) as replacement-N.C. →					
First Shipment PWI-077 Spring Clip. →					
Alternate T/L's		900 / 560	Ring-Wiper / Liners	700 / 640	600 / 720

For Future Shipments - ship one day ahead of arrival day or on Friday for Monday arrival - truck must arrive before noon - arrival date

CUSTOMER ORDER NO.	DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
310-0100578-831 1/1/70 510 FOR 1970								
" Rel #1763 Pk	5/14/70	700	720	5/21 hold	No S/C	5/21/70	5-21-70	T. Collect
" Rel #1827 Pk	5/21/70	700	720	5/26/70	No S/C	5/26/70	5-26-70	Tennis.
" Rel #2059 Pk	6/10/70	900	540	6/12/70	2M/PWI-077	6/12/70	6-12-70	"
" Rel #2178 Pk	6/18/70	700	720	6/22/70	No S/C	6/22/70	6-22-70	"
" Rel # [illegible] Pk								

FE001451

F-181-R10

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

co. Republic Steel Corp
PLANT Canton
SIZE 25 x 27 — QL

4 SPRING CLIPS SK-4710
1 RING-WIPER — FBR-312 — LINER F-51-X

T/L = { 700 FBR-312 / 720 F-51-X

PLANT INVENTORY 100/Pallet 30½"x55" 4 with 2290 w/s ORDER STATUS 90/Pallet Pallet - 38 x 71½

DATE	BY	ON HAND	USAGE	O. K. TO		CUSTOMER ORDER NO.	DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
						C-10955-56	11/6/69	310	for 1969					
						Rel 4752 PH	9/25/69	700	360	10/2	3M - S/C	10/2/69	10-6-69	TRUCK
						Rel 4868 PH	10/2/69	700	540	10/8		10/8/69	10-9-69	"
						Rel 4974	10/5/69	700	720	10/15		10/15/69	10-15-69	"
						Rel 5077 PH	10/16/69	300	990	10/20	2M SC	10/20/69	10-20-69	"
						Rel 5077	"	700	720	10/23	3M	10/23/69	10-23-69	"
						Rel 5196	10-23-69	700	720	10/29	3M	10/29/69	10-29-69	"
						Rel 5631 PH	11-24-69	900	540	11/26	4M	11/26/69	11-26-69	"
						Rel 5731 PH	12/1/69	700	720	12/3/69	3M	12/3/69	12-3-69	"
						Rel #5862	" 12-10-69	900	540	12-12	4M	12-12	12-12-69	"
						Rel 5974 PH	12/18/69 PH 12-29-69	700	720	12-22	3M	12-22	12-22-69	"
		These rings are FBR-315 →				All "		5		Next T/L	No Apps	12-31	Cancel	
						Rel #6143	" 12-31-69	700	720	1-5	3M S/C	1-5-70	1-5-70	TRUCK
						310-010057-831	1/1/70		510		FOR 1970			
						" Rel #65 PH	1-6-70	700	720	1-9	7M S/C	1-9	1-9-70	TRUCK
						" Rel #104 PH	1-8-70	700	720	1-12	" "	1-12	1-12-70	"
		SEE FBR ON NEXT REL. → (2 Rel. FBR-312 N/C)				" Rel 202 PH	1/15/70	700	720	1-21-70	7M S/C	1-21-70	1-21-70	"
						" Rel #335 "	1-23-70	700	720	1-26	7M S/C	1-26	1-27-70	"
						" Rel #440 PH	1/29/70	700	720	2/2/70	3M S/C	2/2/70	2-2-70	"
						" Rel #522 "	2/4/70	782	518	2/6	4M S/C	2/6	2-6-70	"
						" Rel #552 PH	2/5/70	700	720	2/11	3M S/C	2/11	2-13-70	"
						" Rel #644 PH	2/12/70	700	720	2/19	3M S/C	2/19	2-19-70	"
						" Rel #810 PH	2/23/70	700	720	2/27/70	3M S/C	2/27/70	2-27-70	"
						" Rel 855 PH	3/6/70	800	630	3/4/70	4M S/C	3/4/70	3-4-70	"
						" Rel #934 "	3/5/70	700	720	3/11/70	3M S/C	3/11/70	3-11-70	"
						" Rel #1054 PH	3/18/70	700	720	3/19/70	3M S/C	3/19/70	3-19-70	"
						" Rel #1144 "	3-20-70	700	720	3/25/70	3M S/C	3/25/70	3-26-70	"
						" Rel #1246 PH	3-25-70	700	540	3/31/70	4M S/C	3/31/70	3-31-70	"
						" Rel #1398	4-1-70	600	630	4-15	3M S/C	4-14	4-29-70	Thru Truck
						" Rel #1623 "	5-1-70	690	720	5-6	—	5-6	5-13-70	"

FE001452

F-181-R10

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

Co. Republic Steel Corp
Plant Canton
Size 25×27 QL

[redacted] INCLUDE 1 CORR. [redacted] IN EACH [redacted]

8 SPRING CLIPS SK-4710 6 with HT-3058 8 with HT-3023
1 - RING-WIPER FBR-312 Liner F-51-X

T/L = {700 FBR-312
720 F-51

PLANT INVENTORY 100/Pallet 30½×55" (with 22ga w/s ORDER STATUS 90/Pallet Pallet - 38×71½

DATE	BY	ON HAND	USAGE	O. K. TO		CUSTOMER ORDER NO.	DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
						C-10955-52	11/1/69	S/O	for 1969					
Include-		2 Pallets	- 180	- F-51-X	→	" Rel #2945 Ph	6/19/69	700	720	6/24	6M S/C	6/24/69	6-24-69	Trucks
						" Rel # 2945 Ph	6/19/69	700	720	6/26	6M S/C	6/26/69	6-26-69	"
INCLUDE		2 PAL	- 180	- F-51-X	→	" Rel # 3052 "	6-26-69	700	720	6-30	7M S/C	6-30	6-30-69	"
						" Rel # 3052 "	"	700	720	7-2	7M S/C	7-2	7-2-69	"
INCLUDE		2 PAL	- 180	- F-51-X	→	" Rel # 3166 "	7-3-69	700	576 X	7-7	7M S/C	7-7	7-7-69	"
						" Rel # 3166 "	"	700	720	7-9	7M S/C	7-9	7-9-69	"
Include		8 Pallets	- 720	- F-51-X	→	" Rel 3250 Ph	7/10/69	700	720	7-14	7M S/C	7-14	7-14-69	"
Furnish		½ F-51-X			½ F-51 →	" Rel 3250 Ph	7/10/69	700	420	7-16	6M S/C	7-16	7-16-69	"
Furnish		½ F-51-X			½ F-51 →	" Rel 3250 Ph	7/10/69	700	530	7-18	7M S/C	7-18	7-18-69	"
						" Rel #3488 "	7-17-69	700	540	7-23	7M S/C	7-23	7-24-69	"
						" Rel #3616 "	7-25-69	700	630	7-30	7M S/C	7-30	7-30-69	"
						" R. 3735 "	7-31-69	700	630	8-4	"	8-4	8-4-69	"
						" Rel 3814 Ph	8/6/69	400	900	8-8	4M S/C	8-8	8-9-69	"
						" Rel #3855 "	8-7-69	900	360	8-11	9M S/C	8-11	8-12-69	"
						" Rel #3855 "	"	700	681	8-14	7M "	8-14	8-15-69	"
						" Rel #3815 "	8-11-69	700	450	8-13	7M S/C	8-13	8-13-69	"
						" Rel #3980 Ph	8/14/69	700	630	8-18	7M S/C	8-18	8-19-69	"
						" Rel #3980 "	"	700	720	8-20	" "	8-20	8-21-69	"
						" Rel #3980 "	"	700	630	8-22	" "	8-22	8-22-69	"
						" Rel #4101 Ph	8/21/69	700	720	8-25	" "	8-26	8-26-69	"
						" Rel #4101 "	"	485	540	8-27	" "	8-27	8-28-69	"
						" Rel #4101 "	"	700	488	8-29	" "	8-29	8-29-69	"
						~~R-4214~~	8-28-69	700	630	~~9-3~~	~~5M S/C~~	~~9-3~~	~~9-3-69~~	~~Trucks~~
						" R. 4214	9-2-69	100	990	9-4	1M S/C	9-4	9-4-69	Trucks
						" Rel 4428 Ph	9/4/69	700	720	9-10	7M S/C	9-10	9-10-69	"
						" Rel 4524 Ph	9/11/69	700	720	9-15	" "	9-15	9-15-69	"
						" Rel 4524 Ph	9/11/69	700	630	9-18	" "	9-18	9-18-69	"
						" R 4627 Ph	9-18-69	700	611	9-22	" "	9-24	9-24-69	"
						" R 4627 "	"	700	540	9-25	" "	9-25	9-29-69	"
						" Rel 4758 "	9/25/69	700	630	9-29	3M S/C	9-29-69	10-2-69	"

FE001453

F-28-A-R11/64

CO Republic
PLANT Canton
SIZE 25 × 27 CASING HT-3058

Permanent Blocking
One piece

PLANT INVENTORY

DATE AND BY	IN USE 2 PC	IN USE TOPS	NEW 2 PC.	NEW BOT'S	USAGE	O.K TO	RECOMMENDED ORDER
							To Research
							✓ C-51031-80
							✓ "
111 Available 7/8/69			Total	25 ready	7/11/69	→ J.D. Kiss 6/16/69	✓
			To #4 Melt			→ " Cleclec 6/27/69	✓
							✓
							✓
							R-5606 ✓
							R-5606 ✓
							310-010057-831
							Shipped in for removal → ✓
							Do not Cancel 310-010057-831

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
Research		1	5/14	PB	5-14		
C-51031-80	4/30/69	6	[illegible]	[illegible]	[illegible]	[illegible]	
"	5-27-69	6	[illegible]	[illegible]	6-2	6-2-69	Truck
C-52571-80	7/9/69 7/11/69	25	ASAP	50684 T.B	7/14/69	7-14-69	"
C-52571-80	"	25	ASAP	50865 T.B	7/24/69	8-6-69	"
C-55319-83	10-31-69	25	ASAP	51845 T.B	11-14	11-14-69	"
C-55319-83	10-31-69	25	ASAP	[illegible] T.B	11-19	11-19-69	"
C-55319-83	10-31-69	25	ASAP	51774 T.B	12-1	12-5-69	"
C-55319-83	11-14-69	25	12/17/69	51981 T.B	12/17/69	12-18-69	"
310-010057-831	1/1/70	S/O	for 1970				
310-162282-830	3-26-70 1-27-71	1	3-31	PB1	3-31	3-31-71	Truck
310-010057-831	1/1/70	S/O	for	1970			
" Rel 3379	9/15/70	20	Oct '70	53680 T.B	10/14/70		
" Rel 3379	"	20	Oct '70	53681 T.B	10/21/70		
" Rel 3379	"	20	Nov '70	53682 T.B	11/18/70		Cancel
" Rel 3379	"	20	Nov '70	53683 T.B	11/25/70		

FE001454

FORM F-28-A

CO Republic

PLANT Canton

SIZE 25 x 27

one-piece

Casing HT-3023

PLANT INVENTORY

DATE AND BY	IN USE 2 PC.	IN USE TOPS	NEW 2 PC.	NEW BOT'S	USAGE	O. K TO	RECOMMENDED ORDER
							To Plant #2
							C-42669-82
							"
							"
							"
							"
							C-43556-82
							"
							"
							"
							"
							C-44922-82
							"
							"
							"
							"

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
	2-21-68	1	3-13	[illegible]	3-13		
	3/26/68	20	[illegible]	[illegible]	4-4	4/4/68	TILX
	"	20	[illegible]	[illegible]	4-10	4/10/68	"
	"	20	[illegible]	[illegible]	4-17	4-17-68	TILX
	"	20	"	[illegible]	4-19	4-19-68	"
	"	20	"	[illegible]	4-24	4-24-68	"
	3/29/68	20	"	[illegible]	4-26	4-26-68	"
	"	20	"	[illegible]	5-1	5-2-68	"
	"	20	"	[illegible]	5-3	5-3-68	"
	"	20	"	[illegible]	5-8	5-8-68	"
	"	20	"	[illegible]	5-10	5-10-68	"
	5-6-68 5-21-68	20	"	47273	6-6	6-6-68	"
	"	20	"	[illegible]	6-7	6-7-68	"
	"	20	"	[illegible]	6-10	6-10-68	"
	"	20	"	[illegible]	6-11	6-12-68	"
	"	20	"	[illegible]	6-12	6-13-68	"

FE001455

F-181-R10

OGLEBAY NORTON COMPANY

FERRO ENGINEERING DIVISION

CO. Republic

PLANT CANTON

SIZE 25 x 27 QL. LW

~~BLOCK CLIPS SK-1657~~

~~SPRING CLIPS SK-~~

~~RING-WIPER~~ FOR 242 ~~THICKNESS~~ LINER F-51

PLANT INVENTORY

100/Pallet - 30½" x 55"

ORDER STATUS

90/Pallet - 38" x 71½"

DATE	BY	ON HAND	USAGE	O. K. TO	CUSTOMER ORDER NO.	DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
					C-10704-82	3/13/68		S/O 1968					
					Rel 3124 PH	6/19/68	700	900	6.21	No Appts	6.21	6-21-68	Tiffin IC
					REL. 3259	6-26-68	700	720	6.25	No Appts	6.25	6-25-68	"
					" R. 3259	6-20-68	700	720	6.27	No Appts	6.27	6-27-68	"
					" R. 3407	6-27-68	700	720	7.1	No Appts	7.1	7-1-68	"
					" R. 3407	6-27-68	700	720	7.3	" "	7.3	7-3-68	"
					" R 3488	7-3-68	700	720	7.9	" "	79	7-9	"
					" "	PH 7-8-68	700	720	7-11	"	7-11	7-11-68	"
					R. 3564	PH 7-11-68	400	900	7.12	"	7.12	7-12-68	"
					R. 3564	7-11-68	700	720	7.16	"	7.16	7-16-68	"
					R. 3704	PH 7-15-68	700	720	7.22	"	7.22	7-22-68	"
					R 3704	PH 7-24-68	700	720	7.25	"	7.25	7-25	"
					" R. 3802	PH 7-25-68	700	720	7.29	"	7.29	7-29-68	"
					R. 3802	PH 7-25-68	700	720	7.31	"	7.31	7-30-68	"
					" R 3704	PH 7/26/68	700	720	7.26	"	7.26	7-26-68	"
					" R 3881	PH 8/5/68	700	720	8.6	"	8.6	8-6	"
					R 3881	"	700	720	8.7	"	8.7	8-7	"
					R 3881	"	700	540	8.8	"	8.8	8-8	"
					" R 3923	PH 8-9-68	700	720	8.10	"	8.9	8-10-68	"
					R 3923	PH 8-9-68	700	720	8.12	"	8.12	8-13-68	"
					R 3923	PH 8-9-68	700	720	8.14	"	8.14	8-14-68	"
					R 4015	PH 8/16/68	700	720	8.19	"	8.19	8-19-68	"
					R 4015	"	200	720	8.21	"	8.21	8-21	"
					R 4015	"	300	720	8.23	"	8.23	8-23	"
					R 4086	PH 8/23/68	100	720	8.24	"	8.24	8-24	"
				R. 4086			100	—				8-27	"
					R. 4186	PH 8-30-68	700	720	9.3		9.3	9-3-68	"
					R. 4086		100					8-29	"
					"		300					8-31	"
					R 4263		400	S/A # 1 & 2 EDIE 299				9-10-68	"

FE001456

F-181-R10

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. REPUBLIC
PLANT CANTON
SIZE 25 x 27 QL

~~1 PISTON SECTION~~
~~8 SPRING CLIPS~~ ~~4470~~ THEIRS
1 FERROBOARD RING-WIPER ~~FBR 242~~ FBR 242
~~LINERS~~ LINER F-51

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	
	C-42901-82	for 300 each	FBR242 - F-51		
		3000	FBR & 3000 F	ORD. →	
Covers	3 Roll T/C's	→		C-10704-82	

F-181-R10/67

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. Republic
PLANT Canton
SIZE 25 x 27 ☐ QL

[redacted] ONE piece casing HT-3001-X
8 SPRING CLIPS SK- ~~4460~~ 4470
1 Ferroboard RING-WIPER ~~WURW~~ FBR-242 LINER ~~INSERTS~~ F-51

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	
					✓
4	Shipped to	Plt #2	7/20/67		✓
					✓
				R.3193	Plt 7-31-67 ✓
				" "	✓
				" "	✓
				Replace N/C	✓
				~~No Sht F-51~~	✓
37 Ark	=	700		FBR-242	✓
		700		F-51	✓
					✓
				EBR · Pl. "/13/67	✓
					✓
				EBR Pl "/24/67	✓
					✓
				EBR Pl "/24/67	✓
				EBR Pl "/24/67	✓
					✓
					✓
					✓
					✓
2 FBR242 (Rep. 2/14/68) to Plant #2			3/12/68	F-51	✓
				Pl 3/7/68	✓
					✓
(2) FBR242, (2) FR-250, (3) F-51 to S/C to Plant #2			3/15/68		✓

FE001458

ORDER STATUS

100/Pal. Pal Dim. 29 x 55 — 90/Pal. Pal Dim. 38 x 71 1/2

CUSTOMER ORDER NO.	DATE	RINGS	INSERTS LINERS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
~~102~~	~~7-5-67~~	210	210	111 #11	~~N/A~~	7-14	111 #1	CANCELD
		4 HF	3001-X	111 #4	1121 #4	7-14	111 #4	SEE BELOW
C-38025-82	7/17/67	400	210	8-7	850 S/C	8-7	8-7-67	TRK
"	"	27	-	8-7	NO CLIPS	8-11	8/16/67	"
"	"	83	-	8-7	850 SC ONLY	8-7		
C-35439-82, Sheet 3	Plt 7-31-67	5 HT-3001-X		8-7		8-7	8-7-67	TRK
	Plt 9-14-67	15	-	ASAP	NO CLIPS	9-22	9-29-67	"
	QD 10-2-67	50	50	12/8-11/SC	No Clips	10-20	11/1-11/67	~~MCL-11/1/67~~
C-40281-82	Plt 10-26-67 11-1-67	50	50	10/30	1000 S/C only	10-30	10/29/67	TRK
" R. 4656	11-2-67 "	50	50	11-6	NO CLIPS	11-6	11-6-67	TRK
"	"	100	100	11/8-11/SC	1M S/C ONLY	11-14	11/8-11	
" Rel H777	Plt 11/13/67	100	100	11/14	1M S/C only	11-10	11-14-67	TRK
"		100	100	M.H	1M S/C only	11-17	M.H	
C-40783-82, R. 4943	Plt 11-22-67	50	50	11-30	1M SC ONLY	11-30	11-30-67	TRK
C-40783-82 R5304	11/24/67	50	50	12-19	1M S/C only	12-19	12-19-67	"
C-40783-82, R. 5056	Plt 11-30-67	50	50	12-6	NO SC	12-6	12/6/67	TRK
C-41248-82 Rel 5422	Plt 12/1/67	50	50	12-26	1M S/C only	12-26	12/26	
C-40783-82, R. 5201	12-7-67	50	50	12-14	"	12-14	12/14/67	TRK
C-41248-82 Rel 5511	Plt 12/18/67	50	50	1/4/68	NO S/C	1/4/68	1/4/68	"
C-41248-82, R. 474	12/21/67	50	50	2-1	"	2-1	2-1	"
" R. 202	Plt 1-11-68	50	50	1-17	1M S/C only	1-17	1-17-68	JK
C-41961-82, R 646	1/26/68	50	50	2-7	"	2-7	2-7-68	"
" Rel 871	Plt 2/15/68	50	50	2-21	"	2-21	2-21-68	"
" Rel 1108	Plt 2/29/68	50	50	3-4	"	3-4	3-4-68	"
" Rel 999	Plt 2/24/68	50	50	2-27	1M S/C only	2-27	2-27-68	"
C-42901-82, R. 1247	FBR 3-1-68 3-8-68	50	50	MH	1M SC ONLY	3-7	3-13-68	"
"	"	50	50	MH	NO CLIPS	3-11	MH	
"	"	50	50	MH	1M SC ONLY	3-14	MH	
"	"	50	50	MH	NO CLIPS	3-18	MH	

CO. Republic

PLANT Canton

SIZE 25x27

No Hdwe

Ceramic Hot Top K-53 (Assembled)

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					Rel # 4024 → C-37713-82

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
	6/27/67	3	2 wks	—	9/25/67	9-25-67	TBK

FE001459

17

F-181-R10/68

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. Republic
PLANT Canton
SIZE 25 x 27 LV

~~BLOCK CLIPS SK-1837~~
8 SPRING CLIPS SK- 3430
1 RING-WIPER WURW 161 INSERT WU 63

PLANT INVENTORY 60/Rol - 28 1/4 x 54

ORDER STATUS 29/Rol - 29 3/4 x 23 1/16

DATE	BY	ON HAND	USAGE	O. K. TO	CUSTOMER ORDER NO.	DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
					C-10478-82	1/1/67		S/O 1967					
					" R414 PM	1-27-67	180	145	1-30	2m S/C	1-30	1-30-67	TRK
					" "	"	—	145	1-31	No Clips	1-31	1-31-67	"
					" "	"	60	—	2-2	1m S/C	2-2	CANCEL	
					" " PM	1-31-67	60	—	2-3	1M SC	2-3	2/3/67	TRK
					" R06J1 "	2/13/67	—	—	2-13	2 m S/C	2-13	2/13/67	"
					" " "	2/14/67	180	174	2-15	3 m S/C No S/C	2-15	2/15	"
					" R 1019 "	2/9/67	180	174	3-15		3-15	3-15-67	"
					" " "	"	120	116	3-17		3-17	3-17-67	"
					" R.1211 PM	3-29-67	180	203	3-30		3-30	3/30/67	"
					" R 1442 PM	4/7/67	300	348 Sets	4-10		4-10	4-10-67	"
					" R 1839 PM	5/4/67	180	174	5-5		5-5	5/5/67	"
					" R.2029 "	5-19-67	180	174	5-22	3 m S/C 2m S/C	5-22	5-22-67	"
					" R 2902 "	7-19-67	120	87 Sets	7-20	1M S/C	7-20	7-20-67	"
					" R 3007 "	7-20-67	120	116 Sets	7-24	1M S/C	7-24	7-24-67	"
					" R 3255 "	8-9-67	120	87 "	8-10	1m S/C	8-10	8-10-67	"
					" " "	"	60	87 "	8-11	1M SC	8-11	8/11	"
					" R.3371 "	8-14-67	120	145 "	8-16	1m SC	8-16	8/16	"
					" R.4838 "	11-21-67	60	58 "	11-22	"	11-22	11-22-67	"
					" " "	"	60	58 "	11-24	No SC	11-24	11-24-67	"
					C-10704-82	1/1/68	S/O	1968					
					" R.5510 "	1-3-68	120	87 sets	1-4	1m S/C	1-4	1/4/68	TRK
					" Rd 82 PL	1/10/68	60	58 Sets	1-11	1m S/C	1-11	1-11	"
					" R. 473 "	2-1-68	152	203 "	2-2	3m S/C	2-2	2-2	"
					" R.732 "	2-14-68	180	174 "	2-15	2M S/C	2-15	2-15-68	"
					" R 998 PL	3/22/68	120	116 "	2-26	1M S/C	2-26	2-26-68	"
					" R. 1246 "	3-7-68	180	203 "	3-11	2M "	3-11	3-11-68	"
					" R. 1376 "	3-18-68	180	174 "	3-19	2M "	3-19	3-19-68	"
					" R 1769 "	4-4-68	180	203 "	4-5	2M "	4-5	4-5-68	"
					C-10955-56	1/1/69	S/O for 1967						

FE001460

F-181-R10

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. Republic Steel Corp.
PLANT Canton
SIZE 25 x 27 LV

~~BLOCK CLIPS SK-1037~~
8 SPRING CLIPS SK- 3430
1 RING-WIPER WURW 161 INSERT WU 63

PLANT INVENTORY 60/Pallet - 28¼ x 54

ORDER STATUS 29/Pallet - 29¾ x 73⅛

DATE	BY	ON HAND	USAGE	O. K. TO		CUSTOMER ORDER NO.	DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
						C-10282-51	1/1/66	S/O for 1966						
					/	" R.32 PH	4-20-66	120	116	4-22		4-22	4-22-66	TRK
					/	" R 33 "	4-21-66	60	58	4-25	R	4-25	4-25-66	"
					/	" "	"	60	58	4-27		4-27	4-27-66	"
					/	" "	"	120	116	4-29		4-29	4-29-66	"
					/	" R.36 PH	5-4-66	120	116	5-5		5-5	5-5-66	"
					/	" R.42 "	5-27-66	120	58	5-28		5-27	5-27-66	"
					/	" R.44 "	6-6-66	60	58	6-7		6-7	6/7/66	"
					/	" R 114 "	6-7-66	120	116	6-9		6-9	6/9/66	"
					/	" R47 "	6-21-66	60	58	6-23		6-23	6/22/66	"
					/	" R48 "	6-23-66	120	116	6-28		6-28	6/28/66	"
					/	" R.50 "	6-30-66	120	116	7-1		7-1	7-1-66	
					/	" R.54 "	7-11-66	120	116	7-12		7-12	7-12-66	"
					/	" R.55 "	7-13-66	120	116	7-14		7-14	7-14-66	"
					/	" R.58 "	7-18-66	120	116	7-19		7-19	7-19-66	"
					/	" R66 "	8-31-66	120	116	9-2		9-2	CANCEL	
					/	" R67 "	9-9-66	240	232	9-9		9-9	9-9-66	TRK
					/	" R.76 "	9-26-66	120	116	9-26		9-26	9-26-66	"
					/	" R 77 "	9-29-66	—	29	9-30		9-30	9/30/66	"
					/	" R 78 "	10-11-66	180	174	10-11		10-11	10/11/66	"
					/	" R 80 "	10-17-66	180	174	10-18	2M SC 33M BC	10-18	10/18/66	"
					/	" R.82 PH	10-28-66	180	174	10-29		10-28	10/28/66	"
					/	" R 85 PH	11-11-66	180	174	11-111	2M S/C 33M B/C	11-111	11-14-66	"
					/	" R 89 PL	11-22-66	180	203	11-23	2M S/C ONLY	11-23	11-23-66	"
					/	" R90 "	12/2/66	120	116	12-5		12-5	12/5/66	"
					/	C-10478-82	1/1/67	S/O	1967					
					/	" R.6 PH	1-4-67	180	174	1-6	2M SC 33M BC	1-6	1-6-67	TRK
					/	" R 79 "	1-10-67	180	174	1-11	2M SC ONLY	1-11	1-11-67	"
					/	" "	"	180	174	1-13		1-13	CANCELLED	

FE001461

F-181-R10

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. REPUBLIC
PLANT CANTON
SIZE 25 x 27 LV

~~BLOCK CLIPS STL-1057~~
8 SPRING CLIPS SK-3430 28 1/4 x 54 29 3/4 x 73 1/8
1 RING-WIPER WURW 161 GO/NO GO INSERT WU 63 29 1/2 x 1 x T

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO

ORDER STATUS

CUSTOMER ORDER NO.		DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10120-51		1/1/65	S/O 1965						
" R. 49	PH	10-28-65	120	58	10-29	AB IM SC	10-29	10/28/65	YPR
" R 50	PH	11-2-65	120	116 sets	11-3	R Im s/c	11-3	11-3-65	"
" R. 56	"	11-26-65	120	58	11-27	IM SC	11-26	11/26	"
" R. 57	"	11-30-65	-	58	11-30	No "	11-30	11/30/65	"
" "	"	" "	120	58	12-1	Im "	12-1	12/1/65	"
" "	"	" "	120	58	12-2	Im "	12-2	12/2/65	"
" R.C2	"	12-22-65	-	58	12-23	No Clips	12-23	12/23/65	"
" "	"	12-27-65	-	58	12-28	"	12-28	12/28/65	"
" R.C3	"	12-29-65	-	58	12-31	"	12-31	12/31/65	"
C-10282-51		1/1/66	S/O 1966						
" R.1	PH	1-3-66	60	58 Sets	1-4	AB IM SC	1-4	1-4-66	TPR
" R.4	"	1-20-66	60	29	1-21	R "	1-21	1-21-66	"
" R5	"	1-24-66 1-25-66	60	29	1-26	No Clips	1-26	1-26-66	"
" R.9	"	2-3-66	120	58	2-4	IM SC	2-4	2/4/66	"
" R.10	"	2-7-66	-	58	2-7		2-7	2/7/66	"
" R.12	"	2-11-66 2-14-66	60	29	2-12	IM SC	2-11	2/11/66	"
" R 12	"	2-14-66 2-15-66	60	58	2-15	No Appts	2-15	2/15/66	"
" R.13	"	2-17-66 2-21-66	-	29	2-17		2-17	2/17/66	"
" R.14	"	2-23-66	-	29	2-24		2-24	2/24/66	"
" R. # 15	"	2-24-66 2-25-66	60	29	2-25	IM SC	2-25	2/25/66	"
" R 15	"	2-24-66	120	87	2-26	" "	2-25	2/25/66	"
" R. 16	"	2-28-66 3-2-66	-	58	3-1		3-1	3/1/66	"
" R. 20	"	3-15-66	120	58	3-16	IM SC	3-16	3-16-66	"
" R 24	"	3-23-66 3-25-66	180	174 sets	3-28	2M S/C	3-28	3/28/66	"
" R.28	"	4-5-66 4-7-66	-	116	4-6	NO CLIPS	4-6	4-6-66	"
" R 28	"	4-7-66 4-25-66	120	—	4-9	0 1m s/c	4-9	4-9-66	"
" R 23	"	4-14-66	60	58	4-15	1 1M S/C	4-15	4-15-66	"
" R 30	"	4-14-66	60	58	4-18	4 No S/C	4-18	4-18-66	"
" R32	"	4-18-66	60	58	4-21	5 1m S/C	4-21	4-21-66	"

FE001462

FORM F-28

CO. Republic Steel Co

PLANT Canton

SIZE 25-27 L.V.

8 - Spring Cl. 4 - SK-3430 - 60 Pc. Pallet

1 - Ring-Weber WURW 161

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
7/20	K	240			

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10120-S1	1/1/65	Regt	Order	for 1965			
" Rel 23 JDK	5-13-65 5-14-65	120	5-14		5-14	5-14-65	
	5/14/65	60	5-19	No. S/C	5-19	5-19-65	
	"	60	5-20	" "	5-20	5-20-65	
	"	60	5-21	" "	5-21	" "	
	"	60	5-21	" "	5-21	" "	
" R. 26 GD	5/27/65 5-3-65	60	5-28		5-28	5-28-65	
" "	" "	120	5-29		5-28	5-28-65	
" R. 27 PK	6-3-65 6-7-65	240	6-5		6-5	6-5-65	
" R. 28 GD	6-8-65 6-10-65	60	6-9		6-9	6/9/65	
" R 29 JDK	6-12-65 6-15-65	60	6-17	1000 S/C	6-17	6/17/65	
" R 29 "	" "	60	6-19	No S/C	6-18	6/18/65	
" " "	6-17-65 6-18-65	60	6-21	Im SC	6-21	6/21/65	
	"	60	6-22	No SC	6-22	6/22/65	
	"	60	6-23	Im "	6-23	6/23/65	
	"	60	6-25	No "	6-25	6/25/65	
	"	60	6-29	Im "	6-28	6/28/65	
	"	60	6-29	No "	6-29	6/29/65	
	"	60	6-30	Im "	6-30	Cancelled	
		60	7-3	No "	7-2	7/2	
" R. 30 GD	6-28-65 6-29-65	60	7-6	Im "	7-6	7/6	
" "	" "	60	7-9	No "	7-9	Holds	
R. 31 JDK	7-9-65 "	60	7-14	Im "	7-14	7-14-65	
		60	7-16	No "	7-16	7-15-65	
		60	7-19	Im "	7-19	7/19/65	
		60	7-21	No "	7-21	7-21-65	
		60	7-23	Im "	7-23	7/23/65	
R 32 PK	7-22-65 7-23-65	60	7-26	No "	7-26	7/26/65	
		60	7-30	Im "	7-30	7/30/65	
		—	7-25	Im "	7-28	Cancelled	
R 42 PK	9-14-65 9-16-65	120	9-16	Im S/C	9-16	9-16-65	

FE001463

FORM F-28

CO. Republic

PLANT Canton

SIZE 25 x 27 LV

60/pal

1- Ring Wiper WURW 161

PLANT INVENTORY

DATE 1965	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
1-29	D	250	10/DN		
2-5	D	280			INS 2/5 T/L TC-1020-51
2-17	D	240	25/DA		
4-14	K	171			

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-645968-R	10/16/64	Rqst. Order for 1965					
" R.36 JDK	12-16-64 12-22-64	60	Q.O. 12-29	No Appts	12-29	12/29/64 TRL	
C-645968-R	1/1/65	Rqst. Order for 1965					
" R.1 JDK	12-31-64 12-31-64	—	1-5	1M SK-3430	1-5	1-5-65 TRL	
" "	"	60	1-7 D	No Appts	1-7	1-7-65 "	
" "	"	60	1-9 R	1M SK-3430	1-8	1-9-65 "	
" "	"	60	1-12 D	No Appts	1-12	1-12-65 "	
" "	"	60	1-14 R	1M SK-3430	1-14	1-14-65 "	
" R.4 AD	1-14-65 1-13-65	60	1-20 D	1M SK-3430	1-20	1-20-65 "	
" " "	"	60	1-25 R	No Appts	1-25	1-25-65 "	
" " "	"	60	1-30 R	" "	1-29	1-29-65 "	
" R.5 PH	2/4/65	120	2-5	1M SK-3430	2-5	2-5-65 "	
" R.7 GD	2-5-65	60	2-16 R	"	2-16	2/16/65 "	
" " "	"	60	2-18 R	"	2-18	2/18/65 "	
" R.8 Com	2/24/65	120	2-12	No Appts	2-12	2/12/65 TRL	
" R.9 GD	2-17-65 2-17-65	60	2-22 AR	1M SK-3430	2-22	2/22/65 "	
" "	"	60	2-24 AR	"	2-24	2/24/65 "	
" "	"	60		"			
" "	"	60		"			
" "	"	60		"			
" "	"	60	W/A	"			
" R.13 PH	3-16-65	60	3-22 AR	"	3-22	3/22/65 TRL	
" "	"	60	3-24 AR	"	3-24	3/24/65 "	
" "	"	60	3-26	"	3-26	3-26-65 "	
" R.14 GD	3-18-65	60	3-20	"	3-19	3/19/65 TRL	
" R.17 JDK	4-7-65 4-7-65	180	4-8	"	4-8	4-8-65 "	
" " "	"	240	4-9	2M SK-3430	4-9	4-10-65 "	
" R.18 "	4-15-65 4-15-65	180	4-17	"	4-17	4-17-65 "	
" " "	"	180	4-20	"	4-20	4-21-65 "	
" R.21 DL	4-29-65 "	180	4-30	"	4-30	4-30-65 "	
" R.22 GD	5-6-65 5-21-65	360	5-6	3M SK-3430	5-6	5-6-65 "	

FE001464

FORM F-28

CO. LeRoic

PLANT CANTON

SIZE 25 x 27 LV

NOTE: ALL PARTS TO CANTON, INCL. LOADING SLIP, SHOW AS ~~1~~ 4 OF 4 ~~140-X~~

1 - Ring Wiper Mounting ~~140~~ 161 (*) 60 Per Pallet

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					1 C-645 S&S-R Rev #3
					Rel #8
					Rel #8
					Bal #5
					Balance Mounting 10 x

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25" x 27" LV

INSERTS WU 63-X (FOR WURW 140)

½" THICK - RESIN BONDED - NO EXP.

52 SETS/PAL.

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-43637-R	4/30/64	52 SETS	5-7	Remo 1408	5-7	5-7-64	TRK
"	"	148 SETS	W/A				

FE001466

FORM F-88

CO. Republic

PLANT Canton

SIZE 25 x 27 Inserts WU-63 1" thick with Exothermic INSIDE 29 sets per Pallet

PLANT INVENTORY

DATE 1965	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
1-29	D	230			VC-10120-51
2-5	D	174			
2-15	D	95	25/DA		
4-14	K	43			

ORDER STATUS

CUSTOMER ORDER NO.		DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
~~Customer No~~		~~1/4/65~~	Regt Rec'd for 1965					
" R.1		12-31-64 12-31-64	58 Sets	C.R. 1-9		1-8	1-9-65	YRR
" "		" "	58 "	1-12		1-12	1-12-65	"
" "		" "	58 "	1-14		1-14	1-14-65	"
" R4	RD	1-14-65 1-13-65	58 "	1-20		1-20	1-20-65	"
" "	"	"	58 "	1-25		1-25	1-25-65	"
" "	"	"	58 "	1-30		1-29	1-29-65	"
" R5	PH	2-4-65	87 "	2-5		2-5	2-5-65	"
" R.7	RD	2-5-65 2-5-65	58 "	2-9		2-9	2/9/65	"
" "	"	"	58 "	2-12		2-12	2/11/65	"
" "	"	2-5-65 2-8-65	58 "	2-16		2-16	2/16/65	"
" "	"	"	58 "	2-18		2-18	2/18/65	"
" R.9	GD	2-17-65 2-17-65	145 "	2-20		2-19	2/20/65	"
" "	"	"	58 "	2-22		2-22	2/22/65	"
"		"	58 "	2-24		2-24	2/24/65	"
"		"	58 "					
"		"	58 "					
"		"	58 "					
"		"	58 "	N/A				
" R13	PH	3-16-65	58 "	3-22		3-22	3/22/65	YRR
" "	"	"	58 "	3-24		3-24	3/24/65	"
" "	"	"	58 "	3-26		3-26	3/24/65	"
" R.14	GD	3-18-65 "	58 "	3-20		3-19	3/19/65	YRR
" R.17	JDK	4-7-65 4-7-65	319 "	4-8		4-8	4-8-65	"
" R18	JDK	4-15-65 "	87 "	4-15		4-15	4-15-65	"
" "	"	"	261 "	4-17		4-17	4-17-65	"
" "	"	"	87 "	4-20		4-20	4-21-65	"
" R21	PH	4-29-65 "	87 "	4-30		4-30	4-30-65	"
" R.22	GD	5-6-65 5-7-65	348 "	5-6		5-6	5/6/65	"
" R23	JDK	5-13 5-14	287	5-14		5-14	5-14-65	"
~~" R42~~	PH	~~4-15-65~~	116	9-16		9-16	9/16/65	"

FE001467

FORM F-28

CO. Republic Steel Co

PLANT Canton

SIZE 25×27 — Inserts WV-63 — 24 Sets Per Pallet

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					JDK-5/3
					"
					"

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10120-51	11/1/65	174 sets	Oct. 1965				
Rel 23	5/14/65	58 sets	5-19		5-19	5-19-65	TRK
"	"	58 sets	5-20		5-20	5/20/65	"
"	"	58 sets	5-21		5-21	Canc.	"
		58 sets	5-22		5-21	"	"
R-26 GD	5-27-65 5-31-65	87 "	5-28		5-28	5/28/65	"
" " "	"	87 "	5-29		5-28	5/28/65	"
R-27 PH	6-3-65 6-7-65	174 "	6-5		6-5	6-5-65	"
R-28 GD	6-8-65 6-16-65 6-16-65	87 "	6-9		6-9	6/9/65	"
R 29 JDK	6-16-65	58 "	6-17		6-17	6/17/65	"
R 29 "	" "	58 "	6-19		6-18	6-18-65	"
" " "	6-17-65 6-18-65	58 "	6-21		6-21	6/21/65	"
	"	58 "	6-22		6-22	6/22/65	"
	"	58 "	6-23		6-23	6/23/65	"
	"	58 "	6-25		6-25	6/25/65	"
	"	58 "	6-29		6-28	6/28/65	"
	"	58 "	6-29		6-29	6/29/65	"
	"	58 "	6-30		6-30	CANCELLED	
	"	58 "	7-3		7-2	7/2	TRK
R-30 GD	6-28-65 6-29-65	58 "	7-6		7-6	7/6	"
" "	" "	58 "	7-9		7-9	Held for [illegible]	
R31 JDK	7-9-65 "	58 "	7-14		7-14	7-14-65	TRK
		58 "	7-16		7-16	7-15 65	"
		58 "	7-19		7-19	7-19-65	"
		58 "	7-21		7-21	7-21-65	"
		58 "	7-23		7-22	7/23/65	"
R32 PH	7-22-65 7-23-65	58 "	7-26		7-26	7/26/65	"
		58 "	7-30		7-30	7/30/65	"
		116 "	7-28		7-28	"	"
R-42 PH	9-15 9-16-65	116	9-16		9-16	9-16	TRUCK
11-R-50 R	10-29-65 "	58	11-5		11-5	Cancelled	

FE001468

FORM F-28

CO. LESLIE

PLANT CANTON

SIZE 25 × 27

1" THICK WITH EXOTHERMIC INSIDE

~~Harbor~~ INSERTS WU-63 29 sets Per Pallet

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					2 Pallets
					√PR in Ph 9/11
					CONF. AS R.30 10/23/64

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25 × 27 Brick NUB-3451 -LONG- SET {28A-4491 THRU 4494 / 4-4495

50 sets 1/5/66 letter

✓ JM TO STOCK 100 SETS = LTR 4-13-65

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
7/20/65	K	50			
					REPLACEMENT - N/C
					G.O. 5/20/66

F-181-R10/64

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. REPUBLIC
PLANT CANTON
SIZE 25 x 37 LV /

~~BLOCK CLIPS ON 10/7~~
8 SPRING CLIPS SK- 3270
RING-WIPER WURW 140
INSERT WU 103

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	

F-181-R10

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. Republic Steel Corp
PLANT Canton
SIZE 25 x 27 LV

8 SPRING CLIPS SK- 3270
1 RING-WIPER WURW 140
INSERT WU 114

810 Sets { Full T/L / WU only

PLANT INVENTORY 60/Pallet 29 3/4 x 54 - Pallet ORDER STATUS 45/Pallet D-25" x 71 3/4

DATE	BY	ON HAND	USAGE	O. K. TO		CUSTOMER ORDER NO.	DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
Include SK-3270 in all						C-10704-87	4/1/68	510 for 1968						
Ring Wiper Shipments						R 1769 PM	4-4-68	180	270 Sets	4-5	3M 5a 3am 5c	4-5	4-5-68	TRUCK
						" "	4-5-68	360	360	4-6	3M 5/C ONLY	4-6	4-6-68	"
						" "	4-4-68	360	585	4-10	"	4-10	4-10-68	"
						R.1908 "	4-11-68	720	405	4-13	SC ONLY	4-13	4-13-68	"
						" "	"	540	495	4-15	"	4-15	4-15-68	"
						" "	"	540	495	4-17	"	4-17	4-17-68	"
						" PM	4-18-68	540	495	4-16	"	4-16	4-16-68	"
						R.2016 "	4-18-68	360	585	4-19	"	4-19	4-19-68	"
						" "	"	540	495	4-22	"	4-22	4-22-68	"
						" "	"	540	495	4-24	"	4-24	4-24-68	"
						" "	"	540	450	4-26	"	4-26	4-26-68	"
						" "	4-22-68	540	495	4-23	"	4-23	4-23-68	"
						R 4654 PM	10-9-68	—	180	10-10	NO SC	10-10	10-10-68	"
						R.4723 "	10-14-68	—	270	10-15	"	10-15	10-15-68	"
						R 4746	10-16-68	—	450	10-17	NO Nipples	10-17	10-17-68	"
						R4763	10-17-68	—	360	10-21	"	10-21	10-21-68	"
						R.4763 PM	10-22-68	240	90	10-23	"	10-23	10-23-68	"
						C-10955-56	1/1/69	510 for 1969						

FE001472

F- 181-R10/66

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. Republic Steel Corp
PLANT Canton
SIZE 25 x 27 LV

~~BLOCK SIZE IF O.K. USE~~
8 SPRING CLIPS SK- 3270
1 RING-WIPER WURW- 140
INSERT WU 114

PLANT INVENTORY 60/pallet 29¾ x 54" Pallet

ORDER STATUS 45/Pallet 25 x 71¾ Pallet

DATE	BY	ON HAND	USAGE	O. K. TO		CUSTOMER ORDER NO.	DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
Include SK-3270 in all future shipments				PH 1/13/68		C-10704-B2	1/1/68	510	1968					
						" Rel 732 Ph	2/8/68	540	450 Sets	2/16/68		2/16/68	2-12-68	TRUCK
						" " Ph	2/12/68 2-14-68	360	540 "	2/13/68		2/13/68	2-13-68	TRUCK
						" "		360	135 "	2-15		2-15	2-15-68	"
						" Rel 870 Ph	2/15/68	540	495 "	2-17	33M B/C 3M S/C	2-16	2-17-68	"
								540	495 Sets	2-19		2-19	2-19-68	"
								540	495	2-20		2-20	2-20-68	"
								480	450	2-21		2-21	2-21-68	"
								540 ✓	495	2-22		2-22	2-22-68	"
								540	495	2-23		2-23	2-23-68	"
						Rel 870 Ph	2/22/68	—	—	2-23	33M B/C	2-23	2-23-68	"
						Rel 998 Ph	"	240	405	2-26		2-26	2-26-68	"
								480	480	2-27		2-27	2-27-68	"
								360	540	2-28	3M S/C	2-28	2-28-68	"
								540 ✓	450 ✓	2-29		2-29	2-29-68	"
								540	450	3-1		3-1	3-1-68	"
						Rel 1107 Ph	2/29/68	420	450	3-4	33M B/C	3-4	3-4-68	"
								360	540	3-5		3-5	3-5-68	"
								540 ✓	495 ✓	3-6		3-6	3-6-68	"
								540	495	3-8		3-8	3-8-68	"
						R. 1246 Ph	3-7-68	180	225	3-11		3-11	3-11-68	"
						"	"	420	450	3-13		3-13	3-13-68	"
						"	"	420	540	3-15		3-15	3-15-68	"
						R 1376 Ph	3-11-68	540	495	3-18		3-18	3-18-68	"
								360	585	3-20		3-20	3-20-68	"
								540	495	3-22		3-22	3-22-68	"
						" "	3-18-68	360	225	3-19		3-19	3-19-68	"
						R. 1495 "	3-21-68	540	495	3-25		3-25	3-25-68	"
						"	"	540	495	3-28		3-28	3-28-68	"
						R 1636 Ph	3/29/68	—	810	4-1		4-1	4-1-68	"
						R 1636 "	"	—	810	4-3		4-3	4-3-68	"

FE001473

F-181-R10/63

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. Republic Steel
PLANT Canton
SIZE 25 x 27 LV

BLOCK [redacted]
8 SPRING CLIPS SK- 3270
1 RING-WIPER WURW - 140
INSERT WU 114

PLANT INVENTORY 60/Pallet

DATE	BY	ON HAND	USAGE	O. K. TO	
					C-10478-82
					C-10704-82, R.82

F-181-R10/67

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. REPUBLIC
PLANT CANTON
SIZE 25 X 27 LV

BLOCK CLIPS SK-1657
SPRING CLIPS SK- 3270
RING-WIPER WURW 140

INSERT WU 113 - EXOTHERMIC 45/PAL.

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	
					500 SETS

ORDER STATUS

CUSTOMER ORDER NO.	DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-27694-51, R1 EBR	1-20-66	—	45 DZ	1-21 EBR		1-21	1-21-66	
" /	1-20-66	—	45	MH		1-26	MH	CANCELLED
" /	1-20-66	—	405	MH.		1-31	MH	

FE001475

F-181-R10/66

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. Republic Steel Corp
PLANT Canton
SIZE 25 x 27 LV

8 SPRING CLIPS SK- 3270
1 RING-WIPER WURW- 1140
INSERT WU 1114

PLANT INVENTORY 60/Pallet 29 3/4 x 54 Pallet ORDER STATUS 45/Pallet 25 x 71 3/4 Pallet

Include Heat Nos. on all orders
5/C on

DATE	BY	ON HAND	USAGE	O.T. TO	CUSTOMER ORDER NO.		DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
					C-10478-82	PH	11/1/67	5/0	for 1967					
					" Rel 4435	PH	10/10/67	540	450 Sets	10/23	5M S/C	10/23/67	10/23/67	TRK
					" "	"	"	540	450 Sets	10/25	5M S/C	10/25/67		CANCELD
					" "	"	"	420	405 Sets	10/27	4M S/C	10/27/67		
					" Rel 4541	PH	10/24/67	480	360 Sets	10/30	4M S/C	10/30/67	10/30/67	TRK
					" Rel 4541	"	"	420	405 Sets	11/3	4M S/C	11/3/67	HOLD	CANCELD
					R. 4657	PH	11-2-67	420	315	11-6	Req. SC 33M BC	11-6	11-6-67	TRK
					"	"	"	540	450	11-7		11-7	11/7/67	"
					"	"	"	360	540	11-8		11-8	11-8-67	"
					"	"	"	480	360	11-9		11-9	11-9-67	"
					"	"	"	360	540	11-10		11-10	11-10-67	"
					"	"	"	—	—	11-6	33M B/K	11-6	11/7/67	TRK
					R. 4741	PH	11-9-67	540	450	11-13		11-13	11-13-67	F
					"	"	"	360	405	11-14		11-14	11-14-67	"
					"	"	"	540	450	11-15		11-15	11-15-67	"
					"	"	"	540	450	11-17		11-17	11-17-67	"
					R 4838	PH	11-16-67	540	450	11-20		11-20	11-20-67	"
								360	540	11-21		11-21	11/21/67	"
								180	405	11-22		11-22	11-22-67	"
								300	450	11-24		11-24	11-24-67	"
					R. 4942	"	11-22-67	-	720	11-27		11-27	11-27-67	"
					"	"	"	180	675	11-28		11-28	11/28/67	"
					"	"	"	480	405	11-30		11-30	11-30-67	"
					"	"	"	360	540	12-1		12-1	12/1/67	"
					R. 5055	"	11-30-67	720	315	12-4		12-4	12/4/67	"
					"	"	"	300	495	12-6		12-6	12/6/67	S
					"	"	"	540	450	12-8		12-8	12/8/67	"
					" R. 5200	PH	12-7-67	420	405	12-12	300 33M B/C	12-12	12/12/67	"
					" "	"	"	300	495	12-14		12-14	12/14/67	"
					" RS303	"	12/14/67	—	630	12-19	No Pallets	12-19	12/19/67	"
					" RS303	"	12/14/67	180	630	12-21		12-21	12/21	"

FE001476

F-181-R10/57

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. Republic Steel Corp
PLANT Canton
SIZE 25 x 27 LV

8 SPRING CLIPS SK- 3270
1 RING-WIPER WURW 140
INSERT WU 114

PLANT INVENTORY 60/PAL. 29¾ x 54 PAL.

ORDER STATUS 45/PAL. 25 x 71¾ PAL.

Include Necessary S/C on all ring shipments

DATE	BY	ON HAND	USAGE	O. K. TO		CUSTOMER ORDER NO.	DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
						C-10478-B2	4/1/67	S/O	for 1967					
						" Rel 3689 PH	8/31/67	540	450 Sets	9/8 Q	No Appls	9/8/67	9-8-67	TRC
						" R. 3801 PH	9-7-67	360	540 "	9-11 V		9-11	9-11-67	"
						" "	"	540	450 "	9-12 V		9-12	9-12-67	"
						" "	"	540	450 "	9-13 V	33M BC 5M S/C	9-13	9-13-67	"
						" "	"	360	540 "	9-14 Q		9-14	9-14-67	"
						" "	"	540	405 "	9-15 Q		9-15	9-15-67	"
						" " PH	9-14-67	540	450 "	9-15	33M BC.	9-14	9-15-67	"
						" R-3898 "	9-15-67	540	450 "	9-18		9-18	9-18-67	"
						" " "	"	360	540 "	9-19		9-19	9-19-67	"
						" " "	"	540	450 "	9-20	5M S/C 33M BC	9-20	9-20-67	"
						" " "	"	360	540 "	9-21		9-21	9-21-67	"
						" " "	"	540	450 "	9-22		9-22	9-22-67	"
Ceramic K-53			shipped this	7/2 →		" R-4030 PH	9/21/67	540	450	9-25	5M S/C	9-25	9-25-67	"
						" " "	"	540	450	9-26	5M S/C	9-26	9-26-67	"
						" " "	"	360	540	9-27	3M S/C	9/27	9/28/67	"
						" " "	"	540	450	9-28	5M S/C	9-28	9/28/67	"
						" " "	"	540	405	9-29	5M S/C	9-29	9-29-67	"
						" R 4151 PH	9/28/67	180	675	10-2	2M S/C	10-2	10/2/67	"
						" " "	"	180	675	10-3	2M S/C	10-3	10/3/67	"
						" " "	"	780	270	10-6	7M S/C	10-6	10/4/67	"
						" R 4252 PH	10/5/67	540	450	10-9	5M S/C	10-9	10/9/67	"
						" " "	"	360	540	10-10	3M S/C	10-10	10/10/67	"
						" " "	"	540	450	10-11	5M S/C	10-11	10/11/67	"
						" " "	"	540	450	10-12	5M S/C	10-12	10/12/67	"
						" " "	"	360	540	10-13	3M S/C	10-13	10/13/67	"
						" " PH	10-9-67	—	—	10-10	33M BC	10-10	10/10/67	"
						" R. 4340 "	10-12-67	—	720	10-16	No Chips	10-16	10/16/67	"
						" "	"	—	720	10-18	"	10-18	10/18/67	"
						" "	"	—	720	10-20	"	10-20	10/20/67	"

FE001477

F-181-R10/58

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. Republic Steel Corp
PLANT Canton
SIZE 25×27 LV

8 - SPRING CLIPS SK- 3270
1 RING-WIPER WURW 140 - 1260 {Full T/L} INSERT WU 114 - 720 Sects - Full T/L

PLANT INVENTORY 60/pallet - 29¾×54 ORDER STATUS 45 Sects/pallet - 25×71 3/4

Include Necessary S/C on all ring shipments

Xtra T/L - 6 on PL 8/x/67

DATE	BY	ON HAND	USAGE	O. K. TO	CUSTOMER ORDER NO.	DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
					C-10478-82	1/1/67	S/O	for 1967					
					" Rel 9007	PH 7/20/67	240	270 Sects	7/24	2M S/C	7/24	7/24/67	TRK
					" "	"	540	450	7/27	5M S/C 3M B/C	7/27	7-27-67	"
					" Rel 3149	PH 7-27-67	180	675	7/28	2M S/C	7/28	7-28-67	"
					" "		540	450	7/31	5M S/C	7/31	7-31-67	"
					" "	"	600	405	8/1	5M S/C	8/1	8-1-67	"
					" "	"	360	540	8/2	3M S/C	8/2	8-2-67	"
					" "	"	540	450	8/3	5M S/C	8/3	8-3-67	"
					" "	"	360	540	8/4	3M S/C	8/4	8-4-67	"
					" "	"	360	540	8/4	3M S/C	8/4	8-4-67	"
					" Rel 3255	PH 8/3/67	300	270	8/7	5M S/C	8/7	8-7-67	"
					" "	"	540	450	8/8	5M S/C	8/8	8-8-67	"
					" "	"	360	540	8/9	3M S/C	8/9	8-9-67	"
					" "	"	480	270	8/10	4M S/C	8/10	8-10-67	"
					" "	"	540	180	8/11	5M S/C	8/11	8-11	"
					" "	"	360	540	8/11	3M S/C	8/11	—	Cancel
					" R. 3371	PH 8-10-67	720	315	8-14	6M S/C	8-14	8/14/67	Truck
					" "	"	240	225	8-16	2M S/C	8-16	8/16/67	"
					" "	"	—	720	8-17	—	8-17	8/17/67	"
					" "	"	—	720	8-18	—	8-18	8/18	"
					" R. 3472	PH 8-17-67	600	405	8-21	5M B/C 2M S/C	8-21	8/21/67	"
					" "	"	360	540	8-22	3M S/C	8-22	8-22	"
					" "	"	420	405	8-23	4M S/C	8-23	8/23	"
					" "	"	600	405	8-24	5M S/C	8-24	8/24	"
					" "	"	360	540	8-28	3M S/C	8-28	8/28	"
					" R3570	PH 8/24/67	540	450	8-29	5M S/C	8-29	8/29	"
					" "	"	360	540	8-31	3M S/C	8-31	8-31-67	TRK
					" "	"	540	450	9-1	5M S/C	9-1	9-1-67	"
					" R3689	PH 8/31/67	540	450	9-5	No Appl'd	9-5	9-5-67	"
					" "	"	540	450	9-6	" "	9-6	9-6-67	"
					" "	"	360	540	9-7	" "	9-7	9/7/67	"

FE001478

F-181-R10

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

co. Republic
PLANT Canton
SIZE 25 x 27 LV

~~BLOCK CLIPS SK-1637~~
8 SPRING CLIPS SK- 3276
1 RING-WIPER WURW 140 - 1260 - full T/L INSERT WU 114 - 720 sets - full T/C

PLANT INVENTORY 60/Pallet - 29 3/4 x 54

ORDER STATUS 45 sets/Pal. - 25 x 71 3/4

DATE	BY	ON HAND	USAGE	O. K. TO	CUSTOMER ORDER NO.	DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
					C-10478-82	1/1/67		S/O 1967					
					" R.1634 PH	4-20-67	360	540	4-27		4-27	4-27-67	TRK
					" "	"	600	405	4-28		4-28	4-28-67	"
					" R.1770 PH	5-1-67	~~900~~	—	5-1		5-1	5/1/67	"
					" "	"	-	675	5-2		5-2	5-2-67	"
					" "	"	360	540	5-4		5-4	5-4-67	"
					" R 1839 PH	5-4-67	360	180	5-5		5-5	5/5/67	"
					" " "	"	—	720	5-8		5-8	5-8-67	"
					" " "	"	—	720	5-12		5-12	5-12-67	"
					" " "	"	540	450	5-11		5-11	"	"
					" " "	"	540	450	5-12		5-12	"	"
					" R.1928 "	5-11-67	360	540	5-16		5-16	5/16/67	TRK
					" "	"	360	540	5-18		5-18	5/18/67	"
					" R 2029 PH	5-19-67	180	270	5-22		5-22	5-22-67	TRK
					" "	"	360	540	5-25		5-25	5-25-67	"
					" R 2112 PH	5-25-67	360	540	5-29		5-29	5-29-67	"
					" R 2112	"	360	540	5-31		5-31	5-31-67	"
					" R 2112	"	720	405	6-2		6-2	6/2/67	"
					" R. 2199 PH	6-1-67	—	720	6-7		6-7	6/7/67	"
					" R.2396 "	6-8-67	180	540	6-12		6-12	6/12/67	"
					" "	"	—	720	6-14		6-14	CANCLD	
					~~" " " "~~	~~"~~	~~—~~	~~720~~	~~6-16~~		~~6-16~~	Cancel	
					" R 2484 PH	6/13/67	540	450	6-20	33m d/c	6-20	6/20/67	TRK
					" R 2484	"	540	450	6-22		6-22	6/22/67	"
					" R 2484	"	540	450	6-26		6-26	6/26/67	"
					" R. 2713 "	6-29-67	540	450	7-7		7-7	7-7-67	"
					" R 2797 "	7-7-67	540	450	7-11		7-11	7-11-67	"
					" R 2797 "	7-7-67	780	270	7-14		7-14	7-14-67	"
					" R 2902 "	7-13-67	360	540	7-17		7-17	7-17-67	"
					~~" R 2902 "~~	~~7-13-67~~	~~180~~	~~675~~	~~7-21~~		~~7-21~~	Cancel	
					" R 2902 "	7-19-67	180	315	7-20		7-20	7-20-67	"

45° WU 114 ARE PHALANX BAND MADE ON SUTTER - REMO 2001 - ORDERED BY PRW 4-5-67

FE001479

F-181-R10/67

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. REPUBLIC
PLANT CANTON
SIZE 25 X 27 LV

8 SPRING CLIPS SK-3270
1 RING-WIPER WURW 140 - 1260 (Full T/L Rings) INSERT WU 114 - 720 (Full T/L Inside Only)

PLANT INVENTORY 60/Pallet - 29 3/4 x 5 1/4"

ORDER STATUS 45/Pallet - 25" x 71 3/4

DATE	BY	ON HAND	USAGE	O. K. TO		CUSTOMER ORDER NO.	DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
						C-10478-82	1/1/67	S/O 1967						
						" R.850	PH 2-23-67	540	450 sets	3-2	No BC	3-2	3/2/67	TRK
						" "	"	360	540	3-3	"	3-3	3/3/67	"
						" R.941	PH 3-2-67	-	720	3-6	NO CLIPS	3-6	3/6/67	"
						" "	"	-	720	3-9	"	3-9	3/9/67	"
						" R-1014	PH 3-9-67	360	540	3-10	"	3-10	3/10/67	"
						" "	"	540	450	3-13		3-13	3-13-67	"
						" "	"	360	540	3-14		3-14	3/14/67	"
						" "	"	180	270	3-15		3-15	3/15-67	"
						" "	"	540	450	3-16		3-16	3-16-67	"
						" "	"	420	225	3-17		3-17	3-17-67	"
Total						" R1119	PH 3/16/67	—	450	3-20	33m B/C	3-20	3/20/67	"
						" "	"	—	720	3-23	No Abbts	3-23	3/23/67	"
S/C						" R.1211	PH 3-22-67	360	495	3-27		3-27	3/27/67	"
						" "	"	360	540	3-28		3-28	3/28/67	"
						" "	"	360	540	3-29		3-29	3/29/67	"
						" "	"	180	225	3-30		3-30	3/30/67	"
						" R. "	"	720	315	3-31		3-31	⊘ Co.	
						" R 1337	PH 3-30-67	540	450	4-3		4-3	4-3-67	"
						" "	"	540	450	4-4		4-4	4-4-67	"
						" "	"	360	450	4-5		4-5	4-5-67	"
						" "	"	540	450	4-6		4-6	4-6-67	"
						" R1442	" 4/6/67	—	675	4-11	33 m B/C	4-10	4-11-67	"
						" R 1442	" 4/6/67	—	720	4-13		4-13	4-13-67	"
						" R.1547	" 4-13-67	540	450	4-18		4-18	CANCELD	
						" "	"	360	540	4-20		4-20	4-20-67	TRK
						" "	"	360	540	4-21		4-21	4-21-67	"
						" "	" 4-14-67	360	315	4-14		4-14	4-14-67	TRK
						" R.1634	" 4-20-67	—	720	4-24		4-24	4-24-67	"
				Not Subject to S-ACT		" "	"	—	720	4-26		4-26	4-26-67	"
							PRD 4-3-67	—	450 pcs	M&M Disal	Remo 2081	4-11	M&M	SEE SHIPPING

FE001480

From Sutter Mach., Phalonx sound

Total needed on all Rings

S/C

Shipped Ends

F-181-R10

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

co. Republic Steel Corp
PLANT Canton
SIZE 25×27 LV

BLOCK CLIPS SK-1657
8 SPRING CLIPS SK- 3270 (Full T/L - rings only)
1 RING-WIPER WURW 1140 - 1260 INSERT WU 114 - 720 (Full T/L Inserts Only)

PLANT INVENTORY 60/Pallet @ 29 3/4 × 54"

ORDER STATUS 45/Pallet @ 25 × 71 3/4"

DATE	BY	ON HAND	USAGE	O. K. TO		CUSTOMER ORDER NO.	DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
						C-10478-82	1/1/67	S/O for 1967						
						Rel 79 PH	1/3/67	—	720	1-9	9 M	1-9-67	1-9-67	Truck
						"	"	—	360	1-11	H	1-11-67	1-11-67	"
						"	"	—	720	1-12	V	1-12-67	1-12-67	"
						"	"	—	360	1-13	9 M	1-13-67	CANCLD	
						" R. 186	PH 1-12-67	—	720	1-16	9 M	1-16	1-16-67	TRK
						" R 186	PH 1-16-67	—	720	1-18	6M S/C	1-18	1-18-67	"
						" R 186	PH 1-18-67	420	495	1-20	No Appls	1-20	1-20-67	"
						" R 293	PH 1-19-67	540	450	1-23	No Appls	1-23	1-23-67	"
						"	"	540	450	1-24	3M S/C	1-24	1-24-67	"
						"	"	540	450	1-26	No Appls	1-26	1/26/67	"
						"	"	540	315	1-27	" "	1-27	1-27-67	"
						" R. 414	PH 1-27-67	—	405	1-30	"	1-30	1-30-67	"
						" "	"	—	450	1-31	"	1-31	1-31-67	"
						" "	"	660	270	2-2	"	2-2	CANCELD	
						" "	"	720	315	2-3	"	2-3		
						" "	PH 1-31-67	120	630	2-3	"	2-3	2/3/67	TRK
						" R. 545	PH 2-3-67	420	495	2-6	3M S/C 3 3M S/C	2-6	2/6/67	"
						" "	"	420	360	2-7	No Clips	2-7	2/7/67	"
						" "	"	420	495	2-8	"	2-8	Cancel	
						" "	"	420	495	2-9	"	2-9	2/9/67	TRK
						" "	"	420	495	2-10	"	2-10	2/10/67	"
				Gum Ph 2/13/67		" R. 651	PH 2-9-67	420	495	2-13	9M S/C No B/C	2-13	2/13/67	"
						" "	"	—	720	2-15	No Appls	2-15	Cancel	
Per Gum Ph 2/14/67						" "	"	—	720	2-17	"	2-17	2/17/67	"
Include S/C on follow-up Run to Finish						" "	PH 2-14-67	—	270	2-15	6 M S/C only	2-15	2/15/67	HK
						" R. 749	PH 2-16-67	420	495	2-21	4M S/C	2-21	2/21/67	TRK
						" "	"	420	495	2-23	"	2-23	2/23/67	"
						" "	"	420	495	2-24	"	2-24	CANCEL	
						" R. 850	PH 2-23-67	540	450	2-27	No BC	2-27	2/27/67	TRK
						" "	"	540	450	2-28	"	2-28	2/28/67	"

FE001481

F-181-R10/65

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

co. Republic
PLANT Canton
SIZE 25x27 LV

BLOCK CLIPS SK-1657
8 SPRING CLIPS SK- 3270 WURW140 - 1260 Full Ring Only INSERT WU 114
1 RING-WIPER WURW 140 - 1260 Full Ring Only 720

PLANT INVENTORY

60/29 3/4 x 54 pol ORDER STATUS 45/25 x 7 3/4 pol

DATE	BY	ON HAND	USAGE	O. K. TO

CUSTOMER ORDER NO.	DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10282-51	1/1/66		S/O 1966					
" R.89 PH	11-22-66	—	135 sets	11-23	No Clips	11-23	11/23/66	TRK
" "	"	—	720 "	11-28	"	11-28	11/28/66	"
" "	"	—	720 "	11-29	"	11-29	11-29-66	"
" "	"	1260	—	12-1	"	12-1	12/1/66	"
" "	"	—	720 "	12-2	"	12-2	12/2/66	"
" R90 PH	11-25-66 12-1-66	—	—	11-28	33 m 2/c only	11-28	11/28/66	TRK
R90 PH	12-7-66 12-1-66	—	450 sets	12-5	No Appts	12-5	12/5/66	"
		—	720	12-6		12-6	12/6/66	"
		1260	—	12-8		12-8	12/8/66	"
		—	720	12-9		12-9	12/9/66	"
" R91 PH	12-9-66	—	675 sets	12-12		12-12	12/12/66	"
		—	720	12-13		12-13	12/13/66	"
		1260	—	12-15		12-15	12/15/66	"
		—	720	12-16		12-16	12/16/66	"
R.93 PH	12-15-66 12-16-66	—	720	12-19	33 m 2/c 6 m 3c	12-19	12/19/66	"
		—	720	12-20	No Appts	12-20	12/20/66	"
		1080	—	12-22	"	12-22	12/22/66	"
		—	720	12-23	"	12-23	12/23/66	"
			720	12-27	"	12-27	CANCELLED	
" R.95 PH	12-22-66	-	720	12-27	"	12-27	12/27/66	TRK
" "	"	-	720	12-29	"	12-29	12/29/66	"
" "	"	-	720	12-30	"	12-30	12/30/66	"
" R.96 PH	12-28-66	—	720	12-29	"	12-29	12/29/66	"
C-10478-82	1/1/67		S/O for 1967					
Rel 6 PH	11/29/66	—	720	1-2	No Appts	12/30	12/30/66	TRK
		-	720	1-3		1/3	1-3-67	TRK
		-	540	1-4		1/4	1-4-67	"
			720	1-5		1/5	CANCELLED	
		-	360	1-6		1/6	1-6-67	TRK

FE001482

F-181-R10

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. REPUBLIC
PLANT CANTON
SIZE 25 x 27 LV

~~BLOCK CLIPS SK-1067~~
8 SPRING CLIPS SK-3270
1 RING-WIPER WURW 140
INSERT WU 114 45/ 25 x 71 3/4 PAL.
60/ 29 3/4 x 54 PAL.

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO

F-181-R10

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. Republic Steel Corp
PLANT Canton
SIZE 25 x 27 LV

[redacted]

8 — SPRING CLIPS SK- 3270
1 — RING-WIPER WURW 140

T/L = 720 WV-114
INSERT WU 114

PLANT INVENTORY Pallet 29 3/4 x 31 60/P ORDER STATUS (45/P Pallet 25 x 11 3/4

DATE	BY	ON HAND	USAGE	O. K. TO		CUSTOMER ORDER NO.	DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
						C-10282-51	1/1/66	5/0	for 1966					
					1	R-67 PH	9-2-66 9-2-66	420	495	9-9 Q	NO S/C	9-9		
					1	R-64 "	9-7-66 9-9-66	540	~~450~~ 535	Rush	"	9-7	9-7-66	TRK
					1	R67 "	9-7-66 9-7-66	—	720	9-8 V	No Appl	9-7	9-7-66	TRK
					1	R67 "	9-7-66 9-7-66	—	135	9-9 Q	No Appl's	9-9	9-9-66	"
					1	R67 "	9-8-66 "	—	—	9-8 Q	66M B/O	9-7	9-7-66	TRK
					1	R.68 "	9-9-66 9-12-66	—	720	9-10	No Clips	9-12	9/10/66	"
					1	"	" "	—	720	9-12	"	9-12	9-12 66	"
					1	"	" "	—	720	9-14	"	9-14	9-14-66	"
					1	" PH	9-13-66 "	—	720	9-16	"	9-16	9-16-66	"
					1	R 71 PH	9-16-66 9-16-66	—	720	9-19	"	9-19	9-19-66	"
					1	"	" "	—	720	9-21	"	9-21	9-21-66	"
					1	"	" "	540	450	9-22	"	9-22	9-22-66	"
					1	"	" "	420	495	9-23	"	9-23	9-23-66	"
					1	R 75 PH	9-23-66 "	—	720	9-26	"	9-26	9-26-66	"
					1	"	" "	—	495	9-26	"	9-26	9-26-66	"
					1	"	" "	540	450	9-29	"	9-29	9-29-66	"
					1	"	" "	420	450	9-30	"	9-30	9-30-66	"
					1	R77 PH	9-30-66 9-30-66	—	720	10-3	"	10-3	10/3/66	"
					1	"	" "	—	720	10-5	"	10-5	10/5/66	"
					1	"	" "	540	450	10-6	"	10-6	10/6/66	"
					1	"	" "	420	495	10-7	"	10-7	10/7/66	"
					1	R. 78 PH	10-7-66 "	240	495	10-8	"	10-7	10/8/66	"
					1	"	" "	-	720	10-10	"	10-10	10/10/66	"
					1	"	" "	-	720	10-11	"	10-11	10/11/66	"
						"	" "	540	450	10-13	"	10-13		
						"	" "	420	495	10-14	"	10-14	CANCEL	
					1	" PH	10-11-66	360	180	10-12	"	10-12	10/12/66	"
					1	"	10-12-66	-	720	10-13	"	10-13	10/13/66	"
					1	"	"	1260	—	10-14	"	10-14	CANCEL	
					1	"	"	-	725	10-15	"	10-14	10/14/66	TRK

FE001484

F-181-R10/66

OGLEBAY NORTON COMPANY

FERRO ENGINEERING DIVISION

CO. Republic

PLANT Canton

SIZE 25x27 LV

~~BLOCK CLIPS SK-1837~~

8 SPRING CLIPS SK- 3270

1 RING-WIPER WURW 140 60/64 INSERT WU 114 45/64

T/L = 720 WV-114

PLANT INVENTORY

29 3/4 x 54

ORDER STATUS

25 x 71

DATE	BY	ON HAND	USAGE	O. K. TO	CUSTOMER ORDER NO.		DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
					C-10282-51		11/1/66	9 S/O	1966					
					" R.59	PH	7-22-66	480	450	7-29		7-29	7/29/66	TRK
					" "		"	180	630	8-1		8-1	8-1-66	"
					" "		"	180	630	8-2		8-2	8-2-66	"
					" "		"	180	630	8-3		8-3	8-3-66	"
					" "		"	480	450	8-4		8-4	8-4-66	"
					" "		"	480	450	8-5	NO CLIPS	8-5	8-5-66	"
					" R.60	PH	8-2-66 8-3-66	-	-	8-4	33M BC	8-4	8-4-66	"
					" R.61	PH	8-5-66 8-5-66	180	630	8-8	No S/C	8-8	8-8-66	"
					" "	"	"	180	630	8-9	" "	8-9	8-9-66	"
					" "	"	"	180	630	8-10	" "	8-10	8-10-66	"
					" "	"	"	180	647	8-11	" "	8-11	8-11-66	"
					" "	"	"	360	540	8-12	" "	8-12	8-12-66	"
					" R-63	PH	8/12/66 8/14/66	—	720	8-15	" "	8-15	8-15-66	"
					" "	"	"	—	720	8-16	" "	8-16	8-16-66	"
					" "	"	"	—	720	8-17	" "	8-17	8-17-66	"
					" "	"	"	—	720	8-22	" "	8-22	8/22	"
					" "	"	"	540	450	8-23	" "	8-23	8/23	"
					" "	"	"	540	450	8-24	" "	8-24	8/24	"
					" "	"	"	360	540	8-18	" "	8-18	8-18-66	TRK
					" "	"	"	360	540	8-19	" "	8-19	8/19	"
					" "	"	"	540	450	8-25	" "	8-25	8/25	"
					" "	"	"	540	450	8-26	" "	8-26	8-26-66	"
					" R65	PH	8/24/66 8/24/66	—	720	8-29	" "	8-29	8-29-66	"
					" "	"	"	—	720	8-30	" "	8-30	— Cancel	
					" "	"	"	-	720	8-31	" "	8-31	8-31-66	TRK
					" "	"	"	540	450	9-1	" "	9-1	Cancel	
					" "	"	"	360	360	9-2	" "	9-2	Cancel	
					" R67	"	9/2/66	—	720	9-6	" "	9-6	Cancel	
					" R67	"	9/7/66	—	720	9-7	" "	9-7	Cancel	
					" "	"	"	540	450	9-8	" "	9-8	Cancel	

FE001485

F-181-R10

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. REPUBLIC
PLANT CANTON
SIZE 25 X 27 LV

~~BLOOM SEPS SK-1667~~
8 SPRING CLIPS SK-3270
1 RING-WIPER WURW 140 60/PAL. INSERT WU 114 45/PAL.

PLANT INVENTORY

29¾" x 54" PAL. ORDER STATUS 25" x 71" PAL.

DATE	BY	ON HAND	USAGE	O. K. TO	CUSTOMER ORDER NO.	DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
					C-10282-51, R.39	5-13-66	180	630	5-16		5-16	5/16/66	truck
					" "	"	180	630	5-17		5-17	5/17	"
					" "		180	630	5-18		5-18	5/18	"
					" "		—	225	5-19		5-19	NOT SHIPPED	
					" E.46 60	6-21-66	480	450	6-24		6-24	6/24/66	TRK
					" R47 PH	6-21-66 6-24-66	480	450	6-25		6-24	6/24/66	"
					" R48 PH	6-24-66	180	630	6-27		6-27	6/27/66	"
						"	180	630	6-28		6-28	6/28/66	"
						"	60	450	6-29		6-28	6/28/66	"
						"	480	450	6-30		6-30	6/29/66	"
						"	420	270	7-1		7-1	7-1-66	"
						"	480	450	7-2		7-1	6/30/66	TRK
					R.50 PH	6-30-66	180	630	7-5		7-5	7-5-66	"
						"	180	630	7-6		7-6	7-6-66	"
						"	180	630	7-7		7-7	7-7-66	"
						"	360	450	7-8		7-8	7/8/66	"
						"	480	450	7-9		7-8	7/9/66	"
					" R.52 PH	7-7-66	180	630	7-11	33M BC	7-11	7-11-66	"
					" "	"	60	450	7-12		7-12	7-12-66	"
					" "	"	180	630	7-13		7-13	7-13-66	"
					" "	"	360	270	7-14		7-14	7-14-66	"
					" "	"	180	540	7-15		7-15	7-15-66	"
					" R.56 PH	7-15-66	60	630	7-18		7-18	7-18-66	"
					" "	"	—	450	7-19		7-19	7-19-66	"
					" "	"	180	630	7-20		7-20	7/20/66	"
					" "	"	480	450	7-21		7-21	7/21/66	"
					" "	"	480	450	7-22		7-22	7-22-66	"
					" R.59 PH	7-22-66	180	630	7-25		7-25	7-25-66	"
					" "	"	180	630	7-26		7-26	7/26/66	"
					" "	"	180	630	7-27		7-27	7-27-66	"
					" "	"	480	450	7-28		7-28	7-28-66	

FE001486

F-181-R10

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. REPUBLIC
PLANT CANTON
SIZE 25 x 27 LV

~~BLOCK CLIPS SK=1857~~
8 SPRING CLIPS SK- 3270
1 RING-WIPER WURW 140
INSERT WU 114 45/PAL. 25 x 71 Pal.

Pallet = 29¾ x 54

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	
					BILL AS WU 103
					(BILL AS WU 114) SUTTER WU 103

ORDER STATUS

CUSTOMER ORDER NO.	DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10282-51, R.15 SD PH	3-7-66 2-25-66	—	124	2-28 AR		2-28	2/28/66	TPK
" R.19 GD PH	3-16-66	360	540 sets	3-16				
" R.21 PH	3-17-66	180	630 "	3-21		3-21	3/21/66	TPK
" "	" "	—	495 "	3-23		3-23	3/23/66	"
" "	" "	180	630 "	3-24		3-24	3/24/66	"
" "	" "	180	630 "	3-25		3-25	3/24/66	"
" "	" "	180	628 "	3-26		3-25	3/25/66	"
" R.23 PH	3/27/66 3/25/66	180	630 sets	3-28		3-28	[illegible]	
		180	630	3-29		3-29	3/29/66	"
		180	630	3-30		3-30	3-30-66	"
		180	630	3-31		3-31	3-31-66	"
		180	585	4-1		4-1	4-1-66	"
		180	630	4-2		4-1	CANCELLED	
" R.24 "	4/23/66 3-25-66	—	360	3-28		3-28	3/28/66	TPK
" R.26 "	4-1-66	180	630	4-4	33M BC	4-4	4-4-66	"
" "	"	180	721	4-5		4-5	4-5-66	"
" "	"	180	450	4-6		4-6	4-6-66	"
" "	"	180	630	4-7		4-7	4-7-66	"
" "	"	180	540	4-9		4-9	4-9-66	"
" R.28 PH	4-7-66 4-25-66	180	630	4-11	INS. 2 PAL SUTTER WU-114	4-11	4-11-66	"
" "	"	180	630	4-12		4-12	4-12-66	"
" "	"	180	630	4-13		4-13	4-13-66	"
" "	"	180	630	4-14		4-14	4-14-66	"
" "	"	180	540	4-15		4-15	4-15-66	"
" R.37 JT	5-9-66	—	540	5-9		5-9	5/9/66	"
" " PH	5-9-66	180	630	5-11		5-11	[illegible]	
" "	"	540	450	5-12		5-12	5-12-66	TPK
" " PH	5-13-66	480	450	5-14		5-13	5-13-66	"
" R. 26 GD	4-1-66	SUTTER WU 103	405	4-5		4-5	4-5-66	TPK

FE001487

F-181-R10

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. REPUBLIC
PLANT CANTON
SIZE 25 X 27 LV

~~BLOOM CLIPS SK-1667~~
8 SPRING CLIPS SK-3270
1 RING-WIPER WURW 140
INSERT WU 103

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO

ORDER STATUS

CUSTOMER ORDER NO.	DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10282-51, R.39 PM	5-13-66	180	~~630~~	5-18		5-18	Cancel	
" "	"	~~480~~ 180	450	5-19		5-19	5/19/66	TTCX
" "	"	~~480~~	450	5-20		5-20	5/20/66	"
" "	"	~~360~~	450	5-21		5-20	5/20/66	"
" R.41 PM	5-20-66	180	630	5-23		5-23	5-23-66	"
" "	"	180	630	5-24	33m B/C	5-24	5/24	"
" "	"	180	630	5-25		5-25	5/25-66	"
" "	"	480	450	5-26		5-26	5-26-66	"
" "	"	360	360	5-27		5-27	5-27-66	"
" "	"	480	450	5-28		5-27	5-27-66	"
R.42 PM	5-27-66	180	630	5-31		5-31	5-31-66	"
	"	180	630	6-1		6-1	6-1-66	"
	"	180	630	6-2		6-2	6-2-66	"
	"	480	450	6-3		6-3	6/3/66	"
	"	480	450	6-4		6-3	6/3/66	"
	20m 6-3-66	—	720	B&C		6-3	6/3/66	"
	"	—	720	6-6		6-6	6-3-66	"
R.44 PM	6-3-66 6-7-66	180	630	6-6		6-6	6/6/66	"
	"	120	540	6-7		6-7	6-7-66	"
	"	180	630	6-8		6-8	6/8/66	"
	"	360	270	6-9		6-9	6/9/66	"
	"	780	270	6-10		6-10	6-10/66	"
	"	540	450	6-11		6-11		"
" R45 PM	6-10-66 6-10-66	180	540	6-14	2m B/C 33m B/C	6-14	6/14/66	TTCX
		180	630	6-15		6-15	6-15-66	"
		480	450	6-16		6-16	6-16-66	"
		480	450	6-17		6-17	6/17/66	"
R46 PM	6-17-66 6-17-66	180	630	6-20		6-20	6/20/66	"
		180	630	6-21		6-21	6/21/66	"
		120	540	6-22		6-22	6/22/66	"
		480	450	6-23		6-23	6/23/66	"

FE001488

F-181-R10/

OGLEBAY NORTON COMPANY

FERRO ENGINEERING DIVISION

CO. REPUBLIC

PLANT CANTON

SIZE 25 x 27 LV

~~BLOCK CLIPS SK-1653~~

8 SPRING CLIPS SK-3270

1 RING-WIPER WURW 140 - INSERT WU 103

PLANT INVENTORY

ORDER STATUS

60/pal 45 lbs/pal

DATE	BY	ON HAND	USAGE	O. K. TO	CUSTOMER ORDER NO.	DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
					C-10282-51 JT	4-11-66		~~1260~~	MH ~~4-18 AM~~		4-18	MH	Cancel
					" R.30 JT	4-13-66	120	540	4-18 a		4-18	4-18-66	TRK
					" "	"	180	630	4-19		4-19	4-19-66	"
					" "	"	180	630	4-20		4-20	4-20-66	"
					" "	"	180	~~630~~ 540	4-21		4-21	4-21-66	"
					" "	"	180	630	4-22		4-22	4-22-66	"
					" R.32 PH	4-20-66	480	450	4-21		4-21	4/21/66	"
					" "	"	360	270	4-22		4-22	4/22/66	"
					" R.33	4-21-66	-	-	4-22	33M BC ONLY	4-22		
					" "	"	420	360	4-25		4-25	4-25-66	"
							480	450	4-26		4-26	4-26-66	"
							480	450	4-26		4-26	4-26-66	"
							420	360	4-27		4-27	4-27-66	"
							480	450	4-28		4-28	4-28-66	"
							360	270	4-29		4-29	4-29-66	"
							480	450	4-30		4-29	4-29-66	"
					" R.36 PH	4-29-66	180	630	5-2		5-2	5-2-66	"
					" "	"	180	630	5-3		5-3	5-3-66	"
					" "	"	180	630	5-4		5-4	5/4/66	"
					" "	"	~~1260~~	-	5-4		5-4	CANCELLED	
		"		ALL SUTTER	" "	"	~~360~~	270	5-5		5-5	5-5-66	"
		"		PART.	" "	"	~~720~~	280	5-6		5-6	5-6-66	"
					" R.37 PH	5-3-66	180	90	5-9		5-9	5-9-66	"
							180	630	5-10		5-10	5/10	-
							~~180~~	~~630~~	~~5-11~~		~~5-11~~	Cancelled	
							~~540~~	~~450~~	~~5-11~~		~~5-11~~	Cancelled	
							~~540~~	~~450~~	~~5-12~~		~~5-12~~	Cancelled	
							~~480~~	450	5-13		5-13	5-13-66	TRK
							~~540~~	~~450~~	~~5-11~~		~~5-11~~	Cancelled	
					" "	"	180	630	5-11		5-11	5-11-66	TRK

W1103 = 540 Reg; 90 SUTTER →

FE001489

F-181-R10/65

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

co. Republic Steel Corp
PLANT Canton
SIZE 25×27 LV

~~BLOCK CLIPS SK-1037~~
8 SPRING CLIPS SK-3270
1 RING-WIPER WURW 140 (60/Pal) INSERT WU 103 (45/Pal)

(Pallet - 29¾×54" → Pallet 26×71¾

PLANT INVENTORY

ORDER STATUS

DATE	BY	ON HAND	USAGE	O. K. TO	CUSTOMER ORDER NO.	DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
					C-10282-51	1/1/66	S/O	1966					
					" Rel 13 PK	2/18/66	240	585	2-21		2-21	2/21/66	
					" " PH	2-21-66	240	585	2-22	33M BC	2-22	2/22/66	"
					" "	"	240	585	2-23		2-23	2/23/66	"
					" "	"	240	540	2-24		2-24	2/24/66	"
		2385			" "	"	180	540	2-25		2-25	2/25/66	"
-3/17		1080			" "	"	120	450	2-26		2-25	2/25/66	"
3/18		1305			" Rel H PH	2-25-66	420	495	2-26		2-26	2/26/66	"
					" " PH	2-25-66	360	405	2-28		2-28	2/28	"
					" "	"	360	450	3-1		3-1	3/1/66	"
					" "	"	360	540	3-2		3-2	3/2/66	"
					" "	"	360	540	3-3		3-3	3/3/66	"
					" "	"	360	540	3-4		3-4	3/3/66	"
					" "	"	360	540	3-5		3-4	3/4/66	"
					" Rel 18 PH	3-4-66 3-4-66	360	540	3-4		3-11	3/5/66	"
							360	540	3-7		3-7	3-7-66	"
							360	540	3-8		3-8	3/8/66	"
							360	540	3-9		3-9	3/9/66	"
							360	540	3-10		3-10	3-10-66	"
							360	540	3-11		3-11	3/11/66	"
							360	540	3-12		3-11	3/11/66	"
					R 19 PH	3-11-66	360	540	3-12		3-12	3/12/66	"
							360	540	3-14		3-14	3/14/66	"
							360	540	3-15		3-15	3/15/66	"
							240	450	3-16		3-16	3-16-66	"
				2			360	540	3-17		3-17	3/17/66	"
							360	540	3-18		3-18	3/17/66	"
							360	540	3-18		3-18	3/18/66	"
					" Rel 21 Qum	3-17-66	—	—	3-16	66¼ B/C	3-16	3-16-66	"
					" "	"	180	180	3-23		3-23	3/23/66	"
					" "	"	180	630	3-22		3-22	3/22/66	"

FE001490

F-181-R10/63

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. REPUBLIC
PLANT CANTON
SIZE 25 x 27 LV

~~6 BLOCK CLIPS CK-1657~~
8 SPRING CLIPS SK-3270
1 RING-WIPER WURW 140 (60/PAL.) INSERT WU 103 (45/PAL.)

PLANT INVENTORY (29¾" x 54" PAL.) ORDER STATUS (26" x 71¾" PAL.)

DATE	BY	ON HAND	USAGE	O. K. TO	CUSTOMER ORDER NO.		DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
					C-10282-51		1/1/66	S/O	1966					
					" R.4	PH	1-17-66	360	540	APP 1-18		1-18	1-18-66	TPA
					" "		1-19-66	360	540	APP 1-19		1-19	1-19-66	TPA
					" "	PH	1-19-66	240	585	1-20	A	1-20	1-20-66	"
					" "		"	180	495	1-21	R	1-21	1-21-66	"
					" "		"	240	585	1-24		1-24	1-24-66	"
					" R-5	PH	1-23-66	240	585	1-23		1-23	1-23-66	"
					"		1-25-66	180	630	1-25		1-25	1-25-66	"
							1-24-66	360	450	1-26		1-26	1-26-66	"
							1-25-66	420	495	1-27		1-27	1-27-66	"
								420	495	1-28		1-28	1-28-66	"
								420	495	1-29		1-29	1-29-66	"
								180	630	1-31		1-31	1-31-66	"
					" R.7	PH	1-31-66	240	585	2-1		2-1	2-1-66	"
					" "		"	240	585	2-2		2-2	2-2-66	"
					" "		"	240	585	2-3		2-3	2-3-66	"
					" "		"	D-o	495	2-4		2-4	2-4-66	"
					" "		"	240	585	2-5		2-4	2-4-66	"
					" "		"	240	495	2-7		2-7	2-7-66	"
					" R.9	"	2-3-66	-	-	2-4		2-4	2-4-66	"
					" R.11	PH	2-7-66	240	585	2-8		2-8	2-8-66	"
					" "		"	240	585	2-9		2-9	2-9-66	"
					" "		"	240	585	2-10		2-10	2-10-66	"
					" "		"	240	585	2-11		2-11	2-11-66	"
					" R.12	PH	2-11-66	180	540	2-12		2-11	2-14-66	"
					" "		2-15-66	240	585	2-14		2-14	2-14-66	"
					" "		2-14-66	180	495	2-15	2M S/C	2-15	2-15-66	"
					" "	PH	2-15-66	600	405	2-16	5M S/C	2-16	2-16-66	"
					" "		2-15-66	240	540	2-17	2M S/C	2-17	2-17-66	"
					" "		"	240	585	2-18	2M S/C	2-18	[illegible]	

FE001491

F-181-R10/64

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. Republic Steel
PLANT Canton
SIZE 25 x 27 LV

BLOCK CLIPS SK-1657
8 SPRING CLIPS SK- 3270
1 RING-WIPER WURW 140 (60/Pal) INSERT WU 103 (45/Pal)
(29 3/4 x 54 Pal)

PLANT INVENTORY

ORDER STATUS (26 x 71 3/4 PAL.)

DATE	BY	ON HAND	USAGE	O. K. TO	CUSTOMER ORDER NO.	DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
					C-10120-51	11/65	S/O for 1965						
					Rel 60 PH	12-17-65 12-12-66	360	540	12/24	No Appts	12/24	12/24/65	TRK
							360	540	12/24	" "	12/24	12/24/65	"
					R. 62 "	12-22-65 12-27-65	540	450	12-23	"	12-23	12/23/65	TRK
					R. 62 "	12-23-65 12-27-65	360	540	12-27	"	12-27	12/27/65	"
					" " "	12-27-65 "	540	360	12-28	RGM BC ONLY	12-28	12/28/65	"
					" "	" "	360	540	12-29	NO APTS	12-29	12/29/65	"
					" "	" "	540	450	12-30	"	12-30	12/30/65	"
					" "	" "	360	540	12-31	"	12-30	12/29/65	"
					" R.63 PH	12-29-65 "	540	450	12-30	"	12-30	12/30/65	"
					" "	" "	480	360	12-31	"	12-31	12/31/65	"
					" "	" "	480	405	1-3	"	1-3	1-3-66	"
					" "	" "	300	450	1-4	"	1-4	1-4-66	"
					" "	" "	480	450	1-5	"	1-5	1-5-66	"
					" "	" "	360	540	1-6	"	1-6	1-6-66	"
					" "	" "	480	450	1-7	"	1-7	1-7-66	"
					C-10282-51	1/1/66	S/O	1966					
					" R3 RGM	1-6-66	-	42 (SPECIAL-STA	1-10		1-10	1-10-66	TRK
					" R.3 PH	1-7-66 "	780	270	1-8	11 M S/C ONLY	1-7	1-7-66	"
					" "	"	600	405	1-8	NO Appts	1-7	1-7-66	"
					" "	"	360	495	1-10	"	1-10	1-10-66	"
					" "	"	540	450	1-11	"	1-11	1-11-66	"
					" RGM	1-10-66	-	45 (REMOTE)	MH ASAP		1-13	MH	SEE WU 113
				Rev 4 1/11	" R.3 PH	1-11-66 1-17-66	420	495	1-12	No Clips	1-12	1-12-66	TRK
				"	" "	"	420	495	1-13	"	1-13	1-13-66	"
				"	" "	"	420	495	1-14	"	1-14	1-14-66	"
					" R.4 PH	1-13-66 1-19-66	—	—	1-14	15 M S/O ONLY	1-14		
					" " PH	1-14-66 1-19-66	420	495	1-15		1-14	1-14-66	"
					" "	"	420	495	1-15		1-14	1-15-66	"
					" "	"	420	495	1-17		1-17	1-17-66	"

FE001492

F-181-R10

DGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

CO. REPUBLIC
PLANT CANTON
SIZE 25 X 27 LV

[redacted]
8 SPRING CLIPS SK-3270
1 RING-WIPER WURW 140 (60/PAL.) INSERT WU 103 (45/PAL.)

PLANT INVENTORY

(29¾ x 54 PAL.) ORDER STATUS (26 x 71¾ PAL.)

DATE	BY	ON HAND	USAGE	O. K. TO		CUSTOMER ORDER NO.		DATE	RINGS	INSERTS	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
						C-10120-51		11/1/65	S/O	1965					
						" R.55	PH	11-23-65	540	450	11-29	ARR	11-29	11/29/65	TRK
						" "		" "	540	360	11-30	R	11-30	11-30-65	"
						" "		" "	540	450	12-1	IV	12-1	12/1/65	"
						" "		" "	540	360	12-2	AL	12-2	12/2/65	"
				Rev 1 of 12/7/65		" "		" "	360	540	12-3		12-3	12/3/65	"
		Full Truck WU 103 →				" "		" "	540 cancel	720	12-4	2500 B/C	12-3	12/3/65	"
						" R.57		11-29-65	360	540	11-29	1M SC	11-28	11/28/65	OVER
						" "		"	-	-	11-29	2M SC	12-1	11/29/65	"
						" "		11-30-65	360	540	12-6		12-6	12/6/65	"
						" "			540	450	12-7		12-7	12/7/65	"
						" "			360	450	12-7		12-7	12/7/65	"
						" "			360	540	12-8		12-8	12/8/65	"
						" "			540	450	12-9		12-9	12/9/65	"
						" "			360	540	12-10		12-10	12/10/65	"
To Be Invoiced cancl						" "			540	450	12-11		12-10	12/10/65	"
						" R.58		12-3-65 12-7-65	1320	-	12-4	33 M B/C	12-3	12/3/65	TRK
Shipped on WW-63						" R59		12-10-65 12-10-65	360	540	12-13		12-13	12/13/65	"
									540	450	12-14	No Apple	12-14	12/14/65	"
									360	540	12-15	" "	12-15	12/15/65	"
									540	450	12-16	" "	12-16	12/16/65	"
									360	540	12-17	" "	12-17	12/17/65	"
									540	450	12-18	" "	12-17	12/17/65	"
						R.60	PH	12/17/65	540	450	12-18	" "	12-18	12/18/65	"
								12/17/65	360	540	12-20		12-20	12/20/65	"
									360	405	12-21		12-21	12/21/65	"
									780	180	12-22		12-22	12/22/65	"
									540	360	12-23		12-23	12/23/65	"
							BFA	12-15-65	—	4	M&H	Special Exothermic	12-17	M&H	
		WW-103 →		Special 3TA		C-10120-51 R/60	SUB	12-13-65 12-14-65	—	77	12-22	ALL EXOTHERMIC	12-22	12/22/65	TRK
		"	"	→ 3TA.											

FE001493

F-181-R10/61

OGLEBAY NORTON COMPANY
FERRO ENGINEERING DIVISION

co. Republic
PLANT Canton
SIZE 125 x 27 LV

8 SPRING CLIPS SK- 3270
1 RING-WIPER WURW 140 60 per pallet
INSERT WU - 103 45 sets per pallet

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	
					THESE WERE M&H FOR 1-1 → Sutter Inserts
					SUTTER INSERTS →
					" " →
					(450 EA. FOR 11/11 & 11/12 T/Is →)

ORDER STATUS

CUSTOMER ORDER NO.		DATE	RINGS 140	INSERTS 103	DATE WANTED		DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10120-51		1/1/65	S/O 1965						
" R.50	AD	10-24-65	720	315 sets	10-30		10-29	10/29/65	TKK
" "	PH	"	540	443 "	11-1		11-1	10-29/65	"
" "		"	540	450 "	11-2		11-2	11-1-65	"
" "		"	600	135 "	11-3		11-3	11/3/65	"
" "		"	540	450 "	11-4		11-4	11-4-65	"
" "		"	540	450 "	11-5		11-5	11-5-65	"
" R.51	PH	11-3-65	—	720 "	11-3		11-3	11/3/65	"
" R.52	PH	11-4-65	540	450 "	11-6		11-5	11-5-65	"
" "		"	540	450 "	11-8		11-8	11-8-65	"
" "		"	540	450 "	11-9		11-9	11-9-65	"
" "		"	540	450 "	11-10		11-10	11/10/65	"
" "		"	540	450 "	11-11		11-11	11-11-65	"
" "		"	540	450 "	11-12		11-12	11-12-65	"
" "		"	540	450 "	11-13		11-12	11-12-65	"
SUTTERS →	WMC	11-4-65	—	900 "	M&H ASAP		11-11	M&H	—
" R.53	PH	11-11-65	360	405	11-15	ADR	11-15	11-15-65	TKK
" "		"	-0-	630	11-16	R	11-16	11-16-65	"
" "		"	360	450	11-17		11-17	11-17-65	"
" "		"	540	450	11-18		11-18	11-18-65	"
" "		"	420	450	11-19		11-19	11-19-65	"
" R.54	PK	11-18-65 11-18-65	420	405	11-20		11-19	11/19/65	"
			420	450	11-22		11-22	11-22-65	"
			420	450	11-23		11-23	11-23-65	"
			360	540	11-24		11-24	11/24/65	"
			540	450	11-25		11-24	11/24/65	"
			360	540	11-26		11-26	11/26/65	F
			420	360	11-27		11-26	11/26/65	F
EXPR. N/C	GD	11-3-65	—	C ISOTHERMIC WU 103	11-12		11-12	11/12/65	TKK

FE001494

FORM F-28

CO. Republic
PLANT Canton
SIZE 25 x 27 L.U.

Inserts WU-103 45/P

PLANT INVENTORY						ORDER STATUS									
DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER	CUSTOMER ORDER NO.		DATE	QUANTITY Sets	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
						C-10120-51		REV. 1 9-27-65 9-9-65	5/0	1965				
					Cons. 9/16	R.42	PH		~~450~~	~~9-15~~		~~9-15~~	Can...	...
									270	9-16		9-16	9-16-65	TPK
									450	9-20		9-20	9-20-65	"
									450	9-22		9-22	9-22-65	"
									450	9-24		9-24	9-24-65	"
									450	9-27		9-27	9-27-65	"
									~~450~~	~~9-29~~		~~9-29~~	CANCLD	
									450	10-4		10-4	10/4/65	"
					Special Satin Inserts →	"	R-47		92 SETS				9/30/65	"
						"	43 PH	10-5-65	450	10-6		10-6	10/6/65	"
						"	"	"	450	10-7		10-7	10/7/65	"
						"	"	"	450	10-8		10-8	10/8	"
						"	44 LD	10-11-65	540	R.U.S.N		10-11	10/11	"
						"	44 PH	10-12-65 10-11-65	450	10-12		10-12	10/12	"
						"	44 "	10-12-65 10-11-65	540	10-13		10-13	10/13	"
									~~540~~	~~10-14~~		~~10-14~~	Cancel	
						"	"	"	540	10-15		10-15	10/15	"
						"	R45 PH	10-15-65 10-7-65	450	10-16		10-16	10/15	"
						"	"	"	450	10-18		10-18	10/18	"
						"	R45 PH	10-1-65	720	10-19		10-19	10/19	"
						"	"	"	720	10-21		10-21	10/21	"
									~~720~~	~~10-25~~		~~10-22~~	...	...
						"	R47 PH	10-21-65	450	10-22		10-22	10/22/65	"
						"	R47 "	"	450	10-23		10-22	10/22/65	"
						"	R48 "	10-22-65	540	10-25		10-25	10/25/65	"
						"	"	"	405	10-26		10-26	10/26/65	"
						"	"	"	540	10-28		10-28	10/28/65	"
					✓	"	"	"	450	10-29		10-29	10/28/65	"
						"	" PH	10-26-65	270	10-27		10-27	10/27/65	"
									~~450~~			~~10-1~~	~~Mrk~~	

443 SETS INCL IN 9/29/65 TLG OF IT → Special Satin Inserts → 360 PCS

FE001495

FORM F-28

CO. Republic
PLANT Canton
SIZE 25 x 27 L.V.

8 - Spring Clips SK-3270
1 - Ring Wiper WURW140

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS 60/Pallet

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
2-10120-51	9/1/65	S/O	1965				
" R45 Ph	10-15-65 10-18-65	540	10-18		10-18	10/18/65	2K
" R47 "	10-21-65 "	540	10-22		10-22	10/22/65	"
" "	"	540	10-23		10-22	10/22/65	"
" R48 Ph	10-22-65 "	360	10-25		10-25	10/25/65	"
" "	"	420	10-26		10-26	10/26/65	"
" "	"	360	10-28	33M BC No SC	10-28	10/28/65	"
" "	"	240	10-29	NO CLIPS	10-29	10/28/65	"
" " Ph	10-26-65 10-26-65	780	10-27		10-27	10/27/65	"
"	"						

FE001496

FORM F-28

co. Republic Steel Corp

PLANT Canton

SIZE 25 x 27 L.V.

8 - Spring Cl. 61 St - 3270 -

1 - Ring - Wiper WURW 1410 -

PLANT INVENTORY 60 Per Pallet

ORDER STATUS Pallet - 29 3/4" - 1/4"

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER	CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
						C-10120-51	9/1/65	3/0 - 1465					
						Rel 39 Ph	8-26 8-26-65	~~540~~	8-30		8-30	8-30-65 YRK	
								~~420~~	8-31		8-21	Can	
								540	9-1		9-1	9-1-65 YRK	
								360	9-2		9-2	9-2-65	
								540	9-3		9-3	9-3-65	
						Ph	8-31-65	360	8-31		8-31	8-31-65 YRK	
						" R40 "	8-31-65 "	360	9-4		9-3	9-3-65	
						" R41 "	9-3-65 "	300	9-7		9-7	9-7-65	
						" "	"	360	9-8		9-8	9-8-65	
						" "	"	420	9-9		9-9	9-9-65	
						" "	"	480	9-10		9-10	9-10-65	
					Conf. 9/16	R42 Ph	9-9-65 "	~~540~~	9-13		9-13	9-13-65	
								~~540~~	9-14		9-14	9-14-65	
								~~540~~	9-15		9-15	Can	
								420	9-16		9-16	9-16-65 YRK	
								540	9-20		9-20	9-20-65	
								540	9-22		9-22	9-22-65	
								540	9-24	33m P/C 3m S/C	9-24	9-24-65	
								540	9-27		9-27	9-27-65	
								~~540~~	9-29		9-29	Can	
								540	10-4		10-4	10/4/65	
						" 43 Ph	10-5-65 10-5-65	540	10-6		10-6	10/6/65	
						" "	"	540	10-7		10-7	10/7/65	
						" "	"	420	10-8		10-8	10/8	
						" 44 Ph	10-11-65 "	420	Rush		10-11	10/11	
						" 44 Ph	10-12-65 10-11-65	540	10-12		10-12	10/12	
						" 44 "	10-12-65 10-11-65	360	10-13		10-13	10/13	
						" "	"	~~360~~	10-14		10-14	Cancel	
						" "	"	360	10-15		10-15	10/15	
		✓				" R75 Ph	10-16-65 10-15-65	540	10-16		10-15	10/15	

FE001497

FORM F-28

co. Republic Steel Corp

PLANT Canton

SIZE 25 x 27 L.V

8 Spring Cl. Pkg JK-3270

1 Ring Wiper WURW 140

PLANT INVENTORY 60 / Pallet

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
		✓			

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10120-51	1/1/65	S/O	1965				
Rel 32 Ph	7-22-65 7-22	480	7-26 a		7-26	7/26/65	TRK
/	/	480	7-30 c		7-30	7/30/65	"
/	/	360	7-27		7-27	7/27/65	"
/	/	360	7-29		7-29	7/29/65	"
/	/	360	7-31		7-30	7/30/65	"
/	/	360	7-28		7-28		
R 33 Ph	7-29-65 "	420	8-2		8-3	8-2-65	TRK
/	/	420	8-3		8-3	8-3-65	"
/	/	420	8-4		8-4	8-4-65	"
/	/	420	8-5		8-5	8-5-65	"
/	/	420	8-6		8-6	8-6-65	"
/	/	420	8-1		8-6	8-6-65	"
R 36 Ph	8-2-65	420	8-9	No S/C	8-9	8-9-65	"
/	"	420	8-10	No S/C	8-10	8-10-65	"
/	"	420	8-11		8-11	8-11-65	"
/	"	420	8-12		8-12	8-12-65	"
/	"	420	8-13		8-13	8-13-65	"
/	"	420	8-14		8-14	8-13-65	"
R 37 Ph	8/12/65 8-17-65	600	8-16 a		8-16	8-16-65	c
/	/	540	8-17	No S/C	8-17	8-17-65	"
/	/	600	8-18	"	8-18	8-18-65	"
/	/	540	8-19	"	8-19	8-19-65	"
/	/	600	8-20		8-20	8-20-65	"
/	/	540	8-21		8-20	8-20-65	c
R 38 Ph	8-17-65 8-24-65	420	8-23	33m 4m S/C	8-23	8-23-65	"
/	/	360	8-24		8-24	8-24-65	"
/	/	360	8-25		8-25	8-25-65	"
/	/	360	8-26		8-26	8-26-65	"
/	/	360	8-27		8-27	8-27-65	"
		/					

FE001498

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25 × 27 LV

8 SPRING CLIPS 3K-3270

1 RING-WIPER WURW 140

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10120-51	1/1/65	S/O	1965				
R.29 JDK	C-17-65 C-18-65	540	6-24 A		6-24	6/24/65	TTEX
	"	540	6-25 R		6-25	6/25/65	"
	"	300	6-25		6-25	6/25/65	"
	"	360	6-28		6-28	6/28/65	"
	"	300	6-29		6-28	6/28/65	"
	"	300	6-29		6-29	6/29/65	"
	"	540	6-30		6-30	6/30/65	"
	"	540	7-1		6-30	6/30/65	"
	"	540	7-1		7-1	7/1/65	"
	"	540	7-2		7-2	7/2	"
	"	300	7-3		7-2	7/2	"
R.30 GD	C-29-65 C-29-65	300	7-6		7-6	7/6	"
		540	7-7		7-7	7/6	"
		540	7-6		7-6		"
		360	7-8		7-8	7/7	2K
		540	7-9		7-9	7/9/65	TTEX
		540	7-9		7-9	7/8	" "
		540	7-10		7-9	7/10/65	"
R.31 WAK	7-9-65 11	540	7-12	66 M S/A No S/A	7-12	7/12/65	"
		360	7-13	No Clips	7-13	7-13-65	"
		480	7-14	"	7-14	7-14-65	"
		~~360~~	~~7-15~~	"	~~7-16~~	→ Cancel	
		480	7-16		7-16	7-15-65	TTEX
		540	7-17		7-16	7-16-65	"
		480	7-19		7-19	7-19-65	"
		360	7-20		7-20	7/20/65	"
		480	7-21		7-21	7-21-65	"
		360	7-22		7-22	7/22/65	"
		480	7-23		7-23	7/23/65	"
		360	7-24		7-23	7/23/65	"

FE001499

FORM F-28

CO. Republic Steel Corp

PLANT Canton

SIZE 25×27

8 - Spring Clips SK-3270

1 - Ring-Wiper WURW-140

360 RW - 3000 S/C

540 RW - 5000 S/C

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					6D Ph 5/26/65

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10120-S1	1/1/65	S/O - 1965					
1 Rel 25 M	5/21/65	5860	5-18 9		5-28	5/28/65 THK	
" R.26 6D	5-27 5-28 C-3-65	420	5-29		5-28	5/28/65 THK	
		540	6-1 ARRIVAL		6-1	6-1-65 "	
		540	6-2		6-2	6/2/65 "	
		360	6-3		6-3	6/3/65 "	
		360	6-4		6-4	6-4-65 "	
		540	C-4		6-4	6-4-65 "	
		540	C-5		6-4	6-5-65 "	
		540	6-7		6-7	6-7-65 "	
		360	6-8		6-8	6/8/65 "	
		360	6-9		6-9	6/9/65	
		540	C-10		6-10	CANCELLED	
		540	6-10		6-10	6/10/65 THK	
		540	6-11		6-11	6-11-65 "	
		360	6-12		6-11	CANCELLED	
" " PH	6-2-65 C-3-65	360	6-2		6-2	6/2/65 "	
" R.27 "	6-5-65 6-7-65	300	6-5	No Clips 4m S/C 33m S/C	6-5	6-5-65 "	
" R.28 6D	6-8-65 C-16-65	480	6-9		6-9	6/9/65 "	
" "	6-9-65 C-16-65	540	6-14		6-14	6/14 "	
" "	" "	540	6-15		6-15	6/15 "	
" "	" "	360	6-16		6-16	6/16 "	
" "	" "	540	6-17		6-17	6/16 "	
" "	" "	300	C-17		6-17	6/17/65 "	
" "	" "	540	6-18		6-18	6-18-65 "	
" "	" "	480	C-19		6-18	6-18-65 "	
" R.29 JDK	6-17-65 C-18-65	180	6-21	NO S/C	6-21	6/21/65 "	
	"	540	6-21	"	6-21	6/21/65 "	
	"	300	6-22	"	6-22	6/22/65 "	
	"	540	6-23	"	6-23	6/23/65 "	
	"	300	6-23		6-23	6/23/65 "	

FE001500

FORM F-28

CO. Republic
PLANT Canton
SIZE 25x27 CV

8 Spring Clips SK-3270
1 Ring-Wiper WURW-140

360 R.H Inlet 2000 S/C
540 RW Inlet 5000 S/C

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					JDK - 5/13/65 →
					"
					"
					"
					"
					"
					GO - 5/20/65

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10/20-51	1/1/65	S/O 1965					
R.18 JDK	4-15-65 4-19-65	540	4-26		4-26	4-26-65	
R.20 GD	4-26-65 4-28-65	540	4-27		4-27	4-27-65	"
		360	4-28		4-28	4-28-65	"
		540	4-29		4-29	4-29-65	"
		180	4-30		4-30	4/30/65	"
		540	5-3		5-3	5-3-65	"
		540	5-4		5-4	5-4-65	"
		360	5-5		5-5	5-5-65	"
		540	5-6		5-6	5-6-65	"
		360	5-7		5-7	5-7-65	"
		540	5-8		5-7	5-7-65	"
Rel 22 GO	5-7-65	540	5-10	No S/C	5-10	5-10-65	"
		540	5-12	No S/C	5-12	5-12-65	"
		540	5-14		5-14	5-14-65	"
		540	5-15		5-14	5-15-65	"
		360	5-11	No S/C	5-11	5-11-65	"
		360	5-13		5-13	5-13-65	"
Rel 23	5/14/65	360	5-17		5-17	5-17-65	"
		360	5-18		5-18	5-18-65	"
		360	5-19		5-19	CANCELLED	
		480	5-19		5-19	5-19-65	"
		480	5-20		5-20	5-20-65	"
		SHD	5-21		5-21	5/21	"
		360	5-22		5-21	5/21	"
Rel 25	5/21/65	360	5-24		5-24	5-24-65	"
		360	5-25		5-25	5-25-65	"
		360	5-27		5-27	5-27-65	"
		360	5-29		5-29	5/28/65	"
		SHD	5-26		5-26	5-26-65	"
		540	5-27		5-27	5-26-65	"

FE001501

FORM F-88

CO. REPUBLIC

PLANT CANTON

SIZE 25 x 27 LV

8 SPRING CLIPS 3K-3270

1 RING-WIPER WURW 140

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					Del 5/c →

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10120-51	1/1/65	S/O	1965				
" R.12 DH	3-14-65	540	3-14		3-14	3/14/65	YRK
" R.14 GD	3-18-65 3-18-65	540	3-22		3-22	3/22/65	"
" "	"	540	3-29	No S/C	3-29	3/29/65	"
" R.15 JDK	3-26-65 3-26-65	360	3-30	66M S/C No S/C	3-30	3/30/65	"
		360	3-31	No S/C	3-31	3-31-65	"
		240	4-3	S/C	4-2	4-2-65	"
		540	4-1	no S/C	4-1	4-1-65	"
		360	4-2		4-2	4-2-65	"
		540	4-5		4-5	4-5-65	"
		540	4-6		4-6	4-6-65	"
		360	4-7		4-7	4-7-65	"
		340	4-8		4-8	4-7-65	"
		300	4-9		4-9	4-10-65	"
		540	4-10		4-9	4-9-65	"
		540	4-8		4-8	4-8-65	"
	JDK 4-7-65 4-7-65	240	4-8		4-8	4-8-65	"
R.17 "		540	4-12		4-12	4-12-65	"
		360	4-13		4-13	4-13-65	"
		540	4-14		4-14	4-13-65	"
		540	4-15		4-15	4-14-65	"
		540	4-16		4-15	4-15-65	"
		360	4-17		4-15	4-15-65	"
		540	4-19		4-19	4-19-65	"
R.18 JDK	4-15-65 4-15-65	180	4-17		4-17	4-17-65	"
		360	4-20		4-20	4-21-65	"
		360	4-21		4-21	4/20/65	"
		540	4-22		4-22	4-22-65	"
		360	4-22		4-22	4-21-65	"
		540	4-23		4-23	4/23/65	"
		240	4-24		4-23	4/23/65	"

FE001502

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25 X 27 LV

8 SPRING CLIPS 3K-3270

1 RING-WIPER WURW 140

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

FORM F-28

CO. Republic
PLANT Canton
SIZE 25 x 27 LV

8 spring Clips 5K-3270
1 Ring - Wiper WURW-140

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10120-51	1/1/65	Reqt.	Ord	for 1965			
R.4 AD	1-14-65 1-15-68	360	1-26 A		1-26	1-26-65	Truck
		360	1-27 R		1-27	1-27-65	I
		360	1-28 R		1-28	1-28-65	I
		540	1-29 I		1-29	1-28-65	I
		300	1-30 J		1-29	1/29/65	I
		540	1-31 C		1-29	1-29-65	C
R.6 AD	1-30-65 2-3-68	540	2-1 I	33mB/a	2-1	2/1/65	I
		360	2-2 N	No Appts	2-2	2-2-65	N
		540	2-3 R	" "	2-3	2/3/65	R
		540	2-4 R	" "	2-4	2-4-65	N
		360	2-4 I	" "	2-4	2-4-65	I
		~~470~~ 540	2-5 J		2-5	2-5-65	I
		~~540~~	2-6 C		2-5	2-5-65	C
		540	2-8 L		2-8	2-8-65	N
		360	2-9	No Clips	2-9	2/9/65	I
		540	2-10 C	" "	2-10	2/10/65	I
		360	2-11 C		2-11	2/10/65	R
		540	2-12 C		2-12	2/11/65	I
		360	2-12 I		2-12	2/12/65	R
		240	2-13 J		2-12	2/12/65	I
R.7 AD	2-3-65 2-2-68	540	2-15 C		2-15	2/15/65	I
		480	2-16 C		2-16	2/16/65	I
		540	2-17 C		2-17	2/17/65	C
		~~480~~	2-18 C		2-18	2/18/65	I
		~~360~~	2-19 I		2-19	2/19/65	I
		540	2-19 J		2-19	2/19/65	I
		360	2-20 C		2-19	2/20/65	I
R.9 GD	2-17-65 2-17-65	480	2-22 A		2-22	2/22/65	R
" "	" "	540	2-23 R		2-23	2/23/65	I
" "	" "	480	2-24		2-24	2/24/65	I

FE001504

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25 x 27 LV

8 SPRING CLIPS SK-3270

1 RING-WIPER WURW 140

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25 X 27 LV

8 SPRING CLIPS SK-3270

1 RING WIPER WURW 140

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CG458C8-R	11/27/64	REQT ORD.	1964				
" R.34 JDK	11-17-64 11-18-64	360	11-30		11-30	11-30-64	TRK
" " "	"	540	12-1		12-1	12-1-64	"
" " "	"	360	12-2		12-2	12-2-64	"
" R.36 "	12-1-64 12-10-64	540	12-3 A		12-3	12-3-64	"
" " "	"	540	12-3 B		12-3	CANCELLED	
" " "	"	540	12-7 B		12-7	12-7-64	TRK
" " "	"	540	12-8 I		12-8	12-8-64	"
" " "	"	540	12-9 H		12-9	CANCELLED	
" " "	"	540	12-10 A		12-10	12-10-64	"
" " "	"	540	12-14 L		12-14	12-14-64	"
" " "	"	540	12-16 I		12-15	CANCELLED	
" Rel. 35 "	12-1-64 12-10-64	360	12-5 A		12-4	12-4-64	TRK
" " "	"	360	12-9 B		12-9	12-9-64	"
" " "	"	360	12-12 B		12-11	12-10-64	"
" " "	"	360	12-16 I		12-16	CANCELLED	
" Rel. 35 "	12-1-64 12-10-64	360	12-4 A		12-4	12-4-64	TRK
" " "	"	360	12-11 B		12-11	12-11-64	"
" Rel. 36 JDK	12-16-64 12-22-64	540	12-17 A		12-17	12-17-64	"
" "	"	540	12-18 B		12-18	12-18-64	"
" "	"	360	12-19 B		12-18	12-19-64	"
" "	"	540	12-21 I		12-21	12-21-64	"
" "	"	360	12-23 J		12-23	12-23-64	"
" "	"	360	12-23 A		12-23	12-23-64	"
" "	"	540	12-26 L		12-24	12-24-64	"
" "	"	360	12-28 I		12-28	12-28-64	"
" "	"	360	12-30 I		12-30	12-30-64	"
" R36 JDK	12-16-64 12-22-64	480	12-18		12-18	12-18-64	TRK
"	"	480	12-22		12-22	12-22-64	"
"	"	480	12-24		12-24	12-24-64	"
"	"	480	12-29		12-29	12-29-64	"

FE001506

X

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25 x 27 LV

8 SPRING CLIPS SK-3270

1 RING-WIPER WURW 140

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-645868-R	1/27/64	REAT ORD.	1964				
" R.30 GD JDK	10-16-64 10-23-64 10-30-64 11-4-64	540	10-30		10-30	10/29/64 TRK	
R.31		360	10-31		10-30	10/30/64 "	
		360	11-2	GGM BC	11-2	11-2-64 "	
		360	11-3		11-3	11-3-64 "	
		360	11-4		11-4	11-3-64 "	
		360	11-4		11-4	11-4-64 "	
		540	11-5		11-5	Cancel	
		300	11-7 ADD		11-6	11/6/64 "	
		540	11-7		11-6	Cancel	
		540	11-9		11-9	11-9-64 TRK	
		540	11-10	No SC	11-10	11-10-64 "	
		540	11-11	No S/C 38 M B/L	11-11	11/11/64 "	
		540	11-11	NO CLIPS	11-12	11-11-64 "	
		360	11-12	"	11-12	11-12-64 "	
		300	11-13	"	11-13	11-13-64 "	
		360	11-14	NO S/C	11-13	11-13-64 "	
" R.32 GD	11-9-64 11-16-64	480	11-16		11-16	11-16-64 "	
" "	" "	540	11-17		11-17	11-17-64 "	
" "	" "	540	11-18		11-18	11-18-64 "	
" R.34 JDK	11-17-64 11-18-64	540	11-19		11-19	11-19-64 "	
		480	11-19		11-19	11-19-64 "	
		300	11-20	GGM BC	11-20	11-20-64 "	
		540	11-21		11-20	11-20-64 "	
		300	11-23		11-23	11-23-64 "	
		540	11-24		11-24	11-24-64 "	
		300	11-25		11-25	11-24-64 "	
		540	11-25		11-25	11/25/64 "	
		300	11-27		11-27	11-27-64 "	
		540	11-28		11-27	11-27-64 "	
		540	11-28		11-27	11-28-64 "	

FE001507

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25 X 27 LV

8 SPRING CLIPS SK-3270

1 RING-WIPER WURW 140

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-6458C8-R	1/27/64	RECAT.	ORD.	1964			
R.29	JR 9-29-64 10-8-64	420	10-1		10-1	10/1/64	TRK
		540	10-2		10-2	10/2/64	"
		540	10-3		10-2	10/2/64	"
		360	10-5		10-5	10/5/64	"
		540	10-6		10-6	10/6/64	"
		540	10-7		10-7	10/7/64	"
		360	10-8	INCL. GGM BC	10-8	10-8-64	"
		360	10-9		10-9	10/9/64	"
		540	10-10		10-9	10/10/64	"
		540	10-12		10-12	10/12/64	"
		540	10-13		10-13	10/13/64	"
		360	10-14		10-14	10/14/64	"
" 28 40	10-5-64	540	10-8		10-8	10/8/64	TRK
R.30	GD 10-9-64 10-23-64	540	10-13		10-13	10/13/64	"
		540	10-15		10-14	10/14/64	"
		540	10-15		10-15	10/15/64	"
		540	10-16		10-16	10/16/64	"
		360	10-17		10-16		
		540	10-19		10-19	10/19/64	"
		360	10-20		10-20	10/20/64	"
		540	10-21		10-21	10/21/64	"
" "	GD 10-15-64 10-23-64	360	ARD 10-21		10-20	10/20/64	"
	GD 10-16-64 10-23-64	360	10-22		10-22	10/22/64	"
		360	10-23		10-23	10/23/64	"
		540	10-24		10-23	10/23/64	"
		540	10-26		10-26	10/26/64	"
		360	10-27		10-27	10/27/64	"
		540	10-28		10-28	10/28/64	"
		540	10-29		10-29	10/29/64	"
		360	10-30		10-30	10/30/64	"

FE001508

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25 x 27 LV

8 SPRING CLIPS SK-3270 11M
1 RING-WIPER WURW 140 1260 } T/L

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CC458C8R	8/27/64	REST OLD		1964			
R.26 GD	8-18-64	540	8-31		8-31	8-31-64	TRK
" "	"	540	8-31		8-31	8-31-64	"
R.27 GD	8-31-64 9-1-64 Saturday	540	9-1		9-1	9-1-64	"
		540	9-2	No S/C	9-2	9-2-64	"
		540	9-3	"	9-3	9-3-64	"
		540	9-3	"	9-3	9-3-64	"
		540	9-4	"	9-4	9-4-64	"
		360	9-4	"	9-4	9-4-64	"
		360	9-5		9-4	9-5-64	"
		540	9-8		9-8	9-8-64	"
		540	9-9		9-9	9-9-64	"
		360	9-10		9-10	9-10-64	"
		360	9-11		9-11	9-12-64	"
		300	9-12		9-11	9-11-64	"
		540	9-14		9-14	9-14-64	"
		360	9-15		9-15	9-15-64	"
R.28 40 JDL	9-10-64 9-16-64 9-21-64	540	9-16		9-16	9-16-64	"
		360	9-17		9-17	9-17-64	"
		360	9-18		9-18	9-18-64	"
		360	9-21		9-21	9-21-64	"
		540	9-22		9-22	9-22-64	"
		360	9-23	9311 S/C	9-23	9-23-64	"
		540	9-24		9-24	9-24-64	"
		360	9-25		9-25	9-25-64	"
		540	9-28		9-25	9-28-64	"
		540	9-29		9-29	9-29-64	"
		540	9-30		9-30	9-30-64	"
JDK	9-18-64 10-8-64	720	9-19		9-19	9-19-64	TRK
JDL	9-14-64 10-8-64	540	9-26		9-25	9-25-64	"
" " "	9-29-64 10-8-64	540 360	9-30		9-30	9-30-64	"

FE001509

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25 × 27 LV

S - Sling Clips SK-3270 1100 } T/L

1 - Sling Nipple NURN 140 1260

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-1455 S.S.-R	7/22/64	Last Order			1964		
R.24 JOLT	7-20-64 7-29-64	540	7-25		7-24	7-24-64	TRUCK
		360	7-27		7-27	7-27-64	"
		420	7-29		7-29	7-29-64	"
		~~540~~	7-28		7-29	HOLD CANCEL	
		540	7-30		7-30	7-30-64	"
		360	7-31		7-31	7-30-64	"
		540	8-1		7-31	7-31-64	"
		360	8-3		8-3	8-3-64	"
		540	8-4		8-4	8-4-64	"
		540	8-5		8-5	8-5-64	"
"	"	-	7-23	99 M BC	7-23	7/24/64	TRUCK
R.25 JOLT	8-3-64 8-9-64	540	8-6		8-6	8-6-64	"
		360	8-7		8-7	8-7-64	"
		540	8-8		8-7	8-7-64	"
		360	8-10		8-10	8-10-64	"
		540	8-11		8-11	8-11-64	"
		540	8-12		8-12	8-12-64	"
		360	8-13		8-13	8-13-64	"
		360	8-14		8-14	8-14-64	"
		540	8-15		8-14	8-14-64	"
		360	8-17		8-17	8-17-64	"
		360	8-18		8-18	8-18-64	"
		360	8-19		8-19	8-19-64	"
R.26	G.B-18-64	360	8-20	NO SC	8-20	8-20-64	"
		360	8-21	"	8-21	8/21/64	"
		360	8-24	"	8-24	8/24/64	"
		360	8-25	"	8-25	8/25/64	"
		360	8-26	"	8-26	8/25/64	"
		360	8-27		8-27	8/27/64	"
		540	8-28		8-28	8-28-64	

FE001510

FORM F-28

CO. Republic Steel Corp

PLANT Canton

SIZE 25 x 27 - L.V.

8 - Spring Clips SK-3270 - 11000
1 - Ring-Wiper WURW 140 - 1260 } T/L

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-645868-R	11/27/64	Requirement Order 1964					
" Rel 20	6-6-64 6-8-64	540	6-24		6-24	6/24/64	TRK
" "	"	540	6-25		6-25	6-25-64	"
" R-21 "	6-25-64 6-26-64	540	6-26		6-26	6-26-64	"
		360	6-29		6-29	6-29-64	"
		360	6-30	33M SK-1657	6-30	6-30-64	"
		360	7-1		7-1	7-1-64	"
		360	7-2		7-2	7-2-64	"
		360	7-3		7-3	7-3-64	"
		540	7-6		7-6	7-6-64	"
		360	7-7	NO S/C SHTG	7-7	7-7-64	"
		360	7-8	"	7-8	7-8-64	"
		540	7-9	"	7-9	7-9-64	"
R-23 GD	7-7-64 7-12-64	540	7-10	SHTG 1000 S/C	7-10	7-10-64	"
		540	7-13	NO SC	7-13	7/13/64	"
		540	7-14	NO "	7-14	7/14/64	"
		360	7-15		7-15	7/15/64	"
		360	7-16		7-16	7/16/64	"
		540	7-17		7-17	7/17/64	"
		540	7-20		7-20	7/20/64	"
		360	7-21		7-21	7/21/64	"
		540	7-22		7-22	7/22/64	"
" R-21	6/26/64	—	7-7	3000 SK-3270	7-7	7/	Truck
" R-21	"	—	7-8	3000 S/C	7-8	7/	"
" R-21	"	—	7-9	5000 S/C	7-9	7/	"
" R-23	7-7-64	—	7-10	1000 S/C	7-10	7/	"
" "	"	—	7-13	3 M "	7-13		"
" "	"	—	7-13	2 M "	7-13	7/17/64	"
" "	"	—	7-14	5M "	7-14		"
" 24 JDA	7-21-64 7-22-64	540	7-23		7-23	7/23/64	"
" "	"	540	7-24		7-24	7-24-64	"

FE001511

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25" x 27" LV SHORT

8 SPRING CLIPS SK-3270 11M
1 RING-WIPER WURW 140 1260 } T/L

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-CA58C8-R	5/27/64	REQT. ORD.		19C4.			
" R. 17 GD	5-11-64 5-12-64	360	5-14		5-14	5-14-64	TRK
		540	5-15		5-15	5-15-64	"
		540	5-18		5-18	5-18-64	"
		360	5-19		5-19	5-19-64	"
		540	5-20		5-20	5-20-64	"
		540	5-21		5-21	5-21-64	"
		540	5-22		5-22	5-22-64	"
		360	5-23	33M B/C	5-22	5-22-64	"
		540	5-25		5-25	5-25-64	"
		360	5-26		5-26	5-26-64	"
- R. 18 GD	5-26-64 5-25-64	540	5-27		5-27	5-27-64	"
" "	" -	540	ARR 5-28		5-28	5-28-64	"
" "	" "	180	ARR 5-29		5-28	5-28-64	"
" "	" "	300	6-1		6-1	6-1-64	"
" "	" "	540	6-2		6-2	6-2-64	"
" "	" "	360	6-3		6-3	6-3-64	"
" R. 19 GD	6-3-64 6-2-64	540	6-4		6-4	6-4-64	"
"		540	6-5	NO S/C	6-5	6-4-64	"
"		480	6-5 ARR	"	6-5	6-5-64	"
"		540	6-8	"	6-8	6-8-64	"
"		360	6-9		6-9	6-9-64	"
"		360	6-17		6-17	6-17-64	"
"		540	6-11	NO S/C 33M B/C	6-11	6-11-64	TRK
"		540	6-12		6-12	6-12-64	"
"		540	6-15	NO S/C	6-15	6-15-64	"
"		360	6-16		6-16	6-16-64	"
" R-20 GD	6-9-64 6-9-64	540	6-18		6-18	CANCEL	
"		540	6-19		6-19	6-19-64	TRK
"		540	6-22		6-22	6-22-64	"
"		540	6-23		6-23	6-23-64	"

FE001512

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25" x 27" LV SHORT TOP

8 SPRING CLIPS 5K-3270 11M
1 RING-WIPER WURW 140 1260 } T/L

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25 × 27 LV SHORT TOP

8 - SLING CLIPS SK-3220 11000 } PK 1
1 - RING WITH HURN 140 1260

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS 60/PALLET

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-6458&8-R	REV #1 1-27-64	LAST ORD. YR	1964				
" R"7 JDL	2-20-64	540	3-9		3-9	3/9/64	TRK
" R"7 JDL	2-25-64	360	2-27		2-27	2/27/64	TRK
" R 7 JDL	PA-3-3-64	180	3-5		3-5	3/5/64	"
" R 10 JDL	3-5-64 3-10-64	360	3-10	In SK-2100 In SK-3500	3-10	3-10-64	"
" "	"	240	3-11		3-11	3/11/64	"
" "	"	480	3-12		3-12	3/12/64	"
" "	"	360	3-13	1 IN SK-2100	3-13	3/13/64	"
" "	"	540	3-14 HIP		3-13	3-13-64	"
" "	"	300	3-16		3-16	3-16-64	"
" "	"	540	3-17		3-17	3/17/64	"
" "	"	360	3-18		3-18	3/18-64	"
" "	"	540	3-19		3-19	CANCEL	
" "	"	360	3-20		3-20	3/20/64	"
" "	"	540	3-25		3-25	3-25-64	"
" "	"	360	3-21	1 IN SK-2100	3-20	3/20/64	"
" Rel "11 JDL	3-20-64 3-20-64	420	3-23		3-23	3/23/64	"
" "	"	540	3-24		3-24	3/24/64	"
" "	"	540	3-26		3-26	3-26-64	"
" "	"	540	3-28		3-28	3/28/64	"
" "	"	540	3-31		3-31	3/31/64	"
" "	"	540	4-1		4-1	4-1-64	"
" "	"	540	4-2		4-2	4-2-64	"
" "	"	540	4-3		4-3	4-3-64	"
" "	"	360	3-30		3-30	3.30	TRUCK
" "	"	360	4-4		4-3	4-3-64	"
" "	"	540	4-6		4-6	4-6-64	"
" "	"	360	4-7		4-7	4-7-64	"
" JDL	3-25-64	540	3-26		3-26	CANCEL	
" Rel 12 JDL	4-2-64 4-8-64	—	4-4	99 M. BTC 3 drums -	4-3	4-3-64	TRK
" "	" 4-3-64	420	4-8	No CLIPS	4-8	4-8-64	"

FE001514

FORM F-28

CO. Republic Steel

PLANT Canton

SIZE 25" x 27" L.V. Short Top

8 Spring Clips SL-3270 - 11000 } per
1 Ring-Wiper WURW-140 - 1260 }

PLANT INVENTORY Pallet 28 3/4 x 54

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					✓
					✓
					✓

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25" x 27" LV SHORT TOP

8 SPRING CLIPS SK-3270 11000 } P 7L
1 RING-WIPER WURW 140 - 1260

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					24M ORDERED →
					ORDER STATUS ↗

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-31045-R	12/23/63	360	12-30		12-30	12/30/63	TRK
" JDL	12/30/63	360	12-21		12-31	12/31/63	"
" "	"	420	12-31		12-31	12/31/63	"
" "	"	540	1-2		1-2	1-2-64	TRK
" "	12/31/63	540	1-3		1-3	1-3-64	"
" "	1/2/63	360	1-6		1-6	1-6-64	"
" "	"	360	1-7		1-7	1-7-64	"
" JMW	1/3/63	360	1-8		1-8	1-8-64	"
" "	"	360	1-9		1-9	1-9-64	"
" "	"	360	1-10		1-10	1-9-64	"
" "	"	360	1-11		1-10	1-10-64	"
" "	1/9/64	360	1-13		1-13	1-13-64	"
" "	"	360	1-14		1-14	1-14-64	"
" "	1/14/64	360	1-15		1-15	1-15-64	"
" "	"	360	1-16		1-16	1-16-64	"
" "	"	540	1-17		1-17	1-17-64	"
" "	"	540	1-18		1-17	1-17-64	"
" "	"	360	1-20		1-20	1-20-64	"
" "	"	360	1-21		1-21	1-21-64	"
" LD	1-21-64	900	1-22		1-22	1-22-64	"
"	"	540	1-22		1-22	1-22-64	"
"	"	540	1-23		1-23	1-23-64	"
"	"	540	1-24		1-24	1-24-64	"
~~"~~	~~"~~	~~540~~	~~1-25~~		~~1-24~~	CAN. FL	
"	"	180	1-27		1-27	1-27-64	TRK
"	"	360	1-28		1-28	1-28-64	"
"	"	360	1-29		1-29	1-29-64	"
"	"	360	1-30		1-30	1-30-64	"
"	"	240	1-31		1-31	1-31-64	"
"	"	360	2-1		1-31	1-31-64	"
	RAT	1-29-64	~~540 NOW 180~~		~~1-24~~		

FE001516

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25" x 27" L-V SHORT TOP

8 SPRING CLIPS SK-3270 13 M } T/L
1 RING-WIPER WURW 140 159C

60/PAL.

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-39837-R JDK EBR	12/5/63 12-5-63	120	12-9	IN S/C	12-9	12/9/63	TRK
" "	"	180			12-11	12/11/63	"
" "	"	180			12-12	12/12/63	"
JDK	12-10-63	2 WURW 140-			12-11	12/11/63	"
JDL	12/10/63	60	12-13		12-13	12/13/63	"
" "	"	540	12-13		12-13	12/13/63	"
" "	"	540	12-17		12-17	12/17/63	"
		180	12-16		12-16	CANCEL	
"		2 WURW 140-X			12-16	12/16/63	TRK
" JDK	12-17-63	540	12-18		12-18	12/18/63	"
" JDK	12/18/63	180	12-19		12-19	12/19/63	"
" "	"	360	12-20		12-20	12/20/63	"
" "	"	360	12-23		12-23	12/23/63	"
" "	12/23/63	540	12-24		12-24	12/24/63	"
" "	"	540	12-27		12-27	12/27/63	"
" "	"	360	12-26		12-26	12/26/63	"
" "	"	360	12-30		12-30	12/30/63	"
"	"	2 WURW 140-X			"		

FE001517

FORM F-28

CO. Republic

PLANT Canton

SIZE 25×27 LV (SHORT TOP)

8 staple clips SL-3270 13000 } P HL
1 - Ring w/Pin WURW140 - 1596 }

PLANT INVENTORY

ORDER STATUS 60 Rings/Pallet

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER	CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
							9-7-63	100			9-13	ADV	CANCELLED
					SHOWN ON PAPERS - WURW 130	C-37092-R	JDK 8-20-63	50	8-21	No S/C	8-21	8-21-63	YRK
					" " " " WURW 130	"	JDK 9-11-63	50	9-7		9-6	9-6-63	"
					" "	"	JDK 10/4/63	50	10-7	No S/C	10-7	CANCELLED	
					" "	"	JDK 10/7/63	50	10-9	Non-clips	10-9	10/9/63	THR
					" "	C-39837-R	JDK 10-11-63	50	10-12	1M clips	10-11	10/11/63	"
					" "	"	"	50	10-16	1M Clips	10-16	10/16/63	"
					" "	"	JDK 10-18-63	50	10-18	No Clips	10-18	10/18/63	"
					" "	"	JDK 10-15-63	50	10-22	No Clips	10-22	10/22/63	"
						"	JDK 10-22-63	50	10-23	1M clips	10-23	10/23/63	"
						"	"	50	10-24	No Clips	10-24	10/24/63	"
						"	"	50	10-29	" "	10-29	CANCELLED	
					" "	"	JDK 10-29-63	50	10-30	1M S/C	10-30	10/30/63	"
					" "	"	"	304	11-1	3M S/C	11-1	11-1-63	"
						"	" 10/30/63	152	11-4	1M S/C	11-4	11-4-63	"
		C-39837-R			" "	"	" 11/4/63	256	11-5	2M S/C	11-5	11/5/63	"
					" "	"	" "	300	11-6	3M S/C	11-6	11-6-63	"
		(1542 SHPD THRU 11-7)			" "	"	" "	180	11-7	2M S/C	11-7	11-7-63	"
					" (NOT INCL. IN 2502) "	"	" "	60	11-12	No S/C	11-12	Hold	
					" "	"	" 11/12/63	180	11-14	2M S/C	11-11	11/12/63	"
						"	" 11/19/63	120	11/20	1M S/C	11-20	11-20-63	
					PAINT RED ON TOP OF TOP RINGS	"	" "	120	11/22	1M S/C	11-22	11/22/63	"
						"	" "	120	11/25	1M S/C	11-25	11/25/63	"
						"	" "	60	11-26	"	11-26	11/26/63	"
						"	" "	120	11-27	"	11-27	11-27-63	"
						"	" "	120	11-29	"	11-29	11-29-63	"
		(2502 SHPD THRU 12-2)				"	" "	120	12-2	"	12-2	12/3/63	"
					M-H on Remo 1052 →	"	" 12/3/63	120	12-5	"	12-5	12/5/63	"
					M-H on Remo 1052 →	"	" "	120	12-6	"	12-6	12/6/63	"
		Marked with Green Paint			→ M-H on Remo 1053			140 WURW140X			12/4	M-H	
		"				"	" 12/3/63	60 WURW140X		1M S/C	12-5	12/5/63	"

FE001518

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25" x 27" LV SHORT TOP INSERTS WUG8 (½" THICK)

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					ON TL ABOUT 2-25, SUBS. FOR 2P WUGO ✓
					INV. AS WUGO ✓
					52/Pallet →
					P-3 FORMULA →
(shipped as WU-6C)			identify top edge of WU with paint →		✓

ORDER STATUS 52/Pallet

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-645868 R7 JDK	2-19-64	45 sets	2-26	REMO 1292	2-26	2/26/64	THK
" R7 JDK	3-20-64	45 sets	3-4	"	3-4	3/4/64	"
GFE	3/25	364 sets	3-30	Remo 1N06	3-31	3/31/64	"
GFE	3/25	39 sets		RENO 1357			
"	"	468 sets	3-31	Remo 1N06	4-1	4-1-64	"
"	"	208 sets	4-1	"	4-2	4-2-64	"
"	4/2/64	520 sets	4-7	Remo 1107	4-7	4-7-64	"

FE001519

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25 × 27 LV

INSERTS NV-103

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					✓

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
9-10120-51		540	1965				
R36	8-6-65	450	8-9		8-9	8-9-65	TRK
"	"	450	8-10		8-10	8-10-65	"
"	"	450	8-11		8-11	8-11-65	"
"	"	450	8-12		8-12	8-12-65	"
"	"	450	8-13		8-13	8-13-65	"
"	"	450	8-14		8-14	8-13-65	"
R37	8-12-65 8-13-65	405	8-16		8-16	8-16-65	"
"	"	450	8-17		8-17	8-17-65	"
"	"	405	8-18		8-18	8-18-65	"
"	"	450	8-19		8-19	8-19-65	"
"	"	405	8-20		8-20	8-20-65	"
"	"	450	8-21		8-20	8-20-65	"
R38	8-19-65 8-20-65	45	8-23		8-23	8-23-65	"
"	"	540	8-24		8-24	8-24-65	"
"	"	540	8-25		8-25	8-25-65	"
"	"	540	8-26		8-26	8-26-65	"
"	"	540	8-27		8-27	8-27-65	"
R39	8/26/65 8-26-65	450	8-30		8-30	8-30-65	"
"	"	~~450~~	~~8-31~~		8-31		
"	"	450	9-1		9-1	9-1-65	"
"	"	540	9-2		9-2	9-2-65	"
"	"	450	9-3		9-3	9-3-65	"
"	8-31-65	540	8-31		8-31	8-31-65	TRK
" R40	8-31-65 "	540	9-4		9-3	9-3-65	"
" R41	9-3-65 "	450	9-7		9-7	9-7-65	"
" "	"	540	9-8		9-8	9/8/65	"
" "	"	495	9-9		9-9	9-9-65	"
" "	"	450	9-10		9-10	9-10-65	"
" R42	9-9-65	540	9-13		9-13	9-13-65	"
" "	"	~~450~~	9-14		9-14	9/14/65	"

FE001520

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25 X 27 LV — INSERTS WU 103 — PAL - 25 x 71 3/4 — ~~48~~ 45 SETS/PAL.

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
1965					
7/20	K	1236			(BILLED AS WU 60) REMO 1605
					768 ON REMO 1314 →
					BILLED AS WU 60 →
					→
					all WU 60 shipped →
					all WU 60 " →
					" " " " →
					" " " "

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY SETS	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-19120-51							
R.28 JDK	C-7-65 C-16-65	180	C-14		C-14	9/16/65	TRK
" GD	C-16-65	405			C-25	M&H	
R.29 GD	C-24-65	270	C-28		C-28	6/28/65	TRK
R.30 "	C-28-65 C-29-65	450	7-6	ARR	7-6	7/6	"
" " "	" "	450	7-6		7-6	Cancel	
" " "	" "	360	7-7		7-7	7/6	TRK
R.31 JDK	7-9-65 "	360	7-14		7-14	7-14-65	"
~~	~~~	~~540~~	~~7-15~~	~~~	~~7-15~~	→ Cancel	
		360	7-16		7-16	7-15-65	TRK
		450	7-17		7-16	7-16-65	"
		360	7-19		7-19	7-19-65	"
		450	7-20		7-20	7-20 65	"
		360	7-21		7-21	7-21-65	"
		540	7-22		7-22	7/22/65	"
		360	7-23		7-23	7/23/65	"
		540	7-24		7-23	7/23/65	"
R.32 PH	7-22-65 7-23-65	360	7-26		7-26	7/26/65	"
		360	7-30		7-30	7/30/65	"
		540	7-27		7-27	7/27/65	"
		540	7-29		7-29	7/29/65	"
		405	7-31		7-30	7/30/65	"
		~~720~~	~~7-28~~		~~7-28~~	"	"
R.33 PH	7-29-65 "	~~495~~	8-2		8-2		
		495	8-3		8-3		
		~~495~~	8-4		8-4		
		~~495~~	8-5		8-5		
		495	8-6		8-6	8-6-65	TRK
		495	8-7		8-6	8-6-65	"

FE001521

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25 x 27 LV

INSERT WU 60

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25x27 LV

INSERTS WU 60

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

FORM F-28

CO. Republic

PLANT Canton

SIZE 25.127 LV

INSERTS WW-60

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					JOC - 5/13/65
					GD - 5/20/65

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY Sets	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10,20-51	1/1/65		5/20/1965				
R.20 GD	4-26-65 4-28-65	405	4-30		4-30	4/30/65	Y+PR
		450	5-3		5-3	5-3-65	
		450	5-4		5-4	5-4-65	
		540	5-5		5-5	5-5-65	
		450	5-6		5-6	5-6-65	
		540	5-7		5-7	5-7-65	
		450	5-8		5-7	5-7-65	
R 22 GD	5-7-65 5-11-65	450	5-10		5-10	5-10-65	
		450	5-12		5-12	5-12-65	
		450	5-14		5-14	5-14-65	
		450	5-15		5-14	5-15-65	
		540	5-11		5-11	5-11-65	
		540	5-13		5-13	5-13-65	
R-23	5/14/65	540	5-17		5-17	5-17-65	
		540	5-18		5-18	5-18-65	
		540	5-09		5-19	CANCELLED	
		360	5-19		5-19	5-19-65	
		360	5-20		5-20	5-20-65	
		450	5-21		5-21	5-21	
		540	5-22		5-21	5/21	
R-25	5-21-65	540	5-24		5-24	5-24-65	
		540	5-25		5-25	5-25-65	
		540	5-27		5-27	5-27-65	
		495	5-24		5-28	5-28-65	
		450	5-26		5-26	5-26-65	
		1150	5-27		5-27	5-27-65	
		720	5-28		5-28	5-28-65	
R. 26 GD	5-27-65	315	5-29		5-28	5-28-65	
"	"	450	6-1		6-1	6-1-65	
"	"	450	6-2		6-2	6/2/65	

FE001524

FORM F-28

CO. Republic

PLANT Canton

SIZE 25x27 2 V

INSERTS WW-60

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY Sets	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10120-51	1/1/65	S/O	1965				
R.15 JDK	3-26-65 4-26-65	540	3-30 Q		3-30	3/30/65	TTPX
		540	3-31 R		3-31	3/31/65	"
		405	4-3 V		4-2	4-2-65	"
		450	4-1 T		4-1	4-1-65	"
		540	4-2 U		4-2	4-2-65	"
		450	4-5 C		4-5	4-5-65	"
		450	4-6 D		4-6	4-6-65	"
		540	4-7 E		4-7	4-7-65	"
		540	4-8 F		4-8	4-7-65	"
		450	4-9 G		4-9	4-10-65	"
		450	4-10 H		4-9	4-9-65	"
		450	4-8		4-8	4-8-65	"
R.17 JDK	4-26-65 4-5-65	450	4-12 A		4-12	4-12-65	"
		540	4-13 B		4-13	4-13-65	"
		450	4-14 C		4-14	4-13-65	"
		450	4-15 D		4-13	4-14-65	"
		450	4-16 E		4-15	4-15-65	"
		405	4-17 F		4-15	4-15-65	"
		450	4-19		4-19	4-19-65	"
R.18 JDK	4-15-65 4-15-65	135	4-17 A		4-17	4-17-65	"
		315	4-20 B		4-20	4-21-65	"
		450	4-21 C		4-21	4-20-65	"
		540	4-22 D		4-22	4/21/65	"
		450	4-22		4-22	4-22-65	"
		450	4-23		4-23	4-23-65	"
		540	4-24		4-23	4-23-65	"
		450	4-26		4-26	4-26-65	"
R.20 QD	4-26-65	450	4-27		4-27	4-27-65	"
		540	4-28		4-28	4-28-65	"
		450	4-29		4-29	4-29-65	"

FE001525

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25 X 27 LV

INSERTS WU 60

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY SETS	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10120-51	1/1/65	S/O	1965				
R.9 GD	2-17-65 2-17-65	675	3-2 A		3-2	3/2/65	TRK
"	"	450	3-2 R		3-2	3/2/65	"
"	"	450	3-4 R		3-4	3/4/65	"
"	"	450	3-5 V		3-5	3/5/65	"
"	"	720	3-6 A		3-5	3/5/65	"
" "	"	450	3-3 L		3-3	3/3/65	"
" "	"	325	2-27		2-26	3/4/65	"
" R12 GD	3-4-65	450	3-8 9		3-8	3/8/65	"
		450	3-10 V		3-10	3/10/65	"
		450	3-12 1		3-12	3/12/65	"
		450	3-13 V		3-12	3/13/65	"
		450	3-15 9		3-15	3-15-65	"
		450	3-17 L		3-17	3-17-65	9
		450	3-19 S		3-19	3/19/65	"
R12 GD	3-4-65	510	3-10 9		3-10	3/10/65	"
		540	3-11 V		3-11	3-11-65	"
		540	3-17 1		3-17	3-17-65	1
		540	3-18 V		3-18	3-18-65	"
		450	3-20 L		3-19	3-19-65	"
with V.C. → " R12 GD	3-4-65	450	3-9 V		3.9	3/9/65	TRK
w.12 V.C. → " R12 "	"	405	3.16 V		3.16	3-16-65	"
" R.13 "	3-12-65 3-15-65	360	3-22 A		3-22	3-22-65	"
" " "	" "	450	3-23 R		3-23	3/23/65	"
" " "	" "	360	3-24 V		3-24	3/24/65	"
" " "	" "	450	3-25 A		3-25	3/25/65	"
" " "	" "	360	3-26 L		3-26	3/26/65	"
" " "	" "	450	3-27		3-26	CANCELLED	
" R.12 PH	3-18-65	450	3-14 9		3-14	3/14/65	TRK
" R.14 GD	3-18-65 "	450	3-22 V		3-22	3/22/65	"
" R.14		450	3-29		3-29	3/29/65	"

FE001526

FORM F-28

CO. Republic
PLANT Canton
SIZE 25 x 27 LV

Panel Insert W1160

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10120-51	1/1/65	Regt.	Ord.	For 1965			
" R.4 AD	1-14-65	450 sets	1-31		1-29	1-29-65	TRK
R6 AD	1-13-65 1-30-65 2-3-65	450 "	2-1 A		2-1	2/1/65	"
		540 "	2-2 B		2-2	2-2-65	"
		450 "	2-3 C		2-3	2/3/65	"
		450 "	2-4 D		2-4	2-4-65	"
		540 "	2-4 U		2-4	2-4-65	"
		270 "	2-5 G		2-5	2-5-65	"
		315 "	2-6 I		2-5	2-5-65	"
		450 "	2-8		2-8	2/8/65	"
		450 "	2-9 O		2-9	2/9/65	"
		450 "	2-10 P		2-10	2/10/65	"
		540 "	2-11 I		2-11	2/11/65	"
		360 "	2-12 I		2-12	2/11/65	"
		540 "	2-12 U		2-12	2/12/65	"
		540 "	2-13 C		2-12	2/12/65	"
R.7 AD	2-3-65 2-3-65	450 "	2-15 I		2-15	2/15/65	"
		360 "	2-16 Q		2-16	2/16/65	"
		450 "	2-17 P		2-17	2/17/65	"
		360 "	2-18 P		2-18	2/18/65	"
		540 "	2-19 I		2-19	2/19/65	"
		450 "	2-19 U		2-19	2/19/65	"
		315 "	2-20 C		2/19	2/20/65	"
R.9 GD	2-17-65 2-17-65	360 "	2-22 A		2/22	2/22/65	"
		675 "	2-23 B		2/23	2/23/65	"
		450 "	2-23 I		2/23	2/23/65	"
		360 "	2-24 V		2/24	2/24/65	"
		450 "	2-25		2/25	2/25/65	"
		450 "	2-26		2/26	2/26/65	"
		450 "	2-27		2/26	Canceled	
		315 "	3-1		3/1	3/1/65	"

FE001527

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25 x 27 LV

PANEL INSERT WU60

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					S/O - C-10120-51

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
~~C-65506-R~~	11/1/65	S/O 1965					
" R.1 JDR	12-31-64 12-31-65	540	1-2 R		1-2	1-2-65	TRK
" " "	"	450 sets	1-4 T		1-4	1-4-65	"
" "	"	450 "	1-5 U		1-5	1-5-65	"
" "	"	450 "	1-6 Q		1-6	1-5-65	"
" "	"	450 "	1-6 L		1-6	1-6-65	"
" "	"	450 "	1-7 Q		1-7	1-7-65	"
" "	"	450 "	1-8 T		1-8	1-9-65	"
" "	"	450 "	1-9 I		1-8	1-8-65	"
" "	"	450 "	1-11 J		1-11	1-11-65	"
" "	"	450 "	1-12 Q		1-12	1-12-65	"
" "	"	450 "	1-13 I		1-13	1-13-65	"
" "	"	450 "	1-13 O		1-13	1-13-65	"
" "	"	450 "	1-14 T		1-14	1-14-65	"
" "	"	540 "	1-15 J		1-15	1-15-65	"
" "	"	540 "	1-16 Q		15	1-15-65	"
" " JDR	1-8-66 12-31-64	405 "	1-8 I		1-8	1-8-65	JDR
" R.4 CD	1-14-65 1-15-65	450 "	1-16 I		1-15	1-16-65	"
		540 "	1-18 O		1-18	1-18-65	"
		540 "	1-19 R		1-19	1-19-65	"
		450 "	1-20 R		1-20	1-20-65	"
		540 "	1-21 I		1-21	1-20-65	"
		450 "	1-22 U		1-22	1-22-65	
		405 "	1-23 Q		1-22	1-22-65	"
		450 "	1-23 I		1-22	1-22-65	"
		450 "	1-25 O		1-25	1-25-65	"
		540 "	1-26 R		1-26	1-26-65	"
		540 "	1-27 R		1-27	1-27-65	"
		540 "	1-28 I		1-28	1-28-65	"
		450 "	1-29 U		1-29	1-28-65	"
		450 "	1-30 Q		1-29	1-29-65	"

FE001528

FORM F-28

CO. Republic

PLANT Canton

SIZE 25 x 27 LV

Pnl. - 25 3/4 x 23 1/4

Panel Insert W460 45 Sets/Pnl.

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY Sets	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-645868-R	11/27/64	Reqt. Ord.	1964				
" R.35 JDK	12-1-64 12-8-64	~~450~~	12-3 A		12-3	CANCELLED	
" " "	"	450	12-7 R		12-7	12/7/64 TRK	
" " "	"	450	12-8 R		12-8	12/8/64 "	
" " "	"	~~450~~	~~12-9~~ U		12-9	CANCELLED	
" " "	"	450	12-10 A		12-10	12/10/64 "	
" " "	"	450	12-14 I		12-14	12/14/64 "	
" " "	"	~~450~~	~~12-16~~		12-16	CANCELLED	
" Rel 35 "	12-1-64 12-10-64	405	12-5 A		12-4	12/4/64 TRK	
" " "	"	540	12-9 R		12-9	12/9/64 "	
" " "	"	540	12-12 R		12-11	12/11/64 "	
" " "	"	~~540~~	~~12-16~~ I		12-16	CANCELLED	
" Rel 36 "	12-1-64 12-10-64	540	12-4 R		12-4	12/5/64 "	
" " "	"	405	12-11 R		12-11	12/10/64 "	
" R.36 JDK	12-16-64 12-22-64	450	12-17 A		12-17	12/17/64 "	
" "	"	405	12-18 R		12-18	12/18/64 "	
" "	"	540	12-19 R		12-18	12/19/64 "	
" "	"	450	12-21 I		12-21	12/21/64 "	
" "	"	540	12-23 U		12-23	12/23/64 "	
" "	"	540	12-23 A		12-23	12/23/64 "	
" "	"	450	12-26 L		12-24	12/24/64 "	
" "	"	540	12-28		12-28	12/28/64 "	
" "	"	540	12-30		12-30	12/30/64 "	
" R.36 JDK	12-16-64 12-22-64	360	12-18		12-18	12/18/64 TRK	
" "	"	360	12-22		12-22	12/22/64 "	
" "	"	360	12-24		12-24	12/24/64 "	
" "	"	360	12-29		12-29	12/29/64 "	
" R.37 PH	12-29-64 12-31-64	450	12-29		12-29	12/29/64 "	
" R.37 JDK	12-30-64 12-31-64	450	12-31		12-31	12/31/64 "	
" " "	12-31-64 12-31-64	540	12-31 A R		12-31	12/31/64 "	
"	"						

FE001529

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25 x 27 L-V

PANEL INSERT WUGO

PAL. - 28 3/4 x 73 1/4

45 SETS/PAL.

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					Special Red Colored → Per Reino 1418 of 11/4/64
					Special Inserts → " " " " →
					These being made at Rio Walter Beattie

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY SETS	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-G45868-R	11/27/64	REQT ORD.	1964				
R.31 JDK	10-30-64	450	11-5		11-5	Cancel	
		405	11-6 ARB		11-6	11-6-64 TRK	
		450	11-7		11-6	Cancel	
		450	11-9		11-9	11-9-64 "	
		450	11-10		11-10	11-10-64 "	
		450	11-11		11-11	11-11-64 "	
		450	11-11		11-11	11-11-64 "	
		540	11-12		11-12	11-12-64 "	
		450	11-13		11-13	11-13-64 "	
		540	11-14		11-13	11-13-64 "	
R. 32	11/6/64	90	11-16	Special	11-16	11/16/64 TRK	
" "	"	8	11-16	Special	11-16		
R.32 GD	11-9-64 11-10-64	764	11-16		11-16		
" "	"	450	11-17		11-17	11-17-64 "	
" "	"	450	11-18		11-18	11-18-64 "	
R. 34 JDK	11-17-64 11-18-64	315	11-19		11-19	11-19-64 "	
		450	11-19		11-19	11-19 64 "	
		450	11-20		11-20	11-20 64 "	
		450	11-21		11-20	11-20 64 "	
		450	11-23		11-23	11-23-64 "	
		450	11-24		11-24	11-24-64 "	
		450	11-25		11-25	11-24-64	
		450	11-25		11-25	11-25-64 "	
		450	11-27		11-27	11/27/64 "	
		450	11-28		11-27	11/27/64 "	
		450	11-28		11-27	11/28/64 "	
		540	11-30		11-30	11-30-64 "	
		450	12-1		12-1	12/1/64 "	
		540	12-2		12-2	12/2/64 "	
R.35 JDK	12-1-64 12-10-64	450	12-3 ARB		12-3	12/3/64 "	

FE001530

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25 x 27 LV PANEL INSERT WU 60 45 SETS/PAL. PAL. - 28 3/4 x 73 1/4

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
		Sets					
C-458C8-R	1/27/64	Reqt	ORD.	1964			
R.29 JDK	9-29-64	405	10-8		10-8	10-8-64	TRK
		540	10-9		10-9	10/9/64	"
		405	10-10		10-9	10/10/64	"
		450	10-12		10-12	10/12/64	"
		450	10-13		10-13	10/12/64	"
		540	10-14		10-14	10/14/64	"
" 39	10-5-64	450	10-8		10-8	10/8/64	TRK
R.30 GD	10-9-64 10-23-64	450	10-13		10-13	10/13/64	"
		450	10-15		10-14	10/14/64	"
		450	10-15		10-15	10/15/64	"
		450	10-16		10-16	10/16/64	"
		540	10-17		10-16	CAN'C'D	
		450	10-19		10-19	10/19/64	"
		540	10-20		10-20	10/20/64	"
" "	" "	450	10-21		10-21	10/21/64	"
" " GD	10-19-64 10-23-64	540	ARD 10-21		10-20	10/20/64	"
GD	10-16-64 10-23-64	540	10-22		10-22	10/22/64	"
		540	10-23		10-23	10/23/64	"
		450	10-24		10-23	10/23/64	"
		450	10-26		10-26	10/26/64	"
		540	10-27		10-27	10/27/64	"
		450	10-28		10-28	10/28/64	"
		450	10-29		10-29	10/29/64	"
		540	10-30		10-30	10/30/64	"
		450	10-30		10-30	10/29/64	"
R.31 JDK	10-30-64 11-4-64	540	10-31		10-30	10/30/64	"
		540	11-2		11-2	11-2-64	"
		540	11-3		11-3	11-3-64	"
		540	11-4		11-4	11-3-64	"
		540	11-4		11-4	11-4-64	"

FE001531

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25 - 37

PANEL INSERT NU-60

Lal and 25/4 x 73 1/4

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS 45 sets / pallet

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
2-645 SDS-R 60	11/29/64	Last Order	1964				
R.27	9-11-64 9-11-64	450	9-4 A		9-4	9-4-64	TRL
		540	9-4 B		9-4	9-4-64	"
		540	9-5 C		9-4	9-5-64	"
		450	9-8 D		9-8	9-8-64	"
		450	9-9 E		9-9	9-9-64	"
		540	9-10 F		9-10	9-10-64	"
		540	9-11		9-11	9-12-64	"
		450	9-12		9-11	9-11-64	"
		450	9-14		9-14	9.14-64	"
		540	9-15		9-15	9-15-64	"
R.28 JDL 60	9-10-64 9-16-64 9-21-64	450	9-16		9-16	9-16-64	"
		540	9-17		9-17	9-17-64	"
		540	9-18		9-18	9-18-64	"
		540	9-21		9-21	9-21-64	"
		450	9-22		9-22	9-22-64	"
		405	9-23		9-23	9-23-64	"
		450	9-24		9-24	9-24-64	"
		540	9-25		9-25	9-25-64	"
		450	9-28		9-28	9-28-64	"
		450	9-29		9-29	9-29-64	"
		450	9-30		9-30	9-30-64	
JDL	9-18-64 10-8-64	315	9-19		9-19	9-19-64	TRL
JDL	9-21-64 10-8-64	450	9-16		9-25	9-25-64	"
R.29	9-25-64 10-8-64	360 540	9-30		9-30	9-30-64	"
		450	10-1		10-1	10/1/64	"
		450	10-2		10-2	10/2/64	"
		450	10-3		10-2	10/2/64	"
		540	10-5		10-5	10/5/64	"
		450	10-6		10-6	10/6/64	"
		450	10-7		10-7	10/7/64	"

FE001532

FORM F-28

CO. Republic

PLANT Canton

SIZE 35×27

Panel Insert NU-60

Pal. Dim. 28 ½ × 73 ½

45 sets / pallet

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-6458 S&S-R	7/27/64	Keep	Order	1964			
R-24 Jol	7-31-64 7-28-64	540	7-31		7-31	7-30-64	TRK
		450	8-1		7-31	7-31-64	"
		540	8-3		8-3	8-3-64	"
		450	8-4		8-4	8-4-64	"
		450	8-5		8-5	8-5-64	"
R-25 Jol	7-28-64 8-3-64	450	8-6		8-6	8-6-64	"
		540	8-7		8-7	8-7-64	"
		315	8-8		8-7	8-7-64	"
		540	8-10		8-10	8-10-64	"
		450	8-11		8-11	8-11-64	"
		450	8-12		8-12	8-12-64	"
		540	8-13		8-13	8-13-64	"
		540	8-14		8-14	8-14-64	"
		315	8-15		8-14	8-14-64	"
		540	8-17		8-17	8-17-64	"
		540	8-18		8-18	8-18-64	"
		540	8-19		8-19	8-19-64	"
R-26 Jol	8-18-64	540	8-20		8-20	8-20-64	"
		540	8-21		8-21	8/21/64	"
		540	8-24		8-24	8/24/64	"
		540	8-25		8-25	8/25/64	"
		540	8-26		8-26	8/25/64	"
		540	8-27		8-27	8/27/64	"
		450	8-28		8-28	8-28-64	"
		450	8-31		8-31	8-31-64	
		450	8-31		8-31	8-31-64	"
R-27 Jol	8-31-64 9-1-64	450	9-1		9-1	9-1-64	"
		450	9-2		9-2	9-2-64	"
		450	9-3		9-3	9-3-64	"
		450	9-3		9-3	9-3-64	"

FE001533

FORM F-28

co. Rebublic Steel Corp

PLANT Canton

SIZE 25 - 27 L.V.

Pal - 28 3/4 x 73 1/4

Panel Inserts WU-60 45 sets Per Pallet

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

	CUSTOMER ORDER NO.	DATE	QUANTITY SETS	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
	C-645868-R	1/27/64	Requirement Order 1964					
✓	" R20	CO. 6-9-60 6-9-60	450	6-22		6-22	6-22-64	TRK
✓	" "	"	450	6-23		6-23	6-23-64	"
✓	" "	"	450	6-24		6-24	6-24-64	"
✓	" "	"	450	6-25		6-25	6-25-64	"
✓	" R.21	CO 6-25-64 6-26-64	450	6-26		6-26	6-26-64	"
✓	"		540	6-29		6-29	6-29-64	"
✓	"		540	6-30		6-30	6-30-64	"
✓	"		540	7-1		7-1	7-1-64	"
✓	"		540	7-2		7-2	7-2-64	"
✓	"		540	7-3		7-3	7-3-64	"
✓	"		405	7-6		7-6	7-6-64	"
✓	"		540	7-7		7-7	7-7-64	"
✓	"		540	7-8		7-8	7-8-64	"
✓	"		450	7-9		7-9	7-9-64	"
✓	R.23	CO 7-7-64 7-21-64	405	7-10		7-10	7-10-64	"
✓			450	7-13		7-13	7/13/64	"
✓			450	7-14		7-14	7/14/64	"
✓			540	7-15		7-15	7/15/64	"
✓			540	7-16		7-16	7/16/64	"
✓			450	7-17		7-17	7/17/64	"
✓			450	7-20		7-20	7/20/64	"
✓			540	7-21		7-21	7/21/64	"
✓			450	7-22		7-22	7/22/64	"
✓	R.24	JOL 7-21-64 7-28-64	450	7-23		7-23	7/23/64	"
✓			450	7-24		7-24	7-24-64	"
✓			315	7-25		7-24	7-24-64	"
✓			585	7-27		7-27	7-27-64	"
✓			405	7-29		7-29	7-29-64	"
✓			450	7-29		7-29	HOLD CANCEL	
✓			450	7-30		7-30	7-30-64	TRK

FE001534

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25" x 27" LV SHORT TOP INSERTS WU 60 PAL. = 28 3/4" x 73 1/4" 45 sets/P.

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY SETS	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-6458C8-R	1/27/64	REGL. ORD.		1964			
" R.17 GD	5-11-64 5-12-64	540	5-12		5-12	5-12-64	TTRX
		450	5-13		5-13	5-13-64	"
		540	5-14		5-14	5-14-64	"
		450	5-15		5-15	5-15-64	"
		450	5-18		5-18	5-18-64	"
		540	5-19		5-19	5-19-64	"
		450	5-20		5-20	5-20-64	"
		450	5-21		5-21	5-21-64	"
		450	5-22		5-22	5-22-64	"
		540	5-23		5-23	5-22-64	"
		450	5-25		5-25	5-25-64	"
		540	5-26		5-26	5-26-64	"
" R.18 GD	5-26-64 5-25-64	450	5-27		5-27	5-27-64	"
" "	" "	450	5-28 ADD		5-28	5-28-64	"
" "	" "	630	5-29 ADD		5-28	5-28-64	"
" "	" "	540	6-1		6-1	6-1-64	"
" "	" "	450	6-2		6-2	6-2-64	"
" "	" "	540	6-3		6-3	6-3-64	"
" R.19 GD	6-3-64 6-2-64	315	6-4		6-4	6-4-64	"
		450	6-5		6-5	6-4-64	"
		405	6-5 ADD		6-5	6-5-64	"
		450	6-8		6-8	6-8-64	"
		540	6-9		6-9	6/9/64	"
		540	6-17		6-17	6-17-64	"
		450	6-11		6-11	6-11-64	TTRX
		315	6-12		6-12	6-12-64	"
		450	6-15		6-15	6-15-64	"
		540	6-16		6-16	6-16-64	"
" R.20 GD	6/9/64 6-9-64	450	6-18		6-18	Cancel	
" "	" "	450	6-19		6-19	6-19-64	"

FE001535

FORM F-26

CO. Republic Steel Co

PLANT Canton

SIZE 25 x 27 L.V. Short Top

Inserts WU-60

Pallet - 28 3/4 x 73 1/4

45/Pallet

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

	CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
	C-645868-R	1/22/64	Reg # Order	Year 1964				
	Rel # 11	JDL 3-23-64	450	3-26		3-26	Cancel	
/	" R.12	JDL 4-3-CA 4-8-CA	405 Sets	4-8		4-8	4-8-64	TRK
/	" " "	" "	450 "	4-9		4-9	4-9-64	"
/	" " "	" "	450 "	4-10		4-10	4-10-64	"
/	" " "	" "	450 "	4-11		4-10	4-10-64	"
/	" " "	" "	450 "	4-13		4-13	4-13-64	"
/	" " "	4-10-CA 4-8-CA	450 "	4-14		4-14	4-14-64	"
/	" " "	" "	450 "	4-15		4-15	4-15-64	"
/	" " "	" "	450 "	4-16		4-16	4-16-64	"
/	" " "	" "	450 "	4-17		4-17	Cancel	
✓	" " "	" "	450 "	4-18		4-17	4-17-64	"
✓	" " "	" "	540 "	4-20		4-20	4-20-64	"
/	" R.13	JDL 4-17-CA 4-20-CA	450 "	4-21		4-21	4-21-64	"
✓	" " "	" "	450 "	4-22		4-22	4-22-64	"
/	" " "	" "	450 "	4-23		4-23	4-23-64	"
/	" " "	" "	450 "	4-24		4-24	4-23-64	"
/	" " "	" "	540 "	4-25		4-24	4-24-64	"
/	" " "	" "	540 "	4-27		4-27	4-27-64	"
/	" R.14	4-24-CA 5-4-CA	495 "	4-28		4-28	4-28-64	"
/	" " "	" "	450 "	4-29		4-29	4-29-64	"
✓	" " "	" "	540 "	4-30		4-30	4/30/64	"
/	" " "	" "	450 "	5-1		5-1	5-1-64	"
✓	" " "	" "	405 "	5-2		5-1	5-1-64	"
/	" " "	" "	450 "	5-4		5-4	5-4-64	"
/	" " "	4-30-CA	540 "	5-5		5-5	5-5-64	"
/	" " "	" "	450 "	5-6		5-6	5-6-64	"
/	" " "	" "	540 "	5-7		5-7	5-6-64	"
/	" " "	" "	450 "	5-8		5-8	5-8-64	"
/	" " "	" "	405 "	5-7		5-7	5-7-64	"
/	" " "	" "	450 "	5-11		5-11	5-11-64	"

FE001536

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25 × 27 LV SHORT TOP

44# SET

INSERTS WU-60

CAL. 2 3/4 × 23 1/4

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25" x 27" LV SHORT TOP INSERTS WUGO PAL. 28 3/4 x 73 1/4 ~~40/PAL.~~ 45/PALLET

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					REMO 1290
					WUGO → REMO 1292 ON TR ABOUT 2-25 SUBSTITUTE FOR 2P WUGO
					substitute - 225 extended cord board for 225 reg.
					substitute 225 extended cord board for 225 regular
					REMO 1345 - 21470 - 3% RESIN

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-31045-R EBR	1-28-64	42 SETS		1/2" THICK	2/3	2/17/64	TRUCK
C-31045-R	12/23/63	360 sets	2/3 Q		2/3	2/3/64	TRK
"	"	450 Sets	2/5 V		2/5	2/5/64	"
"	"	450 sets	2/7 V		2/7	2/7/64	"
"	"	480 sets	2/4 W		2/4	2/4/64	TRK
"	"	540 SETS	2/6 Q		2/6	2/6/64	"
"	"	540 sets	2/8 L		2/7	2/7/64	"
" JDK	2-5-64	450 SETS	2-10		2-10	2/10/64	"
C-6458CB-R EBR-1	1/27/64	LEFT OVER FR. 1964					
R. C JDK	2/10/64 2-11-64	495 "	2-11		2-11	2/11/64	TRUCK
		405 "	2-12		2-12	2/12/64	"
		540 "	2-13		2-13	2/13/64	"
		450 "	2-14		2-14	2/14/64	"
		540 "	2-15		2-14	2/14/64	"
		402 "	2-17		2-17	2/17/64	"
		540 "	2-18		2-18	2/18/64	"
		445 "	2-19		2-19	2/19/64	"
		540 "	2-20		2-20	2/20/64	"
		450 "	2-21		2-21	2/21/64	"
		540 "	2-22		2-21	2/21/64	"
		450 "	2-24		2-24	2/24/64	" ✓
JDK	2-19-64	90 "	------	1/2" THICK	2-25	M&H	SEE WUGO
R7 JDK	2-20-64 2-29-64	450	2-25		2-25	2/25/64	TRK
		495	2-26		2-26	2/26/64	"
		450	2-27		2-27	2/27/64	"
		450	2-28		2-28	2/28/64	"
		450	2-29		2-28	2/29/64	"
		450	3-2		3-2	3/2/64	"
		450	3-3		3-3	3/3/64	"
RMC	2-10-64	405	3-4		3-4	3/4/64	"
		HEAT!					

FE001538

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25" x 27" LV SHORT TOP WRAP-UP INSERTS WU 60 PAL. 28 3/4 x 73 1/4 40/PAL.

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					24M ORDERED →
					ORDER SPARES →

FORM F-28

CO. LEBANON

PLANT CANTON

SIZE 25 × 37 LV (SHORT TOP)

Pallet 28 3/8 × 73 1/4
40 per Pallet

NRO-UP INSERT W-60

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
		C-30837-R			
	(2580	SHPD THRU 12-2)			✓
					MH Reno 1054 →
					MH Reno 1052 →
					" " " →
					" " " →
					✓
					✓
					✓
					✓
					✓
					✓
					✓
					✓
					✓
					✓
					✓
					✓
					✓
					✓
					✓
					✓

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-30837-R JDK	11-26-63	120 SETS	12-2		12-2	12/2/63	TPK
		80 SETS	12-3		12-3	11-14	
		80 SETS	12-5		12-5	11-14	
		80 SETS	12-6		12-6	11-14	
		40 SETS	12-9		12-9	11-14	
" JDK	12/3/63	40 SETS	12-4		12-4	12/4/63	"
" "	"	120 "	12-5		12-5	12/5/63	"
" "	"	120 "	12-6		12-6	12/6/63	"
" "	"	160 "	12-9		12-9	12/9/63	"
" EBR	12-3-63	160 "			12-11	12/11/63	"
" JDK	12-10-63	120 "			12-12	12/12/63	"
" "	"	160 "			12-13	12/13/63	"
"	"	360 "	12-13		12-13	12/13/63	"
"	"	400 "	12-17		12-17	12/17/63	"
		760	12-18		12-18	CANC	
" JDK	12-17-63	400 "	12-18		12-18	12/18/63	"
" JDK	12/18/63	360 "	12-19		12-19	12/18/63	"
" "	"	480 "	12-20		12-20	12/20/63	"
" "	"	480 "	12-23		12-23	12/23/63	"
" "	12/23/63	400 "	12-24		12-24	12/24/63	"
" "	"	400 "	12-27		12-27	12/27/63	"
" "	"	440 "	12-26		12-26	12/26/63	"
" "	"	360 "	12-30		12-30	12/30/63	"

FE001540

FORM F-28

CO. Republic

PLANT Canton

SIZE 25 x 27 LV (Short Top) 1 SET Wear-ut INSERT WU-60 Pallet 28 3/8 x 73 1/4

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					SHOWN ON PAPERS - WU 51 ✓
					" " ✓
					" " ✓
					" " ✓
					" " ✓
					" " ✓
					" " ✓
					" " ✓
					" " ✓
					" " ✓
					" " ✓
		C-39837-R			" " ✓
	(1460 SHPD THRU 11-8)				INC YO Sets HAND molded → " ✓
					(NOT INCL IN 2580) " " ✓
					(hand molded) Remo 11/1/63 " ✓
					" " ✓
					" " ✓
					(hand molded) Remo 11/18/63 " ✓
					" " " " " ✓
					Regular WU 60 ✓
					hand molded WU-60 → ✓
					" " " Remo 10LL ✓
					" " " " " ✓
					" " " " " ✓

ORDER STATUS 40 Per Pallet

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	TOTAL SHIPPED	DATE SCHED.	DATE SHIPPED	CAR NUMBER
Jcc	9-3-63	50 sets				Prod. Cy	MIN	CANCELLED
C-37092-R JDK	8-20-63	50 sets	8-21		50	8-21	8/21/63	YKK
" JDK	9-11-63	50 sets	9-17		100	9-16	9-6-63	"
" JDK	10/4/63	40 sets	10-7			10-7	CANCELLED	
" JDK	10/3/63	37 sets	10-9		137	10-9	10/9/63	YKK
C-39837-R JDK	10-11-63	40 sets	10-13		177	10-11	10/11/63	"
"		40 sets	10-16		217	10-16	10/16/63	"
" JDK	10/15/63	20 sets	10-18		237	10-18	10/18/63	"
" "	"	40 sets	10-22			10-22	10/22/63	"
" "	10/19/63	40 sets	10-23			10-23	10/23/63	"
"	"	40 "	10-24			10-24	10/24/63	"
"	"	40 "	10-29			10-29	10/29/63	"
" Ph	10/24/63	40 "	10-25			10-25	10/25/63	"
" JDK	10/29/63	40 "	10-30			10-30	10/30/63	"
" "	"	40 "	10-31			10-31	10/31/63	"
" "	10/30/63	200 "	11-1			11-1	11-1-63	"
" "	"	40 "	11-4			11-4	11-4-63	"
" "	11/4/63	280 "	11-5			11-5	11-5-63	"
" "	"	400 "	11-7			11-7	11/7/63	"
" "	"	160 "	11-8			11-8	11-8-63	"
" "	"	40 "	11-12			11-12	Hold	
" "	11/12/63	120	11-18			11-18	11-18-63	"
" "	"	120	11-14			11-14	11-14-63	YKK
" "	"	~~120~~	~~11-15~~				Cancel	
" "	11/19/63	120	11/22			11/22	11/22/63	YKK
" "	"	120	11/25			11/25	11/25/63	"
" "	"	120	11/20			11/20	11-20-63	"
" "	11/20/63	40	11/21			11/21	11-21-63	"
" "	11/26/63	120	11-26			11-26	11/26/63	"
" "	"	120	11-27			11-27	11-27-63	"
" "	"	120	11-29			11-29	11-29-63	"

FE001541

FORM F-28

CO. L-O-F - CANTON

PLANT CANTON

SIZE 25 x 27 LV (LONG)

8 STAINLESS SK-3320

1 RUBBER NURN 130

1 SET INSERT NU-52

60 Per Pallet

35 sets / Pallet

25" x 72" - INSERT PAL

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					NURN 130
					NU-52

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-36593-R	11/6/63	— ORDER FOR 4000					
C-36593-R	11/11/63	— ORDER FOR 4000 SETS					
" JOE	12-23-63	35 SETS	12-26		12-26	12/24/63 TRL	
" "	12-30-63	35 "	12-31		12-31	12/31/63 "	
" "	1-2-63	35 "	1-6		1-6	1-6-64 "	
" VAN	1-7-64	35 "	1-8		1-8	1-8-64 "	
" "	1-9-64	35 "	1-13		1-13	1-13-64 "	
" 40	1-21-64	70 "	1-22		1-22	1-22-64 "	
" JOE	1-29-64	35 SETS	1-29		1-27	1-29-64 "	
" "	"	35 SETS	1-31		1-31	1-31-64 "	
" JOE	1-31-64	35 SETS	2-3	OUT	2-3	2/3/64 "	
" JOE	2-5-64	35 SETS	2-7	ROC	2-7	2/7/64 "	
" "	2/10/64	35 "	2-12		2-12	2/12/64 "	
" "	"	35 "	2-17		2-17	2/17/64 "	
" "	"	290 "	W/A				

FE001542

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25" x 27" LV (LONG)

8 SPRING CLIPS SK-3320

1 RING-WIPER WURW 130 60/PAL

1 SET INSERT WU 52 35/PAL

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					WURW 130
					ORD. FOR 4000
					WU 52
					ORD. FOR 4000

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25" x 27" LV LONG

8 SPRINGCLIPS SK-3320

1 RING-WIPER WURW130 40/Pallet 35 SETS INSERTS/PAL.

1 SET INSERTS WU52 35/Pallet 25" x 72" APPROX. PAL. DIM.

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					WURW130
					ORD. ~~2000~~ 4000
					71190 360 71550 INCREASE TO 4000
					2290 SHPD THRU 9-11 | BAL 1710
					WU52
					ORD. ~~2000~~ 4000
					INCREASE TO 4000
					JMW 8/7
					JDK - 9/13
					JDK - 9/19
					2520 S. SHPD THRU 9-27 | BAL. 1480
					JDK 9/25
					JDK 9/25

FE001544

THIS PAGE

RW 1100

WU 1050 S.

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-36593-R	4/16/63	2490	W/A				
" ~~R-2~~ JDK	7-25-63						
" "	7-31-63	140	7-27		7-26	7-27-63	TRK
" "	"	120	ARD 8-1		8-1	8-1-63	"
" REV. 3 JMW	7/30/63	360	am 8-3		8-2	8-2-63	"
" "	8-5-63	60	ARD 8-6		8-6	8-6-63	"
" "	8-8-63	60	8-9		8-9	8-9-63	"
" JDK	8/20/63	120	8-23		8-23	8/23/63	"
" "	9/10/63	180	9-11		9-11	9-11-63	"
" "	9/30/63	60	ARD 10-2		10-1	10/1/63	"
		1650	W/A				
C-36593-R	4/16/63	2075	W/A				
" ~~R-2~~ JDK	7-25-63	140 SETS	7-27		7-26	7-27-63	TRK
" "	7-31-63	140 "	ARD 8-1		8-1	8-1-63	"
" "	"	105 "	am 8-3		8-2	8-2-63	"
" REV. 3 JMW	7/30/63	1795 "	W/A				
" "	8-5-63	35 "	ARD 8-6		8-6	8-6-63	"
"		105 sets	am 8-8		8-8	8-8-63	"
" JMW	8-8-63	70 "	8-9		8-9	8-9-63	"
" JDK	8-20-63	105	8-23		8-23	8/23/63	"
" JDK	9-4-63	70 sets	9-5		9-5	9-5-63	"
" JDK	9-9-63	35 sets	9-9		9-9	9-9-63	"
" "	9/10/63	70 SETS	9-11		9-11	9-11-63	"
"		~~1515~~ "	W/A				
"		35 sets	9/16		9/16	9-16-63	"
"		35 sets	9/19		9/19	9-19-63	"
"		35 sets	am 9/20		9/20	9-19-63	"
"		35 sets	am 9-27		9/27	9-27-63	"
"		~~35 sets~~	~~9/25~~		9/27	can not be	
" JDK	9/30/63	35 SETS	ARD 10-2		10-1	10/1/63	TRK

FORM F-28

CO. REPUBLIC
PLANT CANTON
SIZE 25" x 27" LV LONG

8 SPRING CLIPS SK-3270 SK-3320
1 RING - WIPER WURW 130
1 SET INSERTS WU 52

35 WUS2 / PAL
25x72" APPX PAL. SIZE

PLANT INVENTORY						ORDER STATUS								
DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER	CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
					WURW 130	C-36593-R-1	4/16/63	150	5-1		5-1	5-1-63	TRK
					ORD. FOR 2000	" L.1	"	150	5-6	NO CLIPS	5-6	5-6-63	"
					NO SK	" L.3	"	120	5-10		5-10	5-10-63	"
						" R.5 JDK	6-20-63 6-20-63	70	6-21		6-21	6-21-63	"
					490 SHPD THRU 5-10	"	P.	1910	W/A				
						" R.7 PH	6-28-63 6-28-63	170	6-29		6-28	6-29-63	"
					JDK-PH 7/8	" R.8	7/8/63	70	7-9		7-9	7-9-63	"
					" "	" R.8	7/8/63	70	7-11		7-11	7-11-63	"
					" 7/11	" L9	7/11/63	70	7-15		7-15	7-15-63	"
						" R.10 PH	7-17-63 7-17-63	120	ARR 7-19		7-18	7-18-63	"
						" R.11 JDK	7-22-63 7-22-63	180	ARR 7-23		7-22	7-22-63	"
						" R.12 PH	7-24-63 "	180	7-25		7-25	7-25-63	"
					WU52	C-36593-R JDK	4-19-63 4-16-63	355 SETS			4-23	4/24/63	TRK
					ORD. FOR 2000	" EBR	4-22-63 "	70 "	4-22		4-22	4/22/63	TRK
						"	"	355 SETS				4/23/63	"
						" L.1 JDK	4-26-63 5-6-63	140 SETS	5-1		5-1	5-1-63	"
						" L.2	"	140 "	5-6		5-6	5-6-63	"
						" L.3 JDK	5-6-63	140 "	5-10		5-10	5-10-63	"
						" R.4 JDK	5-9-63 6-4-63	140 "			6-4	6-4-63	"
						" JDK	6-4-63	70 "	M&H		6-7	M&H	
					770 SETS SHPD THRU 6-21	" JDK	6-20-63	70 "	ARR 6-22		6-21	6-21-63	TRK
						"		1090 "	W/H				
						" R.6 PH	6-25-63 6-26-63	70 "	G-26		6-26	6/26/63	"
						" R.7 PH	6-28-63 6-28-63	35 "	G-29		6-28	6/29/63	"
						" " "	"	35 "	7-1		7-1	7-1-63	"
					JDK-PH 7/8	" R.8	7/8/63	70 "	7-9		7-9	7-9-63	"
					" "	" R.8	7/8/63	70 "	7-11		7-11	7-11-63	"
					" 7/11	" L9	7/11/63	70 "	7-15		7-15	7-15-63	"
					THIS PAGE - RW 1250	" R.10 PH	7-17-63 7-17-63	105 "	ARR 7-19		7-18	7-18-63	"
					WU 1505 S.	" R.11 JDK	7-22-63 7-22-63	140 "	ARR 7-22		7-23	7/22/63	"
						" R.12 PH	7-24-63 "	140 "	7-25		7-25	7-25-63	"

FE001545

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25" x 27" LV

8 SPRING CLIPS SK-3270 (LONG)

1 RING-WIPER WURW 130 — INSERTS WU52

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					500 WURW 130
					500 WU52

THIS PAGE - RW 500
WU 500 s.

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-35467-R PH	2-26-63 3-8-63	50	3-5		3-5-63	3/5/63	TRK
" R.1	3-12-63	56	3-13		3-13	3/13/63	"
" [illegible]	" "	300	4-5		4-5	4-5-63	"
" R.3 PH	4-4-63 4-9-63	[illegible]	4-11		4-10	not shipped.	
" PH	4-10-63	165	4-13		4-11	4-11-63	"
" R.4 EB		100	4-16		4-16	4-16-63	"
" EB	4-22-63	94	4-22		4-22	4/22/63	"
C-35467-1-R PH	2-26-63 3-8-63	30 SETS	AGR 3-2		3-5-63	3/5/63	TRK
" R.1	3-12-63 " "	60 "	3-13		3-13	3/13/63	"
" R.2 PH	3-26-63 3-27-63	70 "	3-28		3-28	3/28/63	"
" R.4 JDL	4-1-63	95 "	4-16		4-16	4-16-63	"
" R.3 PH	4-4-63 4-9-63	70 "	4-5		4-5	4-5-63	"
" " PH	4-8-63 4-9-63	70 "	4-11		4-10	4-10-63	"
" PH	4-11-63	70 "	4-13		4-11	4-11-63	"
" R.4		95 "	4-16		4-16	4-16-63	"

FE001546

FORM F-28

CO. Republic Steel Co

PLANT Canton

SIZE 25 x 27

8 - Spring Clips St-3320 - 4800 } 7/6 4/HHH Sch1 WKS1
1 - Ring Wiper WURW 130 - 480 }

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
		C-39837-R			
(INCL.		2502	WURW 140)		14682 SHPD THRU 12-3 ; BAL. 9318

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
	PH 12/3/63						
C-39837-R	11-9-63	540	12/3/63		12/3/63	12/3/63	TRL
" JDK	12/3/63	540	12-4		12-4	12/4/63	"
" "	"	300	12-5		12-5	12/5/63	"
" "	"	300	12-6		12-6	12/6/63	"
" "	"	420	12-9		12-9	12/9/63	"
" "	12/10/63	360	12-11		12-11	12/11/63	"
" "	"	480	12-13		12-13	12/12/63	"
" "	"	480	12-13		12-13	12/13/63	"
" "	"	480	12-16		12-16	12/16/63	"
" "	12/18/63	180	12-19		12-19	12/19/63	"

FE001547

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25 × 27

8 - STAND. OILS SL-3320 4400 } T/C W/4444 SEAL NU-51
1 - KING N. PUR. NURN 130 480 }

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					ORD. 4 FOR 24M & 192M OILS →
					ORD. STARTS →
		C-39837-R			
					(NOT INCL. IN 9582)
		(INCL. 1542 WURW140)	9582		SHIP THRU 11-13 ; BAL. 14418
					To be delivered by Geo Dowidchuck

FE001548

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-39837-R	10-3-63 OK TM	360	10-11		10-11	10/11/63	TRK
"	10-9	540	10-14		10-14	10/14/63	"
" JDK	10-10-63	480	10-11		10-11	10/11/63	"
" JDK	10-15-63	300	10-16	3 M S/C	10-16	10/16/63	"
"	"	480	10-17		10-17	10/17/63	"
"	"	480	10-18		10-18	10/18/63	"
"	"	480	10-22		10-22	10/22/63	"
"	10-22-63	480	10-23		10-23	10/23/63	"
"	"	480	10-24		10-24	10/24/63	"
"	"	360	10-25		10-25	10/25/63	"
"	"	540	10-29		10-29	10/29/63	"
" JDK	10-29-63	480	10-30		10-30	10/30/63	"
" "	"	540	10-31		10-31	10/31/63	"
" "	10/30/63	420	11-4		11-4	11-4-63	"
" "	11/4/63	180	11-5		11-5	11-5-63	"
" "	"	360	11-7		11-7	11-7-63	"
" "	"	540	11-8		11-8	11-8-63	"
" "	"	480	11-12		11-12	Hold	
" "	11/12/63	540	11-13		11-13	11-13-63	TRK
" "	11/12/63	180	11-14		11-14	11-14-63	"
" "	"	540	11-15		11-15	11-15-63	"
" "	"	360	11-18		11-18	11-18-63	"
" —	—	—	11-18	only 4000 S/C	11-18	11/24/63	G.D.
" "	11/19/63	300	11-20		11-20	11-20-63	"
" "	"	540	11-21	No S/C	11-21	11-21-63	"
" "	"	420	11-22		11-22	11-22-63	"
" "	"	240	11-25		11-25	11-25-63	"
" "	11/26/63	300	11-26		11-26	11/26/63	"
" "	"	240	11-27		11-27	11-27-63	"
" "	"	240	11-29		11-29	11-29-63	"
" "	"	240	12-2		12-2	12/2/63	"

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25" x 27"

8 SPRING CLIPS SK-3320 4000 } T/L w/ 444 SETS WU51
1 RING-WIPER WURW130 480 }

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					35718 SHPD THRU 9-13 | BAL = 12282
					JDK 9/13
					JDK 9/18
					" "
					" "
					JDK 9/19
					JDK - 9/23
					JDK - 9/25
					39438 SHPD THRU 9-27 | BAL 8562 " "
					" "
	THIS PAGE THRU 10-2				
	RW 5640 →				

ORDER STATUS

CUSTOMER ORDER NO.		DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-37092-R	JDK	9-10-63	480	9-13		9-13	9-12-63	TRL
"		"	480	9-14		9-13	9-13-63	"
"		"	480	9-16		9-16	9-16-63	"
"			540	9-19		9-19	9-19-63	"
"			540	9-20 am		9-20	9-19-63	"
"			360	9-21 am		9-20	9-20-63	"
"			540	9-23 am		9-23	9-23-63	"
"		PU 9-23-63	360	9-24		9-24	9-24-63	"
"			360	9-26 am		9-26	9-26-63	"
"			540	9-27 am		9-27	9-27-63	"
"			540	9-28 am		9-27	Cancel	/
"	JDK	9/30/63	480	ARR 10-2		10-1	10/1/63	"
"	"	10/1/63	480	ARR 10-2		10-2	10/2/63	"
"	"	10/2/63	420	10-3		10-3	10/3/63	"
"	"	"	420	10-4		10-4	10/4/63	TRK
"	"	"	420	10-7		10-7	10/7/63	"
"	"	10/7/63	480	10-9		10-9	10/9/63	"
"	"	"	540	10-10		10-10	10/10/63	"

FE001549

FORM F-28

CO. Republic Steel Corp

PLANT Canton

SIZE 25×27 LV Short

8 - Wire Spring Clips - SC-3320 - 4000
1 - Ring Wiper WURW-130 - 480
} T/L with NNN seals WC 51

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					Rev #3 for addition of 12,000 JDK-7/8/
					JDK-7/11
					JDK-7/11
					JDK-7/11
					25198 THRU 7-25
					INCREASE TO 48 M JMW 8/7/63 Rev 4 7/30/63 JMW 8/1/63
					34278 (INCL. 100 WURW 140 - 9/6 THRU SHOWN AS "130") INCL 9-9

FE001550

THIS PAGE
RW 12320

ORDER STATUS

CUSTOMER ORDER NO.		DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-37092-R			290	7-11		7-11	7-11-63	TRK
"			360	ARR 7-12		7-12	7-12-63	"
"			480	ARR 7-13		7-13	7-13-63	"
"			290	ARR 7-15		7-15	7-15-63	"
"	PH	7-17-63	360	ARR 7-19		7-18	7-18-63	"
"	JDK	7-19-63	360	ARR 7-22		7-22	7/24/63	"
"	JDK	7-22-63	360	ARR 7-23		7-22	7-22-63	"
"	PH	7-24-63	360	7-25		7-25	7-25-63	"
"	JDK	7-25-63	480	7-26		7-26	7-26-63	"
"	"	"	340	7-27		7-26	7-27-63	"
"	"	"	480	7-29		7-29	7-29-63	"
"	"	7-31-63	120	ARR 8-1		8-1	8-1-63	"
"			540	8-5		8-5	8-5-63	"
"	JMW	8-5-63	480	ARR 8-6		8-6	8-6-63	"
"			360	arr 8-8		8-8	8-8-63	"
"	JMW	8-8-63	300	8-9		8-9	8-9-63	"
"	JMW	8-9-63	540	ARR 8-10		8-12	8-12-63	"
"	JDK	8-12-63	360	ARR 8-19		8-19	8-19-63	"
"	"	8-19-63	540	ARR 8-22		8-22	8-22-63	"
"	"	"	360	8-20		8-20	8-20-63	TRK
"	"	"	240	8-23		8-23	8/23/63	"
"	"	8-20-63	480	8-21		8-21	8-21-63	"
"	"	"	540	8-26		8-26	8/26/63	"
"	"	8-23-63	540	ARR 8-28		8-28	8/28/63	"
"	PH	8-28-63	300	arr 8-27		8-29	8/29/63	"
"	PH	8-29-63	480	9-3		9-3	9-3-63	"
"	PH	9-4-63	480	arr 9-7		9-6	9-6-63	
"	PH	9-4-63	—	9-5	8000 S/C	9-5	9-5-63	TRK
"	PH	9-4-63	540	9-9		9-9	9-9-63	"
"	PH	9-5-63	480	arr 9-6		9-6	9-6-63	TRK
"	JDK	9/10/63	480	9-12		9-12	9/12-63	"

FORM F-28

CO. LaSalle

PLANT Canton

SIZE 25 × 27 LV — 24 SHT

5 Rings ea. Lb SK-3320 4m } 3/4 MIN 4 WEEKS MAY
1 - Ring Mfg. NURN130 4So }

PLANT INVENTORY

1963 DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
6-9	K	780	420/day		Rev'd per 12000 → 1
					4 96m S/C
					SHPD THRU 6-25 / 18578
					JDK - 7/1
					"
					SHPD THRU 7-5 "
					"
					22338 THRU 7-9 JDK - 7/8

FE001551

THIS PAGE RW 11310

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
Rev'd C-37082-R JDK	5-12-63 6/1/63	480	5-31		5-31	5-31-63	TRK
"		480	5-31		5-31	Cancel	
"		480	6-3		6-3	Cancel	
"		240	6-4		6-4	6-4-63	TRK
"	JDK 6-4-63	480	6-5 AR		6-5	6-5-63	"
"	" "	480	6-6 AR		6-6	6-6-63	"
"	" "	180	6-8 AR		6-7	6-7-63	"
"	" 6-6-63	360	6-7		6-7	6-7-63	"
"	" "	480	6-10 ARR		6-10	6-10-63	"
"	" 6-10-63	480	6-11		6-11	6-11-63	"
"	" "	480	6-12		6-12	6-12-63	"
"	P.U. 6-12-63	480	6-13		6-13	CANCELLED	
"	" "	480	6-14		6-14	6-13-63	"
"	" "	360	6-15 ARR		6-14	6-14-63	"
"	" "	480	6-17 ARR		6-17	6-17-63	"
"	JDK 6-18-63	480	6-18 AR		6-18	6-18-63	"
"	" "	480	6-20 R		6-20	6-19-63	"
"	" "	480	6-21 UA		6-21	6-20-63	"
"	" "	480	6-22 L		6-21	Cancel	
"	" 6-20-63	290	6-22		6-21	6-21-63	"
"	" 6-21-63	480	6-24		6-24	6-24-63	"
"	" 6-24-63	360	6-25		6-25	6-25-63	"
"	" 6-25-63	180	6-27		6-27	6-27-63	"
"	" 6-28-63	480	6-28		6-28	6-28-63	"
"	" 6-28-63	410	6-29		6-28	6-29-63	"
"	" "	480	7-1		7-1	7-1-63	"
"		480	7-3		7-3	7/3/63	"
"		480	7-5		7-5	7/3/63	"
"		480	7-6		7-5	7-5-63	"
"		480	7-8		7-8	7-8-63	"
"		290	7-9		7-9	7-9-63	"

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25" x 27" LV SHORT

8 SPRING CLIPS SK-3270 4M } T/L WITH 444 SETS WU 61
1 RING-WIPER WURW 130 480

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					ORD. FOR 12000 → 1
					2
					ORD. INCL. 96M S/C 3
					4
					5
					6
					7
					8
					9
					10
					11
					12
					13
					14
					15
					16
					17
					18
					19
					20
					21
					22
					23
					24
					11028 THRU 5/29 25
					26
					BAL

THIS PAGE - RW 11028

FE001552

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-37092-R	Rel 4-29-63 4-8-63	450	4-30		4-30	4-30-63	TRK
"	"	450	5-1		5-1	5-1-63	"
"	"	300	5-2		5-2	5-2-63	"
"	"	450	5-3		5-3	5-3-63	"
"	"	200	5-3		5-3	5-3-63	"
"	"	508	5-4		5-4	5-4-63	"
"	"	390	5-6	4M S/C	5-6	5-6-63	"
"	"	360	5-7		5-7	5-7-63	"
"	"	480	5-8		5-8	5-8-63	"
"	"	480	5-9		5-9	5-9-63	"
"	"	480	5-10		5-10	5-10-63	"
"	"	480	5-11		5-10	5-10-63	"
"	"	480	5-13		5-13	5/13/63	"
"	"	480	5-14		5-14	5/14/63	"
"	"	420	5-15		5-15	5/15/63	"
"	"	480	5-16		5-16	5/16/63	"
"	"	480	5-20		5-20	5/18/63	"
"	"	480	5-21		5-21	5/21/63	"
"	"	480	5-22		5-22	5-22-63	"
"	"	480	5-23		5-23	5-23-63	"
"	"	480	5-24	ON 2M S/C	5-24	5-24-63	"
"	"	480	5-28		5-28	5-28-63	"
"	"	480	5-29		5-29	5-29-63	"
"	"	420	5-27		5-27	5-27-63	TRK
"	"	360	5-29		5-29	5-29-63	"
"	"	450		SEE [illegible]			
"	"	68	W/A				

FORM F-28

CO. Lee Ohio

PLANT Canton

SIZE 25"x27" LV-SHEET HEAT-UP INSERT. HU-51 444 SETS PER T/L WITH 480 WU HU 130

Sheet 3 of 22
74 Sets Per Sheet

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
			C-39837-R		
		(INCL. 2580 WU CO)			15444 SHIP THRU 12-3 ; BAL. 8556

ORDER STATUS

	CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
✓	C-39837-R JAC	12-26-63	444 SETS	12-2		12-2	12/2/63	TRK
✓	" JDC	12-2-63	444 "	12-3		12-3	12/3/63	"
✓	" JDK	12/3/63	444 "	12-4		12-4	12/4/63	"
✓	" "	"	296 "	12-5		12-5	12/5/63	"
✓	" "	"	148 "	12-6		12-6	12/6/63	"
✓	" "	"	296 "	12-9		12-9	12/9/63	"
✓	" "	12/10/63	296 "	12-11		12-11	12/11/63	"
✓	" "	12/12/63	444 "	12-12		12-12	12/12/63	"
✓	" "	"	444 "	12-13		12-13	12/13/63	"
✓	" "	"	296 "	12-13		12-13	12/13/63	"
✓	" "	"	444 "	12-16		12-16	12/16/63	"
	CANCELLED BALANCE ONLY NEEDED		444			12-18	CANCELLED	
			444			12-19	CANCELLED	
✓	" "	12/19/63	148	12/19		12/19	12/19/63	"

FE001553

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25 × 27 IV-SHORT WEST-OF INSERT WU-51 444 SETS PER 7½ WITH 450 NORMI30

24 SETS PER PALLET

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					ON 2ND FOR 24 M →
					CRD. STARTS →
		C-32837-R			
		(INCL. 1460 WU60)			9588 SHPD THRU 11-13 ; BAL. 14412 (NOT INCL. IN 9588)

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-32837-E JDK	10-3-63						
"	10-9	136 SETS	10-10		10-10	10/10/63	TSRX
"	"	592 "	10-11		10-11	10/11/63	"
"	"	444 "	10-14		10-14	10/14/63	"
" JDK	10-10-63	444 "	10-12		10-11	10/11/63	"
" JDK	10-15-63	296 SETS	10-16		10-16	10/16/63	"
"	"	1444 SETS	10-17		10-17	10/17/63	"
"	"	444 SETS	10-18		10-18	10/18/63	"
"	"	444 SETS	10-22		10-22	10/22/63	"
"	10-22-63	444 "	10-23		10-23	10/23/63	"
"	"	444 "	10-24		10-24	10/24/63	"
"	"	444 "	10-25		10-25	10/25/63	"
"	"	444 "	10-29		10-29	10/29/63	"
" JDK	10/29/63	444 "	10-30		10-30	10/30/63	"
" "	"	444 "	10-31		10-31	10/31/63	"
" "	10/30/63	296 "	11-1		11-1	11-1-63	"
" "	"	444 "	11-4		11-4	11-4-63	"
" "	11/4/63	148 "	11-5		11-5	11-5-63	"
" "	"	592 "	11-6		11-6	11-6-63	"
" "	"	296 "	11-8		11-8	11-8-63	"
" "	"	444 "	11-12		11-12	HOLD	
" "	11/12/63	444 "	11/13		11-13	11-13-63	TSRX
" "	"	444 "	11/14		11-14	11-14-63	"
" "	"	1144 "	11/15		11-15	11-15-63	"
" "	"	444 "	11/18		11-18	11-18-63	"
" "	11/19/63	296 "	11/20		11/20	11-20-63	"
" "	"	444 "	11/21		11/21	11-21-63	"
" "	"	296 "	11/22		11/22	11/22/63	"
" "	"	444 "	11/25		11-25	11-25-63	"
" "	11/26/63	444 "	11-26		11-26	11/26/63	"
" "	"	296 "	11-27		11-27	11-27-63	"
" "	"	296 "	11-29		11-29	11-29-63	"

FE001554

FORM F-28

CO. Republic

PLANT Canton

SIZE 25x27 LV Short

Pallet - 38x72 24 Per Pallet

Wrap-Up Inserts WU-51 444 Sets Per T/L with 480 WUNW130

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					39515 (INCL. 100 WU60 SHOWN AS WU 51) (INCL. 5-5) THRU 9-6 →
					41291 SHPD THRU 9-13 BAL = 6709
					SDK - 9/13
					SDK - 9/18
					SDK - 9/18
					SDK - 9/18
					SDK - 9/19
					SDK - 9/23
					SDK - 9/25
					44991 SHPD THRU 9-27 BAL. 3009 " "
					" "

FORM F-28

co. Republic

PLANT Canton

SIZE 25×27 LV Short

Pallet - 38×72 — 74 Per Pallet

Inserts WU-51 — 444 sets Per T/L with 480 WURW 130

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
				rev 3 for addition 12,000	JDK - 7/1
					JDK - 7/8
					JDK - 7/8
					JDK - 7/11
					JDK 7/..
					JDK 7/..
					INCL. 20 SPECIAL RESINS →
					28586 THRU 7-25
					INCREASE TO 48 M
					JMW - 8/1/63
					JMW - 8/7/63
					SPECIAL MIX →
					THIS PAGE - WU 12995 s.

FE001556

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-37092-R		444 sets	7-8		7-8	7/8/63	TRK
"		444 sets	7-9		7-7	7-9-63	"
"		444 sets	7-11		7-11	7-11-63	"
"		444 sets	7-12		7-12	7-12-63	"
"		444 sets	ARR 7-13		7-12	7-13-63	"
"		444 sets	ARR 7-15		7-15	7-15-63	"
" PH	7-19-63	296 sets	ARR 7-19		7-18	7-18-63	"
" JDK	7-19-63	464 "	ARR 7-22		7-22	7/22/63	"
" JDK	7-22-63	296 "	ARR 7-23		7-22	7/22/63	"
" PH	7-24-63	296 "	7-25		7-25	7-25-63	"
" JDK	7-25-63	444 "	7-26		7-26	7-26-63	"
" "	"	296 "	7-27		7-26	7-27-63	"
" "	"	370 "	7-29		7-29	7-29-63	"
" "	7-31-63	444 "	ARR 8-1		8-1	8-1-63	"
"	8/4	444 "	ARR 8-3		8-2	8-2-63	"
		444 "	8-5		8-5	8-5-63	"
" JMW	8-5-63	444 "	ARR 8-6		8-6	8-6-63	"
"		444 sets	ARR 8-8		8-8	8-8-63	"
" JMW	8-8-63	516 "	8-9		8-9	8-9-63	"
" "	8-9-63	444 "	ARR 8-10		8-12	8-12-63	"
" JDK	8-12-63	296 "	ARR 8-19		8-19	8-19-63	"
" "	8-19-63	444 "			8-22	8-22-63	"
" "	"	592 "	8-20		8-20	8-20-63	TRK
" "	"	444 "	8-23		8-23	8/23/63	"
" "	8-20-63	370 "	8-21		8-21	8/21/63	TRK
" "	"	25 "	8-21		8-21		
" "	"	444 "	8-26		8-26	8/26/63	"
" "	8-23-63	444 "	ARR 8-28		8-28	8/28/63	"
" "	PH 8-28-63	592 "	ARR 8-29		8-29	8/29/63	"
" "	PH 8-29-63	592 "	8-30		8-30	8-30-63	"
" "	PH 8-30-63	444 "	9-3		9-3	9-3-63	"

FORM F-28

CO. REPUBLIC — INLET 3 3/4 × 72 — 7" DIA INLET

PLANT CANTON

SIZE 25 × 27 LV SHORT — INSERTS NU51 — 444 SETS T/L WITH 4 SLEEVES 180

PLANT INVENTORY

1963

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
6-9	K	740	420/day		Rev'd for 12000 #
					SHPD THRU 6-25 / 209648 SETS
					THIS PAGE - WU 1250 G's.
					JDK - 7/1
					JDK - 7/1
			SHIPPED THRU 7-5 245701		" "

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
Rev'd JDK C-37092-R	5-23-63 6-3-63	444 SETS	6-9		6-9	CANCELLED	
" "		444 "	6-21		6-21	5-31-63	TRK
" "	"	444 "	6-3		6-3	CANCELLED	
" "	"	444 "	6-4		6-4	6-4-63	"
" JDK	5-31-63	444 "	6-1 ans		6-1	6-1-63	TRK
" JDK	6-4-63	444 "	6-5 ans		6-5	6-5-63	"
" "	"	444 "	6-6 ans		6-6	6-6-63	"
" "	"	444 "	6-8 ans		6-7	6-7-63	"
" "	6-6-63	444 "	6-7		6-7	6-7-63	"
" "	"	444 "	6-10 ARR		6-10	6-10-63	"
" "	6-10-63	444 "	6-11		6-11	6-11-63	"
" "	"	444 "	6-12		6-12	6-12-63	"
" PH	6-12-63	444 "	6-13		6-13	CANCELLED	
" "	"	444 "	6-14		6-14	6-13-63	"
" "	"	444 "	6-15 ARR		6-14	6-14-63	"
" "	"	444 "	6-17 ARR		6-17	6-17-63	"
" JDK	6-17-63	444 "	6-18 Appr		6-18	6-18-63	"
" "	"	444 "	6-20 Appr		6-20	6-19-63	"
" "	"	444 "	6-21 Appr		6-21	6-20-63	"
" "	"	444 "	6-22 Appr		6-21	[illegible]	
" "	6-20-63	444 "	6-22		6-21	6-21-63	TRK
" "	6-21-63	444 "	6-24		6-24	6-24-63	"
" "	6-24-63	592 "	6-25		6-25	6-25-63	"
" "	6-25-63	592 "	6-26		6-26	6-26-63	"
" "	6-25-63	GGG "	6-27		6-27	6-27-63	"
" "	6-28-63	444 "	6-28		6-28	6-28-63	"
" "	6-28-63	444 "	6-29		6-28	6-29-63	"
" "	"	444 "	7-1		7-1	7-1-63	"
"		444 "	7-3		7-3	7-3-63	"
"		444 "	7-5		7-5	7-3-63	"
"		444 "	7-6		7-5	7-5-63	"

FE001557

FORM F-28

CO. REPUBLIC

PLANT CANTON

PALLET: 38" x 72" 74/PAL.

SIZE 25" x 27" LV SHORT INSERTS WU 51 - 444 SETS / T/L W/ 450 WURW 130

PLANT INVENTORY

ORDER STATUS

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER	CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
					ORD. FOR 12000 - 1	C-37092-R Rel	4-29 GB 5-8-63	444 SETS	4-30		4-30	4/30/63	TRK
					2	"	"	444 "	5-1		5-1	5-1-63	"
					3	"	"	296 "	5-2		5-2	5-2-63	"
					4	"	"	444 "	5-3		5-3	5-3-63	"
					5	"	"	444 "	4-29		4-29	4/29/63	TRK
					6	"	"	222 "	5-3		5-3	5-3-63	"
					7	"	"	444 "	5-4		5-4	5-4-63	"
					8	"	"	296 "	5-6		5-6	5-6-63	"
					9	"	"	444 "	5-7		5-7	5-7-63	"
					10	"	"	444 "	5-8		5-8	5-8-63	"
					11	"	"	444 "	5-9		5-9	5-9-63	"
					12	"	"	444 "	5-10		5-10	5-10-63	"
					13	"	"	444 "	5-11		5-10	5-10-63	"
					14	"	"	444 "	5-13		5-13	5/13/63	"
					15	"	"	444 "	5-14		5-14	5/14/63	"
					16	"	"	444 "	5-15		5-15	5/15/63	"
					17	"	"	444 "	5-16		5-16	5/16/63	"
					18	"	"	444 "	5-17		5-17	5/17/63	"
					19	"	"	444 "	5-20		5-20	5/18/63	"
					20	"	"	444 "	5-21		5-21	5/21/63	"
					21	"	"	444 "	5-22		5-22	5-22-63	"
					22	"	"	444 "	5-23		5-23	5-23-63	"
					23	"	"	444 "	5-24		5-24	5-24-63	"
					24	"	"	444 "	5-26		5-26	5-26-63	"
					25	"	"	444 "	5-27		5-27	5-28-63	"
					26	"	"	444 "	5-29		5-29	5-29-63	"
					27	"	"	444 "	5-17		5-17	5-27-63	TRK
					12064 / BAL	"	"	592 "	5-29		5-29	5-29-63	"
					THIS PAGE - WU 12064s.								

FE001558

FORM F-28

CO. REPUBLIC
PLANT CANTON
SIZE 25" x 27" LV SHORT

8 SPRING CLIPS SK-3270 4M
1 RING-WIPER WURW 130 450
1 SET INSERTS WU51 444 SETS
T/L

INSERT PALLET:
38" x 72"
74/PAL.

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					WURW 130
					WU51
					3P = 222 SETS
					4P = 296 "
					5P = 370 "
					6P = 444 "
					THIS PAGE - RW 850
					WU 888 s.

FE001559

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-36346R R1	Pl 4-1-63 4-15-63	450	4-27		4-27	4-27-63	TRK
" "	"	200	4-28		4-28	4-28-63	TRK
" "	"	200	4-29		4-29	4-29-63	"
C-36346R R1	Pl 4-1-63 4-15-63	444 SETS	4-27		4-27	4-27-63	TRK
" "	"	444 SETS	4-28		4-28	4-28-63	TRK
12-17-M	"	444 SETS	4-29		4-29	4-29-63	"

FORM F-28

CO. REPUBLIC
PLANT CANTON
SIZE 25" x 27" LV SHORT

8 SPRING CLIPS SK-3270 4M
1 RING-WIPER WURW 130 450
1 SET INSERTS WU51 444 SETS

T/L

INSERT PALLET:
38" x 72"
74/P

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					WURW 130
					ORD. FOR 6000
					WU 51
					ORD. FOR 6000
					3P = 222 SETS
					4P = 296 "
					5P = 370 "
					6P = 444 "
					THIS PAGE - RW 4206
					WU 4144s.

FE001560

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-36346-R R1	PH 4-1-63 4-15-63	450	4-10		4-10	4-10-63	TRK
"	"	150	4-11		4-10	4-10-63	"
"	"	350	4-15		4-11	4-11-63	"
"	"	~~450~~	4-17		4-17	CANCEL	
"	"	350	4-19		4-19	4-19-63	"
"	"	206	4-22	4M S/C	4-22	4-22-63	"
"	"	350	ADD 4-24		4-24	4-24-63	"
"	"	~~300~~	4-26		4-26	4-26-63	"
"	"	~~450~~	4-29		4-17	4-17-63	TRK
"	JDK 4-19-63	450	ADD 4-20		4-20	4-20-63	"
"	EBR 4-24-63	~~300~~	ADD 4-25		4-25	4-25-63	"
"	"	~~330~~	4-16		4-16	4-16-63	TRK
"	"	100	4-16		4-16	4-17-63	"
"	"			2000 S/C	4/19	4/23/63	"
"	"			4000 S/C	4-20		
C-36346-R R1	PH 4-1-63 4-15-63	148 SETS	4-10		4-10	4-10-63	TRK
"	"	444 "	4-11		4-10	4-10-63	"
"	"	~~370~~ "	4-15		4-11	4-11-63	"
"	"	~~444~~ "	4-17		4-17	CANCEL	
"	"	296 "	4-19		4-19	4-19-63	"
"	"	222 "	4-22		4-22	4-22-63	"
"	"	~~296~~ "	ADD 4-24		4-24	4-24-63	"
"	"	~~518~~ "	4-26		4-26	4-26-63	"
"	"	~~296~~ "	4-29		4-17	4-17-63	TRK
"	JDK 4-19-63	444 "	ADD 4-20		4-20	4-20-63	"
"		~~370~~ "	ADD 4-25		4-25	4-25-63	"
"		370 SETS	4-16		4-16	4-16-63	TRK
"		~~444~~ "				4/23/63	"
"		222 "				4-23-63	"

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25" x 27" LV

T/L { 444 SETS WU51 + 4M = 448

8 SPRING CLIPS SK-3270 (SHORT)

1 RING-WIPER WURW 130 — INSERT WU 51

INSERTS: 74/P

PAL. 38" x 72"

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					WURW 130
					N/C REPLCMT ✓
					WU51
					THIS PAGE - RW 4964
					WU 5032 S.

FE001561

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-35159 R R.1	PU 3-1-63 2-19-63 3-1-63	122	ARR 3-2 63		3-2	3/2/63	TRK
" "	"	476	3-5		3-5	3/5/63	"
" "	"	464	3-7		3-7	3/7/63	"
" "	"	450	3-12		3-12	3-12-63	"
" "	"	448	3-14		3-14	3/14/63	"
" "	"	448	3-30		3-29	3/30/63	"
" "	"	448	3-21		3-21	3-21-63	"
" "	"	448	3-26		3-26	3/26/63	"
" "	"	336	3-28		3-28	3/28/63	"
" "	"	224	ARR 3-22		3-22	3/22/63	"
" "	"	136	ARR 4-3		4-2	4-2-63	"
	JDK 4-1-63	-	4-3	4M S/C	4-2	4-2-63	"
C-36346-R R.1	PU 4-1-63 4-15-63	314	4-3		4-2	4-2-63	"
" R.1	"	200	4-5		4-5	4-5-63	"
" "	"	450	4-8		4-8	4-8-63	"
C-35159 R R.1	PU 3-1-63 2-19-63 3-1-63	70 SETS	ARR 3-2		3-2	3/2/63	TRK
" "	"	448	3-5		3-5	3/5/63	"
" "	"	444	3-7		3-7	3/7/63	"
" "	"	444	3-12		3-12	3/12/63	"
" "	"	444	3-14		3-14	3-14-63	"
" "	"	196	3-30		3-29	3/30/63	"
" "	"	444	3-21		3-21	3-21-63	"
" "	"	444	3-26		3-26	3/26/63	"
" "	"	444	3-28		3-28	3/28/63	"
" "	"	222	ARR 3-22		3-22	3/22/63	"
" "	"	200	ARR 4-3		4-2	4-2-63	"
C-36346-R R.1	PU 4-1-63 4-15-63	144	4-3		4-2	4-2-63	"
" R.1	"	444	4-5		4-5	4-5-63	"
" "	"	444	4-8		4-8	4-8-63	"

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25" x 27" LV

8 SPRINGCLIPS SK-3270 INSERTS ~~[illegible]~~ WUSI

1 RING-WIPER ~~[illegible]~~ 74/P 38" x 72" PAL. DIM.

WURW130

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					RW 50Y
					C-34807-R — C-34807-R —
					4100 Inyrt's WURW130 →
					~~for 4100 WURW130 →~~
					C-34807-R - INSERTS
					4070 Inyrt's WUSI
					for 4000 WUSI →

THIS PAGE - RW 650
WU 596 s.

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
~~C-65568-R~~ PW	2-4-63	~~REQ'T~~ ~~ORD~~	~~19C3~~				
" R.9 PW	2-4-63	250	2-15		2-15	2/15/63	TRL
" Rd 4x M	2-18-63	-	2-19	15M S/C	2-19	2/19/63	"
	2-25-63						
C-34807-R QD	3-1-63	400	ADD 3-2		3-2	3/2/63	"
~~C-35459-R~~	3/9/63						
C-34807-R	QD 3-1-63	222 SETS	2-15		2-15	2/15/63	TRL
C-34807-R	QD 3-1-63	374 SETS	ADD 3-2		3-2	3/2/63	"
~~C-35459-R~~	3/9/63						

FE001562

FORM F-28

CO. Republic Steel
PLANT Canton
SIZE 25 x 27 LV Ring-Wiper

Insert pallet = 38" x 72"
1 — Wrap-Around Inserts B-3369 — (WU51) 74 per pallet
8 — Wire Spring Clips SK-3270 —
1 — Ring-Wiper RW 50Y — 50 per pallet

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
				Per R67 1/14/63	RW 50Y
					Phone Gum 1/28
				Per R67 1/14/63	Wrap ~~Around~~ Inserts B-3369 WU51
					Ph Gum 1/28/63
					Ph 6-0 2/1/63

FE001563

THIS PAGE: RW 3050
WU 3182 s.

WURW130 ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-234H9-R	Ph 1/15/63	250	1/14/63		1/14/63	1/14/63	TRK
"	Ph 1/14/63	250	1/16/63	2M SK-3270	1/16/63	1-16-63	"
"	Ph 1-16-63	250	1-18	NO CLIPS	1-18	1-18-63	"
"	Ph 1-21-63	250	1/23		1-23	1-23-63	"
"	"	250	1/25		1/25	1/25/63	"
No SK-3270 Clips for rings from 1/24/63							
	Ph 1/28/63	250	1/31/63	No clips	1/31/63	1-31-63	TRK
C-63586B-R-RW"9		500	2/8 A	No Clips	2/8	2-7-63	"
" RW"9	"	500	2/12 R		2/12	2/12/63	"
" RW"9	"	500	2/15 R		2/15	CANCELLED	
" RW"9	"	250	2/19 V		2/19	2/19/63	TRK
" RW"9	"	500	2/22 A	No Clips	2/22	2/22/63	"
" RW"9	~~Ph 1/28/63~~	~~500~~	2/26 L		2/26	CANCELLED	
C-234H9-R	Ph 1/14/63	222 sets	1/14/63	3 Pallets	1/14/63	1/14/63	TRK
"	Ph 1-14-63	222 "	1/16/63	3 Pallets	1/16/63	1/16/63	"
"	Ph 1-16-63	222 "	1-18	3 Pallets	1-18	1-18-63	"
"	Ph 1-21-63	222 sets	1/23	3 Pallets	1/23	1-23-63	"
"	"	222 "	1/25	3 Pallets	1/25	1/25/63	"
		222 "	1/31	3 Pallets	1/31	1-31-63	"
C-34807-R		222 "	2/5	3 Pallets	2/5	2-5-63	"
"		444 sets	2/8 A R	6 Pallets	2/8	2/7/63	"
"		HHH "	2/12 R	6 "	2/12	2/12/63	"
"		444 "	2/15 R	6 "	2/15	CANCELLED	
"		222 "	2/19 V A	3 "	2/19	2/19/63	TRK
"		518 "	2/22 L	7 "	2/22	2/22/63	"
"		444 "	2/26 S	6 "	2/26	CANCELLED	

FORM F-28

CO. REPUBLIC
PLANT CANTON
SIZE 25" x 27" LV

WRAP-AROUND INSERTS B-3369
BRICK TEMPLATES SK-3864
RING-WIPER RW50Y (RW50RY & RW50W)

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
					N/C
					MWM 1-3-63

FORM F-28

CO. Republic Steel
PLANT Canton, Ohio
SIZE 25×27 RW-50

4 - Wire Block Clips - SL-1657 - 5000
8 Spring Clip - SL-3270 - 9000
1 Ring Wiper RW-50 - 1092
} PTL

PLANT INVENTORY

1962 DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
2-23	D	312	8/day	ample	GFE-12/18
3-30	D	260			
4-23	D	260	?		
5-24	D	215			
8-30	JK	100	?		with - 1020 RW51 →
9-26	D	520			
10-23	D	280	45/6h	11-10	
11-8	E	581			
11-20	D				
1963					
1-2	D	570			

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-17829-R PH	11-28-61 PH 12-27-61	52	OFF 12/19	No Blk Clips	12/19	12/19/4	TRUCK
"	"	208	12-21	" "	12-21	12/21/61	"
"	"	208	12-27	No Appts	12-27	12/28/62	"
C-28358-R	11/6/62	208		No Blk Clips	1/24/62	1/24/62	"
C-21731-R PH	6-13-62 6-19-62	208	6/13/62	No Appts	6/13/62	G-13	"
C-22627-R	9/12/62	520	9-14		9-14	9.14.62	"
C-625868-R PH	10-3-62 10-5-62 10-5-62	REQ'T. ORD. TO			1962		
" R.29		520	10-8	No S/C	10-8	10/8/62	TRK
" R.28 GFE	10-10-62	520	10-15	"	10-15	10/15/62	"
" R30 PH	10-29-62	468	OFF 11-5	No S/C No Blk/C	11-5	11/9/62	"
" R30	"	468	OFF 11-15	"	11-15	11-15-62	"
" R30	"	~~468~~	OFF 11-28	"	11-29	CANCELLED	
" R.30	"	—	11-5 A	4 Hi - S/C	11/5	11/6/62	TRK
" R.32 PH	12-14-62	-	DATE 12-16	10 m S/C	12-14	12/14/62	"
" R. " PH	12-19-62 12-19-62	364	12-20 DATE	6 m S/C ONLY	12-20	12/20/62	"
" R 33 PH	12-27-62 12-31-62	312	12-31		12-31	12/31/62	"
C-635868-R PH	1/9/63 1-4-63	REQ'T. ORD.		1963			
" R.6		—	1-18	NH-SL 8370	1-18	1-17-63	TRK
"		—					
"		—					

G.O Hot Tob Veneer Comb R-7 Mix

GFE-11/8/61	C-17829-R PH 12-18-61 12-27-61	336	12/19		12/19/62	12/19/4	TRK
	" PH 12-20-61	1.0118	1-4-62		12-27	12/27/61	"

FE001565

FORM F-28

CO. Republic

PLANT Canton

SIZE 25 × 27 Cover C-93 PAL. 45 3/4" × 52"

1 Sq Rd Pallet

PLANT INVENTORY

DATE 1963	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
6/17	K	164			
6/24	K	78			
6-21	K	220			
7-1	K	124			JK-7/11 1
7-8	K/W	123			1

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
1 C-37808-R-2nd	5-10-63 5-15-63 5-21-63	189	ASAP		5-27	5-27-63	TRL
" Rev1 JDL	6-3-63 6-14-63	189	6-7		6-7	6-7-63	"
" R.1 PH	6-12-63	189	ASAP		6-14	6-14-63	"
" Rev1 R2 PH	6-12-63 6-25-63 6-26-63	189	6-26		6-26	6/26/63	"
C-38491-R-Rev1	7/1/63	189	7-12		7-12	7-12-63	"
C-38491-R	7/10/63	189	W/H	CANCELLED			
" Rev2	9-13-63	378	9/13		9/13/63	9-12-63	TRL

FE001566

CO. Republic Steel Corp

PLANT Canton

SIZE 25 + 27 Low Volume

BRICK WUB-3451

16 Sets / Pallet

Per Set = 2 each "H491-H494 H-"H495

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10704-82							
~~C-10478-87~~	11/68	S/O	- 1968				
C-10966-56	11/69	S/O	for 1969				

FE001567

FORM F-28

CO. Republic
PLANT Canton
SIZE 25x27

2ea - #4491 to 4494; 4 - #4495

Brick WUB-3451 Long

CANCLD - L 5-19-67

PLANT INVENTORY

~~10 sets/Pat~~

ORDER STATUS

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER	CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
						C-10282-51	1/1/66	S/O 1966					
						" R.40 PH	5-17-66	40 sets	ASAP	39736 GD	5-26	5/27/66	TRK
						" R.45 PH	6-9-66	40 SETS	AT ONCE	39987 "	6-10	6/10/66	"
					Released Ph Gum 4/24	" "	"	35 "	ASAP	40100 "	6-27	6/29/66	TRK
						" "	"	13 sets		39987 "	6-10		
					Ph Gum 4/24	" Rel H9 PH		40 sets	ASAP	40113 "	7-1	7-6-66	"
						" " GD	6-28-66	40 sets	ASAP	40114 "	7-15	7/5-66	"
						" R.56 PH	7-15-66	39 SETS	"	40285 "	7-18	7/8/66	"
						" R.73 "	9-19-66	45 "	AT ONCE	40811 "	9-20	9-20-66	"
						" R.75 "	9-29-66	80 "	ASAP	40851 "	10-14	10/12/66	"
						" R.79 "	10-13-66	80 "	AT ONCE	41035 "	11-18	11-21-66	"
						" R.86 "	11-11-66	80 "	"	41346 "	1-4	1-4-67	TRK
						C-10478-82	1/1/67	S/O 1967					
						" R.21 PH	1-3-67	80 SETS	ASAP	41740 "	1-30	1-30-67	TRK
						" R.390 "	1-26-67	78 SETS	ASAP	41930 "	2-16	2/16/67	"
						" R.732 "	2-15-67	80 Sets	"	42061 "	3-28	3/28/67	"
						" R.1279 "	3-28-67	80 SETS	ASAP	42548 "	4/21	4-25-67	"
					Ph Gum 4/19/67 →	" R 1601 "	4-19-67	50 Sets	7-26	42621 "	7-21	7-24-67	"
					Ph Gum 7/20/67 →	" R 1601 "	7-20-67	30 Sets	ASAP	43468 "	8-7	8-7-67	"
						~~R 3295 PH~~	8-7-67	~~80 Sets~~	~~M-H~~	~~42589 "~~	~~8-22~~	~~M-H~~	Cancel
						" " "	8-17-67	40 sets	ASAP	43589 "	8-24	8/24/67	L/C
					Ph Gum - 10/9/67 →	" R 3295 PH	10/9/67	30 Sets	ASAP	43589 "	10-11	10/11/67	"
					Ph Gum 10/9/67 →	~~R 4491 PH~~	10/19/67	~~80 Sets~~	~~M-H~~	~~44878 "~~	~~10-27~~	~~M-H~~	Cancel
						C-10704-82	1/1/68	S/O 1968					
					Ph Gum 2/12/68	" R 809 PH	2-12-67	48 Sets	ASAP	46058 "	2/3/68	2/14/68	TRK
					" " "	" R 809 "	"	32 Sets	ASAP	46032 "	2/3/68	2/23/68	"
					" " 3/29/68 →	" Rel 1001 PH	2/14/68	48 Sets	ASAP	46260 "	3/11/68	3-14-68	"
						" Rel 1109 PH	9/29/67	48 Set	AT ONCE	46420 "	9/20/68	3-20-68	"
						" Rel 1109	"	48 Set	M-H	46419 "	3/16/68	M-H	

FE001568

FORM F-28

CO. REPUBLIC

PLANT CANTON (WUB-3402-X = 4356-X, 4357-X & 4358) ONE SET: 4 EA. #4356-58 FOR USE WITH

SIZE 25" x 27" IFB BRICK WUB-3402 16 SETS/Pallet LONG BOTTOM SECTION

PLANT INVENTORY-LONG-

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					REV. #1 3/18/63
					JDK 6-10 →
					R.4 PH 7-22-63 7-22-63
					R.C JMW 8-5-63 8-6-63
					ADDITIONAL 384 SETS
					SHIP TO FAIRFIELD
					WUB-3402-X

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-3563 G7-R PH	1-30-63 2-8-63	30 SETS	ARR. 3-1	21770 JM Z	2-28-63	2/28/63	TRK
" R.1 GPE	3-12-63	50 SETS	3-18	21404 "	3-29	3/26/63	"
" R.5 JDK PH	4-25-63 4-25-63	50 SETS	4-29	23168 "	4-29	4/27/63	"
C-37234-L JDK	4-25-63 5-7-63	48 SETS	ASAP	23414 "	5-31	5-31-63	"
JDK	4-25-63						
		50 SETS	M&H		5-29	M&H	CANCELLED
C-3796 9-R, R.1 JDK PH	5-28-63 6-10-63	96 SETS	M&H	24457 "	6-14	6-14-63	TRK
C-3796 9-R JDK PH	6-10-63 6-10-63	48 SETS	ARR. 7-25	24619 "	7-24	7-24-63	"
" R.3 "	7-11-63 7-10-63	48 SETS	7-12 ARR.	24629 "	7-13	7-13-63	TRK
" R.6 REV. 1	7/26/63	198 SETS	8-8	26424 "	8-7	8-6-63	"
" R.5 JDK	7-29-63 7-31-63	96 SETS	ASAP	JM Z	7-30	7-30-63	TRK
C-3796 9-A REV 2		96 SETS	W/A				
" R.12 JDK	9-24-63	48 SETS	ARR. 9-26	26455 "	9-25	9-25-63	TRK
" JDK	9-30-63 10-5-63	48 SETS	9/30	26567 "	10/16	10/16/63	"
" JDK	10-29-63	32 SETS	10-30	27071 "	10-30	10/30	
" "	11-11-63	16 SETS	ARR. 11-14	27318 "	11-13	11-15	
" "	12/5/63	16 SETS	ARR. 12-6	27742 "	12-6	12/6	
" "	12/10/63	32 SETS	12-10	27827 "	12-10	12/10	
" AND	1-21-64	49 SETS	1-25	28684 "	1-14	1-28	
C-3796-L, R.4 GD	7-25-63 7-30-63	48 SETS	ARR. 8-24	26103 JM Z	8-23	8/23/63	TRK

FE001569

FORM F-28

CO. Republic
PLANT Canton
SIZE 26 x 27

Brick WUB-3425 (WU-60) Steel 292 Lbs. Set - { 2 ea. #4408 thru #4411 / 4 - 4412

PLANT INVENTORY for short Bottom Cissing (264 SETS ON 10 PAL)

DATE 1965	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
4-23	D	264			PER PALLET
7-20	JK	264			264 #4408, 4409, 4410 OR 4411
					528 #4412
					GD. 5/20/65

ORDER STATUS Cancel 1/5/66

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10120-51	1/1/65	Bkt. Ord. for 1965					
" R.4 GD	1-14-65 1-15-65	396 sets	2-2	35916 JM 2	2-1	2-1-65	TKK
" R.9 GD	2-17-65 2-17-65 2-17-65	528 ea. 4408-4410 #4411	ASAP	36162 "	2-19	2/19/65	TKK
" " "	" "	1056 #4412	"	36213 "	2-19	2/24/65	"
" R.12 "	3-4-65 3-5-65	264 sets	3-18	36347 "	3-17	3-17-65	"
" R.15 JDK	3-24-65 3-26-65	264 sets	4-1	36564 "	3-31	4/1/65	"
" " "	" "	over	4-1	36564 "	3-31		
" R.18 "	4-15-65 4-15-65	264 SETS	4-19	36668 "	4-19	4/19/65	TKK
" " "	" "	264 #4410 528 #4412	4-19	36668 "	4-19		
" R.20 GD	4-26-65 4-28-65	396 sets	4-30	36711 "	4-29	4-30-65	"
" R.25	5-21-65	264 sets	5-24	36982 "	5-24	5/24/65	"
" "	5-21-65	264-4408 264-4411	"	36982 "	5-24		
" R.26 GD	5-27-65 6-3-65	264 SETS	ARR 6-4	37134 "	6-3	6-3-65	TKK
" R.29 JDK	6-17-65 6-18-65	264 SETS	ARR 6-19	37305 "	6-18	6/18/65	TKK
" "	" "	264 4409 & 4410	"	" "	6-18		
" "	" "	528 4412	"	" "	6-18		
" R.31 JDK	7-9-65	264 sets	7-20	37723 "	7-19	7-19-65	"
" R.35 GWM	PH 8-4-65 8-4-65	264 sets	8/13	37855 "	8-12	8-12-65	"
" R.46 PH	10-20-65 11	264 sets	10-25	38222 "	10-22	10/22/65	K
C-10282-51	1/1/66	S/O	1966				
" R.10 PH	2-4-66 2-7-66	264 SETS	2-4	JM 2	2-4	2/4/66	TKK
" R.58 "	7-19-66 "	100 SETS	WK 7-25	40293 "	7-28	7/27/66	"
C-10478-82	1/1/67	S/O	1967				
C-10704-82	1/1/68	S/O	1968				
C-10955-56	1/1/69	S/O	1969				

TRANSFERRED TO SHARON INROAD { P-46871 - GENERAL REF., CLAYSBURG, PA. 20 SETS TO PLANT 2

FE001570

CO. REPUBLIC

PLANT CANTON

SIZE 25 × 27

SET { 2 RA "440 } THRU 4411
4 – 4412

Brick NUB-34/25 (NU-60) STOCK 791 ...

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					P-41826
					264 #4408, 4409, 4410 OR 4411 = 1P
					528 #4412 = 1P
					1 Pallet each of 4410 and 4412 →
					1-Pallet →
					C-10120-51

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-645868-R	11/23/64	Left Order			1964		
" R.34 JDK	7-21-64 / 7-28-64	264 SETS	7-22	32491 JH Z	7-21	7/22/64	Ark
" R.24		396 "	7-29	32492 "	7-28	7/28/64	TRK
" " "	7-27-64	528 #4412	ARR 7-29	32492 "	7-28		
	PRW 7-29-64	50 SETS		NAR CLR		M&H	
" R.25 JDK	8-3-64 / 8-5-64	396 SETS	8-7	32766 JH Z	8-6	8-6-64	"
" "		396 "	8-15	32793 "	8-14	8-14-64	"
" R.26 GD	8-18-64	396 "	8-26	ARR 33173 "	8-25	8/26/64	"
" " "		396 "	9-4	33174 "	9-3	9-3-64	"
" R.27 "	9-3-64 / 9-11-64	OVER	9-11	33600 "	9-10	9-14-64	"
" R.28 GD	9-16-64 / 9-24-64	396 SETS	9-24	33835 "	9-23	9-23-64	"
" R.29 JDK	9-29-64	396 SETS	10-7	34170 "	10-6	10/6/64	"
" " "	"	264 #4411	10-7	" "	10-5		
" R.30 GD	10-9-64 / 10-23-64	396 SETS	10-19	34661 "	10-20	10/19/64	"
" " "	"	528 #4412	10-19	" "	10-20	"	"
" " "	10-16-64 / 10-25-64	396 SETS	10-27	34724 "	10-27	10/27/64	"
" " "	"	264 #4410	10-27	" "	10-27		
" R.31 JDK	10-30-64 / 11-4-64	264 SETS	11-11	35046 "	11-11	11/10/64	TRK
" " "	"	264 4411 RA 4412	11-11	" "	11-11		
" R.32 GD	11-9-64 / 11-16-64	396 SETS	ARR 11-17	35254 "	11-17	11/17/64	"
" R.34 JDK	11-16-64 / 11-18-64	528 #4412	ARR 11-17	" "	11-17		
" R.34 "	11-17-64	396 SETS	11-24	ARR 35362 "	11-24	11-24-64	"
" " "		396 SETS	12-4	ARR 35364 "	12-4	12/4/64	"
" R-35 "	12-11-64 / 12-10-64	396 SETS	12-11	35527 "	12-10	12/10/64	"
" R-35 "	" "	264 - 4410 528 - 4412	12-11	35527 "	12-10		
" R-36 "	12-16-64 / 12-16-64	396 - Sets	12-23	35609 "	12-22	12/22/64	"
" R-36 "	" "	528 #4412	12-23	35609 "	12-22	"	"
C-655868-R	1/65	Rept Ord for 1965					
" R.1 JDK	12-31-64 / 12-31-64	396 sets	1-8	35747 JH Z	1-7	1/8/65	TRK
" " "	"	528 #4412	1-8	" "	1-7		

FE001572

FORM F-28

CO. LaClede

PLANT Canton

SIZE 25 x 27

6/10/64
Even sets are shipped in multiples of 5 pallets.

Set { 2 FRP "4410 THRU 4411 / 4 - "4412

792 SHR - 1180 SHR

LTR 4-16-64 LTR 5-4-64

Brick NW8-3425 (NW60) STOCK 40 SETS (MAIN) 40 SETS (NWX.) - LTR 2-10-64 LTR 3-27-64

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
1964					
1-13	JW	108	20/da	1-19	
					ORIGINALLY SHIPPED TO CANTON ON 10-17 (2G755). RETURNED TO REWORK
					INCR. TO 148 SETS (Rev. 1 12-6-63)
					ORD. FOR 1000 SETS →
					J.M.W - 1/6/64
					We have notice from Canton on this →
					From Horbison-Walker

ORDER STATUS 20 Sets / 1 Pal

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-39457-R	9-2-63 / 9-16-63 / 9-23-63	10 SETS	ASAP 9-14	25991 JM 2	9-13	9-13-63	TRK
"	"	40 SETS	ASAP	26765 "	10-17	10/17/63	"
" JDK	10-28-63	30 SETS	10-30	27059 "	10-30	10/30/63	"
C-30558-R GD	11-11-63 / 12-2-63	48 SETS	RUSH	27317 "	11-15	11-15-63	"
" JDK	11-19-63 / 12-2-63	12 sets	AT ONCE	27555 "	12-10	12/10/63	"
" JDK	11-19-63 / 12-5-63	40 SETS	ASAP 12-6	27555 "	12-6	12/6/63	"
" JDK	11-19-63 / 12-9-63	48 SETS	AT ONCE	27555 "	12-10	12/10/63	"
C-30955-R JDK	12-6-63 / 12-16-63	200 SETS	ASAP	27828 "	12-18	12/18/63	"
" JDK	12-9-63 / 12-16-63	200 SETS	11-27	27821 "	12-27	12/26/63	"
"	"	200 SETS	W/A	28264 "	1/6/64	1-6-64	"
" JDK	1-3-64	196 SETS	W/A	28418 "	1/16/64	1-16-64	"
"	"	264 SETS	ASAP	28790 "	1-28	1-28-64	"
C-G458G8-R	1/17/64	REACT OCD 1964					
" R.5 GD	2-3-64 / 2-3-64	264 SETS	ASAP 2-4	28918 "	2-5	2/5/64	TRK
" R.6 JDK	2-10-64 / 2-11-64	264 SETS	2-14	29110 "	2-14	2/14/64	TRK
" " "	"	264 #4411 528 #4412	2-14	" "	2-14		
" R.13 JDK	2-20-64 / 2-25-64	264 SETS	3-23	29355 NW GL 2	4-13	4/18/64	"
" R.7 JDK	2-25-64 / 3-5-64	264 SETS	3-2	29351 JM 2	3-2	3/2/64	TRK
" R10 JDK	3-13-64	264 sets	3-13	29830 JM 2	3-16	3-16-64	"
" R11 JDK	3-20-64	264 sets	4-1-64	30135 JM 2	3-31	4-1-64	"
" R.12 JDK	4-3-64 / 4-8-64	264 SETS	4-6	30274 "	4-6	4-6-64	"
" " GD	4-7-64 / 4-8-64	396 SETS	4-10	30342 "	4-10	4-10-64	"
" R.19 GD	5-3-64 / 5-7-64 / 5-14-64	396 sets	ASAP 5-5 2nd 5-12	30650 NW GL 2	5-5	5-4-64	"
" R.15 GD	5-4-64	OVER	ASAP	30869 JM 2	5-5	5-6-64	"
" R.17 GD	5-11-64	264 SETS	ASAP 5-18	31090 "	5-15	5-18-64	"
" R.18 GD	5-22-64 / 5-25-64	264 SETS	ASAP 5-25	31346 "	5-25	5-25-64	"
" " "	5-26-64 / 5-25-64	264 SETS	G-1 NW	31398 "	G-1	6-1-64	"
" R.20 "	6-9-64 / 6-9-64	264 sets	6-20	31708 "	6-19	6-19-64	"
" R.21 "	6-25-64 / 6-26-64	396 SETS	ASAP 7-3	31786 "	7-2	7/2/64	"
" R.23 "	7-7-64 / 7-7-64	396 SETS	AT ONCE	32225 "	7-8	7-9-64	"
" R 24	7-21-64 / 7-28-64	- NW 2	"	32493 "	7-19	7/19/64	"

FE001574

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25" x 27" LV

WUB-3185-YZ = 3585-YZ, 3587-YZ, 3589-YZ

SHEET 1 SET = 4 EA. # 3585-Y — 3587-Y

BRICK WUB-3185-Y

CANCELLED - LTR 12-5-63

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					ADDITIONAL 864 SETS
					ADDITIONAL 2000 SETS
					SHIP FROM STOCK
					WUB-3185-YZ

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-37969-R Rev. 1	7/26/63	~~446 SETS~~	w/a				
" R.6 JMW	8-5-63 8-6-63	216 SETS	ARR 8-8	26134 JM 2	8-7	8-8-63	TRK
" R.7 JDK	8-19-63 8-19-63	216 SETS	ARR 8-19	26111 "	8-19	8-19-63	TRK
" R.8 "	8-21-63 8-22-63	96 SETS	ARR 8-26	25897 H	8-22	8-22-63	"
" R.10 "	8-30-63	216 sets	ARR 9-3	25810 "	9-3	9-3-63	"
C-37969-R Rev. 2	9/4/63	240 SETS	w/a				
" R.11 JDK	9/11-63	220 SETS	ARR 9-14	26056 "	9-13	9-13-63	"
" R.12 "	9-24-63	220 SETS	ARR 9-26	26455 "	9-25	9-25-63	"
" R.13 JDK	9-30-63 10-3-63	220 SETS	10-7	26637 "	10-7	10/7/63	"
" JDK	10/11/63	220 sets	ARR 10-18	26835 "	10-17	10/17/63	"
" JDK	10-29-63	220 SETS	10-30	27057 "	10-30	10/30/63	"
" JDK	11-11-63	220 SETS	ARR 11-14	27315 "	11-13	11-15-63	"
" JDK	11/25/63	220 SETS	ARR 11-26	27627 "	11-25	11/25/63	"
" "	12/5/63	227 SETS	ARR 12-6	27742 "	12-6	12/6/63	"
C-37969-R Rev. 3	7-25-63 10-28-63	216 SETS	ARR 8-24	26134 JM 2	8-23	8/23/63	TRK

FE001576

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 25" x 27" LV BRICK WUB-3185-Y

SHORT 1 SET = 4 EA. #3585-Y, 3586-Y & 3587-Y

LTR. 5-29-63 HANDLING STOCK OF 432 SETS

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
1-2-63	D	20			
					SHOWN AS B-3185
					FIRST IDENTIFIED AS WUB-3185-Y
					2800° →
					BG4 SETS
					Bring Switch to 1st "1" adv 8-1

ORDER STATUS (24 sets per hour)

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-23449-R	11/9/62	10 SETS	11-30	P-27484 JM Z	11-30-62	11-30	TRK
"	"	20 SETS	ASAP	" "	12-6	12-7	4T/C
RGT	11-21-62	50 SETS	WR 12-3	" "	WK 12-8	HOLD	CANCELLED
C-625868-R R. 32	11/9/62	50 SETS	ASAP	" "	12-18	1/18/63	TRK
C-635868-R REV. 1	1/9/63	REQT O.K. 1963					
" R.2 PH	12-19-62 12-19-62	100 SETS	1-4	20823 JM Z	1-4	1/4/63	TRK
C-625868-R R. 32	11/9/62	46 SETS	AT ONCE	20960 JM Z	1-4		
C-635868-R R4	PH 1-4-63 1-4-63	100 SETS	ASAP	21069 "	1-18	1-21-63	"
" R-6 GFB PH	1-11-63 1-11-63	100 SETS	ARR 2-1	21211 "	2-28	2/28/63	"
" R.8 GFB PH	1-25-63 1-28-63 1-29-63	100 SETS	ARR 3-18	21643 "	3-18	3-18-63	"
" R.13 PH	2-26-63 3-1-63	100 SETS	ASAP	22405 "	4-5	4-4-63	"
" R.15 JDK PH	3-4-63 3-6-63 3-12-63	100 SETS	ARR 4/19-4/26	22406 "	4-19	4-19-63	"
" R.13	3-1-63	100 SETS	ASAP	22405 "	3-29	3/29/63	TRK
" R.15	3-12-63	100 SETS	ASAP	22406 "	4-11	4-11-63	"
" R.19 JDK	4-4-63 4-9-63	100 SETS	4-29	23169 "	4-29	4/27/63	"
" " JDK	4-4-63 4-9-63	100 SETS	4-27	23570 "	4-27		
" R.18 PH	4-18-63 4-18-63	100 SETS	4-29	23644 "	5-13	CANCEL	
" R.19	"	100 SETS	4-29	23721 "	5-18	CANCEL	
" " JEC	4-26-63	10 SETS	4-26	PLT. 1	4-26	4-26-63	TRK
" R.24 PH	5-6-63 5-7-63	100 SETS	ASAP	23814 JM Z	5-31	5/16/63	"
" R.24	"	100 SETS	ASAP	" "	5-24	5/16/63	"
" R.26 PH	5-14-63 5-15-63	216 SETS	ASAP	24008 "	6-3	5-31-63	"
" R.26 PH	5-13-63 5-15-63	16 SETS	ASAP	23824 "	5-16	5/16/63	TRK
" R.30 JDK	6-6-63 6-6-63	216 SETS	6-11	24591 "	6-11	6-10-63	TRK
C-37869-R	6/11/63	- - -					
" R.1 PH	6-17-63	216 SETS	ARR 6-19	24857 JM Z	6-19	6-19-63	TRK
" R.2 PH	7-1-63 7-1-63 7-1-63	216 SETS	7-3	25052 JM Z	7-2	7-2-63	TRK
HN3000IRB		3 SETS		NW CL	8-1		
HN-LOTHRU	6-20-63 7-1-63	3 SETS		NW CL	8-1		
" R.3 PH	7-10-63 7-10-63	216 SETS	7-12	25266 JM Z	7-13	7-13-63	TRK
" R.4 PH	7-22-63 7-22-63	216 SETS	ARR 7-25	25522 JM Z	7-24	7-24-63	"

FE001577

FORM F-28

co. Republic Steel Co I.F.B. Per Set - 4 each - #3585, 3586, 3587, 4027, 4028, 4029

PLANT Canton Brick B-3185 - 320 sets per 37000 lb Truckload

SIZE 25×27

PLANT INVENTORY

DATE 1962	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
10-24	D	25			✓
11-8	E	138			✓
					✓
					✓
					✓
					✓
					SEE B-3185-Y

NOT USED

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-28358-R	11/6/62	12 sets	at once	16690 JM Z	11/24/62	11/23/62	TRK
C-22482-R GD 8-23-62 AB 8-28-62 8-2-62		48 SETS	RUSH	19850 JM Z	8-27	8/28/62	"
C-L25Pl8-L	10/3/62	Requirement		Ord YR 1962			
" L28	9-28-62	AB SETS	ASAP	19624 JM Z	10-11	10/11/62	TRK
" R-30	10/29/62 10/29	96 sets	MIH	20051 JM Z	11-5/62	11/5/62	"
" R-32 PH	11-26-62 11-26-62	50 SETS	MEH	20533 JM Z	12-14	MEH	
" R-32	11-26-62	46 SETS	MEH	20533 JM Z	12-14	MEH	CANCELLED

FE001578

F-28-A-R11/64

co Republic Steel Corp

PLANT Canton

SIZE 25x27 L.V. CASING HT-1479 BOT - G TOP - F Short

Mark Orders - Do not machine runners on Tops

PLANT INVENTORY 1/2/68 - No Authorized Stock

DATE AND BY	IN USE 2 PC	IN USE TOPS	NEW 2 PC	NEW BOT'S	USAGE	O. K TO	RECOMMENDED ORDER
							G Bot F Top

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10704-B2	1/1/68	S/O	for	1968			
" K.661 PH	2.5 Lb	50 Bolts	1/31/68	46[illegible]	2-6	2/6/68	Truck
" "	"	25 Bolts	"	39175 "	2-6		
" R.1269 PH	3-21-68 3-8-68	40 Bolts	"	46[illegible] "	3-18	3-15-68	"
" R 1375 A	3/14/68	75 Bolts	3/19	116533 T.B	3-26	3-26-68	"
" R 1375		75 Bolts	3/19	116535	4-1	4-2-68	"
" R 1375		75 Bolts	3/26	46536	4-5	4-8-68	"
" R 1375		75 Bolts	3/26	116537	4-11	4-15-68	"
" R 1375		75 Bolts	4/2	46538	4-17	4-23-68	"
" R 1375		75 Bolts	4/2	116539	4-23	4-30-68	"
" R 1269		35 Bolts	3/19	[illegible]	3-18	3-18-68	"
C-10955-B6	1/1/69	S/O	for	1969			

0650 lb

FE001579

F-28-A-R11/64

co Republic Steel Corp

PLANT Canton

SIZE 25"x27' LV

CASING HT-1479

BOT - A (long)

TOP - B (long)

PLANT INVENTORY

DATE AND BY	IN USE 2 PC	IN USE TOPS	NEW 2 PC	NEW BOT'S	USAGE	O. K TO	RECOMMENDED ORDER
							B-Top A-Bot

ORDER STATUS

Youngstown Carriage

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10704-B2	1/1/68	S/O for 1968					
C-10955-B6	1/1/69	S/O for 1969		K			

FE001580

FORM F-28-A

CO REPUBLIC

PLANT CANTON

SIZE 25" x 27" LV CASINGS HT-1479 A BOT (LONG) B TOP

PLANT INVENTORY

DATE AND BY	IN USE 2 PC.	IN USE TOPS	NEW 2 PC.	NEW BOT'S	USAGE	O. K TO	RECOMMENDED ORDER
JDK - 7/30/63							
JDK 10-1-64							
							Drilled & Asm SK-2200 Bushings

B Top

A Bot

FE001581

YOUNGSTOWN CARTAGE ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-635868-R		Reo'T ORD		1963			
" R.21	4-24-63	25 2-Pc	ASAP	22[illegible] K	6-4	6/4/63	TRK
" "	"	25 2-Pc	ASAP	23[illegible] K	6-17	6/20/63	"
" R.35 JDK	5-3-63 7-24-63	50 Bot		23[illegible] K	7-10	7/[illegible]/63	TRK
" R.37 PH	8-26-63 8-28-63	25 Bot	APP 11-1-63	26108-K	10/31	10/31/63	"
C-645868-R	1/27/64	Reor Order Yr		1964			
" R.29 GD JDK	5-4-64 8-13-64 10-8-64	25 Bots	10-7	30[illegible] K	10-7	10/8/64	TRK
C-10120-51	1/1/65	S/O		1965			
" R.9 GD	2-17-65	25 Bots	ASAP	26273 K	3-24	3/26/65	TRK
~~" R.16~~ PH	3-1-65	~~25 Bots~~	~~ASAP~~				
"							
"							
C-10282-51	1/1/66	S/O		1966			
" R.16 PH	3-1-66 3-2-66	25 Bots	ASAP	37[illegible]6 K	4-1	3/28/66	TRK
" R.27 PH	4-4-66 4-4-66	5 Tobi	AIAP	39370-K	4/29/66	4-28-66	"
" R.91 "	4/15-66 "	16 2pc	Rush	37[illegible]1 K	5-3	5/6/66	"
" R.40 "	5-17-66 "	15 Bots	Rush	39735 K	6-10	6/9/66	TRK
" R.53 "	7-7-66	25 Bots	ASAP	40204 K	8-12	8/19/66	"
" R.62 "	8-10-66 8-10-66	12 Bots	ASAP	40505-K	9-9	9-13-66	"
" R.83 "	11-1-66 11-1-66	25-2Pc	ASAP	41237 K	12/11	12/12/66	"
" R.84 "	11-4-66 "	6-2pc	ASAP	41214	11-4	11/4/66	TRK
" " "	"	6-Bot	ASAP	41264	11-4		
C-10478-82	1/1/67	S/O		1967			
" Rel 732 PH	2-15-67	12 Bots	rush	42060-K	3/17/67	3/13/67	TRK
" Rel 1601 PH	4-19-67	12 Bots	rush	42620-K	5/12/67	5-16-67	"
" R.3473"	5-17-67	24 Bots	ASAP	43726 K	9-27	9-22-67	"

FORM F-28-A

CO REPUBLIC

PLANT CANTON

SIZE 25" x 27" LV CASING HT-1479

D BOT - SHORT MARK ORDERS - DO NOT MACHINE

E TOP RUNNERS ON TOPS

PLANT INVENTORY

DATE AND BY	IN USE 2 PC	IN USE TOPS	NEW 2 PC.	NEW BOT'S	USAGE	O. K. TO	RECOMMENDED ORDER
					11		E Top

@ Tilo →
@ Tilo →
@ Kulztown →

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-645868-R	7/27/64	REQT ORD		1964			
" R.22	7/3/64	25-2PC	ASAP	[illegible] K	12-3	[illegible]	[illegible] T.B - E
"	"	25-2PC	"	[illegible] "	9-25	[illegible]	[illegible] T.B "F
"	"	25-2PC	"	[illegible] "	9-30	shipped "	" "F
" "	"	10-2Pc	ASAP	32246	7-30	7/29/64	TRK
" R 23	7/15/64	50 Bots	8-4 with	32558 K	8-4	8-4-64	"
" R 23	"	50-Bots	8-20	32559 K	9-18	8-19-64	"
" "	"	50 Bots	8-12	32508 K	8-12	8-12-64	TRK
" R-22	7/3/64	3-2Pc	SHP	32242-K	7-30	10/27/64	"
" R-23	7-15	25 Bots	8-27	32559-K	8-26	8/26/64	TRK
" R. 23	"	25 Bot	9-18	32559-K	8-27	8-27-64	TRK
" R 27	9/11/64	50 Bots	Sept	[illegible] K	9-17	9-17-64	TRK
" R 27	9/11/64	50 Bots	Sept	[illegible] K	9-23	9-23-64	"
" R 28 CW	9-16-64 9-21-64	50 Bots	10-7	[illegible] K	10-7	10/8/64	"
" R. 28	"	50 Bots	Oct	[illegible] K	10-13	10/22/64	"
" R 34	11-23-64 11-18-64	50 Bots	rush	35476 T.B	12/11/64	12/11/64	"
" R 34	" "	21 Bots	ASAP	35477 T.B	1/15/65	1-15-65	TRK
" R 34	" "	50 Bots	ASAP	35604-K	12/18	12/18/64	TRK
" "	"	29 Bots	1-9	35[illegible] K	1-9	1-9-65	"

FE001582

FORM F-28-A

CO REPUBLIC

PLANT CANTON

SIZE 25 x 27 LV CASING HT-1479 G BOT F TOP STOCK 100 BOTS - LTR 1/5/66

MARK ORDERS: DO NOT MACHINE RUNNERS ON TOPS

G - Bot
F - Top

PLANT INVENTORY

DATE AND BY	IN USE 2 PC	IN USE TOPS	NEW 2 PC.	NEW BOT'S	USAGE	O. K TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10282-51	1/1/66	S/O 1966					
" R. 72 PH	9-19-66	26 2PC	ASAP	[illegible] TB	9-27	9-26-66	TPUX
" "	"	27 2PC	"	" "	9-30	10/4/66	"
" "	"	23 2PC	"	[illegible] "	10-17	10/13/66	"
" "	"	24 2PC	"	[illegible] "	10-24	10/19/66	TPUX
" R. 74 PH	9-22-66	75 BOTS	9-28	[illegible] "	9-28	9/27/66	TPUX
" R 81 PH	10/21/66	25 - 2Pc	ASAP	41116 "	11-4	11-4-66	"
" R 81	"	25 - 2Pc	ASAP	41118 "	11-15	11-14-66	"
" R 81	"	25 - 2Pc	ASAP	41119 "	11-28	11/28/66	"
" R81	"	25 - 2Pc	ASAP	41120 "	12-6	12/9/66	"
" R81	"	75 - Bots	10/26	41121 "	10/26	10/26/66	TPUX
" R87 PH	11-15-66 11-15-66	75 - Bots	11/23	41137 "	11/23	11/23/66	TPUX
" R92 PH	12-9-66	25 - 2Pc	ASAP	[illegible]	12/30	12/30/66	"
	"	25 - 2Pc		[illegible]	1/10	1/9/67	TPUX
	"	25 - 2Pc		[illegible]	1/19	1-17-67	"
	"	25 - 2Pc		[illegible]	1/24	1-24-67	TPUX
" R. 94 PH	12-16-66	75 BOTS	12-19	[illegible] "	12-19	12/19/66	TPUX
C-10478-82	1/1/67	S/O		1967			
" R 118 PH	1-9-67	75 Bots	1/10/67	41307 TB	1/10/67	1/10/67	TPUX
" R-1202 PH	3-27-67	75 Bots	4/3/67	42336	3/31/67	4-3-67	"
" R1697 PH	4-25-67	75 Bots	S/I	42562	5/1/67	5-1-67	"
" R. 2960 "	7-17-67	75 BOTS	AT ONCE	43434	7-18	7/19/67	"
" R.3473 "	8-17-67	75 Bots	[illegible]	[illegible]	[illegible]	8/18/67	"
" R 3801 PH	9-7-67	75 Bots	ASAP	43918	9-8	9-11-67	"
" R 4190 PH	10-2-67	75 Bots	ASAP	111299	10-4	10/4/67	"
" R 4511 PH	10-26-67	75 Bots	ASAP	111526	10-30-67	10/31/67	"
" R.5113 "	12-4-67	75 BOTS	ASAP	[illegible]	12-5	12/5/67	TPUX
" " "	12-5-67	75 BOTS	ASAP	39175	12-7	12/11/67	TPUX

FE001583

FORM F-28-A

CO Republic Steel Corp

PLANT Canton

SIZE 25 × 27 L.V.

Per Teller 12/8/65 / 1/5/66
Stock - 0 - 2 Pc HT-1479-G & F
Stock - 75/100 - Bot. HT-1479-G

G - Bot
F - Top

Mark Orders - Do not Machine Runners on Tops

CASING HT-1479

PLANT INVENTORY

DATE AND BY	IN USE 2 PC	IN USE TOPS	NEW 2 PC	NEW BOTS	USAGE	O.K TO	RECOMMENDED ORDER
							G Bot F Top

FE001584

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10282-51	1/1/66	3/a	1966				
" Rel "2 PH	1/14/66 1-6-66	75 Bots	ASAP	[illegible] T.B	1/6/66	1-6-66	TRK
" R.6 PH	1-27-66	75 Bots	ARR 2-1	[illegible]	2-1	2/1/66	"
" R 8 PH	2-2-66 2-2-66	50 Bots	ASAP	38926	2-4	2/4/66	"
" R 8	"	25 Bots	ASAP	38925	2-8	2/8/66	"
" R 12 PH	2/14/66 2/15/66	50 Bots	ASAP	39022	2-16	2/16/66	"
" R 12	"	25 Bots	ASAP	39023	2-18	2/17/66	"
" R.14 PH	2-23-66	75 Bots	ARR 3-1	[illegible]	3-1	3-1-66	"
" R.17 "	3-1-66 3-1-66	25 Bots	MH ASAP Coming wk 3/7	[illegible]	3-22	MH	
" R 18 "	3-4-66 3-4-66	75 Bots		39198	3-8	3/9/66	TRK
SEE T&L							
" R-22 PH	3/21/66 3-21-66	75 Bots	rush	39331	3-21	3/21/66	TRK
" R-27 PH	4-4-66 4-4-66	75 Bots	rush	39373	4-5	4-5-66	TRK
" R-34 PH	4-22-66 4-22-66	75 Bots	4/26	[illegible]	11-26	4-21-66	"
" R 35 PH	4-26-66	75 Bots	5-3	39607	5-3	5-3-66	TRK
" R.38 "	5-9-66 "	75 Bots	5-10	[illegible]	5-10	5/10/66	"
" R.40 "	5-17-66 "	75 Bots	5-19	[illegible]	5-19	5/19/66	"
" R.43 "	6-1-66 "	75 Bots	AT ONCE	[illegible]	6-1	6-1-66	"
" R.46 "	6-16-66 6-16-66	75 Bots	ARR 6-17	[illegible]	6-17	6/17/66	"
" R.53 "	7-7-66	75 Bots	ARR 7-14	[illegible]	7-14	7-14-66	"
" R.54 "	7-12-66 7-12-66	75 bots	7-21	[illegible]	7-21	7-21-66	"
" R60 "	8-3-66 8-3-66	75 Bots	8-5	40396	[illegible]	8-5-66	"
" R62 "	8-10-66 8-10-66	75 Bots	8-16	401196	8-16	8-16-66	"
" R64 "	8-24-66 "	75 Bots	8-31	[illegible]	8-31	8-31-66	"
" R70 " PH	9-13-66 "	75 Bots	9-20	410140	9-19	9-19-66	TRK
" R. 17	3/1/66	100 Bots	MH ASAP		NOT ORDERED		
C-30831-51		1 Mandrel	L-169	Old Loose	8/5	8-5-66	TRK
C-30831-51 PH EBR	7-14-66 8-5-66	5 Mandrels	L-169		7/15	7-15-66	TRK
N/C → 1		1-16 oz	oz.	Sample case	5/6	5-6-66	TRK
Ordered from T&L on P-46548 1 C-28483-51	3/24/66	4 Mandrels	L-169		4-1	4/1/66	TRK

FORM F-28-A

12/18/65

CO Republic Perfected ~~HT-1479~~ 1/5/66

PLANT Canton Stock-080-2PC HT-H49-G & F
Stock 75150 Bolt HT-H79-G
100

SIZE 25 × 27 LV Casing HT-1479

G - Bot -
~~D - Bot - Shoe~~
F - Top

Mack Orders - Do Not Machine Runners on Tops

PLANT INVENTORY

DATE AND BY	IN USE 2 PC	IN USE TOPS	NEW 2 PC.	NEW BOT'S	USAGE	O.K TO	RECOMMENDED ORDER
7/15	431	128		33			D F Top G Bot D Bots
							all these are G castings / FBR - 4/7/65 " - 4/7/65
							Final Taylor's Bought all the Future Orders will be HT-1479
							G - Bot →
							G - Bot →
							G.O - 5/28

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
2/10/20-51	1/1/65	Standing order 1965					
" R.14 PM	3-18-65	25 Bot	ARR 3-23	36413 T/B	3-23	3/23/65	TRK
" R-16 PM	4/19/65 1-7-66	25 Bot	4-8	36414 T/B	4-8	4/8/65	TRK
" R-16	4-7-65	25 Bot	4-8	36415 T/B	4-8		
" R-16 FBR PM	3-18-65 4-7-66	50 Bots	4-13	36411 "	4-13	4-13-65	"
" R-19 PM	4-7-65 4-14-65	35 Bots	4-14	36610 "	4-22	4-22-65	"
" R-19	"	15 Bots	"	36609 "	4-29	4-23-65	"
" R-19	"	15 Bots	"	36610 "	4-22	4-22-65	"
" R-19	"	35 Bots	4-14	36609-T/B	4-29	4-29-65	TRK
" R-20 PM	4-28-65 "	50 Bots	ASAP	36754 T/B	5/6/65	5-7-65	"
" R-20	"	50 Bots	ASAP	36755 T/B	5/13/65	5-14-65	"
" R-26	5/3/65	50 Bolts	6-7	37047 T/B	6-7-65	6-4-65	"
" R.3	1/8/65	15 2PC	ASAP	37201 T/B	6-18	6/23/65	"
" R.29 JDK	6-17-65 6-18-65	10 2PC	ASAP	37201 "	6-18	6/8/65	DAK
" " "	" "	50 Bots	ASAP	37202 "	6-18		
" " "	" "	75 Bots	ASAP	37201 "	6-18	6/23/65	"
" " "	" "	15-2Pc	"	37167	6-18	6/23/65	TRK
" R-3	1/8/65	10-2Pc	"	"	"	6/30/65	TRK
" R-29	6-18	10-2PC	"	"	"		
" R.29	"	25 Bots	"	"	"		
" R.31 JDK	7-8-65 "	50-Bots	ORR 7-21	37321 T/B	7-21	7/21/65	TRK
" R.34 PM	7-30-65 "	50 Bots	ASAP	37581 "	8-3	8-4-65	"
" R 37 PM	8-12-65 8-13-65	25 Bots	ASAP	37700 "	8-16	8-17-65	"
" R 39 PM	8-26-65 8-26-65	50 Bots	ASAP	37777 "	8-30	8-27-65	"
" R.42 "	9-9-65 "	50 Bots	ASAP	37[illegible] "	9-10	9-10-65	"
" R.49 "	10-28-65 "	50 Bots	ARR 10-28	38254 "	10-28	10/28/65	"
" R.50 "	10-29-65 "	50 Bots	ORR 11-2	38291 "	11-2	11-2-65	"
" R.57 "	11-29-65 11-30-65	75 Bots	12-1	38417 "	12-1	12/1/65	"
" R 61 "	12-20-65 12-21-65	25 Bots	ORR 12-21	38514 "	12-21	12/21	"
" R.C2 "	12-27-65 "	50 Bots	AT ONCE	38[illegible] "	12-28	12/28/65	TRK

FE001585

FORM F-28-A

CO REPUBLIC

PLANT CANTON

SIZE 25" x 27" LV CASING HT - 1479 D BOT - SHORT F TOP MARK ORDERS - DO NOT MACHINE RUNNERS ON TOPS

PLANT INVENTORY

DATE AND BY	IN USE 2 PC	IN USE TOPS	NEW 2 PC.	NEW BOT'S	USAGE	O. K. TO	RECOMMENDED ORDER
							F Top
					Rel 22		Rel 22 Remove from F or 33252 →
					To be		To be included in T/C WVAN 140 →
							F TOPS (DRILLED FROM E'S)
							These are F Tops - G Bots → (WIN)
							These are F Tops - G Bots - (WIN)
							G BOT / F TOP →
							CAR - 1/20/65

FE001586

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-CAS868-K	Rev 5 10-5-64	REPEAT ORD. 1964					
" Rel "30	1A 10-22-64	25-2Pc	ASAP	34867 T/B	11/4/64	11/3/64	TRK
" "30	" "	25-2Pc	Nov	34866 T/B	11/12/64	11-13-64	"
" "30	" "	50-Bots	Nov	34869 T/B	11-20	11-20-64	"
" "30	" "	50-Bots	11-4	34985 (R)	11/3/64	11/3/64	TRK
" Rel 22	10-10-64	25-2Pc	ASAP	34930 T/B	11/23/64	11/25/64	TRK
" Rel 22	"	25-2Pc	10-6	34971 T/B	10-6	10/6/64	Truck
" Rel 22	JDK 12/31/64	25 2Pc	ASAP	34975 "	12-31	12/31/64	"
" Rel "22	1-4-65	24-2Pc	ASAP	35994 "	1/8/65	1-9-65	TRK
" Rel "22	"	1-2Pc	"	T/B	1/7/65	1-8-65	TRK
C-10120-51	1/1/65	Standing	Order	1965			
" Rel "2	JDK 1-6-65 1-5-65	25-Bots	ASAP	35803 T/B	1/21/65	1/22/65	TRK
" Rel "2	" "	21-Bots	ASAP	35804 T/B	1/21/65	1/2/65	"
" R.2	JDK 1-8-65 1-5-65	25 2Pc	ASAP	35926"	3-8	3/8/65	"
" "	JDK 1-11-65 1-5-65	25 2Pc	ASAP	35926"	1-22	1/22/65	TRK
" "	1-5-65	25 2Pc	ASAP	35920 "	3-10	3/10/65	"
" "	"	25 2Pc		35921 "	5-19	5-20-65	34.1
" "	"	29 Bots	ASAP	35477 T/B	1-15	1/14/65	TRK
" R.3		29 Bots	ASAP	35804 "	1-29	2/2/65	TRK
" R-3	1/8/65	25 Bots	ASAP	35923 "	3-5	3/5/65	TRK
" R-3	"	21 Bots	ASAP	35946 "	3-5		
" R-3	"	25 2Pc	ASAP	35922 "	5-25	5-25-65	"
" R-3	"	25 2Pc	6/6	37044 "	6-7	6-4-65	"
" R-3	"	25 2Pc	6/6	37045 "	6-14	6/9/65	"
" R-3	"	10 2Pc	ASAP	37207 "	6-18	6/28/65	"
" R-9		25 Bots	ADD 3-23	35947 "	3-23	3/23/65	TRK
" R-2	1-5-65	25 Bots	"	35803 T/B	1/22	1/27/65	TRK
" R-2	"	13-2Pc	"	35896 "	1/22		
" R.3	1/8/65	25 Bots	AT ONCE	35923 T/B	2-19	2/23/65	F
" R-9		4 Bots		35947	3-5	3/5/65	4

FORM F-28-A

CO Republic Steel

PLANT Canton

SIZE 25 x 27 Casings

HT-1479 Bot - "D" - Short Height
Top - "E" -

PLANT INVENTORY

DATE AND BY	IN USE 2 PC	IN USE TOPS	NEW 2 PC.	NEW BOT'S	USAGE	O.K TO	RECOMMENDED ORDER
							Republic-Canton property →
							Remo 1010 of 2/20/63 To Jcc →
							ONLY FOR
							CASINGS LINED
							WITH CASTABLE
							HT-1562 →

FE001587

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-35467-R	2-26-63 3-8-63	30-2 Pc	ORDER LINED	COVERS CASINGS TO BE WITH CASTABLE AT PLANT #2			
	DATE Rec'd	QTY. Rec'd		QTY. LINED + RETURNED			
	3/5/63	5			5	3/25/63	TRK
	3/21/63	5					
					5	5-7-63	TRK
This for 2 Pc HT-1562-A & B for 2600# castable lining							
C-35467-R		QTY Rec'd	date rec'd	Qty Lined & Returned			
" Rev #2	3/26/63	1-2 Pc	3/22/63				

FORM F-28-A

CO REPUBLIC

PLANT CANTON

SIZE 25" X 27" HT-1479 CASINGS

Bot-D (Sheet) Mark Cubes we set machine running on 1-11 "F 1477-E"

Top-E HT-1479

PLANT INVENTORY

DATE AND BY	IN USE 2 PC	IN USE TOPS	NEW 2 PC.	NEW BOT'S	USAGE	O. K. TO	RECOMMENDED ORDER
	#						
There are HT-1479-D & F →							to be shipped to Plant 2 for castable lining *
HT-1479-D & E →							These casings lined with castable → *
							" " " " " →
							To REP. So. (#30628) CANCELLED

FORM F-28-A

CO REPUBLIC

PLANT CANTON

SIZE 25" × 27" CASINGS HT-1479

Brick Ledge Complete 5k-3993-A for [illegible]

BOT - D (SHORT HEIGHT)

TOP - E

1963 PLANT INVENTORY Ship via "Youngstown Cartage Co"

DATE AND BY	IN USE 2 PC	IN USE TOPS	NEW 2 PC	NEW BOTTS	USAGE	O.K TO	RECOMMENDED ORDER
4/9				18			
							JDK 3/12
							JDK - 6/5/63
							JDK - 6/5/63
							JDK - 7/31/63
							C-6458GB-R, R-47

FE001589

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-6358GB-R		REPT ORD.		1963			
" R.14	3-1-63	25 2-Pc	ASAP	22223 K	5-17	5-13-63	TRL
" R.15 JDK	3-12-63	25 Bots	4-10	22464 K	4-10	4-10-63	TRL
" R.20 JDK	4-19-63 4-19-63	50 Bots	ASAP	22[illegible] K	5-22	5/21/63	"
" R.21	4-24-63	50 Bots	ASAP	23[illegible] K	5-22	5-31-63	"
" "	"	25 2-Pc	ASAP	23[illegible] K	5-24	5-24-63	"
" "	"	25 2-Pc	ASAP	23[illegible] K	5-29	6-7-63	"
" R.31 PH	6-11-63 6-11-63	50 Bots	JUNE	24594 K	6-24	6-27-63	"
" "	"	50 Bots	JULY	24595 K	7/15	7-26-63	"
" R.34 PH	6-19-63 6-19-63	25 2-Pc	Sept	24596 K	9/4	9-4-63	"
" R.46 PH	12-16-63 "	25 2-Pc	ASAP 12-18	24[illegible] K	12-18	12/18/63	"
" R.34	6-19-63	25 Bots	8-1	24[illegible] K	8-1	8-1-63	TRK
" "	"	25 Bots	8-30	[illegible] K	8-30	8-29-63	"
" "	"	25 Bots	8-8	24885 K	8-7	8-7-63	TRK
" R-37 PH	8-29-63 8-30-63	25 Bots	ASAP 11-1-63	25573 K	10-31-63	10/31/63	"
" R-34 JDK	6-19-63 9-4-63	25 Bots	8-30	24571 K	8-30	8/29/63	"
" R-38 JDK	9-4-63 9-5-63	25 Bots	ASAP	25902 K	12-10	12/10/63	"
" R-38 JDK	9-4-63 9-5-63	~~25 2-Pc~~	ASAP	25901 K	12-10		
JDK	12-12-63	~~25 Bots~~					
" R-37 JDK	4-10-63	25 Bots	AT ONCE	25573-K	9-11	9-11-63	TRK
" R-38	9/5/63	25 Bots	ASAP	25902 K	11/20/63	11/20/63	"
JDK JDK CPE	12-12-63 2-3-64 4-3-64	25 Bots	ASAP 4-10	27896 K	4-10	4/13/64	TRK
" "	4-8-64	25 Bots	4-10 AT ONCE	27897 K	4-10		
" R.47	12-18-63	23 2-Pc	AT ONCE	27898 K	1-17	1-23-64	TRK
" R.46 JDK	12-18-63	25 Bots	ASAP 12-18	25990 K	12-18	12/18/63	"
" R.47 JDK	12-17-63 12-18-63	25 2-Pc	AT ONCE	27959 K	1-24	1-31-64	"
" " "	"	25 2-Pc	AT ONCE	28160 K	2-5	2/12/64	"
WVB-3397 - Sub-Canopies for Wrap Ub Inserts							
C-35931-R	3/4/63	30 Canopies	ASAP		4/30/63	5/2/63	TRK
"	"	~~20 Canopies~~	ASAP	~~Not being mfg~~		CANCELLED	

FORM P-28-A

co Republic Steel

PLANT Canton

SIZE 25+27 Cosings HT-1479 "Short Height Bottom

Bot = HT-1479-D

Top = HT-1479-E

PLANT INVENTORY

1962 DATE AND BY	IN USE 2 PC	IN USE TOPS	NEW 2 PC.	NEW BOT'S	USAGE	O. K. TO	RECOMMENDED ORDER
11/8 E	37	1		0			These 2 Pc have HT-1479-B Tops
							These 2 Pc have HT-1479-B Tops →
							/
							/
							These 10 2 Pc Cosings shipped to Plant # 27 TO BE LINED WITH CASTABLE & SENT BACK TO REF CONTROL FOR JCC
							✓
							Per Phone of Klymeck 12/31/62
							✓
							= LONG → HT-1479-B →
							See News page →
							REMO 1010 OF 2-27-63 TO JCC →
							✓
							✓
							✓
							✓
							✓
							✓
							✓

FE001590

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-28358-R	11/6/62	3-2Pc	1/24	15688-K	1/24/62	1/24/62	TRK
"	"	6-Bots	1/24/62	15688-K	1/24/62		
C-22050-R	7/30/62	40-2Pc	at once	18711-K	9/4/62	9A-62	"
C-23397-R	11/9/62	15-2Pc	"	K	12-3	12/4/62	"
"	"	25-2Pc	"	K	12-10	12/11/62	"
"	"	10-2Pc.	Need with	20202 K	11/30	11/30/62	to Plant #27
"		8 Pc	Need with		12/20	12/20/62	TRK To Canton
C-34935-R	12-19-62 12-11-63 12-11-63	25-Bots	ASAP	20861 K	11/11/63	1/17/63	TRK
		2-2Pc					
C-23399-R	12/31/62	26-2Pc	Not scheduled	K	Not		
C-23502-R	11/6/62	18-2Pc	This order to cover the retiring of 18-2Pc HT-1479 with 2600 Cost-Plc -				
"		8 2Pc		"		12/20/62	TRuck To Can
"		5 2Pc		"		1/30/63	" " "
		5-2Pc		"		2/25/63	" "
C-635868-R Rel #12	2-19-63 2-25-63	25-Bots	ASAP	22097 K	3/22	3/22/63	TRK
C-635868-R R. 11	12-8-62 2-11-63	25 2-Pc	ASAP	22068 K	3-18-63	3/19/63	TRK
" "	"	30 "B" Tops	ASAP	22069 K	3-25	3/27/63	"
" "	"	25-2Pc	"	22068-K	3-18	3/21/63	"
C-635868-R	2-19-63	25					
		25					
C-635868-R R. 13	2-26-63 3-1-63	25 2-Pc	ASAP	22207 K	3-28	4/2/63	TRK
" R. 13	"	25 2-Pc	ASAP	22208 K	4-5	4-5-63	"
" "	"	25 2-Pc	ASAP	22209 K	4-12	4/11/63	"
" "	"	25 2-Pc	ASAP	22210 K	4-19	4-17-63	"
" R. 14	3-1-63	25 2-Pc	ASAP	22318 K	4-26	4-22-63	"
" "	"	25 2-Pc	ASAP	22321 K	5-3	4-24-63	"
" "	"	25 2-Pc	ASAP	22322 K	5-10	5-1-63	"

FORM F-28

CO. Republic

PLANT Canton

SIZE 25 x 36

Ext. Ling 51-4140-54-13

FB-474

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					1

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
512		2 sets		2	11-3	11-9-72	

FE001591

FORM F-28

CO. Republic

PLANT Canton

SIZE 25 x 41

Expl. Rule SL-4140-54-M

FB-473

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					1

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
W2		2 SETS		2	11-3	11-9-77	

FE001592

FORM F-28

CO. REPUBLIC
PLANT CANTON
SIZE 95×41

XFB-431 BINARY BOARD

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
310-533014-836	2-18	10 sets	3-12		3-11	3-11-75	

FE001593

CO. REP. ✓

PLANT CANTON ✓ RINGS ✓

SIZE 26 X 34 ✓

BLK. CLIP	SK-16V7	10000 ✓	C/L
CLIP	SK-1440	16000 ✓	
WIPER	SK-1902 A+B (28 GA.) ✓	3900 EA. ✓	
RING	B-220 ✓	1950 ✓	

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
11-13-43	N	3206	0	—	NONE PER WGN photo 12/3/43 →
11/20/43	N	"	11-	"	"
12-4	N	"	—	"	" (DO NOT COUNT)
12-8	N	—	1000		did not count
12-27	N	2000	JU-Y 300		Usage may go to 1000/month
1/11	N	2600	500 1-27/Bill		2 c/l for 9/20 + 11/20
1-20	N	3200	700	2-7	Watch - Run off this size
1-27	N		SEP-0	?	
1-28	N	2900	OCT-200	5/16/44	May go back in production
2-3	N	1700	350	4-18	
2-7	N	705	900	1-1	
2-11	N	106	1200	—	Hot Run. PRR-76854
2-16	N	1800	700	3-10	1/2 c/l for 2/15
2-18	N	1200	1000	2-25	c/l for 2/15
2-29	N	1416	JAN. 910	2-29	INC. C.N.-474986
3-1	N	2464	FEB. 900	3-20	INC. I.C. 18785
3-11	N	1900	900	3-20	c/l 4/25 + 6/25
4-13	N	1775	MAR. 750	?	GOING OFF THIS SIZE
4-25	N	1525	200	—	
5-23	N	1150	500	7-25	
6-23	N	3494	700	7-13	
7-25	N	1696	45 day	5/29	Inc. ATSF. 127945. Order c/l 5/15
8-24	N	2550	500	1945	INC. C+WC-95T3
9-5	N	—	500	—	NO COUNT
9-20	N	2396	500	4-25-45	
10-11	N	1987	900	12-9	
11-21	N	1511	600	1-10	
11-27	N	1163	500	2-1	Will order on next trip for 1/10
12-27	N	1587	1	12-25	
1-3-45	N	2336	500	1-15	
			SEE	NEXT	PAGE

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CA-16640 ✓	8-12-43	1850	12-18		12-18	12-18	PRR-76854
CA-6703-H	1/14/44	864	2-1		1-28	1-28-44	CN-474986
CA-10040-H	1/27/44	1850	2-15		2-8	2-8	IC-18785
CA-34297-H	4-11-44 ✓	1950	WHEN RELEASED		Canc	Canc	
"	"	1950	WHEN RELEASED		Canc	Canc	
CA-39983-H	4-28-44	—	5-15	U-90 2N. WIPERS SK-1902 A+B	5-9	5-9	MILW-19731
CA-51039-H	6-7-44	1850	7-1		7-3	7-7	ATSF-127985
CA-9327-J	8-7-44	1850	8-15		8-14	8-16	C+WC-9583
CA-46783-J	12-13-44	1850	1-7-45		12-28-44	12-29-44	PRR-19263

FE001594

CO. REP.
PLANT CANTON
SIZE 26 X 34

RINGS

BLK. CLIP	SK-16V7	10000	C/L
CLIP	SK-14V0	16000	
WIPER	SK-1902 A & B (28 GA.)	3900 EA.	
RING	B-220V	1950	

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
1-16-45	N	1800	DEC. 550	4-15	INC. SAL-19263
2-6-45	N	1482	JAN. 602	@ 600 4-1-45	
2-23-45	N	1000	EST. F. 750	@ 800 4-1-45	ORDER O/L FOR 3/--
3-21-45	N	650	F 437		MAR. EST. 400
4-10-45	N	2200	M-460	@ 700 7/15	Incl. IC-18153
5-11-45	N	1800	A. 300	@ 750 12-11	
6-13-45	N				
6-13-45	N	1500	180-Jn	@ 250 1946	
8/7 45	N	1400	100-Jy	"	
10-31-45	G	—	—	"	Not using
1946					
1/9/46	N	1250		"	using in place of 28x32 to run out molds.
2/1/46	N	1100	250/mo	"	" " " " " " " "
2/14/46	G	EST 937	VI-5/12 125	@ 250 3/1/46	
3/29	C	EST 770	250 Mo.	@ 750 7-1-46	NILE WATCH SO AS TO RUN OUT MOLDS.
5	N	1000		@ 250 4 Mo	Figured enough rings to run out molds.
9	N	800	200/Mo	@ 750 ck.	No Count Est.
5-15	N	700	"	@ 750 "	" " "
4 Yo	N	650	—	—	Have off-the rings.

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CA-22976-K	3/5/45	1850	3-15-45		3-21-45	3-22-45	IC 18153

FE001595

CO. REP. ✓

PLANT CANTON ✓ BRICK ✓ 2 EA. #1634 - 1639 INC., 4 EA. #1640 & 1641 ✓

SIZE 26 X 34 ✓ 30 ✓ HEATS PER LINING

B-2204 ✓ 190 ✓ SETS PER 80000 #C/L

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
11-1-43	N	302	0	—	NONE
11/15/43	N	"	"	—	"
12-1-43	N	"	"	—	"
12-15-43	N	350	21	11-8	
12-29-43	N	345	35	1-1-44	Based on 1000 wgt per month
1-12-44	N	340	35	"	
1-26-44	N	330	16	"	Watch
2-5-44	N	330	SEP-0	"	
2-16-44	N	330	OCT-0	—	Did not count
2-28-44	N	300	NV	1944	
3-27-44	N	270	30	7-1-44	1/4 C/L for 3/1
4-4-44	N	165	45	5-1	
4-15-44	N	NOT INV.			45 sets for 4/10
5-2-44	N	120	45	5-1	
5-16-44	N	90	45	5-1	Refire. DL+W-46872. 45 sets for 5/15
5-24-44	N	100	45	6-1	Refire. DL+W-46872
6-14-44	N	128	—	—	INC. CNW-145132
6-28-44	N	128	—	—	
7-23-44	N	178	31	11-1	Good Count
8-23-44	N	145	31	11-1	" "
9-6-44	N	95	30	10-6	
9-25-44	N	65	45 min.	9/4	
9-22-44	N	60	AVG-5		
9-27-44	N	—	"	∞	No Count
9-30-44	N	35	25	10-28	
10-11-44	N	50	25	12-11	
11-1-44	N	39	36	12-11	
11-24-44	N	114	30	3-10	INC. BLG4-41366. 1/2 C/L for 2/1
12-14-44	N	90	36	3-10	
				SEE NEXT PAGE	

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY (SETS)	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CA-18464-E		160	11/10/44	7254 A	11-10	11-23-44	—
"		160	11-20	7254 A	11-20	12-1	—
CA-56454-G	11/10/43	48	5-1-44	Remake 6640 A	2-21	2-25-44	DL+W-46872
CA-10084-H	1-27-44	48	4-10-44	6733 A	3-20	3-25	CN+W-145132
CA-24642-H	3-11-44	48	5-15	6868 A	5-6	5-9	W+E-25711
CA-5758-J	7-21-44	48 SEE OVER	Rush	7240 A	9-30	10-5	IC-19948
CA-9325-J	8-2-44	95	11-1	7277 A	11-7	11/14/44	ACC+SN-41366
CA-47355-J	11-30-44	95	Ordered 12-1-44	7556 A	2-3-45	2-2-45	CNWC-9098

FE001596

CO. REP.

PLANT CANTON BRICK

SIZE 26 X 34

2 EA. #1634-1639 INC., 4 EA. #1640 & 1641
HEATS PER LINING
B-2204 190 SETS PER 80000# C/L

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
1-16-45	N	60	25/MO	3-28	
2-6-45	N	48	25/MO	4-5	Not inc - CxWC 9098
2-22	N	127	"	7-6-45	INC - CWC 9098
4-11	N	90	"	7-25	
5-10	N	65	"	7-20	
7-13	N	50	10/MO	12/3	C/C Ship 7/3 not in yet.
8/7	N	140	2/MO	∠	Inc CNW 14483
10/31	G	—	—	∠	Not using
3/4/46	N	120	—	∠	Running out.
3/14/46	(G)				No comm't
3/29	C				No Count.
4/5	N	90	—	∠	" " MORE THAN SUFFICIENT TO RUN OUT MOULDS
5/1	N	90	—	∠	" " EST.
5-15	N	60	—	∠	
6/20	N	4	✓	—	Run off this Sign

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY (SETS)	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CA 32871-K	4-3-45	95	6-20	8087-A	7-3-45	7-14-45	CNJ-14483

FE001598

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 27 3/4 X 31 1/2

4 BLOCK CLIPS SK-1657 5M
8 SPRING " SK-1450 6M
2 EA. 24 GA. WIPERS SK-1537 A & B 1450 EA.
1 RING B-1730 720

T/L 48/Pallet

PLANT INVENTORY CMS TO STOCK 200 EA. W/S - LTR 7/9/64 ORDER STATUS C 28 1/16 x 61"

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER	CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
						C-10478-82	1/1/67	S/O	1967				
						" Rel 1442	Ph 4/10/67	48	4/11	200 W/S only	4/11/67	4-11-67	TP&L
						" "	R 4-11-67	—	4-11	1m S/C only	4-11	4-11-67	Brakeman
						" Rel W05	R 4-11-67	240	4-14	No B/C	4-14	4/14/67	TP&L
						" Rel 1557	R 4-14-67	640	4-19	" "	4-19	M-H	CANCLD
						C-10704-82	11/1/68	S/O	1968				
						C-10955-56	11/1/69	S/O	1969				

FE001599

FORM F-28

CO. Republic Steel Corp

PLANT Canton

SIZE 27 3/4 x 31 1/2 Rings

4- Wire Block Clips St-1657 - 5000
8 - Wire Spring Clips St-1450 - 6000
2 each 24 ga Wipers St-1537 A-B - 1450 each
1 - Ring B-1730 - 720
P-716

48/Pal.

PLANT INVENTORY Per Keller 7/6/64 Stock

ORDER STATUS

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER	CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
1965													
4-14	K	276				C-645868-R	1/1/64	Requirement Order Year 1964					
7-20	K	96				" Rel 10 JDL	3-5-64	48	3-16	No Appts	3-16-64	3-16-64	TRK
						" Rel 11 PH	3-20-64	96	3-23	2000 S/C	3-23	3/23/64	"
						" Rel 11	"	—	3-23	1138 CA W.B. A B	3-24	3/24/64	"
						" R.12 JDL	4-3-64	96	4-8	No APPTS	4-8	4-8-64	"
						" R.19 GD	6-3-64	48	6-6	"	6-5	6-5-64	"
						" R.23 "	7-7-64	48	7-10	No B/C	7-10	7-10-64	"
						" R24 JDL	7-15-64	96	7-29	No Appts	7-29	7-29-64	"
						" R.29 "	9-29-64	96	10-1	SC ONLY	10-1	10/1/64	"
						C-10120-51	1/1/65	S/O	1965				
						" R.5 GD	1-21-65	96	ARD 1-23	No BC	1-22	1-22-65	TRK
						" R,10	2/24/65	144	2-27	2M S/C W/3 OH 300 DA	2-26	2/26/65	"
						" R.13 GD PH	3-12-65	144	ARD 3-15	No BC 115 SA 2M SC WS	3-15	3/16/65	"
						" R.15 VDK	3-26-65	—	3-30	2m S/C ONLY	3-30	3/30/65	"
						" " "	"	96	4-3	No Appts	4-2	4-2-65	"
						" R.20 GD	4-23-65	96	4-24	" "	4-23	4-23-65	"
						" R.23 VDK	5-13-65	192	5-14		5-14	5-14-65	"
						" R.29 "	6-17-65	96	ARD 6-21	No BC	6-21	6/21/65	"
						" R38 PH	8-19-65	96	8-23	"	8-23	8-23-65	"
						" R.41 "	9-3-65	96	9-7	"	9-7	9-7-65	"
						" R.44 "	10-7-65	96	10-8	"	10-8	10/8	"
					6.0 of 10/25/65	" R 48	10/26/65	96	2 10/26	No Appts	10/26	10/26/65	"
						" R.53 PH	11-11-65	144	11-15	No BC	11-15	11-15-65	"
						" "	"	96	11-19	" "	11-19	11-19-65	"
						C-10282-51	1/1/66	S/O	1966				
						" R.41 PH	5-20-66	96	5-21	No B/L	5-20	5-20-66	TRK
						" R48 PH	6-10-66	96	6-14	"	6-14	6-14-66	"
						" R.57 PH	7-15-66	96	ARD 7-18	"	7-18	7-18-66	"

FE001600

FORM F-2

CO. Republic Steel
PLANT Canton
SIZE 27 3/4 X 31 1/2 Rimap

4 - Block Clips - SK-1657 - 5000
8 - Spring Clips - 516-1450 - 6200
2 ea. - 24 Ga. Wipers - SK-1537-A+B - 1450 ea.
1 - Ring - B-1730 - 720
PT/L

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
1961					
1-10	D	240			
1-31	D	200			
2-27	D	145			Order 288 for 3/17
3-13	D	110			Order 6/16 To 3/23
4-28	D	380			
5-25	D	280			6.D 12/5/61
6-26	D	96			288 for 6/30
7-14	D	360			
8-1	D	260			
8-25	D	480			
9-11	D	350			
9-10	D	210			
10-31	D	250			
11-24	D	180			
1962					
1-29	D	340			
2-23	D	480		Complete	
3-30	D	240			288 6/16
4-23	D	432			
5-24	D	288			
6-25	D	180			
7-26	D	180			
9-26	D	60			
10-22	D	192			
11-8	E	154			
12-20	D	190			
1963					
1-2	D	290			

FE001601

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-615868-R	11/1/61	Requirement Order Yr. 19 61					
" Rel #3	3/2/61	288	3/17		3/23	3/22/61	TRK
" " 11 Ph	6-27-61 6-28-61	288	6-29		6-29	6/29/61	"
" 13 Ph	8-21-61 8-21-61	432	8/23		8/23/61	8/23	"
" 15	9/25/61	288	9/27		9/29/61	9-29	"
" Rel 18	12/1/61	288	12-5	No Wipers	12/5/61	12/5/61	"
" Rel	"	—	12/8	600 ea Wipers	12/8/61	12/8/61	"
C-625868-R	11/1/62	Requirement Order Yr. 1962					
" Rel #3 Ph	1-10-62 1-11-62	288	Diff 1-22		1-22	1-22-62	TRK
" " 6 Ph	1-31-62 2-5-62	288	2-19		2-19	2-19-62	"
" " 8 Ph	4-4-62 4-3-62	288	4-16		4-16	4-16-62	"
" " 25 Ph	9-25-62	192	9-28	No Wipers	9-28	9-28-62	"
" " 30 Ph	11-8-62 11-12-62	192	11-15		11-15	11/15/62	"
" " 33 Ph	12-31-62 12-3-62	192	Diff 12-31	No Wipers	12-31	12/31/62	"
" " 33	"	—	"	400 each Wipers	1/2/63	1/2/63	"
C-635868-R	1/1/63	Requirement Order Yr. 1963					
" R. 18 Ph	3-28-63 4-1-63	288	3-29	No Blc 500A 225B mils	3-29	3/29/63	TRK
" R. 36 Ph	8-19-63 8-19-63	—	ASAP	600 B w/s	8-22	8-22-63	"
" R 40 Ph	9-23-63 9-23-63	144	9/24	Only 1000 S/C	9/24	9-24-63	"
" R 43 Ph	11-19-63 11-18-63	96	11/20	No Appls	11/20	11-20-63	"
" R 43	11-18-63 "	—	11/20	Only 1000 ea W/s	11/21	11/21/63	TRK
" R 44 Ph	11-20-63 11-20-63	—	11/21	Only 2000 S/C	11/21		
" R 49 Ph	12-31-63 12-31-63	96	12-31	Only 6000 W/P	12-31	12/31/63	"
C-645868-R	1/1/64	Requirement Order Yr. 1964					
" Rel #1 Ph	12-31-63 1-8-64	—	1-2	120 ea W/P Only	1-2	1-2-64	TRK
" R 22 Ph	1-21-64 1-23-64	96	1-22	No Appls	1-22	1-22-64	"
" R 22	"	—	1-27	3840 S/C	1-27	1-27-64	"
" R 22	"	—	1-28	30 M S/C	1-28	1-28-64	"
" R 22	"	—	1-29	33 M S/C	1-29	1-29-64	"
" R 44 Ph	1-29-64	96	Diff 1-31	No Appls	1-31	1-31-64	"

FORM F-28

CO. Republic

PLANT Canton

SIZE 27 3/4 x 31 1/2

4 - Block Clips - St-1657 2500
8 - Spring Clips - St-1450 5000
2 each 24ga Wipers - St-1537-A&B 1160 ea } P-T/L
1 - Ring - B-1730 576 ✓

PLANT INVENTORY

1957

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
1-4	D	284	200/mo	2/20	/
1-21	D	190	"	2-20	/
2-14	D	548	"	Ample	/
2-28	D	480	"	"	GFE PA-6/3/57 ✓
3-27	D	384	"	"	✓
4-20	D	288	"	"	✓✓
5-29	E	40	"	6-5	288 Clips 6/4 /
6-22	D	134	"	7-11	with 4 T&L ½ T/L →
7-24	D	384	"	—	✓✓
8-8	D	260	"	—	
9-12	D	192	"	10-12	
10-7	D	70	100/mo	10-28	96 10/14
10-25	D	260	"	?	✓
11-20	D	240	?	?	✓✓
12-12	D	144		1-20	½ T/L 288 B-1730 with ½ T/L 720 B-2862 →
-1958-					10/7/58 GFE
1-8	D	166			/
1-28	G	114			96 2/20
2-18	JRS	57			
3-11	D	264			
4-2	D	242			
4-30	D	100			
5-20	D	260			
6-26	D	116	125/mo	7-25	
7-17	D	384			
8-18	D	264			
9-8	D	192			
10-2	E	104			½ T/L 10/9
10-28	D	288			
11-25	D	560			
12-15	D	430			

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-575868-R	1/7/57	Requirement Order Yr. 1957					
" Rel #7	1/28/57	286 P	2/7/57		2/7/57	2/26/57	TRL
" #10 PA	2-7-57 2-7-57	288 P	2/8/57		2/8/57	2/8/57	"
" #17 PA	5/31/57	288 P	6/4/57	" "	6/4/57	6/4/57	"
" #20 PA	7-8-57 7-8-57	288 P	7/11		7/11	7/10/57	"
" #26 PA	9-6-57 9-6-57	96 P	9/11/57		9/10	9/9/57	"
" #28 PA	9-10-57 9-9-57	96 P	10/14		10/14	10/14/57	"
" #29 PA	10/25/57 10/25/57	288 P	10/26		10/26	10/26/57	"
" #31 PA	11-4-57 11-4-57	—	11/18	2m S/CLIPS	11/18		
C-585868-R	11/1/58	Requirement Order Yr. 1958					
"		96 P	1/24/58		1/23/58	1/22/58	TRL
" Rel #4	2/5/58 Phone	288 P	2/17/58		2/17/58	2/17/58	"
" Rel #11 PA	5-5-58 5/2/58 X	336 P	5/5/58		5/5	5/6/58	"
" Rel #17	7/2/58	288 P	7/10	Wipers Only	7/10	7/10/58	"
" Rel #26 PA	10-1-58 10/6/58	288 P	10/9	1000 Clips 1000 Wipers	10/9	10/9/58	"
" Rel 30 PA	11-5-58 11-5-58	336 ✓	11/10		11/10	11/10/58	"
1-13-59	D	326	?	?			

FE001602

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 27 3/4 x 31 1/2

4	BLOCK CLIPS	SK-1657	2500
8	SPRING CLIPS	SK-1450	5000
2	EA. #24 GA. WIPERS	SK-1537 A&B	1160 EA.
1	RING	B-1730	576

P T/L

PLANT INVENTORY

DATE 1955	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
5/6	E	206	200/mo	6/7	ord 288 P/O 5/13
5-26	G	414	"	7-26	Rec T/L 5/16
6-16	G	324	150/mo	8-16	288 7/30
6-28	G	274	"	8-17	
7-19	G	188	"	8-20	PH-60-9/16
7-27	E	94	180/mo	8-11	———
8-17	D	279	"	10-1	
8-25	Dow	234			
9-1	Dow	144	20/day	9-8	288 mix-p 9/8
9-15	Dow	176	20/day	9-23	576 9/22
9-27	E	674	200/mo	Ample	
10-11	G	578	200/mo	12/31	Rec 9/21 T/L
10-27	E	380	300/mo	12-4	
11-8	G	427	"	12-21	Rec 11/4 TR
11-28	Dow	384	200/mo	1-25	
12-14	Dow	384	"	2-14	
1956					
1-23	G	788	200/mo	3-1	1/2 T/L 3M SK-1450, 600 ea with 3/23 with 25#
2-13	G	212	200/mo	3-15	
3-8	G	310	200/mo	4-15	Rec 3/7 T/L
3-21	G	239	180/mo	4-30	288 4/16
4-5	Dow	280	200/mo		
4-26	Dow	318	400/mo	5-18	Rec 4/26 —— 288 5/8
5-22	D	578	700/mo	6-13	288 6/5
6-11	D	576	500/mo	6-13	
6-29	D	326	"	7-19	288 7/19
8-7	D	288	"	8-25	288 8/15
8-22	D	192	200/mo	9-21	
9-10	D	538		Ample	
9-21	D	485	?	"	
10-17	D	70			388 asap

FE001603

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-555868-A	3-25-55	Requirement		Order 1955			
" Rel #19	5-9-55	288	5/16/55	2000 SK-1450 1075	5/12/55	5/16/55	TRUCK
" Rel #26	6-17-55	288	8/1	P	8/1	8/1/55	"
" " #33	9/8/55	288	9/15	P 3M Clips 5800 Wipers	9/15	9/8/55	"
" #37	9/20/55	576	9/22	P	9/22/55	9/21/55	"
" #41	PH 11-1-55 11/11/55	288	11/3	P 2M SP	11/4	11/4/55	"
C-565868-R	1/1/56	Requirement Order Yr. 1956					
" Rel #1 PH	2-27-56 2-29-56	—	2/29/56	400 SK-1537-A	2/29	2/29/56	"
" Rel #16 PH	P PH-2/18 2-29-56	288	3/7	P	3/7	3/7/56	"
" Rel #13 PH	3-23-56	———	3/26	2M SK-1450 150-wipers "A" 300-wipers "D"	3/26	3/23/56	"
				2.5M Blk Clips			
" #16	3/22/56	288 P	4/3/56	5M Clips	4/3/56	4/3/56	"
				700 to Wipers			
C-565868-R #17	PH 4-23-56 4-23-56	288 P	4/20/56		4/26/56	4/26/56	"
C-565868-R #22	PH-5/1/56 4-30-56	576 P	5/3/56		5/4/56	5/3/56	"
" #20	PH-5/7/56	288 P	5/9/56		5/9/56	5/9/56	"
" #26	5/28/56	288 P	6/5/56		6/5/56	6/5/56	"
" #31 PH	8-29-56 8-28-56	576 P	8/31		8/31	8/21/56	"
" #34 PH-6/7	PH 10-17-56 10-17-56	288 P	10/19		10/19	10/9/56	"
" #38	PH-10/30/56 12/11/56	282 P	12/19		12/15	12/17/56	TRUCK
C-555868-A		240	300/mo	11/30			
11-26 D		166	200/mo	12/20		288	

CO. REPUBLIC

PLANT CANTON

SIZE 27 3/4 x 3 1/2 RINGS

4 Rd. Clips SK-1657 10000
8 Sq. Clips SK-1450 16000
2 ea Wipers SK-1537 A&B 3800 ea
1 Ring B-1730 1900
} 4/c

(P) { 1/2 T/L - 288
T/L - 576

PLANT INVENTORY

1952 DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
2/18	G	488	400/mo	3/20	Rel 1/2 T/L 3/6 DO NOT
3/3	2/16	333	400 "		T/L 4/4 "
3/25	H	447	"	4/26	Rec 3/6 T/L "
4/14	R TE	917	"	6/24	" 4/27 T/L "
5/7	H	710	"	6/31	— "
5/28	N	510	"	7/7	Rel. 288 about 6/1 walk 25# "
8/13	H	624	"	9/29	"
9-5	E	480	?/mo	—	Order T/L 576 Rings 1/2 wp 25#
					appox 9/15 & hold 1/2 T/L. DO NOT
9-18	H	674	300/mo	11/25	Rec 9/17 T/L " "
10-10	D	554	"	12-5	" "
10-30	G	448	"	12-13	Rec. T/L 12/27 " "
11-19	D	336	300/mo	12-22	
12-8	H	578	"	1-30	Rec T/L 12/1 Rec T/L 1-15
-1953-					
2-4	H	1104	"	4 mos	Rec 11/5 T/L
2-18	N	864	"	5/16	
3-10	G	744	"	5/18	
3-31	E	670 approx	"	5/8	
4-20	G	566	"	6-20	1600 SK-1537 4000 SK-1450 } next T/L 25#
6-3	G	304	500/mo	7-1	288 w/paces on 7/17
6-17	H	430	300/mo	7-30	
7-10	G	370	"	8-10	
7-29	E	497	300/mo	10-14	
8-20	H	437	"	10-25	
9-11	E	Same			
9-24	E	336	100/mo	9/1/54	Well Watch
10-18	H	304	100/mo	1-18	
11-17	H	184	"	1-5-54	Rec. 288 ship 11/26 or 11/30
11-30	G	306	100/mo	3/1/54	Ind T/L 11/24/53

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-525868-A	1/1/52	Requirement Order Yr. 1952					
" #1	1/26/52	288	2/7/52	P	2/7/52	2/7/52	TRUCK
" #2	2/4/52	288	3/6	"	3/6	3/3	"
" #4	3/5/52	576	4/4	P	4/1	4/7	"
" #5	5/29/52 8/6/52	288	8/12	P	8/8	8/8	"
" #6	9/10/52	288	9/10	P	9/17	9/17	"
" #8	10/31/52	576	12/1	P 3M SK-1450	12/1	12/1	"
"				5M-SK-1450		12/11	"
C-535869-A	11/1/53	Requirement Order Yr. 1953					
" Rel 1	12/8/52	576	11/15/5	P 1600 B-WIPS 4000 CLIPS	11/15/53	11/15/53	"
" #3	5/1/53	—	5/4		5/6	5/6/53	"
" #4	6/3/53	288	7/17	P	7/17	9/16/53	"
" #6	11/12/53	288	11/24	P	11/25	11/24/53	"
C-545869-A	11/1/54	Requirement Order Yr. 1954					
" Rel 1	11-5-54 11-9-54 11-4-54	96	11/10	P	11/10	11/10/54	"
C-565869-A Rel 1	11-4-54	—	12/13	3M SK-1450	12/13	12/13/54	"

FE001604

CO. Republic

PLANT Canton

SIZE 27 3/4 x 31 1/4 Rings

4 Blk Cl-Pls SK-1657 10000
8 Stg Clips SK-1450 16000
2 ea W-pins SK-1537 A&B 3800 ea c/c

1 Ring B-1730 1900

P A L E T T E 1/27 T/L 288
T/L 576

PLANT INVENTORY

1954

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
1-5	D/E	360	100/mo	4-15	—
1-19	G	284	"	3-30	—
2-9	G	255	"	4-20	—
3-1	D	240	"	5-13	
3-18	Dow	210	50/mo	4+ mos	
4-1	Dow	206	"	4 mos	
4-15	Dow	144	"	3 mos	No Usage
4-27	G	114	"	2 mos+	
5-5	Dow	114	"	2 mos	
5-20	G	114	"	2 mos	
6-8	E	164	?	?	
6-28	Dow	115	?	?	
7-20	"	115	?	?	
8-5	G	138	—	—	
8-25	E	134	?	?	
9/9	Dow	96	—	—	
10-1	Dow	96+	—	?	—
10-27	E	41	?	?	Order 120 Rings 2 pallets w/ T/L 11/4
11-24	E	137	40/mo	3 mos	
12-8	G	117	40/mo	2 1/2 mos	3/4 SK-1450 w/ T/L 12/13
12-17	G	104	40/mo	2 1/2 mos	
1955					
1-4	G	84			
1-12	E	87	40/mo	3/27	
1-27	E	65	30/mo	3/27	96 Rings 3/27
2-14	E	117	50/mo	4-20	" " 3/27 "O" opening
3-9	G	113	50/mo	5-15	
3-15	E	69	"	4-27	Order 192 & 1000 SK-1450 Clips
/	/	/	/	/	ship 4-1
3-29	E	45	"	4-25	192 more for ASAP ship with other order scheduled 4/4 Ship all on 4/1
4-13	G	394	"	2	

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
Ch A-1-54							
C-54709-R	2/2/55	96	2/2/55	no copies	2/2/55	2/2/55	Truck
C-55285-R	2/24/55	96	3/27	" "	3/27	3/2/55	"
C-56345-R	3/23/55	192	4/1	No B. Cl. No W. Pins	4/1		
C-55586B-A	C.N. 3/15/55	Requirement Order Yr. 1955				4/4/55	Truck
" Rel #12	Ch. 3/16/55	192	4/1	No Bl. Cl. No W. Pins Good Castings	4/1		
" " #19	4-21-55 4-26-55	—	ASAP	330 & Wire	4/26	4/26/55	"

FE001605

4/25 E 266 130/mo 6/25 Reduced Order

CO. REP.
PLANT CANTON
SIZE 27 3/4 X 3 1/2 RINGS

*2464 2 EA WIPER SK-W37 A*B 3800 EACH
4 BL. CLIP SK-16V7 10000
8 CLIP SK-14V0 16000
1 RING B-1730 1900
} C/L
PALLETIZED T/L - 576
1/2 T/L - 288

PLANT INVENTORY

DATE 1950	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
1-13	D	V38	300	3-7	
1-25	C	497	150	5-V	
2-6	A	530	150	5-22	
2-15	D	48V	150	5-21	
3-7	A	329	210	4-27	
3-31	A/2	703	210	4/29	T/L 4/15 DO-MRO
4-17	A	580	300	6-4	
5-8	A	256	480	5/24	T/L 5.8. 6/22
5-29	A	964			DO-MRO
6-13	C	854	600	7-26	DO-MRO
7/10	D	1374	300	∝	DO-MRO
7/25	A/E	1500	300	∝	Wated wiper & clip inv. DO-MRO
8/11/50	D	1150	10/DAY	∝	DO-MRO
9/6	A	801	450	12/10	DO-MRO
10/31	D	700	300	1/10	
12/5	A	439	300		
1/16/51	D	114	6	4/15	Rec 300-7/V & 200-7/8 with 25"
3/17	A	338	150	6/15	Cancel rel #1
4/30	D	118	150	5/4V	288 5/3
6/4	E	V45	150	7/19	
6/25	D/H	700	150	8/5	
7/31	E/H	61			Ship 1/2 T/L 8/31 & 9/6
8/10	H	400			1/2 T/L 9/6
10/4	H	344			Order 1/2 T/L
10/18	H	576	150		Rel T/L 10/15
11/7	G	51V	100	5 mo	
11/29	G	315	150	4 mo	
12/19	G	364	150	2/3/51	Rec 150 Rings w/T/L 25# for 1/15
1952					
1/3	H	288	100/mo	3/29	Not Rel 12/29 T/L (288/Co. in yd.)
2/21	H	31V	150/mo	3/23	Rel 1/2 T/L 2/7

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-505869-A	1/20/50	Requirement Order Yr. 1950					
C-505869-A#1	4/4/50 4-4	576	SAP		4/7/50	4-7-50	TRUCK
" #2	5-9	576	5/18/50		5-18	5-18	"
" #3	"	600	6-22		6-22	6-21	"
C-515869-A	1/1/51	Requirement Order Yr. 1951					
" #1	2/5/51	288	WHEN READY	3 pcs: 1950 1953 5 pcs: 1952 1953 NO APPROVAL	5/2	5/3/51	TRUCK
" #2	PW-W5/51 2/23	288	ASAP		3/1	3/1/51	TRUCK
C-515869-A#3	3/15/51 8/15/51	288	ASAP		8/6	7/31/51	TRUCK
" #3		288	8/6		8/6	8/4	"
C-515869-A#19	8/23/51	288	9/4	(P)	9/4	9/4	"
" #5	10/5/51	288	10/15		10/15	10/15	"
" #6	12/11/51 12/21/51	288	—	P	12/28	12/29	"
C-525869-A	1/1/52	Requirement Order Yr. 1952					

FE001606

FORM P-20 11-48

CO. REP.
PLANT CANTON
SIZE 27 3/4 X 31 1/2 RINGS

BL. CLIP SK-16√7 10000
& CLIP SK-14√0 16000
√ WIPER SK-1537 A+B 3800 EACH } c/l
RING B-1730 1900 } PALLET TREAT T/L - 648

PLANT INVENTORY

DATE 1948	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
8-30	C	450	200	11-√	
9-22	C	424	100	2-1	
10-12	C	428	100	2-14	
10-26	S	275	200	12-10	1/4 c/l 12/3
11-2	W	236	240	11-30	
11-24	C	178	—	—	Hold for PRR-6√346
12/1	W	711	100/mo	7/1/49	Inc. PRR-6534/6
12-22	C	759	160	∝	
1-3-49	E	√60	100	6-20	
1-13	C	30√	100	6-15	
2-1	N	360	12√	√-1	1/4 c/l for April delivery
2-15	N	3√7	12√	√-14	
2-22	E	33√	100	6-1	
3-2	C	320	100	6-√	
3-17	E	21√	200	4-19	T/L 3/28
3-29	C	16√	200	4-22	
4-14	W	627	200	7-16	
√-2	S	√20	?	7-20?	
√-17	N	46√	100	10-1	
6-1	C	42√	100	10-10	
6-21	C	419	100	10-2√	
7-14	C	365	100	10-11	
8/2	E	370	?	∝	
8-23	E	310			
9-7	E	297			
9-21	G	248	?	∝	
11-17	G	238	—	—	T/L 12/√
11-22	E	238			
11-30	D	247			
12-13	D	√78	?	∝	
12-27	D	671	√20	2-2	off of this size again
1-3-49	D	636	150	∝	All orders subject to OK by Stough / Roderick

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-7981-WB	11/2/48	568	11/19/48		11/10/49	11-18-48	PRR-65346
INCLUDE	IMPACT REG. STEEL			IN 11/1	FUTURE SHIPMENTS,		
	ARRANGE FOR	REGISTER 11			SAP		
C-9238S-A	3/25/49	558	3/28		4/1/49	4-1-49	TRUCK
C-9534-A	12/2 12/3 12/13 12/22	558	1/15		1/7	12-6	"
		558	1/20	NO WIPS.	1/23	12-23	"

FE001607

CO. Cleveland
PLANT Canton
SIZE 27 3/4 x 31 1/2

Rings — Blk Blue AK 1657 — 10,000
Blue AK 1450 — 16,000
Wiper AK 1537 A&B — 3800 ea
Ring B 1730 — 1900
} C/C

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
1-14-47	N	835	Est 400/Mo	3-15-47	
1-28-47	N	544	Est 300 Mo	3-1-47	
2-10	N	470	Est 300 Mo	4-1	
2-27	C	2310	"	@300 11-30+1	Inv. ATSF-147105
3-18	N/W	2100	"	@300 10-18	
4-1	N/W	2000	"	@300 3 Mo.	Ordered 1/2 C/L.
4-18	N	2000	"	@300 7 Mo	
6-13	C	Appx 1950	"		
6-10	C	Appx 1500	200/Mo	@300 5/10	
7-3	C	Appx 1340	"	@340 12-15-48	
7-15	C	1244	"	@700 6 Mo.	
8-6	W/E	1300	100/Mo	13 Mo.	
8-21	G	1200	200	6 Mo.	
9-10	N/N	1142	200	3-1-48	
10/15/47 10-28	SE/W E	810	210/Mo	@210 3½ Mo.	Order 1 C/L for 1/2/48 Suggest 1/2 C/L on next order
11-12	W S	620	200	2-12	
11-26	S W	440	200	2-1	
12-16	E	360	180	2-16	1/4 C/L 1/15. Omit all clips
12-30	N	320	180	2-20	
1-13-48	S	243	180	2-27	
2-12	W	330	210	3-27	
3-22	W	912	200	5-7	
4-7	E	800	200	5-7	
4-21	W E	767	200	5-15	
5-10	W G	543	200	5-3	
5-24	E	540	200	5-4	
6-1	N	456	200	5-8	
7-7	N	201	200	5-7	600 7/23
7-20	W	135	200	5-5	
5-9	S	540	200	11-1	

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C2637 B	11/3	1824	arr 2/15		2/7/47	2-15-47	ATSF-147105
C8343 B	12/26/47	456	arr 1/15/48	No clips 960 on wgon	1/16/48	1-16-48	PM-71092
C811 WB	2/4/48	912	2/23	No Bl. Cli Ms	2/24	2-27-48	CN-479747
C5292 WGN B	3-7 3-5-48	570	7-28	8x clips	7-23	7-23-48	PRR-66669

FE001608

CO. REP. ✓

PLANT CANTON ✓

SIZE 27 3/4" X 31 1/2" ✓

RINGS

BLK. CLIP	SK-16V7	10000	✓
CLIP	SK-14V0	16000	✓
WIPER	SK-N37A+B	3800 EA.	✓
RING	B-1730	1900	✓

C/L

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
4-12-43	N	1157 ✓	V0 -	1944	Will release when they have room →
4/24/43	N	1100	110 APL.	"	
5-19	N	770	"	"	With B-1692
7-27	N	761	JULY 100	1944	1/2 % for 8/N
9-11	N	700	"	"	
9-10	N	600	100 EST.	"	
10-5	N	500	100 EST.	"	
10-26	N	400	OCT-NO	1-10	1/2 % for 12/10
11-18	N	275	NO	12-23	
12-7	N	175	300	-	Not due. C P-227417
12-21	N	4908	300	3-21	
1-4-44	N	740	DEC. 360	3-4	1/2 % for 2/N
1-18	N	628	300	3-18	
2-9	N	1230	JAN. 300	6-10	INC. C.N.-474986
3-1	N	1030	FEB. 300	6-10	
3-24	N	900	200	6-24	
4-14	N	860	100	12-17	
5-2	N	780	APR. 120	12-17	
5-23	N	658	100	12-1	GOOD COUNT
6-28	N	205	1800	6-26	
6-27	A	SEE REPORT ON			SMASHED CAR ACL-27422
7-25	N	2700	300	4/45	
8-22	N	2450	"	"	
9-7	N	—	"	"	NO COUNT
9-20	N	1900	400	2-1-44	
10-11	N	1997	400	2-1	
11-1	N	1641	400	3-1	
11-21	N	1520	200	6-20-44	
12-11	N	1400	200	3-1	
12-24	N	1550	200	7-15-45	

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CA-1661-D	1/24/44	900	(STDG. ORDER FOR 1942)				
(Rings + wipers also on hand)							
CA-11H947-G	8/17/43	900	Rush.	11000 BB WIPERS 1000 CLIPS	8/17	8-17	PRR-77901
CA-425H-G	11-4-43	1030	arrive 12-10		12-7	12-7	CP-229417
CA-620Y-H	11/14/44	910 ✓	2-1		1-28	1-28-44	CN-474986
CA-53730-N	6-10-44	1900	arrive 6-22	(NO WIP ORD)	6-20	6-20	ACL-27422
"	"	1825	RUSH		7-3	6-30	UP-192359
"	"	Only 385 on hand	Wipers SK-15397		6-22	6-22	TRUCK

FE001609

CO. REP.

PLANT CANTON — RINGS

SIZE 2-7 3/4 X 3 1/2

BLK. CLIP	SK-1657	10000
CLIP	SK-1450	16000
WIPER	SK-1537 A+B	3800 EA.
RING	B-1730	1900

c/l

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
1-16-45	N	1420	DEC-215	@ 250 6-16	
2-6-45	N	1300	JAN-231	@ 250 7-1-45	
2-27	N	1200	EST. FEB 150	@ 250 7-N-45	
3-21-45	N	1100	F-160	@ 200	
4-10	N	810	M-221	@ 250 7-10	Order c/l for 6/15
5-14	N	638		@ 250 7-26	Order c/l for 7/1 Delivery
6-13	N	500	MAY-145	@ 250 8-13	Talk to PRW re Check 6/11 car (6/11)
7/16/45	N	1900	June	@ 250	
8/24	N	1492	July Sch	@ 500 11-7-	
9/13/45	N	1290		@ 250 C010	
10/31	G	935 BT	OCT. 209	4 Mo.	Will check Usage next trip.
11/27	N	500	200/Mo	@ 200 1/15/45	Order c/l for 12
12/6/45	N	425	"	@ 200 1-21-46	
1/19/46	N	400	200/Mo	@ 200 2/19/46	
1946					
1/4/46	N	350	100/Mo	@ 100 4/15/46	CA-44788 will not be released for some time, as 26x34 will be used in its place until used up.
2/11/46	N	350			
2/12/46	G	—	2½-3½ 2	—	
2/19/46	G	—	—	—	Not Using at Present.
3/11/46	N	350			" " "
3/16/46	N	344	6	—	" " "
6/15/46	N	240	100/Mo	@ 200 8-1	Release c/l for 7/20.
8/13	N	1665	200/Mo	@ 200 6 Mo.	Inc. PRR-61x06
9/4	N	1400	"	4 Mo	
9/24	N	1150	200/Mo	6 Mo.	
10-9	N	1050	200/Mo	5 Mo	
11-6	G				Fe with 4th Issue Usage.
1-2-47	N	973	Est 100/Mo	3-3	Order c/l for 2/15 - Check on car if Possible!

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CA-40200 K	4-25-45	1700	6-15-45		6-11-45	6-12-45	NKP-12004
CA-44788-MB	6/25/46	1800	8/1/46	No WIPERS	7/26/46	7-26-46	PRR-61x06
"	"			SHTGE - 3918 EA	SK-1537 A+B	-	8-14-46	Truck

FE001610

FORM F-2

CO. Republic Steel Co

PLANT Canton - Ohio

SIZE 27 3/4 x 31 1/2

Per Set - 2 each "3562 to "3567 incl ; 4 each "3568 & 3569

Brick B-2956 - 65 sets - 7/6 of 23000 lb

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
~~4-6~~					
4-14	K	274			
7-20	K	63			
					V.D.K.ij 2/27
					✓
					Conf. 2-3 ✓
					✓
					✓
					✓
					✓
					Released from M-H on rel 24- ship on Rel 17 ✓
					G.A. 5/20/65
					✓
					✓
					✓
					✓
					✓

ORDER STATUS 9 complete sets / Pallet

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-645868-R M	1/1/64	Requirement		Order Year 1964			
" Rel #8 M	2/27/64	27 sets		29583 NR.R. I	4/8/64	4-8-64	TRK
" R.19 AD	6-3-64 6-2-64	18 SETS	ASE 7-27	31585 "	7-23	7/23/64	"
" R.32	11/6/64	18 SETS	2-2	35348 "	12-2	2/2/65	"
C-10120-51	1/1/65	S/O	1965				
" R.11 R4	3-1-65 3-4-65	7 SETS	3-3	36334 NAR I	3-3	3/3/65	TRK
" "	"	8 SETS	3-6	36335 "	3-6	3/5/65	"
" "	"	36 SETS	4-6	36336 "	4-9	4-2-65	"
" R.17 AD	4-7-65 4-7-65	36 sets		36636 "	5-24	5-26-65	"
" R.25		54 sets	ASAP	37003 "	6-30	7/6/30/65	"
C-10282-51	1/1/66	S/O	1966				
" Rel 16 M	3/28/66	18 sets	ASAP	39194 NAR I	4/15/66	4-15-66	TRK
" R.48 "	6-28-66	18 sets	AT once	40104 "	8-2	7-11-66	"
" R.56 "	7-15-66	36 SETS	ASAP	40284 "	8-22	8/17/66	TRK
" R-48	6-28	18 sets	cut in	40104 "	8-2		
C-10478-82	1/1/67	S/O	1967				
C-10704-82	1/1/68	S/O	1968				
C-10955-56	1/1/69	S/O	1969				

FE001611

CO. Republic Steel
PLANT Canton, Ohio
SIZE 27 3/4 x 31 1/2 Brick B-2956

2 ea. #3562 to #3567 incl. 4 ea. #3568 + #3569
220 Sets in 80# M C/L wt (1 set) 354#
165 " " 60# M C/L 65 Sets wt 23000#

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
1960					
4-20	D	405			
6-10	D	63+	(Approx 30 Sets)		Will use up B-2910 + order only B-2956 Inculding all B-2910
6-21	D	70			
7-14	D	66			
9-28	D	63+			
8-23	D	63+			
10-10	D	63+			
10-20	D	60			
11-9	D	60			
12-20	D	60			
1-10-61	D	60			
2-27	D	48			
4-28	D	45			
5-25	D	45			
6-26	D	45			
7-14	D	45			
8-1	D	36			
8-28	D	18			
9-11	D	18			
10-31	D	15			
1962					
1-29	D	33			
2-13	D	22			
3-26	D	6			45 Sets 4/4
4-23	D	36			
5-23	D	36			
6-25	D	32			
7-27	D	32			
9-26	D	18			
10-22	D	18			

FE001612

ORDER STATUS 9 complete sets / Pallet

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-615868-R	1/1/61	Requirement Order Yr. 1961					
" R-15	PH 11/14/61	45 sets	RSHP	13526-A	1/11/62	1/11/62	TRK
C-625868-R	1/1/62	Requirement Order Yr. 1962					
" R.6	PH 1-31-62 4-3-62	45 sets	M&H	1/1004 -1	4/4/62	4/4/62	TRK
" R.28	9-28-62	45 sets	AER 1-3-63	13625 I	1-2-63	1-2-63	"
C-635868-R	1/1/63	Requirement Order Yr. 1963					
" R-41	PH 10-17-63 10-17-63	25 sets	AIAI	2691 VI	12/2/63	12/2/63	YRK
C-645868-R	1/1/64	Requirement Order Yr. 1964					

FORM F-28

CO. Republic Steel
PLANT Canton, Ohio
SIZE 27 3/4 X 3 1/2 Brick B-2956

2 ea # 3562 to # 3567 incl 4 ea. # 3568 + # 3569
220 Sets in 80" M c/c unit (1 set) 354 #
165 " " 60" M c/c 65 sets in unit 23000 #

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
1956					
10-17	D	35			50 Sets 1/15/57
11-6	D	31			
11-26	D	31			
12-11	G	27			50 Sets 1/30/57
-1957-					
1-4	D	27			
1-22	D	77			Incl 1/4
2-14	D	70			
4-20	D	70			
7-24	D	45			
9-12	D	46			
10-29	D	58			
-1958-					
1-28	G	44			
2-12	JRS	35			
4-2	D	3V			
5-20	D	—			
7-17	D	3V			
8-28	D	30			
10-28	D	31			
-1959-					
1-13	D	14			36 Sets asap
3-10	D	36+			
3-24	D	3V			
4-9	D	20+			
7-10	D	9+			
12-14	D	45+			
1960					
1-7	E	36+			
2-17	D	36+			
3-31	D	ample			

FE001613

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-65301-R	5/31/56	50 SETS	asap Steel	23765-A	8/31	8/20/56	TRK
C-70057-R	12/29/56	OVER	S&P	25112-A	1/15/57	1/16/57	"
C-575868-R	1/7/57	Requirement Order Yr. 1957					
C-585868-R	1/1/58	Requirement Order Yr. 1958					
C-595868-R #4	1/14/59	36 Sets P	3/9	29475-A	3/9/59	3/6/59	TRK
C-595868-R	1/1/59	Requirement Order Yr. 1959					
" #19	4-29-59 5-29-59	45 sets P	ASAP	30617-A	12/5	12/3/59	TRK
C-605868-R	1/1/60	Requirement Order Yr. 1960					
C-615868-R #H	8/30/61	45 Sets P	—	[illegible]-A	9/11/61	9/11/61	TRK
					3/28/60		
7/14 D 45							

FORM F-28

CO. Republic Steel
PLANT Canton, Ohio
SIZE 27 3/4 X 3 1/2 Brick B-7956

2 ea # 3562 to # 3567 incl 1 ea. # 3568 + # 3569
220 Sets in 80" M C/L wt (1 set) 354 #
165 " " " 60" M C/L 65 sets wt 23000 #

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
1956					
10-17	D	35			50 Sets 1/15/57
11-6	D	31			
11-26	D	31			
12-17	G	27			50 Sets 1/30/57
-1957-					
1-4	D	27			
1-22	D	77			Incl 1/6
2-14	D	70			
4-20	D	70			
7-24	D	45			
9-12	D	46			
10-29	D	58			
-1958-					
1-28	G	44			
2-12	JKS	35			
4-2	D	3+			
5-20	D	—			
7-17	D	3+			
8-28	D	30			
10-28	D	31			
-1959-					
1-13	D	14			36 Sets asst
3-10	D	36+			
3-24	D	3+			
4-9	D	20+			
7-10	D	9+			
12-14	D	45+			
1960					
1-7	E	36+			
2-17	D	36+			
3-31	D	hngla			

FE001613

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-65301-R	5/31/56	50 SETS	asst	23765-A	8/31	8/30/56	TRK
C-70057-R	12/29/56	OVER	S&P	25112-A	1/15/57	1/16/57	"
C-575868-R	1/7/57	Requirement Order Yr. 1957					
C-585868-R	1/1/58	Requirement Order Yr. 1958					
C-595868-R #4	1/10/59	36 Sets P	3/9	29475-A	3/9/59	3/6/59	TRK
C-595868-R	1/1/59	Requirement Order Yr. 1959					
" #17	5-29-59	45 Sets P	ASAP	30617-A	12/31	12/31/59	TRK
C-605868-R	1/1/60	Requirement Order Yr. 1960					
C-615868-R #14	8/30/61	45 Sets P	—	[illegible]-A	9/11/61	9/11/61	TRK
					3/28/60		
		9/1 4D 45					

FORM F-28

CO. Republic

PLANT Canton

SIZE 27 3/4 x 31 1/2 Brick

23a-#1304 - #1309 Incl. 4 Sa #1310 x 1311
B-1729 220 Sets 80 on #1
165 Sets 60 on #1

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
5-22	D	63	40/140	7/6	50 Sets new Buck + 120 pcs #1306 and 60 #1304 for 7/22
10-17	D	105			
1957					
1-4	D	95	?	complete	
1-22	D	95			
2-14	D	94			
4-20	D				
7-24	D	60+			
9-12		0			
10-29		44			
1958					
4-2	D	30			
5-20	D				
7-17	D	50			
1959					
1-13	D	30+			
3-24	D	66+			
4-9	D	48+			
7-10	D	?			10 to 15 Sets wedd pcs
12-14	D	27+			
1/7/60	D	27+			
2/2	D	54+			
2/17	D	54+			
3-31	D				
4-20	D	27+			
6-21	D	70+			

FE001615

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-665868-R	11/1/56	Requirement Order Yr. 1956					
" Rel 15	3/3/57	60 P	5/8/56	23214-A	5/8	5/3/56	TRK
" Rel 24	1/30/57	60 P	ASAP	23519-A	6/12	6/29/56	"
" Rel 27	5/29/57	60-#1304 / 120-#1306	at once	23765-A	8/31	8/30/56	"
C-821662-R	11-6-57 / 11-5-58	60	11-5-58	OVER P	ASAP	28006-A	7/3/58	7/3/58	"
C-585868-R #29	10-31-58 / 11-3-58	60		OVER P	ASAP	28880-A	11/28	11/26/58	"
C-585868-R	10/31/58	Requirement Order Yr. 1958					
C-545868 R	2-D 2-24-59 / 2-5-4-59	50 S-Sets / 100 #1310-13	3/9/59 P	29543-A	3/9	3/6/59	TRK
C-595868-R	1/14/59	Requirement Order Yr. 1959					
" Rel #17	2nd 5-6-4 / 5-29-59	45 Sets	ASAP	30617-A	12/3	12/3/59	TRK
" #21	7-17-59 / 7-21-59 / 7-23-59	45 S-Sets P	ASAP	1-6-A	1/18/59	1/21/60	"
C-605868-R	11/1/60	Requirement Order Yr. 1960					
C-615868-R	11/1/61	Requirement Order Yr. 1961					
[illegible]	9/25/61	[illegible]	ASAP	33291-A	11/9/61	11/28/61	Cancel
C-625868-R	11/1/62	Requirement Order Yr. 1962					

Obsolete

CO. REPUBLIC

PLANT CANTON

SIZE 27 3/4 X 31 1/2 BRICK 2 EA. #1304 – #1309 inc. 4 EA #1310 & #1311

B-1729 205 sets / 80 M # 4/c

PLANT INVENTORY

1955 DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
10/30	G	Est 40	9/mo	4 1/2 mos	
11/19	D				Out of 11/3 Unsg 1310 – ok
12-8	H	OK			Truck 12/3 T/L. Rec 55 Sets with
– 1953 –					w/ 50 extra #1311 for 4-15-53 "
2/1	H	Angle			"
3/10	G	19	9/mo	5/15	
4-30	G	46	9/mo	10/1	Truck T/L 4/16/53
6-3	G	38	9/mo	4 mos	Truck T/L – order Truck
7-10	G	79	9/mo	3 mos	
8-20	H	138	9/mo	15 mos	Truck 8/18 Truck
11-1	H	OK	—	—	—
11-30	G	107	9/mo	11 mo	
– 1954 –					
1-19	G	93	9/mo	10 mos	
2-9	G	—	—	—	—
3-1	Dow	Angle			
4-27	G	78	9/mo	8 mos	
5-20	G	78	9/mo	8 mos	
8-5	G	78	9/mo	8 mos	
12-8	G	47	9/mo	4 1/2 mos	
– 1955 –					
1-4	G	36	9/mo	4 mos	Check next trip
1-27	E				
2-3	E	45	5/mo	11/1/55	
3-9	G	49	"	10 mos	
4-13	E	35	5/mo	7 mos	
5-6	G	18	8/mo	7/3	order CO #1304, 05 #1306 As-18
5-26	G	11	8/mo	7-5	
6-16	G	39	8/mo	5 mo	Truck 6/8
7-19	G	30	8/mo	3 1/2 mos	
7-27	E	24	10/mo	10/8	Need T/L ASAP

FE001617

ORDER STATUS

CUSTOMER ORDER NO.	DATE	sets QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
		Requirement Order Yr. 1955					
C-525869-A	1/1/55						
" #7	9/30/52	55	on or before 1/20/53	17758-A	11/28/52	12/3/52	TRUCK
		Requirement Order Yr. 1953					
C-535869-A	9/1/52						
with " #21	12/18/52	50 sets - Plus 50 - #1311.		4/15/53	18235-A P	4/15/53	4-16-53 TRUCK
" #5	4/7/53	ovrl	8/1/53	19186-A P	8/12	8/18/53	TRUCK
		Requirement Order Yr. 1954					
C-545869-A	1/1/54						
		Requirement Order Yr. 1955					
C-555868-A	3/25/55						
" Rel 20.	GFE 12-5-52 5-9-53	50 - #1304 65 - #1306		SAP.	21350-A	6/20	6/8/55 TRUCK
" Rel 30.	8/16/55	over		SAP P	21707-A	9/15	9/21/55 "
" Rel 45	11/17/55	over	11/5/56	P	22178-A	11/5	11/10/56 "
		Requirement Order Yr. 1956					
C-565868-B	1/1/56						
		6 mos					
9/27/55	E	75	10/mo	7 1/2 mos			
10-11	G	67	"	6 1/2 mos			
11-8	G	37	"	3 mos		T/L ord 12/20	1/5/56
11-28	D	37	8/mo	4+			
1/23/56	G	84	10/mo	8 mos		Truck 2/10	
2/13/56	G	76	10/mo	7 mos		"	"
3-8-56	G	36		8 1/2 mos			

FORM F-28 11-46

CO. REP.

PLANT CANTON

SIZE 2 7 3/4 X 3 1/2 BRICK

2 EACH #1304-1309 INC., 4 EACH #1310 & 1311
B-1729 205 SETS PER 80,000 # C/L

PLANT INVENTORY

DATE 1949	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
11-17	G	37			55 sets to 1/15
11-22	E				odd Pcs. with other brick ordered direct from KAR. CO.
11-30	D	37			
12-13	D	21			50 sets to 2/8
12-27	D	0			
1/3 50	A	0			
1-13	D	0			DO-MRO
2-6	D	26	10	3-8	Ship 4/W car with other material DO-MRO
4/13/50	D	40	10	8-17	DO-MRO
7/8/50	D	31	10	8-10	50 sets 7/10 "
8-29	D	28	10	8-28	
6/3	C	30	5	∝	
7/25	D	27	5	∝	Not inc. in CLE-9/64
9/6	D	50	15	11/26	order 50 sets 12/5
12/5	D	41	10	11/8	
1/16/51	D	34	10	5/1	
4/30	D	14	?		
6/4	E	26			
7/31	F/H	26			Rec (over) for 10/17 Shpt. Rec'd 9/14
10/4	H	90			
10/14	H	90			
11/7	G	83		∝	
11/19	G	80		∝	
12/19	G	73		∝	
1952					
1/3	H	69	9/mo	8/23/52	
1/21	H	56			
2/3	G	48	9/mo	5/7 mo	50 sets 5/26
3/3	G	240	"	4/7 "	
3/25	H	367	9/mo	4 mo	

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY (SETS)	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-95228-A	11/29/49	add'l Pcs over	ASAP	13124-A	1/11/50	1-17-50	TRUCK
C-06170-A	1/8/50	OVER	2/28/50	13286-A	3/24/50	3-1	"
C-95228-A	1/29/49	5A 87 to 130		13124-A	~~3/24/50~~	3-1	TRUCK
C-505869-A	1/20/50	Requirement Order Yr. 1950					
" #2	5/11/50	50 sets	7/3/50	13699-A	7/10/50	7-17	B&LE-9/1269
C-06170-A	1/8/50	4 = 1308 4 = 1309		13286-A		7-17	B&LE 9/1269
C-505869-A #4	10/10/50	50 sets	12/10/50	14387-A	1/24/51	1-24-51	D&RGW-67245
C-515869-A	1/1/51	Requirement Order Yr. 1951					
"	AM 2-27-51	odd Pcs	8/27/51	15729-A	10/1	9/24	TRUCK
C-525869-A	1/1/52	Requirement Order Yr. 1952					
" #3	2/4/52	50 P	5/26/52	16765-A	5/26/52	5/22/52	CRO-8197
		ON HAND					
5/28/52	H	63	—	—	Rec'd	CRO-8197	
9/18	H	52			Ord'd	50 sets	1 car sap

FE001619

FORM F-28 11-46

CO. REP.

PLANT CANTON BRICK. 2 EA. # 1304-1309 INC. 4 EA. # 1210 & 1211

SIZE 2 3/4 X 3 1/2 B-1729 20% SETS PER 80000# C/L

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
5-21-47	G	APP. 140	—	∝	cannot set good count
10/15/47	Jac	93	AVG 16/mo	2 mo	suspend to get good count
10-28	WE				40 Sets for 11/1/48
11-12	WS	31	?	?	
12-16	E	Cannot count			
1-7-48	W	42	1-6	4-15	Rec CNW-84206
3-23	W	4			odd pcs. 4/3 with 2½" thick
4-7	E	Quality of newly			lined tops.
4-29	W				T/L of 4/x3 in.
5-24	E				rec'd & arrive 8/8
6-2	N	DID NOT COUNT			
7-20	W	29	10	10-17	
7-30	C	V1	10	2-1-49	Rec. UP-182176
9-22	C	47	√	∝	
10-12	C	48	√	∝	
11-2	W	51	√	∝	
11-27	C	44	√	∝	
1-1/48	W	46	5/mo	9 9/1/49	
12-22	C	44	√	∝	
1-13-49	C	29	?	4-20	rec'd 4/20
2-1	N	POOR. PILED. HANSEN IS TO STRAIGHTEN OUT			
2-15	N	45	?	4-15	
3-17	E	?			Can't count
4-29	C	4	√	4-23	
5-2	S	47	?	?	
5-17	N	35	√	∝	
6-1	C	38			
6-21	C/D	32		∝	
7-15	C	32		∝	
8-2	P.R.	29		∝	
8-30	SD	37		∝	
11-30					

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY SETS	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-9177-TB	11-19-47	40	1-8-48	P-10695 A	1-9-48	1-13-48	CNW-84206
C-704-1-W-B	3/3/48	44	4/6	10998 A	4/5/48	4-23-48	TRUCK
C-2215 WB	3/31	000 pcs	8/7177-TB	11217 A	5/3/48	5-18-48	B&LE-90227
C 4006 WB	6/1/48	54	8/8	11407 A	8/6/48	8/16/48	UP-182176
C-90627-A	1/20/49	86 over	4/20/49	12280 A	4/1/49	4-6-49	C+O-10103

FE001621

CO. REP. ✓

PLANT CANTON ✓ BRICK

SIZE 27 3/4 X 31 1/2 ✓.

2 EA. #1304 - 1309 INC., 4 EA. #1310 X 1311 ✓
27 HEATS PER LINING ✓
B-1729 ✓ 20 ✓ SETS PER 80000 # C/L ✓

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
4-12-43	N	41	3	1944	None
4-27-43	N	39	3	"	"
5-17	N	24	SEE DIER	1944	"
7-27	N	87	✓ JULY	1944	"
8/11	N	85	"	"	None
9-10	N	83	3-AUG	"	
10-7	N	80	2-SEP	"	
10-26	N	34 ✓	✓		1/2 C/L for 12/26
11-18	N	34 ✓	—	"	
12-7	N	24 ✓	20	1-14 ✓	
12-22	N	14 ✓	20	1-✓	
1-14-44	N	✓	10	1-19	
1-18	N	0	—	—	
2-10	N	95 ✓	10	11-24 ✓	
3-1	N	87	12	10-1	
3-24	N	78	10	10 # ✓	
4-14	N	64 ✓	10	10-14 ✓	
5-2	N	60	10	11-1	
5-23	N	47	10	10-23	GOOD COUNT
6-23	N	20	60	7-3	
7-6	N	10	30	7-14 ✓	
8-22	N	190	10	∞	
9-7	N	—	—	∞	NO COUNT
9-20	N	160	24 ✓	4-1-44	
10-11	N	110	24 ✓	2-14 ✓	
11-2	N	67	43	1-20	C/L for 1/5
11-24	N	47	14 ✓	3-10	
			SEE	NEXT PAGE	

FE001623

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY (SETS)	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CA-6149-E		80	9/24/42	5140 A	9-15	9-22	—
CA-26786-F	3/19/43	100	7/1/43	5911 A	6-24	7-3	RI-1332 ✓
CA-42538-H	11/14/43	105	1-10-44	6527 A	1-17	1-24-44	T+P-50613
CA-53729-N	6/10/44	205	SOON AS POSSIBLE	7092 A	7-22	7-25	C+O-86400
CA-37288-J	11-13-44	205 ✓	12-45	7554 A	1-11-45	1-10-45	SOU-15862
CA-37288-T	"	79 - #1308 62 - 1309		7554 A	3-6-45	3-15-45	ACL-20337

CO. REP.

PLANT CANTON BRICK

SIZE 27 3/4 X 31 1/2

2 EA. #1304-1309 INC, 4 EA. #1310 & 1311
HEATS PER LINING
B-1729 20 SETS PER 80000 # C/L

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
1-6-45	N	233	15/MO	1946	UNLOADING 3 OU-15862 - SHORTAGE COUNTED AS
2-6-45	N	225	"	"	
2-22	N	220	"	"	
3-21	N	—	—	—	No count
4-10	N	150	15/Mo	1946	
5-10	N	116	"	1946	24 sets to Canyon
7-13	N	100	8/MO	1946	
[illegible]	N	85	15/MO	1/10/46	
[illegible]	N	80 Est.	15/MO	5/23/46	Release 1/c/c due 10/25
10/31	C	35 Est.	—	2 MO.	
11/21	N	200	10/MO	∝	
12/6	N	195	"	∝	No count this trip (N) 1/2/46
2/1/46	N	190	"	∝	
3/1946	(N)	—	—	—	No count
3/9/46	C	—	—	—	NOT USING AT PRESENT.
5/1946	N	195			" " " "
6/5	N	185	—	—	" " " "
6/10	N	145	10/MO	—	Order 1/c/c for 9/1 (BRICK MIXED REVEN EST.)
8/13	N	140	10/MO	∝	
9/1946	N	Est 200	10/MO	∝	Inv. LYN-98091
10/9	N	195	10/MO	∝	Est.
10/47	N	165	27/MO	∝	Est. Brick count impossible AISBlough informed. he said had get often blow to get it in shape.
11/47	N	165	27 Mo	∝ MO	Have lined since 1-1-47.
12/28/47	N	3	"	—	145 EXCEPT #1308 & 1309. Rush C-818-TA.
1/27/48	(N)	0			
2/1	N/W	80	5/MO	5/MO	Badly mixed - order 100 complete with 20 HOM# brick.
1/3/47	C	150	7	Indef	Inv. PRR 94129
7/25/47	C	APPX 145		"	Cannot get accurate count.

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY (SETS)	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
SHIPPED							
CA-8147-M	7-20-45	105 SEE WEB	11-25-45	8498 A	10-30	10-31-45	TNB-4704
"	"	4 @ #1308 26 @ #1309	SAP	8498 A	12-4	12-4-45	MILW-711649
C-3035-RB	6-17-46	115	8-30	P-9133 A	8-30-46	8-27-46	L&N-98091
C-818-TA	8-31-47	160 - #1308 180 - #1309	ASAP	P-9971 A	3-10-47	3-19-47	PRR-35356
C-2238-T-B	3-31-47	105 sets	6-1-47	P-9989 A	5-22-47	6-4-47	PRR-94129

FE001625

FORM F-28-A

CO Republic

PLANT Canton

SIZE 27 3/4 × 31 1/2 Castings HT-1230 A & B

PLANT INVENTORY

1958

DATE AND BY	IN USE 2 PC	IN USE TOPS	NEW 2 PC.	NEW BOT'S	USAGE	O. K TO	RECOMMENDED ORDER
1-28	64			5			
2-12	57	3		25			
10-28		✓		✓			
-1959-							
1-13	46	9		7			
2-24	47	9		13?			
-1960-							
2-2	56			5			

0b 50 10/0

ORDER STATUS

	CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
✓	C-585868-R	1/1/58	Requirement Order Yr. 1958			(Bot & 2 R.)		
✓	C-595868-R	1/1/59	Requirement Order Yr. 1959			(Bot & 2 Pc)		
✓	C-605868-R	1/1/60	Requirement Order Yr. 1960					
✓	C-615868-R	1/1/61	Requirement Order Yr. 1961					
✓	C-625868-R	1/1/62	Requirement Order Yr. 1962					
✓	C-635868-R	1/1/63	Requirement Order Yr. 1963			(Bot & 2 Pc)		
✓	C-645868-R	1/1/64	Requirement Order Yr. 1964			"		
✓	C-10120-51	1/1/65	S/O	1965	(Bots & 2 Pc)			
	" Rel #24	14-6-17-65 5-19-65	10 - 2 Pc	HSHP	36997 T.B	6/30/65	7/7/65	Toledo
	" "	"	4	10 - Bots	"	36997 T.B	6/30/65	
	" "	"	10 - 2 Pc	"	36998 T.B	7/16/65	6/30/65	Pgh
	" "	"	15 - Bolts	"	36998 T.B	7/16/65		
✓	C-10282-51	1/1/66	S/O	1966	(Bots & 2 Pc)			
✓	C-10478-82	1/1/67	S/O	1967	"	"		
✓	C-10704-82	1/1/68	S/O	1968	"	"		
✓	C-10955-Sb	1/1/69	S/O	1969				

FE001627

CO. Republic

PLANT Canton

SIZE 27 3/4 x 3, 1/4 Casings HT-1230

B of - HT-1230-A

PLANT INVENTORY

DATE AND BY	IN USE 2 PC.	IN USE TOPS	NEW 2 PC.	NEW BOT'S	USAGE	O. K TO	RECOMMENDED ORDER
1954							
1-11	—	—	—	28	—	—	Incl. 11/14 T/L DC-1116
1953							
3/10	31	3		28			
4/30	31	3		28			
6-3	31	3		28			
7-10	31	3	—	28			
11/30	21	3		26			
— 1954 —							
1-19	31	3		26			
2-9	31	3	—	23	—	—	—
3-10	28	6	—	24	—	—	—
4-27 G	28	6	—	22	—	—	
5-20 G	28	6	—	22	—	—	
8-5	28	6	—	22			
12-8	28	6	—	22			
1955 —							
1-5	28	6	—	21			
3-9	28	6	—	21			
5-16 G	28	6	—	21			
6-16 G	28	6	—	21			
6-28 G	28	6	—	21			
7-19		6	—	21			
8-17				20			
9-15	27			20			
10-11	[illegible]	6		20			
11-8	[illegible]			20			
— 1956 —	[illegible]						
2-13				20			
5-22	40	2		14			
6-29	41		25	10			
8-23	40	1	25	10			

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-535869-A	11/53	Requirement Order Yr. 1953					
C-545869-A	11/54	Requirement Order Yr. 1954					
C-555868-A	3/25/55	Requirement Order Yr. 1955					
C-565868-R	1/1/56	Requirement Order Yr. 1956					
11 #23	4/19/56	25-2 Pc	ASAP	23528-OH	6/15/56	6/19/56	Truck
C-575868-R	1/19/57	Requirement Order Yr. 1957					

	2 pc	Tops	2 pc	Bots
9/54	43	2	17	—
10-17	51	2	9	15
12-17	51	2	9	15
1-4-57	57		10	15
2/14	55	4	6	15
4-14	55	4	6	15
8-24	62			5?

FE001628

FORM F-28

CO. CERBLIC

PLANT CANTON

SIZE 34 H

14 - Block clips 31-1657

13 - S/Rd. clips SL-3350

1 - Lug Wire LW65

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					Ph JMW 8/7/63
					GD 4-17
					Conf. 10-23-64
					w/WIRE 140
					REV. 1/ 12-24-64 →

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-3754-12 2nd	5-12-63 5-21-63	6	5-17-63	150 - S/C ONLY	5-17	5/17/63	TRK
" Rel #2	8/7/63	6	8/8	"	8-8	8-8-63	"
" Rel #3	"	6	10-2	"	10-1	10/1/63	"
C-4363 7-R	10/CA 5-29-64	20	4-20	240 S/C ONLY	4-20	4-20-64	"
" R.1	"	20	6-1	"	6-1	6-1-64	"
" R.2	10-9-64 4-30-64	10	ASAP	NO chips 200 S/C	10-20	10/20/64	"
"	"	—	"	200 - S/C	10-20	10/22/64	"
" R.3	PH 11-4-64 " PH 12-11-64	12	"	150 S/C ONLY	11-5	11-6-64	"
"		20	EST 12-19	300 S/C ONLY	12-16	12/18/64	"
"		18	W/A				

FE001630

CO. REPUBLIC
PLANT CANTON
SIZE 3H x 3H

RINGS

BLOCK CHIPS	SK-1657	10000
CHIP	SK-1630	19000
WIPER	SK-1902-C	6050
RING	B-2311 (1/4 Lbs.)	6050

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
8/11	N	1100	—	—	Watch
9-10	N	107V	100-NOW 280 MAX SEP. 200 EST. 400		
10-7	N	880			
10-21	A	210	600	10-31	Willcut B-2770 to fit
10-26	N	3V00	600	4-V	Use 3V x 3V Rings cut down
11-18	N	3100	600	"	
12-7	N	Louie - Not Using at present			
12-21	N	3100	300	12-'44	
1-4-45	N	26V0	300	12-'45	
1-18	N	23V0	600	V-N	
2-8	N	NOW OFF THIS SIZE			
3-24	N	8V0	0		Ship 1V00 to Chicago
4-14	N	200	—	—	Ship 6V0 more to Chicago

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
Phone CA-3854-G	6-28-43 7-13-43	11.00	8-10	NO CLIPS	7-29	7-27	IC-36573
CA-38565-G	10-22-43	1000 Wipers & Rings	Wire Tuesday	3000 Rings	11-1	10-30	SAL-18713
CA-10042-H	1-27-44	(Only 300 Wipers	WITH NO OTHER THIS ORDER ONLY	CA-1902-C	(2-7	2-7, 44	AT&SF-149176

FE001631

FORM F-28

CO. REPUBLIC

PLANT CANTON

SIZE 34" x 34" BRICK B-2766

4 EA. #3241-46; 8 #3247; 4 #3248

PLANT INVENTORY FOR HT-1437-A4C

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS 6 SETS/PAL.

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-43637-R GD	4-17-64 4-30-64	6 SETS	ASAP	3253) NAR CUR	5-25	5/28/64	TTX
" R.4	2-19-65	6 SETS	W/A	3564-1 "	2-2-	2/4/65	"
"	"	6 SETS	W/A		NOT ORD.		

FE001632

FORM F-28

CO. REPUBLIC /
PLANT CANTON /
SIZE 34X34 / BRICK B-2310 / 80 / SETS PER 80000# CAR. / (Not Loaded)

4 EA. #1736 / to 1739 / INC. - 8-#1744 / 4 EA. #1879 / to 1886 / INC.
HEATS PER LINING

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
9-10	N	EST 75	30	?	study being made now ALL CAR
10-7	N	60	16	3-1	(shortage 1st 1735 to 1750 2nd 1751 to 1886)
10-26	N	EST 45	15	1-26	based on 10 Lts./lining (SEE OVER)
11-18	N	35	15	1-26	
12-7	N	120	Not lining at present		
1-4-44	N	110	10	12-'44	
1-18	N	NO T	NV		
2-9	N	NOW	OFF	THIS	SIZE
3-24	N	60	0		Shipped 50 cars to Chicago
4-14	N	✓			Shipped about 40 more cars to Chicago

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY (SETS)	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
PHONE CA-38546	6-28-43 7-13-43	ODD (1 CAR) QUANTITY	8-10	6209 A	Ready	8-12	BAR-65397
"	"	127 Sets Shortage		6209 A	10/15	10-15	SPS-10298
CA-34726-G	10-12-43	160 ADDITIONAL SETS FOR 80 SETS IN	6476 A		Ready	11-24	ATSF-116580

FE001633

CO. Republic Steel Corp.

PLANT Canton

SIZE 34 x 34 XOP-126 Panels

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					G.D. Ph 8/7/64
			For Future Orders - Price Panels @ 24.91 each
					See price in inroad file

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
Rev #1 C-43637-R	5/7/64	6 sets	5/8		5/8/64	5-8-64	TCK

FE001635

CO. REP. ✓

PLANT CANTON ✓

SIZE 3½ X 3½ ✓

RINGS

CLIP	SK-1630 ✓	14000 ✓	C/L ✓
WIPER	SK-198½ ✓	4400 ✓	
RING	B-2270 (¼) ✓	4400 ✓	

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
4-12-43	N	4000	80	1944	NONE
4/21/43	N	3957		"	"
5-18	N	3960	0	"	
7-27	N	3900	0	?	½C will reclaim for 3¼×3½
8/11	N	3500	0	?	will transferred to 3¼×3¼

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER

FE001636

CO. REP. ✓

PLANT CANTON ✓ BRICK

SIZE 3½ X3½ ✓

4EA: #1736-1743 INC, 12-#1744✓, 4-#1745 ✓
HEATS PER LINING
B-2269 ✓ 80 SETS PER 80000# C/L ✓ (not blocked)

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
4/1/43	N	54	✓	1944	NONE
4/27/43	N	54	"	"	"
5-20	N	53	"	"	"
7-27	N	51	"	"	"
8/11	N	51	"	"	"

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY (SETS)	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CA-14153-E		60	10/1/43	5223 A	10-29	10-29-43	—

FE001637

CO. REPUBLIC

PLANT CANTON CASTINGS

SIZE 20X23 20X23 H.T.- 1216 ("B" TOP)

PLANT INVENTORY

DATE	BY	SHAKE OUT	BOTS.	TOPS	RECOMMENDED ORDER
6/3-44	N	164	32	7	
7/6	N	5/198	21	6	INC. ERIE-10635
7-26	N	249	57	3	Inc. Solbottom on CA-4017Y-H
8-22	N	201	56	18	
9-20	N	233	21	8	
10-20	N	227	28	0	2Y for 12/31
10-10	N	No COUNT THIS TRIP			
11-3	N	227	5	1	
11-29	S	217	15	7	Rec 50 Bot SHIP 12/1
12-23-44	N				IMPOSSIBLE TO COUNT ONSTING AT PRESENT
3-27	N	203	85	1	Life 4/13/44 to 3/24/45 = 114 Bot
					311 Tops Order 50 Bott + 50-2PC.
					W/O INC. CA-4498-K
					Millander 50 Bott for 7/20
5-9	N	119	14	4	
			0		Order 50 Bottoms 8/20
7/19	N		26		Order 50 Bottoms for 10/1
8/7	N	176	13	13	Life 3/22/45 to 8/2/45 107-Bot, 321-Tops.
9/13	N		50		Incl. 58836-K Release 8174M
10-5	N	145	24	23	ORDER 50-2PC FOR 12/15 or 200 NEED
10-31	G	143	0	13	Inc. 25 Bots. 10/9 shipmt Will order
					25 Bottoms for delivery ASAP. CA 39646
					release 1/20 n owner. Will get Massillon's
					47-2PC, 45 Bottom, 44 Tops
1/11/46	N	177	2	60	Rec'd 50-2PC from Massillon
3/1/46	N	170	0	67	Will get Massillon bottoms
3/13/46				93	Massillon Bottom Castings on route
4/5/46	N	126	0	121	Ordered 50 ADD'L for ASAP
5/15	N	151	25	56	
6/10	N	159	5	58	

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CA-4017Y-H	4-28-44	50 BOTS	7-1	6986 O	7-21	7-18-44	PRR LCH
CA-4017Y-H	4/28/44	35-TWO PC.	7-1	6987 L	7-1	6-26-44	ERIE-10635
CA-58193-H	6-24-44	25-TWO PC. 25-BOTS.	9-1	7146 C	8-30	8-26	PRR-363087
CA-5752-J	7-21-44	25-2PC	10-1	7244 L	10-19	10-17	C+NW-74605
CA-5752-J	"	25-BOTS	10-1	7249 O	10-17	10-2	TRUCK
CA-25833-J	9-29-44	25-BOTS	ASAP	7529 O	11-29-44	11-27-44	TRUCK
CA-34838-J	12-2-44	40-2PC	1-6-45 or sooner	7539 C	12-29-44	1-1-45	TRUCK
CA-37122-J	11-N-44	50-BOTS	12-15 or sooner	7562 O	12-16-44	12-15-44	TRUCK
CA-46067-J	12-13-44	75-BOTS	1-15-45	7662 O	2-14-45	2-15-45	TRUCK
CA-46060-J	"	25-TWO PC.	2-1-45	7663 L	2-15-45	2-21-45	PRR-284755
CA-4498-K	1-9-45	50-BOTS	2-1	7741 O	3-16-45	3-13-45	TRUCK
CA-32875-K	4-3-45	25-TWO PC.	6-20	8094 L	6-25	6-28-45	TRUCK
"	"	50-BOTS	6-20	8095 O	6-20	6-13-45	PRR LCH
CA 40404K	4-25-45	50-BOTS	7-20	8210 O	7-20	7-25-45	PRR LCH
CA-58836-K	6-21-45	50-BOTS	CLOSE	8382 O	9-7	9-8-45	TRUCK
CA-8174-M	7-23-45	25-BOTS	AT ONCE	8473 C	10-22	10-9-45	PRR-279538
" RELEASE 9551	" FOUND IN MIS	25-BOTS	12-1	8473 C	11-26	11-27-45	PRR-279822
CA-30226-MB	10-15	25-TOPS	ASAP	8613 C	11-9	11-7-45	PRR-858991
CA-29992-MB	10-15-45	50-TWO PC.	12-15 or sooner	8619 L	11-19	11-24-45	CNJ-86935
CA-39646-MB	11-16-45	50-TWO PC.	1-20-46 OR BEFORE	8679 L	1-1-46	CANCELLED	
CA-22251-P-B	4-1-46	25 BOTS	SAP	8930 L	4-26-46	4-29-46	TRUCK
"	"	25 BOTS	SAP	" L	5-2-46	5-2-46	TRUCK
"	"	25 BOTS	SAP	" L	5-6-46		
"	"	25 BOTS	SAP	" L	5-9-46	5-7-46	TRUCK
CA-27240 PB.	4-8-46	50 BOTS	Prompt	8984 L	7-23-46	7/24/46	TRUCK

FE001638

CO. REP.

PLANT CANTON

SIZE 20 1/2 X 23 1/2 CASINGS

(TOP) HT-1216-B

(BOTTOM) HT-1379-A

PLANT INVENTORY

DATE AND BY	IN USE 2 PC.	IN USE TOPS	IN USE BOT'S	NEW 2 PC.	NEW TOPS	NEW BOT'S	RECOMMENDED ORDER
~~1948~~ ~~FE~~		26	fixed				

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-104-W.B.	1/22/48	50 BOTS.	4-1-48	10944-L	3-25-48	4-9-48	TRUCK

FE001639

CO. REP.

PLANT CANTON

SIZE 20 X 23 CASINGS H.T. - 1216 (B TOP)

PLANT INVENTORY

DATE AND BY	IN USE 2 PC.	IN USE TOPS	IN USE BOT'S	NEW 2 PC.	NEW TOPS	NEW BOT'S	RECOMMENDED ORDER
1-13-48	S					50	Due. KCS-27512. 60 bots. 4/1/48
2-19 W	W			44		14	
3-23 W	243					14	Shipped from Chicago
5-11 W	130					Y	
6-2 N	140	16	20			0	+ Est. 25/100 CHICAGO TOP 1/4

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER

FE001640

Co. Republic

PLANT Canton

SIZE 25x25" Streamlined Castings

NOTE: CANTON DOES NOT WANT ANYMORE STREAMLINE TOPS OR TWO-PIECE. JR. OLD STYLE ONLY

Bol - HT-1408-A · Top - HT-1394-B · Streamline Bol to-ore - per RBT note 7/3/52

PLANT INVENTORY

DATE AND BY	IN USE - 2 PC.	IN USE - TOPS	NEW 2 PC.	NEW BOT'S	USAGE	O. K. TO	RECOMMENDED ORDER
1/18 G	50						Rec 50-2pc 3/15, 50-2pc 7/1 & 50 Bots 7/10
1/9/51	150						
2/14	128	16		50			Perlet - 10/30/50 - future
4/30	216	10		127			
6/20	358	13		145			
8/30	197	45	29	167			Su in-freight DO-MRO
9/10		26		10			
10/4	226	4	16	61			Rec 50 2pc & 50 Bots 11/15
10/18 M				49	3/mo	11/27	· DO-MRO
11/7 G				33	"	12/10	Rec 100 Bots 11/25/51 · DO-MRO
11/				7			100 Bots 3/10/52 · DO-MRO
11/14 F				14	2/mo	12/10	
							This casting returned from B&W to WHSE for credit · DO-MRO
12/19 G				8	25/mo	1/15	Rec 100 Bots for 3/10 · DO-MRO
1952							· DO-MRO
1/3	252	15	25	96			issued RDG 23715 - DO-MRO
1/21			17	51		2/22	Incl Son 176497 - DO-MRO
2/13 G	224	49	14	131	25/mo		Incl Bro 263604
3/3 G			64	114	"	6mo	" Bro 253624
3/25 M			17	143			· DO-MRO
6/7 M				284	30/mo	9mo	Incl RDG 23954 · DO-MRO
5/28 M				254	30/mo	8½mo	" ·
7/20				258	"	"	" ·
8/13 M				239			" ·
9-5 G				183	45/mo	4mo	Watch order next trip.
9-18 M				124			Order 100 Bots SAP 100 11/15
9-29 G				approx 89			DO-MRO-6
10-10 J	141	93		66			22 Top Sec. Minimum Broken "
10-28 G	139	94		17			Ship by 11/15 if poss. "
11-28 M	105	90		76			Has ordered 100 Jan. Rec. 50 3/20
							100 3/15 & 100 4/15

FE001641

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-02278-A ·	8/22/50	50-2 Pc	10/1/50	14316-K	11/17/50	11-29-50	NH-38294
C-02278-A ·	8/22/50	50-2 Pc	10/1/50	14317-K	12/15/50	Dec. 12	PRR-370936
30/50 - future	c route	c from K	ut 2 lots	in lc Can	on - K	g-WH	d-P&WVa-NKP
C-04623-A	11/10/50	50-2 Pc	11/10/51	14498-K	1/10/51	1-18-51	CNW 73751
C-05218-A ·	11/24/50	50-Bolts	1/15/51	14555-K	2/1/51	1-31	PRR-612019
C-515868-A--	1/1/51	Requirement Order Yr. 1951 ·					
C-515868-A #3	1/11/51	100 2Pc	3/25/51	14759-K	3/26/51	3/28	WLE-45444
C-515868-A - #3	1/11/51	100 - Bolts	4/1/51	14760-K	4/2/51	3/27	B&O-250423
C-515868-A #4	2/5/51	50-Bolts	5/20/51	14874-K	5/21/51	5/4/51	PRR-751350
C-515868-A #4	2/5/51	49-2Pc	5/15/51	14876-K	5/15/51	6/9	NKP-7067
" #4	"	50-2Pc	7/1/51	15221-K	7/2/51	7/19	DFH-13179
" #3	1/11/51	50 2Pc	Shtg	14759-K		3/30	Sou-17554
C-515868-A #4	2/5/51	1-2Pc	5/15/51	From WHSE	5/15/51	5/24	Truck
C-515868-A #24	12/5/51	25-2Pc	1/4/52	16093-K	1/4/52	12-22	RDG-23715
"	"	25-Bolts	"	16093-K	"		
" #28	11/8/51	100 Bolts	11/15/52	16240-K	1/18/52	1/18/52	B&O-263604
" "	"	100 Bolts	2/20/52	16241-K	2/22/52	2/27	B&O-253624
" #24		25-2Pc		16092-K		12-28-	Sou-
" #24		25-Bolts	"	"		51	176497
C-525868-A	12/21/51	100 Bolts	3/20/52	16523-K	3/20 4/16	4/15/52	RDG-23954
C-525868-A	1/1/52	Requirement Order Yr. 1952 ·					
" Rel 22	12-9-30-52	50 Bolts	SAP	17735-K	4/24	11/25	TRUCK
" "	"	125 Bolts	1/18/53	17736-K	12/17	12-3	"
" "	"	50 "		17735-K	12/5		
" "	"	75 Bolts	ofis	17736-K		12/8	TRUCK
" Rel 25	12/31/52	100 Bolts	SAP	18147-K	4/30 1/30	1/28/53	PRR 771050 NKP 70444
C-535868-A #3	1/13/52	50 Bolts	2/20/53	18254-K	2/20/53	2/18/53	CV 33631
"	"	100 Bolts	3/15/53	18255-K	3/19/53	3/26/53	B&O 350491
"	"	100 Bolts	4/15/53	18256-K	4/13/53	4-7-53	RDG-24758

CO. Republic – Canton

PLANT Canton

SIZE 25×25 Casings 25×25 (Top) HT-1253-B-1 (Bot) HT-1374-A

PLANT INVENTORY

DATE AND BY	IN USE 2 PC	IN USE TOPS	NEW 2 PC	NEW BOT'S	USAGE	O. K. TO	RECOMMENDED ORDER
1/18	268	17			81		DO NOT INCL OLD 607# ✓ Per let-10/30/50 – future forms from Ki
1/19/51 D	193	15		180			Rec. 75 Bots. 2 to, 75 Bots. 4 to
3/17	219	16		134			DO-MRO
4/30	217	13		233			
6/25	225	11		309			
7/31 E				286	25 Mo	11 Mo	Plus 75 Bots on field (2nd run) DO '11
9/10 H		✓		239			Plus " " " " DO '11
10/4 H	108	1		309			DO-MRO
11/18 H				203	30/mo	10 Mo	"
1/7 G				308	30/mo	10 Mo	"
11/29 G				308			"
12/19 G				308			DO MRO
1957	305						" "
1-3-53	205	26	0	276	—		" "
1-21 H				248			" " "
2-19 G	211	19		234	30/mo		DO MRO
3-3		44		214	"	7 Mo	DO WL
3-25				248	"	8 Mo	"
5-7 H				212	"	7 Mo	"
5-8 H				183	"	6 Mo	Order 100 Bots 9/1 "
7/30 H				180	30/mo	6 Mo	Order 100 Bots 10/1
8/31 H				153			Ship Last →
9-5 E				159			
9-18 H				140			
9-29 E			24 Mo	110			
10-8 B	138	40		176			4 Tops Burra Immun
10-30 G	147	31		188			Incl Bot 251967 Incl 75 old stock
							and 22 Used Bots
12/8 H	140	✓		130	60/mo	3 Mo	50 Bots x 2 pc for Jan. Rec. 50 2pc G. Aston
12/30 E				170		3/30	
2/4/53				60			Rec 50 Bots 4/5 7/5 8/5 50 2pc 6/15

FE001642

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-505868-A Rel 22	11/16/50	50 Bots	2/7/51	14520-K	2/7/51	2-9-51	W&LE 45916
C-515868-A	1/1/51	Requirement Order Yr. 1951					
C-515868-A-Rel #3	1/9/51	75 Bots	3/20/51	14754-K	3/20/51	3/9/51	ACL-94236
" "	1/9/51	75 Bots	4/20/51	14755-K	4/20/51	4/9	NKP-71410
C-515868-A Rel #4	2/5/51	75 Bots	5/20/51	14874-K	5/21/51	5/4/51	PRR-751350
" "	2/5/51	75 Bots	6/20/51	15222-K	6/20/51	6/22	LV-32311
C-525868-A	1/1/52	Requirement Order Yr. 1952					
" #17	2/5-19-52 2-7-52	100 Bots	ASAP	17452-K	7/24	8/16/52	Bro. #51967
" Rel #25	12/3/52	25 Tops 25 Bots	SAP	18146-K	XXX 2/19	1-16-53 2-13-53	Trucks NKP 20494
" "	12/3/52	50 Bots	SAP	18148-K	2/20/53	3/4/53	PRR 382072
C-535868-A	12/18/52	50 Bots	3/15/53	18245-K	3/19	3/23/53	Trucks
" "	"	50 Bots	4/15/53	"	4/15	4-1-53	RDG-24758
" Rel #2	"	50-2 Pc	ASAP	18253-K	3/31/53	4-1-53	RDG-20024
C-535868-A	1/1/53	Requirement Order Yr. 1953					
C-525868-A Rel #5		25 Tops		18146-K		1/14/53	Trucks
C-535868-A Rel #1	2/6/53	20-2 Pc	6/15/53	18587-K	8/3	8/3/53	"
" - 12	2/6/53	50-Bots	6-5	18588-K	6/5	5/26/53	Trucks
" - "	"	50 Bots	7/6	19080-K	7/6/53	6/26/53	"
" - "	"	50 Bots	8/5	19214-K	8/5/53	8/7/53	DLTW 69621
" - Rel #11	"	30-2pc	Shtg	18587-15		8/7/53	DLTW 69621

CO. Republic Canton

PLANT Canton

SIZE 25×25 CASINGS 25×25 HT-1253-B.1 (TOP) HT-1374-A (BOT)

PLANT INVENTORY

DATE AND BY	IN USE 2 PC.	IN USE TOPS	IN USE BOTS	NEW 2 PC.	NEW TOPS	NEW BOTS	RECOMMENDED ORDER
4/1/49 N	374	5	41	—	—	14	VO BOTS. FOR 4/14
2-15 N						85	ship 3/29 Bottoms early
2-22 E		6	32			47	
3-7 C		8	32			39	
3-17 E						15	Hot Req. NYC-629231
3-24 C	326		41			44	Req. NYC-629231
4-14 W						9	VO BOTS. TO ARRIVE 6/14
4-25						30	Req. RDG-20585
5-17 N		16				20	RECD. FROM MASSILLON - 47-2PC, 31 TOPS, 19 NEW BOTS.
6-1 C	376	12	14			10	
6-21 C	390	10	27			49	
7-14 C	354	14	25			44	
8-2 E						34	Will order 50 Bots when 9/15. 10PS
8-23 E						19	
9-7 E						2	reorder for VO bots. on 11/1
9-21 C	382	31				1	
11-17 C	383	28 (T)				28	Req. PRR-292833
11-22 E						26	Hot Req. LTRR-2179
11-30 D	315					74	Req. LTR 2179
12-13 D	368					6	Recd. 28-2Pc. from Massillon
12-27 D	320	18				61	VO, Bolts 2/1
1-26 D	325					5	Rec 50 Sets as soon as ready
3-10 A							Order 50 bolts for 4/15
3-31 A				25			
4/17	296			20			Order 100 Bolts asap - 50 2pc 9/16
5-8	370	17 TPS 39 Recon		18			
7/10 D						74	Order 50 - 9/1 & 50 - 10/5
7/14 E						57	Req. C&O - 410959 27 Bolts. at Hagerstown
8/11 E	340	31 Bolts 2				32	4 Tops repaired & Back Faced
8/15						49	to be repaired!
							50 ad 2pc asap & 50 bolts 9/20

FE001643

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C90277-A	11/10/48	50 2pcs	ASAP	12229-K	3/1 Rev	3-8-49	NYC-629231
C90576-A	2/1/49	60 Bolts	3/15	12340-K	4/1	4-7-49	RDG-20585
C-93015-A	4/14/49	50 Bolts	ASAP	12621-K	6/10/49	6-2-49	RDG-21483
C-94043-A	8/15/49	50 Bolts	ASAP	12878-K	9/16/49	9-16-49	PRR-292833
C-94590-A	9/16/49	50 Bolts	Arr 10/3	12977-K	11/1/49	11-10-49	LTRR-2179
C-06169-A	1/8/50	50 Bolts	arr 2/11/50	13253-K	2/20/50	2-8-50	PRR-335760
C-505868-A	1/20/50	Requirement Order Yr. 19 50					
C-505868-A Rel #1	PR-3/8/50 2/9/50	50 Bolts	ASAP	13386-K	3/24/50	3-15	CNJ-84959
C-505868-A Rel #4	3/10/50	50 Bolts	4/25/50	13486-K	4/25/50	4-11	B+O-253343
C-505868-A-#9	4/18/50	100 Bolts	ASAP	13608-K	6/9/50	5-24	SAL-98119
" "	"	50-2Pc	6/24/50	13608-K	6/19/50	6-13	PRR-343069
" "10	5/9/50	50 Bolts	7/27/50	13706-K	7/27/50	6-29	C+O-410959
" "14	7/18,50	50 Bolts	9/1/50	13904-K	9/1/50	9-1	PRR-351628
" "14	9/18/50	50 Bolts	10/5/50	13958-K	10/5/50	9-14	RDG-21719
" "16	8/1/50	50 Bolts	10/20	14078 K	10/23	9-27	ACL-91961
" "22	8/4/50	10 Tops	ASAP	14195 H	9/22	Nov. 3	PRR-336942
" "	"	10 "	"	"	when ready		
" "	"	10 "	"	"	when ready		
Canton Order VO Bots. for 9/1							
" "	"	20 "	"	"	when ready		
" "	"	50 Bolts	ASAP	14278-K	10/20/50	10-25	RDG-21358
" "22	9/6	50 "	12/20	14279-K	12/7/50	Nov. 14	C+O-217896
" "21	9/1	50 "	11/20	14276-K	11/24/50	Nov. 8	C+O-31476
" "21	9/1	50 "	12/10	14297-K	12/1/50	Nov. 14	C+O-217896
" "25	10/3	50 "	12/26	14343-K	12/26/50	Dec. 13	DL+W-60742
" "25	10/3	50 "	1/10/51	14344-K	1/10/51	12-22	PRR-360582
Permanent Blocks complete of Co. #K-2511 steel liner and coupling #K-7481 received	C-93736-A	4 Sets	ASAP		8/15 as received	8/4/49	TRUCK

CO. REP.

PLANT CANTON

SIZE 25 X 25 CASTINGS 25X25- HT-1253-B-1 TOP HT-1374-A BOT.

PLANT INVENTORY

DATE AND BY	IN USE 2 PC.	IN USE TOPS	IN USE BOT'S	NEW 2 PC.	NEW TOPS	NEW BOT'S	RECOMMENDED ORDER
6-10-47 C						70	
7-25 C						70	
26 W/K						70	
8-21 G						20	
10-26 WE		29				4	Change remainder from 12/1 to 11/3
11-12 S	120	28				1	50 - 2 Pc. SAP.
12-16 E		4				29	50 Bots for 2/1
1-13-48						12	Usage 20/month
2-19 W						2	50 Bots. 3/1
3-15 W	114	9				37	
4-8 WE			34			31	50 bots. 7/4
5-10 WE						59	Rec'd RR-357988
5-12 W/G							100 - 2 Pc. 8/12
5-24 E						41	order bellows again
6-2 N	115	0	24	—	—	30	50 BOTS. FOR 9/1
6-15 N						51	Rec. RDG.-238773
7-7 N	107	2	28	—	—	54	
7-10 W		9	29	0	0	47	
7-9 S	221	1				85	Rec CPO-36425
8-30 C		2	24			90	
9-22 C	224	14	24			80	
10-12 C	227	11	29			61	
10-26	241	50				71	
11-9 C	300	2	34			42	50 bots. SAP
11-22 C	317	6	34			9	Reach order #C-8141-WB
12/1						0	order 50 Bots for 1/end 50 for 2/20
12/7							will order 50-2 pc for ? inventory
12-22 C	323	6	11			80	Rec. BLE-16323
1-3 4 G		3	50			31	Hurry up bots. on order. 50 bots. 4/1
1-13 C			39		12	26	

NOTE → THESE WERE NUMBERED B-346 to B-395 IN ERROR SHOULD HAVE BEEN "K"

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-1841-TB	3-17-47	25 Two Pc	ASAP	P-10017 K	6-17-47	6-4-47	PRR-315341
C-3621-TB	5-23-47	50 Bots	Rush	10196 K	6-16-47	6-12-47	IC-39171
1-MK-2434	Temp Plate to Q.K Blaugh-Ref. Canton						
1- " "	"	"	"	Valley M	J. Hubbard O		6/17/47 EXPRESS
1- " "	"	"	"	Clearance	PMC-	Mayfield Pa.	
C-4541-TB	7-3-47	50 Bots	9-1 partial	10308 K	9-1-47	9-5-47	W of A-11520
C 6077 TB	9/17/47	50 Bots	12/10	10571 K	12-1-47	11-21-47	RDG-7160
C-7543-TB	11-20-47	50 Two Pc	ASAP	10902 K	1-22-48	1-9-48	B+O-256118
C-8345-TB	12/20/47	50 Bots	2/1 ASAP	10846 K	2-20	2-26-48	B+O-255124
C-1411-WB	2-27-48	50 Bots	5-1-48 partial	11100 K	4-15-48	4-22-48	PRR-357986
C 6077 TB	3/25	1 Bot	ASAP	11211 K	4/5		
C2677 WB	4/16/48	50 Bots	7/6	11290 K	7/1	6-7-48	RDG-238773
C-3688-WB	5/20/48	50-2 Pc	7-3-48 partial 8-15-48	11393 K	7-3-48 ASAP	6-24-48	RDG-7378
"	"	50-2 Pc	8-15-48	11393 K	7-28-48 ASAP	7-22-48	PRR-315283
C-4215-WB	6-14-48	50 Bots	9-3-48	11468 K	8/20/48	7-27-48	CPO-36425
C-5316-WB	7-15-48	50 Two Pc	10-15	11571 K	10/15/48	9-22-48	PMK-Y-91991
"	"	50 Two Pc	11-15	11571 K	11/5/48	10-8-48	BLE-7+694
C 8141 WB	11/4/48	50 Bots	Dec.	11883 K	12-10	12-16-48	BLE-16323
C 8214 WB	11/16/48	100 "	Prompt	12100 K	2-1	1-31-49	M+W-361069
C 8489 WB	12/22/48	50-2 Pc	Asap	12172 K	2-18	2-16-49	RDG-20374

FE001644

CO. REP

PLANT CANTON

SIZE ANY

24½ x 24½ (CB Top) HT-1253

20 x 33 (CB-Top) HT-1216

PLANT INVENTORY

DATE OF BY	IN USE BY 2PC.	IN USE BY Set	IN USE BY Bot	NEW USAGE Tk.	NEW USAGE Top	NEW USAGE Bot	O. K. TO Top	O. K. TO Bot	RECOMMENDED ORDER	MOLD SIZE
3-13 N	115	54	0	0	0	0			Inv. 7 Tk Shipping Orders 35 Two Pc.	20x23
									4 50 Bots. 10/15 Inv Soonest. 9 50 Bottom 11/15	"
9/3 W/N	100	55	0	0	0	0				"
9/27 W/N	136	11	0	0	0	0				"
10/9 W/L	140	14	0	0	0	0			Orders 50 2pc for 1Y-9 Inv Soonest	"
11-6 E						37				"
1-9-47 N										"
1-11-47 N	118	2	0	0	0	64				"
1-30-47 N	104	3	0	0	0	41	C	15/Mo	on to 4/15	"
4-13 N	101	0	0	0	0	40				"
7-21 L	100	3	1	50	1	8			Inv. PRR-28Y153	
3-24 S/N	199	2	2	-	-	31			Inv. 8583Y7-28Y153	
3-19 N	191	4	7	0	0	24	6Y5	Bot. 4 on to 4/19 @ 7 Top 4/4/Mo		
									6/1 to 10/1	
4-1 N/W	187	11	0	0	0	31	7Y Mo	Inv. Sun PRR-275583 (6/4/Mo		
									With PRR-275582)	
5-13 E	153	19				39	39/4	Hook to 6/15 4/4 - AT SHOP		
									Order 60 Bots for ASAP & 60 8/10	
									& 75 Two Pc ASAP	
5-28 N	169	7				18				
6-10 C	159	15				3			Ship-36Y4TB-ASAP	
6-24 N	158	15	1	0	0	0			Inv. 4Y780. Not in yet.	
7-25 C	174	23	-	-	-	45			Inv. NYC-6Y4561	
8-6		1			14	30			Broken C/G Runners. Not Inv.	
									NYC-6Y4360-1.	
8-21 G						84			Inv. N.Y.C.-643627	
9/10 W/N	168	14				80				
10/15 Lee	165	30				37			Order 50 Bots for ASAP	
10-23 W										
11-17	NC	10				11				
12-16 E		6				0				

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-3029-RB	6-28-46	50 Bots	9-1-46	P.9143 L	9-4-46	9-10-46	TRUCK
C-3741-RB	8-2-46	50 Bots	10-1-46	P-9260 L	10-15-46	[illegible]	"
C-4278-RB	8-28-46	50 Bots	10-4-46 Approx 13-5 or Sooner	P.9305 L	12-4-46	12-7-46	"
C-5503-RB	10-21-46	50 Two Pc	Sooner	P.9545 C	2-7-47	2-5-47	PRR. 858327
C-6272-RB	11-18-46	50 Two Pc	SAP	P.9576 C	2-27-47	2-21-47	PRR-282163
C-6271-RB	11-18-46	50 Bots	2-6-47	P.9577 C	3-26-47	3-25-47	PRR-275583
C-3624-TB	5-23-47	25 Two Pc	ASAP	P.10198 L	6-27-47	6-18-47	T&NO-42780
"	"	60 Bot	ASAP	P.10199 B	8-1-47	9/1/47	NYC 6Y36Y1
"	"	60 Bot	8-10-47	P.10198 L	8-11-47	7-2-47	NYC-624561
C-6924-TB	10-29-47	50 Bots	1-3-48	10657 L	1-3-48	1-6-48	KCS-27512

FE001645

CO. REP.

PLANT CANTON

SIZE 2H 1/2 x VH 1/2 CASTINGS ~~2H 1/2 x 2H 1/2 (HT-1 Top A Bot.) (HT-1 V 3 B-1 Top)~~ 2H 1/2 x 2H 1/2 HT-1 V 3 ("B-1" Top) (HT-1 V 3 - A Bottom)

PLANT INVENTORY

DATE & By	IN STOCK 2IC	IN STOCK Bot	IN STOCK Top	NEW USAGE 2IC	NEW USAGE Top	O.K. TO Bot.		RECOMMENDED ORDER
9-3 N/C	121	1	0	50	0	25		Inc. RDG-21996 2H 1/2 x 2H 1/2
9-27 N/C	17V	0	63	0	0	0		" 300-177864 "
10-9 N/C	169	0	0	0	0	108		Inc. PRR-337V54 "
11-6 E						116		Ape in Good SHAPE
12-6 N	16V	1	0	0	0	103		
1-14-47 N	104	7	3	12	0	98	27B	No. Sufficient of for 4 Mo. So Recommend ASAP
1-30-47 N	115	2	0	0	0	79		Order 50 Bots.
2-13	11V	3	2	0	0	75		
2-27 N/C	115	1	2	—	—	40		
3-14 N/C	104	8	-1	—	—	43		Inc. V5 type, when ready
3-19	106	8	1	0	0	44V		Need type Bot - Need 50 Bots 5/1
4-1 N/C	15V	1V	6	0	0	36	1/2 MO	OK V Mo.
4-18 N						67		
5-13 N	143	3 1/4	DOES NOT CAST			49	20M	Need 407 to order 20 Bots ASAP
5-27 N	18V	3/3	"	"		30		
6-10 C	148	21				13		Not Inc. PRR-315341 Order 50 Bots 9/1
6-24 N	150	18	1			16		
7-25 C	153	14	—	—	—	10		
8/6 N/C		9			11	6		Broken C/B Remainder
8-21 C						6		
9-10	151	2V	1			9		Tot Inc V Bot A 11 V 20, V5 Bots for 9/10
10-15 Jai	138	16				17		Will order 50 Bots for 12/10/47 Del.
10-29 E								
								Del 2V X 2V

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-4078-RB	8-25-46	50 Bots	11-1-46	P-9324-K	9-30-46	9-30-46	PRR-337254
C-489-T-B	1-2-47	50 Twin Pc.	3-1-47	P-9743-K	3-10-47	3-12-47	PMcKY-90582
C-933-T-B	2-13-47	50 Bots	5-1	P-9828-K	4-25 To 5-5	4-7-47	B&O-257553

FE001646

CO. REPUBLIC

PLANT CANTON CASTINGS

SIZE 24 1/2 X 24 1/2 24 1/2 X 24 1/2 H.T. - 12S3 ("B-1" Top)

PLANT INVENTORY

DATE	BY	ON HAND	BOTS.	TOPS	RECOMMENDED ORDER
5-24	N	2 NOC	UNT		40 Bots. FOR 7/15
6-2	N	8	—		
6-2	N	10	0	30	INC HYC-49112
6-6	N	16	0	39	INC PRR-853180
6-10	N	15	0	46	
6-22	N	28	13		INC. PRR-280310
6-22	N	8	14	37	
6-22	N	64	49	11	INC SHIFT OF 9/8
6-22	N	233	109	15	
6-23	N	75	63	13	Cancel 6-23-44 to 3/1/45 — Can't 17K
7-5	N	270	38	12	Ref. 766 - Williamsburg Batt - 6/10
5-9	N	45	37	0	Ord 25-2 pc and 50 Bottoms 9/1
					Ord 50 Bottoms for 10/1
7/10	N		12		
8/10	N	167	0	68	
8/13	N				Release CA 58839K 25 Bot ASAP 25 2pc ; 25 Bot 12/1
10/3	CA	176	51	49	Inc. 50 Bots - 10/15 shipment.
10/3	N	216	63	0	9 mil PRR 356387.
11/10	N		42	12	There are about 40-2 Pc mold will require new bottoms
					Recommend 40 new bottoms ASAP
3/29			20	20	Hurry up 50 Bots on order
5-5	N	87	4	5	
Date Checked By		ILLEGIBLE		NEW	
5-15-46	N	181	14		36
6-20	N	45	50		—
9-18	N	118	—	—	0 Send PRR-853376 Order 35-2 pc & 50 bots for 11/15

FE001647

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CA-34238-H	4-10-44	50 Bots.	6-15-44	6944 C	6-6	6-9-44	NYC-49112
CA-41017-H	4-28-44	35 Two Pc.	7-1	6985 C	6-16	6-26	PRR-853180
CA-43029-H	5-8-44	50 Bots	9-30	7034 C	9-29	9-21-44	TRUCK
CA-51036-H	6/1/44	75 Bots	8-1	7081 L	8-14	8-11	PRR-280310
CA-58194-H	6-24-44	50-Two Pc.	9-1	7145 L	10-10	9/8 (25-2pc 20 Bots)	PMCK-91756
"	"	25 Two Pc & 40 Bots	9-1	7145 L	9-1	9/8 (25-2pc 20 Bots)	BNO-151154
CA-5753-J	7-21-44	50-2 Pc 50-Bots	10-1	7243 L	10-7	10-10	WALE-72467
CA-32875-K	4-3-45	50-Bots	6-20	8152 L	6-18	6-20-45	TRUCK
CA-47619K	5-18-45	72 Bots	8-1-45	8271 K	8-14	8-18-45	RDG 23719
CA-58839-K	6-11-45	25-Bots	AT ONCE	8380 K	9-25	9-26-45	ROG PRR KL
CA-8174-M	7-23-45	50 Bots	10-15	8474 L	10-15	10-15-45	TRUCK L
CA-58839-K	6-11-45	25-Bots 25-2 Pc Two Pc	12-1	8380 K	12-14	12-15-45	ROG-29788
CA-29793-MB	10-15-45	HD Bots	1-3-46	8665 C	1-3-46	1-4-46	PRR-355387
CA-16265-PB	3-11-46	50 Bots	5-11-46	8866 L	4-25-46	4-30-46	NYC-620407
CA-24239-P-B	4-8-46	50 Bots	5-24-46	9006 L	7-30	8/1/46	PRR 853326
C-3037-R-B	6-28-46	50 Two Pc.	9-1-46	9139 K	8-20	8-22-46	ROG-21996
C-3038-R-B	6-28-46	50 Bots	9-1-46	9141 K	8/9	8/9/46	Cog 26028
C-3140-R-B	8-2-46	50 Bots	9-1-46	9250 K	8/31	9-3-46	SOU-177864
				9-6c			

CO. REP. - CANTON

PLANT

SIZE 27 3/4 X 31 1/2 CASINGS HT - 1 X 30

PLANT INVENTORY

DATE AND BY	IN USE 2 PC.	IN USE TOPS	IN USE BOT'S	NEW 2 PC.	NEW TOPS	NEW BOT'S	RECOMMENDED ORDER
3-10 [illegible]	47	V				0	25 Bots. SAP,
6-1 N	V0	1				25	
6-15 M		0				18	
7-20 W	45					14	
8-30 C	49					12	
9-22 E	51					12	
10-12 C	V0	1				12	
11-22 C	V0	1				9	
12/1						10	
2-21 C	49	V				9	
1-3-49						10	
1-13 C	49	2				12	
2-1 N						12	
3-17 C						12	
2-29 C	51	32				10	
6-1 C	51	3				10	
6-21 C	51	3				10	
7-1 V	51	3				10	
8/2 M						10	
9-21 C	48	21				10	
12-27 D	41	V				2	
2-26-50	44	3				10	
5-8	45	3				10	
7/24 C						10	
8/11 D	39	4				10	
6/25	30	1				10	
9/20	35					10	
10/4						10	
2-55	35	14				4	Order 25 Bots
10/10 D	51	9				4	
10/26	21	9				4	

FE001648

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-1985-W-R	3/25/48	25 Bots	ASAP	11213 L	5/26/48	5-26-48	TRUCK
C-505869-A	1/20/49.	Requirement Order Yr. 1950.					
Per let -10/30/50 - future route from Kulpstown - Rdg - WMd - Pa WVa - NKP							
DO-MRO C-616869-A	1/1/51	Requirement Order Yr. 1951.					
DO-MRO C-525069-A	1/1/52	Requirement Order Yr. 1952.					
" " #6	9/10.	25 Bots	1/15/52	17467-0 M/S.		11/14/52	TRUCK

CO. Republic Steel
PLANT Canton
SIZE 27 3/4 x 31 1/2

1/2 PT/L with 1/2 PT/L B-7362 { 2500 / 3000 / 600 each / 288 }

4 - Wire Block Clips - St-1659 - ~~2400~~ 5000
8 - Wire Spring Clips - St-1450 - ~~5000~~ 6000
2 each - 24 ga W. Steel - St-1537-A&B - ~~1440 each~~ 1459 ea
1 - Ring - B-1730 - ~~576~~ 720
} P-T/L

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
1959					
2-2	D	160			1/2 T/L 2/10
2-23	D	336			
3-9	D	192			
3-24	D	310			1/2 T/L with B-7362
4-9	D	110			288 4/15
4-24	D	384			
5-11	D	110			
5-25	D	240			with 720 RW-51 →
6-9	D	330			
6-18	D	320			
6-26	E	110			
7-10	D	288			
11-13	D	260			
12-14	D	160	500/mo		1/2 T/L 12/18
12-22	D	432		1-22	
1960					
1-7	E	329		OK	
3-1	S	360		4-5	
3-31	D	432	200/mo.	5-31	
4-20	D	288	200/mo.		
5-4	D	240			
6-10	D	140			
6-21	D	384			
7-14	D	384			
7-28	D	336			
8-23	D	240			
9-26	D	480			Incl. 288 on 9/19
10-10	D	380			
10-24	D	320			
11-9	D	290			
12-20	D	280			

FE001649

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-585868-R	1/1/59	Requirement Order Yr. 1959					
" #7	2-5-59	288 P	2/10		2/10	2/9/59	TRL
" #16 PH	3-18-59	288 P	3/23		3/23	3/23/59	"
" Rel 13 PH	4-13-59 4-13-59	288 P	4/14		4/14	4/14/59	"
" Rel #14 "	4-17-59 4-17-59	288 P	4/17		4/17	4/17/59	"
" Rel #15 PH	5-1-59 5-1-59	288 P	5/15		5/05	5/6/59	"
" Rel #17	5-5-59 5-5-59	288 P	6/2		6/3	6/3/59	"
" Rel #18	PH-4/29	288 P	7/1	1100 ea W. Pcs	7/1	7/1/59	"
" Rel #20	9-1 12-8-59 12-4-59	288 P	12/2		12/7	12/5/59	"
" Rel #21 PH	12-14-59 12-14-59	432 P	12/18	NO SK-1652	12/18	12/19/59	"
C-605868-R	1/1/60	Requirement Order Yr. 1960					
" #3 PH	1-14-60 1-14-60	720	ASAP	AC SK-1657	1/21	1/21/60	"
" PH	3-17-60 3-22-60	288 P	3/23	"	3/27	3/23/60	"
" #9	6/2/60	288 P	6/13		6/13	6/13/60	"
" #17 PH	8-20 wi 9-20 wi	288 P	9/22		9/22	9/21/60	"
C-615868-R	1/1/61	Requirement Order Yr. 1961					

CO. REPUBLIC

PLANT CANTON CASTINGS

SIZE 27 3/4 X 31 1/2 — 27 3/4 X 31 1/2 . H.T. - 1230

PLANT INVENTORY

DATE	BY	CASTING	TOPS	BOTTS	RECOMMENDED ORDER
6-23-44	N	44	0	0	
7-24	N	40	3	0	
8-22	N	64	3	2	INC. PALE-48656
9-7	N	No Count			
9-20	N	66	0	17	
11-4	N	69	0	17	
12-19	N	71	0	17	
2-24-45	N	68	1	16	
5-11-45	N	59	1	13	Rec'd 12 castings to Cargnan
7-14	N	—	—	12	
8-7	N	49	0	0	
11-23	N			3	Will order 10 Botts
1-17-46	N	41	0	8	
4-5-46	N	49	0	8	

DATE	BY	IN USE Casting	IN USE Top	IN USE Bott	NEW Cast.	NEW Top	NEW Bott	
5-15-46	N	44	0				8	
6-10	N	49	0	—	—	—	0	
8-13	N	47	1	—	—	—	4	
9-3	N	50	0	0	0	0	4	
10-9	N	53	0	0	0	0	8	
11-6	E	44	0				1	Ok Setup type.
1-14-47	E	50	2	—	—	—	1	6 Excess Type.
1-30-47	N	50	2	—	—	—	1	Exceed 2 Pc.
2-13	N	47	2	—	—	—	1	
2-27	C	47	2				1	
3-19	N	54	0	0	0	0	1	Excess Two Pc.
4-1	N	46	0	0	0	0	1	" "
5-13	E	47	2				0	
10-1	E	46	2				0	

FE001650

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CA-53731-H	6-10-44	25 2Pc 25 Botts	Soon as Possible	7100 L	8-11	8-5-44	PALE-48656

CO. REPUBLIC

PLANT CANTON CASTINGS

SIZE ANY

24½ x 24½ ("B.I." TOP) H.T. - 12√3

20 x 23 ("B" TOP) H.T. - 1216

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER	MOLD SIZE
4-12-43	N	TOPS 5 BOT 32				20x23
7-8	A	1 PC. 20 TOPS	2			"
		TWO BOTS				"
		24 TOPS				"
		NO BOTS			3√-2 Pc. 4 3√ BOTS. for 11/1	"
						"
						"
						"
						"
	A	NO COUNT TAKEN			√0 BOTS. FOR √/1	"
	N	24 PC	7-TOPS		70-BOTS.	"
	N	20-3 PC 6 TOPS			79-BOTS. 3√-2 Pc 4 √0 BOTS for July	"
						"
						"
						"
4-12-43	N	TOP BOT	12			24½x24½
	A	1 PC. TOPS			Includes Shipment of 7/1	"
		39 BOTS				"
	N	24 PC 30 TOPS				"
		14 BOTS			7√-2 Pc 4 7√ BOTS for 11/1	"
	N	10-2 Pc 13 TOPS				"
		7 BOTS			order for 2√	"
	N	11-2 Pc 11-TOPS				"
		31-BOTS				"
1-15-44	N	30-BOTS				"
3-1	N	197-2 Pc	13 TOPS	10-BOTS		"
4-14	N	1 NEW PC	9 TOPS	47 BOTS	√0 BOTS 6/1√. 3√-2 Pc. 7/1	"
					RECONSIGNED FROM REP GULF	"
						"
						"
						"

FE001651

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CA-41611-E	11/6/42	70 BOTS	JAN	5542 O	JAN	1-21-43	—
"	"	70 "	MARCH	5542 5720 O	MARCH	3-2	—
"	"	70 "	MAY	5720 O	MAY	4-30	Truck
CA-34031-F	4-8-43	50 "	ARRIVE 7-15	6000 O	7-10	7-13	Truck
"	"	50 "	ARRIVE 9-15	6000 O	9-10	Can. Cancelled	
"	"	50 "	ARRIVE 11-15	6000 O	11-10	11-11	Truck
CA-34029-F	"	50-2 PC	7-15	6016 B	7-3	7/2	RDG-24333
CA-19782-F	6-23	√0-2 Pc.	9-2√	6197 L	9-10	8-21	SAL-96474
CA-14945-G	8-1√	35-2 Pc.	ARRIVE 11-1	6290 L	10-14	10-16	B+O-250018
CA-14946-G	8-1√	35-BOTS.	ARRIVE 11-1 12-1 ON SOONER	6292 L	10-15	10-21	ACL-94295
CA-33320-G	10-7-43	25-Two Pc		6467 L	12-1	12-3	NYC-620231
CA-43397-G	11-6-43	50-BOTS	ARRIVE 1-15	6532 L	1-8	12-28	PRR-349350
CA-43399-G	11-6-43	35-2 Pc.	1-15	6597 B	12-31	12-21	RDG-208864
CA-6200-H	1/14/44	50-BOTS	3-15	6712 L	3-18	3-18-44	CNJ-84765
CA-19102-H	2-24	√0-BOTS	√-1	6816 L	5-1	5-1	CMStP-91093
CA-41612-E	11/6/42	36 BOTS	JAN	5455 B	JAN.	1-22-43	—
"	"	36 "	APRIL	5455 B	APR.	4-3	14C/L
CA-34030-F	4-8-43	36 "	ARRIVE 7-15	6003 B	7-13	7-1	PRR-278576
"	"	36 "	ARRIVE 10-15	6003 B	9-15	9-16	SOU-194031
CA-34029-F	"	25-2 PC	7-15	6017 B	6-30	7/1	PRR-278576
CA-19782-F	6-23	25-2 PC.	9-2√	6198 B	8-31	8-21	RDG-29769
CA-14945-G	8-1√	38-2 Pc.	ARRIVE 11-1	6289 B	10-15	10-12	RDG-23513
CA-14946-G	8-1√	75-BOTS	ARRIVE 11-1	6291 B	10-9	10-11	PRR-822870
CA-33320-G	10-7-43	25-2 PC.	12-1 ON SOONER	6466 B	11-24	11-29	RDG-28633
CA-14945-G	8-12	3[illegible]-2 PC.		6289 B	10-15	10-13	PRR-856035
CA-43398-G	11-6-43	36-BOTS	2-1	6536 B	2-1	2-1-44	B+O-254642
CA-43399-G	11-6-43	35-2 Pcs	1-15	6597 B	12-31	12-21	RDG-208864
CA-54149-G	12-13	30-BOTS	1-15	6507 B	1-3	12/3	RDG-B+O-[illegible]
CA-6200-H	1/14/44	50-BOTS	3-15	6713 B	3-18	3-16-44	RDG-[illegible]
CA-10085-H	1-27-44	35 2-Pc	ARRIVE 3-15	6729 B	3-16	3-16-44	RDG-[illegible]
CA-19102-H	2-24-44	√0-BOTS	√-1	6831 B	3-30	3-30	RDG-[illegible]

CO. REPUBLIC

PLANT CANTON CASTINGS

SIZE 34X34 34X34 H.T.-1302-B (TOP) H.T.-1320-A (BOTTOM)

PLANT INVENTORY

DATE BY	WIP AT PLANT TOP	WIP AT PLANT BOT	USE OFF NEW USAGE TOP	USE OFF NEW USAGE BOT	O-K TO SHIP TOP	O-K TO SHIP BOT	RECOMMENDED ORDER 34X34
5/5/61 N	0	0	0	0	0	0	Everything shipped to Mr. Chi.

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER

FE001652

CO. REPUBLIC

PLANT CANTON CASTINGS

SIZE 26"X34" 26X34 H.T.-1276

PLANT INVENTORY

DATE	BY	2°	BOPS	TOPS	RECOMMENDED ORDER	MOLD SIZE
6-23-44	N	50	✓	1		26X34
7-Y6	N	41	6	0		"
8-22	N	44	6	2		
9-7	N	No	Co ✓	NT		
9-20	N	39	✓	0		
11-[illegible]	N	39	✓	0		
1-[illegible]	S	30	✓	9	Re Eve orders from 5 to 7 Bot.	
3-[illegible]	N	28	0	9		
5-[illegible]	N	28	3	10	Order 5 Bottoms 7/15	
5-[illegible]	N	[illegible]	2	—		
8/2-[illegible]	N	34	3	8		
[illegible]						
10/46	N	37	5	0		
[illegible]	N	Eve	[illegible]	0		
Pattern	N	USE	NEW			
[illegible]	37	Toe	Lft	Rgt		
6-15-[illegible]	N	34	1	10		
6-22-[illegible]	N	39	✓	0		
1-13-[illegible]	N	39	2	0	0	0
9-3-[illegible]	N	35	0	0	0	0
6-[illegible]	[illegible]	36	—	✓	—	✓

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CA-46059-J	12/13/44	18 Bots.	2-1-45	7661 C	3-20-45	3-26-45	LCL-PRR
CA-40405K	4-25-45	5 Bots	7-11	8199 C	8-17	8-15-45	PRR-LCL

FE001653

CO. REPUBLIC

PLANT CANTON CASTINGS

SIZE ANY

~~35 x 35 3¼x3¼~~ - HT- 1302-B TOP - HT-1320-A BOTTOM

27¾ x 31½ HT- 1230

26 x 34 HT- 1276

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER	MOLD SIZE
4-12-43	N	4 TOPS 7 BOTS				26 x 34
7-8	A	5 PC. 1 TOPS				
		11 BOTS				
7-27	C	5 PC. 9 TOPS				
		12 BOTS				
10-26	N	6 PC. 9 BOTS				
12-21	N	11 PC. 11 BOTS				
1-15-44	N	10 BOTS				
3-1	N	3 PC. 1 PC.	1-TOPS, 7-BOTS			
4-12-43	N	#8 C #4 F				27¾ x 31½
7-27	A	41 PC. CLR 1 TOP 7 BOTS				
7-27	C	5 PC. 2 PC. Outside 7-BOTS				
10-26	N	4 PC. 4-BOTS				
12-21	N	7 PC. 7-BOTS				
1-15-44	N	2-BOTS.				
3-1	N	4C-2PC.	2-BOTS.			
4-12-43	N	5 C 2 F 2-B	0			34 x 34 ~~25 x 25~~
7-8	A	3-2 PC.				
7-27	N	3-2 PC. 2 PC.	MACH. TO 34x34		5-2PC. 4 2 BOTS.	
10-26	N	11 PC. 1 BOT.				"
12-21	N	11 PC. 2-BOTS.				"
1-18-44	N	2 BOTS				
3-1	N	11-2 PC.	2-BOTS.			
3-22	N	1 PC. 2 BOTS.			48 276 to Chicago	

FE001654

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
~~CA 46059 J~~	~~12-12-44~~	~~5-BOTS.~~	~~2-1-45~~	~~P-7661-B~~	~~2-1-45~~		
PHONE CA-8854-G	6-28-43 7-13-43	5 BOTS (Lock Washers) Nuts Dowels	10	6208 L		8-4	PRR-280862
"		5 sets Bolts & fibre washers		6208 L	8-5	8-6	4CL - 8x0
"		5 sets - Fibre Washers	"			8-11	OP
CA-14977-G	8/17	{2-BOTS. 5-2PC.}	ARRIVE 11-1	6285 - L	10-8	10-13	PRR-859253
CA-27534-A	9/20	1-Top, Sec.	10-8	6415 - L	10-8	10-13	PRR-859253

CO. Republic Steel

PLANT Canton.

SIZE 18x40 BRICK B-2787 Ord #3279-#3286 incl, 4ea #3287 & #3288 ✓

350 sets per Com'l ck

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-34117-A	10/6/53	52 P.	—	19643 Com'l	11-8-54	Canc'l ✓	

FE001655

CO. Republic Steel Corp
PLANT Canton
SIZE Any

SK-2200

Universal Bushings

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					CANCELLED — 310-010057-831

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10704-82	1/1/68	S/O 1968					
" R5344 PA	12-2-68	4000	12-4		12-4	12-4-68	TRUCK
C-10955-56	1/1/69	S/O	for 1969				
" Rel. 1669 PA	7-3-69	2000	4-7		4-7	4-7-69	TRUCK
" Rel 3250 PA	7/10/69	2000	7-14		7-14-69	7-14-69	"
" Rel 4868 PA	10/7/69	2000	10-8		10-8-69	10-9-69	"
310-010057-831	1/1/70	S/O	for -	1970			
Miscellaneous							
	4-29-70	300 PKGS 077 Clips			5-5		
		10# 12M Eff. 9C.					
		10# 12K "	"				
		10# 12LU "	"		1-19-73		SENETRA
		10# 12LP "	"				
		10# 12L2 "	"				
12-10# Bags		X-0 #1				6/14/73	Senetra
2 9"x7"x2" Earthenware Pots						8-24-73	Senetra
1 15#		X0 #2					

FE001656

co. Republic Steel Corp

PLANT Canton

SIZE Any

Universal Bushings SK-2200

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
1949					
					To Tom McNally-6cn'l Pit Foreman
					To. Lester Richardson, Asst 6cn'l Pit Foreman
					Lod - 7/5/63 —
					no open work — N/C

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-605868-R	1/1/60	**Requirement Order Yr. 1960**					
" #16	8/4/60	400	9/1 ASAP	Plant #1	9/1/60	8-31-60	TRK
" #17	8/10/60	400	9/22	"	9/22	9/22/60	"
" 20	12-22-60 / 12-22-60	400	ASAP		12-29	12/29/60	"
C-615868-R	1/1/61	**Requirement Order Yr. 1961**					
" R.2	2-1-61 / 2-1-61	400	2-2	Plant #1	2-2	2/2/61	TRK
" Rel 6		400	5/5	"	5/5/61	5/5/61	TRK
" Rel #10	5-26-61 / 5-26-	400	6/2	"	6/2/61	6/2/61	"
" #11	6-27-61 / 6-28-61	400	7-6	"	7-6	7-6	"
" #15	10-3-61 / 10-4-61	400	10-4		10/4/61	10/4/61	"
C-625868-R	1/1/62	**Requirement Order Yr. 1962**					
" Rel #3	1-10-62	400	1/16 ASAP		1/16/62	1-16-62	TRK
" Rel #7	2-26-62	400	3/2		3/2/62	3/2/62	"
" Rel #8	4-3-62 / 4-3-62	400	4/4		4/4	4-4-62	"
" R 10	4-27-62 / 4-30-62	400	5-4		5-4	5/4/62	"
" R #14	5-28-62 / 5-28-62	400	ASAP		5/29	5-29-62	"
" R #25	8-29-62	400	ASAP		8/30	8-29-62	"
" R #30	10/29/62	400	11-5 ASAP		11-5	11-5-62	"
" R 32	11-26-62 / 11-26-62	400	ASAP 11-27		11-27	11/27/62	"
C-635868-R	1/1/63	**Requirement Order Yr. 1963**					
" Rel #6	11-28-63	400	ASAP		1/31/63	1-31-63	TRK
" Rel #12	2-19-63 / 2-25-63	400	ASAP		2/19/63	2/19/63	TRK
" R.22	4-25-63 / 4-30-63	400	4-26		4-26	4/26/63	"
C-645868-R	1/1/64	**Requirement Order Yr. 1964**					
" R #2	2-20-64 / 2-25-64	500	2-25		2-25	2/25/64	TRK
" R.12	4-3-64 / 4-6-64	500	4-6		4-6	4-6-64	"
" R.17	5-12-64	500	AS ONCE		5-15	5-15-64	"
C-21629-R		1-DUMMY [illegible]			7-26-62	7-26-62	TRK
C-21629-R	6/5/62	1-MISLED [illegible]			6/27/62	6/27/62	TRK

[illegible] ON LOANER TRIAL — N/C — OTHER TO BE AS ASSIGNED

FE001657

CO. Republic Steel Corp

PLANT Canton

SIZE Any

Veneer Compound

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					C-10478-82
					(IN BOXES) 2400 lbs P 10 lb bags — 3/0-323435-830
					WHEN THE SHIPMENT IS MADE ON THE 11-16 M+H
					PUT ANOTHER ON M+H, AND AGAIN ANOTHER
					WHEN THE SECOND ONE SHIPS (3 TOTAL) 3/0-324882-830
					IN BOXES R#4 3/0-324882-830

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10478-82	1/1/67	S/O	1967				
" Rel 2902 PH	7/1/67	6626	7/20	2 Pallets	7/20/67	7-20-67	TKK
" R.3371 PH	8-14-67	6648	8-16		8-16	8/16/67	"
" R.3472 DH	8-17-67	6462	8-23		8-23	8/23	"
" R.3801 "	9-13-67	6614	9-15		9-15	9-15	EJ "
" R.4151 "	9-28-67	6512	10-2	2 Pallets	10-2	10/2/67	TKK
" R-4435 "	10-19-67	6	10-27	2 Pallets	10-27	CANCLD	
" R-4541 "	10/26/67	6	11-3	2 Pallets	11-3	Hold CANCLD	
" R.4657 "	11-2-67	6620	11-6		11-6	11-6-67	TKK
" R4598 "	11-16-67	6	11-22		11-22	11/22/67	"
" R.5200 "	12-7-67	6572	12-12		12-12	12/12/67	TKK
C-10704-82	1/1/68	S/O for 1968					
Rel - 5510 PH	1/2/68	6690	1-5-68	2 Pallets	1/5/68	1/5/68	TKK
C-10955-86	1/1/69	S/O for 1969					
		120/lbs		Y.O #14		3-16-73	
	9-20	43,200	10-22	Y.O #14	10-14	10-14-73	
	11-16	38,400		Y.O #14	12-28	12-28	*
3/0-324882-830	2/1/73	38,400	6-3	Y.O #14	6/3	6-3-74	
3/0-324882-830	11-16		EKS	3	2-11	2-11-74	
R.2	2-11-74	2400	2-11		2-11	2-11-74	
	11-3	43200/38400	29	Y.O #14	78	7-8-74	
3/0-409150-830	11-19	43200				M+H	

FE001658

CO. Republic
PLANT Canton
SIZE Any

Veneer Comp.

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
1965 4-14	K	9600			

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-10120-51	4/1/65	S/O 1965					
" R.18 JDK	4-13-65	6550	4-21		4-21	4-20-65	TRK
" R.26	5-27-65 6-3-65	6618	5-28		5-28	5/28/65	"
" R28 "	6-8-65 6-15-65	6626	6-9		6-9	6/9/65	"
" R.29 JDK	6-17-65 6-18-65	6	6-25		6-25	6/25/65	"
" R.30	6-28-65 6-29-65	6752	7-9		7-9	7/9/65	"
" R.31 JDK	7-9-65 "	6740	7-20		7-20	7/20/65	"
" R.53 PH	11-11-65 "	6594	11-16		11-16	11-16-65	"
" "	" "	6650	11-17		11-17	11-17-65	"
" R.58 "	12-1-65 12-7-65	6796	12-2		12-2	12/2/65	"
" " "	12-7-65 "	6528	12-7		12-7	12/7/65	"
C-10282-51	1/1/66	S/O 1966					
" R.51 PH	7-5-66	6752	7-8		7-8	7/8/66	TRK
" R.78 "	10-7-66 "	6522	10-8		10-7	10/8/66	"
" R80 "	10-17-66 10-18-66	6734	10-18		10-18	10/18/66	"
" R82 "	10-13-66 "	6644	10-19		10-28	10/28/66	"
" R85 "	11-11-66 11-4-66	6790	11-14	2 Pallets	11-14	11-14-66	"
" R.89 "	11-22-66 11-22-66	13038	11-23		11-23	11-23-66	"
" R 91 "	12-9-66 "	6556	12-12	2 Pallets	12-12	12/12/66	"
" R.95 "	12-21-66 12-22-66	6564	12-22		12-22	12/22/66	"
C-10478-82	1/1/67	S/O 1967					
" R.6 PH	1-3-67	13112	1-4		1-4	1-4-67	TRK
" R.293 PH	1-26-67	6630	1-27		1-27	1-27-67	"
" R.545 "	2-6-67	6410	2-7		2-7	2/7/67	"
" R 651 "	2-14-67	6652	2-15	2 Pallets	2-15	2/15	"
" R 1337 "	3-30-67	6716	4-5	2 Pallets	4-5-67	4/5/67	"
" R.1770 "	5-2-67	6990	5-2		5-2	5/2/67	"
" R.1839 "	5-11-67	6556	5-12		5-12	5-12-67	"
" R.2396 "	6-8-67	6416	6-12		6-12	6/12/67	"

FE001659

CO. Republic Steel Corp.

PLANT Canton

SIZE Any

C-D Hot Top VENEER Compound R-H

Ship in Hopper 16 7/16

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
1964					
1-13	JW	6400			

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
	PA-9/23/63						
63586R-R-PW40	9/23/63	6518	9/24	2-Pallets	9/24	9-24-63	TRK
" R.48 JDK	12-23-63 12-27-63	64	12-30		12-30		
C-645868-R NW-4	1-29-64	6540	1/31/64		1/31/64	1-31-64	TRK
" R.6 JDK	2/10/64	6606	2-14		2-14	2/14/64	"
" R.7 JDK	2-20-64 2-25-64	6926	3-3		3-3	3/3/64	"
" R.10 JDK	3-5-64	6784	3-10		3-10	3/10/64	"
" R-11 JDK	3-20-64	6600	3-30		3-30	3-30	"
" R.12 JDK	4-3-64	6630	4-11		4-10	4-10-64	"
" " "	4-10-64	6730	4-18		4-17	4-17-64	"
" R.14 "	4-24-64	6554	5-2		5-1	5-1-64	"
" R14 "	4-30-64 5-4-64	6710	5-7		5-7	5-7-64	"
" R.19 GD	6-3-64 6-2-64	6740	6-4		6-4	6-4-64	"
" " "	"	6778	6-12		6-12	6-12-64	"
" R.24 JDK	7-21-64 7-28-64	6598	7-25		7-24	7-24-64	"
" R.25 JDK	7-8-64	6564	8-8		8-7	8-7-64	"
" "	"	6620	8-15		8-14	8-14-64	"
" R28 GD	8-21-64 8-21-64	6642	9-13		9-13	9-23-64	"
" R.29 JDK	9-29-64 10-8-64	6750	10-8		10-8	10-8-64	"
" R.31 "	10-30-64 11-4-64	6876	11-7		11-6	11-6-64	"
" R.34 "	11-17-64 11-18-64	6784	11-19		11-19	11-19-64	"
" R.35 "	12-1-64 12-10-64	6842	12-4		12-1	12/4/64	"
" " "	"	6786	12-11		12-11	12/10/64	"
C-10120-51	1/1/65	5/0	1965				
" R.4 AD	1-14-65 1-15-65	6846	1-16		1-15	1-16-65	TRK
" R.7	2-5-65 2-5-65	1600	2-6		2-5	2-5-65	"
" R.9 GD	2-17-65	3400	2-23		2-23	2/23/65	"
" "	" "	3402	3-2		3-2	3/2/65	"
" R12 GD	3-4-65	6554	3-9	2 Pallets	3-9	3/9/65	"
" R12	"	6612	3-16	2 Pallets	3-16	3-16-65	"
" R.15 JDK	3-26-65 3-26-65	6570	4-3		4-2	4-2-65	"

FE001660

co. Republic Steel Corp.

PLANT Canton

SIZE Any

C-D Hot Top VENEER Compound R-4

Ship in 40,000 lb T/L

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
4-23-62	D	13M			
5-24	D	20M	75M/mo	6-2	
6-19	Wph	44,850			
6-25	D	28000			
7-26	D	66M	60M/MO	8-2	
8-22	D	20M	65M/MO	9-12	T/L 8/27
8-30	TK	50M			
9-26	D	9M	90M/MO	9-29	
10-22	D	40M	100M/MO	11-3	
11-8	E	64M	60M/MO	11-18	
11-20	D	47M	90M/MO	12-5	
-1963-					
1-3-63	D	19M			

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-625868-R-Rel #8	PH 4/9	16566	11/16/62		4/16/62	4-16-62	TRK
" R10	PH 4-27-62 4-30-62	19800	5-1		5-1	5/1/62	"
C-625868-R	5/7/62	REQ'T	ORD.	YR. 1962			
" R.12	PH 5-16-62 5-16-62 5-28-62	39338	5-17		5-16	5/17/62	TRK
" R"14	PH 5-28-62	39692	5-29		5-29	5-29-62	"
" R"14	"	40,238	6-12		6-12	6-12-62	"
" R"19	PH 7-9-62 7-11-62	26136	7-13		7-13	7-13-62	"
" R"19	"	39728	7-26		7-26	7-26-62	"
" R 21	PH 7-19-62 7-19-62	39826	7-20		7-20	7/20/62	"
" R 22	PH 7-30-62 7-30-62	39576	8-15		8-15	8-15-62	"
" R 25	PH 8-23-62 8-27-62	39898	8-29		8-29	8-27-62	"
" R 25	PH 8-29-62 8-27-62	39894	9-14		9-14	9-14-62	"
" R.27	PH 9-26-62 9-26-62	40164	9-27		9-27	9-27-62	"
" R.28	PH 9-28-62 9-28-62	39600	10-9		10-9	10/9/62	"
" "	"	40154	10-15		10-18	10/8/62	"
" "	"	40020	10-26		10-26	10/26/62	"
" R.30	PH 10/29/62	40114	11-8		11-8	11/8/62	"
" R.30	"	40	11-20		11-20	Cancel	
" R.30	"	33284	11-29		11-29	11/28/62	"
" R 30	PH 11-8-62 11-12-62	40532	11-13		11-13	11/13/62	"
" R-30	PH 11-8-62 11-12-62	40	11-26		11-26	CANCELLED	
" R-30	PH 11-26-62 11-26-62	40	12-13		12-13	CANCELLED	
" "	"	40	12-20		12-20	Cancelled	
" R-33	PH 12-31-62 12-31-62	20044	12-31		12-31	12/31/62	TRK
C-635868-R	Rel. 1 1-9-63	REQ'T.	ORD.	1963			
" R-14	PH 3-1-63	40	3-4		3-4	M&H	
" "	"	40	3-11		3-11		
" "	"	40	3-18		3-18		
" "	"	40	3-25		3-25		
R.20 JDK	4-19-63 4-19-63	13200	4-22		4-22	4/22/63	TRK
R.37	PH JDK 8-28-62 8-28-62	6660	8-30		8-30	8-30-63	"

FE001661

CO. REPUBLIC

PLANT CANTON

SIZE -

VENEER R-7

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-625868-R							
" R.8	4-9-62	3330	4-16		4-16	4-16-62	TRIC

FE001662

CO. Republic Steel Corp

PLANT Canton

SIZE Any

40,000 16 T/L

Redi-Mix

New Improved Mix - R-2

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					G.O. 2/4/63
					CANCELLED

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-635848-R Rel #9	PM 2/4/63	40.04 16	2-4 AM		2/4/63	2/4/63	TRK
" Rel #9	"	39270	2-15 AM		2/15	2/14/63	"
" Rel #9	"	29800	2-16 AM		2/16	2/25/63	"
" R-14	PM 3-1-63 3-1-63	40	3-4		3-4	mill	CANCELLED
" "	"	39718	3-11		3-11	3/11/63	TRK
" "	"	40	3-18		3-18	Held for shipment	
" "	"	29736	3-25		3-25	3/25/63	TRK
" R-19	PM 4-1-63 4-3-63	19442	4-5		4-5	4-6-63	"
" "	PM 4-2-63 4-3-63	40	4-16		4-16	HOLD	CANCELLED
" "	" "	40	4-23		4-23	HOLD	
" "	" "	40	4-30		4-30	HOLD	
" R-19	JDK 4-23-63	13368				4-19-63	TRK
" "		26052	5-1		5-1	5-1-63	"
" R-27	PM 5-21-63 5-21-63	19672	5-24		5-24	5-24-63	"
C-645868-R	1/1/64	Requirement Order Yr. 1964					

FE001663

CO. Republic Steel

PLANT Canton

SIZE Any Reoli Mix — R-2 1/10 M # T/L

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
1960					
9-26	D	30 M	Hon/mo	11-19	Not rec'd. 9/28
10-10	D	83M-R 35M-Ref 30M-Ref	35M/mo	11-25	
10-24	D	35M-Ref			T/L 11/17
		15M-Ref			
11-9	D	30M-Ref 30M-Ref			
12-13	D	25M-Ref 30M-Ref			
12-20	D	25M-Ref 30M-Ref			
1961					
1-10	D	33M-R/M 15M-Ref			
1-31	D	9M-R/M 35M-Ref			
2-27	D	40M-R/M 20M-Ref			T/L 3/10
3-13	D	30M-R/M 45M-R/M			
5-10	D	35M-R/M 30M-Ref			
5-25	D	25M-R/M 40M-Ref	WSM/mo	6-12	used 5/22 T/L orders T/L 4/6 4/22
6-26	D	52M-R/M 30M-Ref	50M/mo	7-25	
7-14	D	25M-R/M 40M-Ref			
8-1	D	42M-R/M 25M-Ref		8/10	
8-28	D	33M-R/M 30M-Ref			T/L 9/14
9-11	D	11M-R/M 40M-Ref			
10-31	D	20M-R/M 25M-Ref	40M/mo	11-14	T/L 11/9
11-24	D	30M-R/M 30M-Ref	30M/mo		
1962					
1-29	D	50M-R/M 15M-Ref			
2-23		15M-Ref 35M-R/M			Ordered T/L 3/13
3-30	D	25M-R/M 25M-R/M	50M/mo	4-14	T/L 4/5
4-23	D	40M-R/M 25M-R/M		5-7	
5-24	D	15M-Ref 35M-R/M			
6-25	D	10M-R/M 40M-R/M			
7-26	D	40M-R/M 20M-R/M			

FE001664

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-605868-R 19	10-26-60	39828	11-17	PT/L	11-17	11/16/60	TRK
" #20	11-28-60	40,274	12/28	"	12/30	12/29/60	"
"							
C-615868-R	1/1/61	Requirement Order Yr. 1961					
" R.2 PM	2-1-61	39670	2-3		2-3	2/3/61	TRK
" R3	2/21/61	40,510 P	3/10	*	3/10	3/10/61	"
" R5	PM-3/30 4-3-61	30,774 P	4/13		4/13	4/13/61	"
" R 6	PM 5-1-61	40564 P	5/6		5/6	5/5/61	"
" R.7 PM	5-11-61 5-4-61	40 628	5/22		5-22	5/22/61	"
" R# 10	PM 5-26 5-26	39792	6/6	P T/L	6/6	6/6/61	"
" "	"	38832	6/22	P T/L	6/22	6/22/61	"
" #11 PM	6-27-61 6-26-61	38646	7-25		7-25	7/25/61	"
" 13 PM	8-3-61 8-2-61	39520	8/22		8-22	8-22	"
" 14	8-30-61	39534	9-14		9-14	9-14-61	"
" 15	9/25/61	39318	10-5		10-5	10/5/61	"
" 16 PM	11-1-61	40630	11-9		11-9	11/9/61	"
" 17	11/30/61	40854	air 12-14		12-7	12/6/61	"
C-625868-R	1/1/62	Requirement Order Yr. 1962					
" R. 2 PM	12-20-61 12-20-61	39946	1-4		1-4	1-4-62	TRK
" "	"	39572	1-18		1-18	1/18/62	"
" R-3 PM	1-10-62 1-11-62	40448	1-25		1-25	1-25-62	"
" R-7 PM	2-26-62 2-27-62	39722	air 3-13		3/13/62	3/13/62	"
" R-8 PM	4-4-62 4-3-62	39500	4-5		4-5	4-5-62	"
" R10 PM	4-27-62 4-26-62	20106	mix 5-1		5-1	5/1/62	"
" R19 PM	7-9-62 7-11-62	13560	air 7-13		7-13	7-13-62	"
" R-22 PM	12-12-62	41094	mix 12-13		12-13	12/13/62	"
" R-32 PM	12-19-62 12-19-62	26780	12/20		12-20	12/20/62	"
C-635868-R	1/1/63	Requirement Order Yr. 1963					
" R-4 PM	1-3-63 1-4-63	26356	air 1-3		1-3	1/3/62	TRK
" R-5 PM	1-9-63 1-9-63	19946	1-22		1-23	1-23-63	"
" R-6 PM	1-14-63	19.924	1/16		1/16	1/16/63	TR

* Included good Lime Nobond mix

CO. Republic Steel

PLANT Canton

SIZE Army

Ladle Mix — New Improved — 40 000# T/L's

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
12-12	D	74000			
1958					
1-28		49300	Rim		T/L 2/17
		25600	Pedl		
2-12	JRS	19200	Rim		T/L 3/6 & 3/20
		28800	Pedl		
4-2	D				
4-30	D	35000	Rim		
		45000	Pedl		
5-20	D	4000	Rim		
		15000	Pedl		
6-26	D	13000	Rim		T/L 7/2 - 22
		3000	Pedl		
7-17	D	20000	Rim		
		3000	Pedl		
8-16	D	20M	Rim		Not Incl 8/19
		20M	Pedl		
9-8	D	24M	Rim		
		8M	Pedl		
		24M	Rim		
10-2	E	3200	Rim		T/L 10/6-17-28
		41000	Pedl		
10-28	D	32M	Rim		
		32M	Pedl		
11-25	D	32M	Pedl		T/L 12/15
		32M	Rim		
12-15	D	18M	Pedl		Not Incl 12/15
		24M	Rim		
-1959-					
1-13	D	30M	Pedl		
		30M	Rim		
2-2	D	3M	Rim		Not Incl 2/2 T/L 2/11
		3M	Pedl		

All R-5 → should read (C-585555-R 2/15)

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-575847-R	2/19/57	Requirements Order Yr. 1957					
" Rel 9	"12-6-57	40482	12-11-57	R-2 T/L P	12/11	12/11/57	TRL
C-585847-R	1/1/58	REQUIREMENTS ORD. YR. 1958					
" #1	1/10/58	40,722	1/31/58	-	1/30	1/30/58	TRL
" #2	2/3/58	40620	2/20/58	" "	2/20	2/20/58	"
" #3	2/17/58	40,682	4/10/58	"	4/10	4/10/58	"
" #4 P	5-21-58 5-24-58	16800 P	5/22/58	N.J.	5/22/58	5/22/58	"
" #4	"	3200		VIA N.J.			"
" #6 P	6-11-58 6-11-58	39496 P	6/11/58	P/L N.J.	6/11/58	6/11/58	"
" #6 M	6-3-58 6-30-58	39190 P	7/1	"	7/1	7/1/58	"
" #7	7/2/58	39574 P	7/17	"	7/17	7/17/58	"
" #8	7/25/58	39316 P	8/17	"	8/17	8/17/58	"
" #9	8/6/58	39,422 P	8/19	"	8/19	8/19/58	"
" #10 M	10/1/58 10/6/58	40,031 P	10/8	"	10/8	10/8/58	"
" #10	"	39338 P	10/17	"	10/17	10/17/58	"
" #10	"	39868 P	10/28	"	10/28	10/28/58	"
" #11	11/10/58	39990 P	12/5		12/15	12/21/58	"
C-595868-R	1/1/59	REQUIREMENTS ORD YR 1959					
" #2	12/26/58	36 443 3038	1/6/59	" " 2-2 " " 2-5	1/6	1/6/59	TRL
" #11	1/10/59	38090 P	2/2	R-5	2/2	2/2/59	"
" #7 M	2-4-59 2-5-59	26450 P 12944	2/11	R-2 8 P R-5 4 P	2/10	2/10/59	"
" #8 M	2-12-59 2-17-59	38824	2/17	R-5	2/17	2/17/59	"
Universal Bushings				SIS-2200			
C-585868-R #1	12-30-58 2-24-58	400	ASAP	-	2/21/58	8/1/58	P.P.
"		400	"		9/15/58	9/15/58	TRL
" #28	10/29/58	400	"		12/28/58	12/28/58	P.P.

GP - 9/12/58
ESR 12/25/58

FE001665

CO. Republic

PLANT Canton

SIZE Any — Redi-mix — New Improved

PLANT INVENTORY

ORDER STATUS

1956 DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER	CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
9-21	D	35000 21000 full	110/M	10-6	Ph- 9/21/56.	C-67902-R	9-22-56 9-26-56	33116	9/25		9/25	9/28/56	TRL
10-17	D	48000	110/M	11-7	T/L 11/9-16-23-30	"	"	32632	10/5			10/5/56	"
11-6	D	10000 IA 16000	90/M	11-14		"	"	32212	10/11			10/10/56	"
11-26	D	15M Gal	"	12-12	T/L 12/12, 19, 26	"	"	32362	10/26		10/26	10/26/56	"
12-17	G	54400	"	1-4	Incl 12/14 T/L 1/6-17-31	C-69498-R	11/5/56	32,566	11-9		11/9	11/9	"
1957-						"	"	32,700	11-16		11/16	11/14	"
1-4	D	44000	100M/M	1-23		"	"	33000	11-23		11/23	11/21/56	"
1-22	D			2-14	T/L 2/15 2/22	"	"	32,886	11-30		11/30	11/30/56	"
3-27	D	25M IA 30M R/M	75M/M	4-17		C-60309-R	11/26/56	32,675	12/2		12/3	12/4/56	"
4-20	D	33000 R/M 33000 Rel				"	"	32,508	12/9		12/7	12/9/56	"
						"	"	32,668	12/16		12/16	12/26/56	"
5-3	D	MM R/M MM Rel 6M IA	65M/M	5-24		C-61237-R	12/26	32,314	1/2		1/3	1/10/57	"
5-29	E	36M IA 36M R/M			Order 6M now T/L 7/2 & 7/16	"	"	32,638	1/17		1/17	1/17/57	"
6-21	D	0				"	"	32,456	1/31		1/31	1/30/57	"
7-24	D	30M Rel 12M IA 25M R/M											
						C-575847-R	2/19/57	Requirements ord.			2/6	1257	
8-8	D	20M R/M 12M Rel			Cancel 8/15	" Rel #2	3/20/57	32,590	3/[illegible]	A1	3/15	3/19/57	TRL
9-12	D	48M R/M 6M Rel				" " #3	4/1/57	32,728	4/8/57		4/12	4/18/57	"
10-7	D	MM R/M 30M Rel				" " #4	4/23/57	32,728	5/3/57	"	5/3	5/3/57	"
11-20						" " #4	"	32,[illegible]	5/17	"	5/17	5/17/57	"
						~~" Rel 5~~	~~6/25/57~~	~~30~~	~~7/10~~		~~7/10~~	Cancel	
						" " "	"	32 884	7/24		7/24	7/24/57	TRL
						" Rel #6	7/25/57	33026	8/1	"	8/1	7/31/57	"
						" "	"	32570	8/8	"	8/8	8/8/57	"
						" "	—	32	8/15	"	8/15	[illegible]	[illegible]
						" "	"	32 384	8/22	"	8/22	8/22/57	"
						" Rel #7	Ph. 10/7/57 10/8/57	39930	10/11	"	10/11	10/10/57	"
						[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
						" Rel 8	11-4-57 11-4-57	40 [illegible]	11/4 11-5	"	11/5	11/5/57	TRL
						" " "	"	40 654	11/18		11/18	11/18/57	"
						C-72073-R	2/11/57				2/18/57	2/18/57	TRL

FE001666

CO. REPUBLIC STEEL CORP.

PLANT CANTON

SIZE ANY REDI-MIX

PALLETIZED B-B MIX [redacted]

PLANT INVENTORY

1956 DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
1-23	G	48000	100M/MO	3/6/56	Incl T/L 1/21
2-13	G	39600	100M/MO	2-25	Incl 2/3
3-8	G	22400	"	3-14	T/L 4/9 4/19 4/30 Clds 3/23 To 3/19
3-21	G	41600	"	4-7	
4-5	Dow	51000	"	4-20	
4-16	Dow	35000	120M/MO	5-4	T/L's 5/4 5/11 5/18 5/25
5-22	D	61000	110M/MO	6-8	T/L's 6/8-15-22-28
6-29	D	54000	90M/MO	7-16	T/L 7/6-13-20
8-23	D	38400	80M/MO	9-4	T/L 10/7-14-28
8-29	E	19000	"	9-4	
9-10	D	48000	"	9-26	Use R-X formulas on

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-565847-R	1/3/56	REQUIREMENT		ORDER	1456		
" #2	1/17/56	31,644	2/24	1/1 1-B	2/24	2/24/56	TRK
" #3	2/1/56	31,760	3/9	"	3/9	3/8/56	"
" "	"	31,840	3/19	"	3/19	3/8/56	"
" "	"	31,708	3/30	"	3/30	3/30/56	"
" #4	3/13/56	32,184	4/9	"	4/9	4/7/56	"
" "	"	32,...	4/19	"	4/19	4/20/56	"
" "	"	31,508	4/30	"	4/30	4/28/56	"
" #5	3/16/56	32,466	5/23	"	5/23	5/23/56	"
" #6	4/30/56	31,593	5/4	"	5/4	5/4/56	"
" "	"	31,542	5/11	"	5/11	5/11/56	"
" "	"	31,688	5/18		5/18	5/18/56	"
" "	"	31,777	5/25	"	5/25	5/25/56	"
" #7	5/28/56	31,634	6/8	"	6/8	6/8/56	"
" "	"	31,438	6/15	"	6/15	6/15/56	"
" "	"	32206	6/22	"	6/22	6/22/56	"
" "	"	32,...	6/28	"	6/28		
" #8	7/10/56 8-10-56	32,...	7/9	"	8/...	8/16/56	TRK
" "	"	25,6...	8/17	2 PM-E-B 2P B-1	8/31	8/31/56	"
" "	"	6,4...					
" #9	8/23/56	32...					
" "	"	32		PT/C BB			
" #10	8/28/56	32,451	9-7	" "	9/7	9/7/56	TRK
C-567630-R	7-13-56 9-27-56	32,488	9/14	L. N. I.	9/14	9/14/56	"
"	"						"
"	"						"

FE001667

CO. Republic Steel

PLANT Canton

SIZE Large Redi Mix Palletized — B-B-Mix

PLANT INVENTORY

1954 DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
4-27	G	118400	140M/mo	5-22	Rec T/L 4/15
5-5	Dow	124000	120M/mo	6-5	4 T/L's Term
5-20	G	108800	"	6-16	
6-8	E	94000	100M/mo	7-5	Will cut down on July shipments
6-28	Dow	179000	80M/mo	9-9	Not ordering any for July
7/20	"	135000	80M/mo	9/5	0 8/7 - 8/36
8/5	G	92800	80M/mo	9-8	Will order T/L for 8/25
8/25	E	48000	100M/mo	9-13	T/L 9/1 - 13 - 23
9-9	Dow	41000	80M/mo	9-24	Rec 9/1 T/L
10-1	Dow	57600	75M/mo	10-24	T/L 10/11 10/22
10-7	Dow	44000	"	10-21	—
10-27	E	72000	60M/mo	12-3	Order T/L 11/5
11-24	E	51000	"	12-19	Rec 11/16 T/L T/L 12/7 12/21
12-8	G	59400	65M/mo	1-2-55	Rec 12/7 T/L 1/5 1/19
12-17	G	28800	80M/mo	12-26	12/20 & 1/10
1955					
1-4	G	48000	80M/mo	1/20	2/4 2/18 3/1
1-17	E	60000	"	2-4	
1-27	E	50000	"	2-16	
2-3	E	28000	"	2-14	2/18 & 3/1 saw Lays early
2-14	E	78000	100M/mo	2-22	T/L 3/1 - 8 - 15 - 22
3-9	G	99200	"	4-9	Rec 3/8 Cancel 3/15
3-15	E	84000	"	4-9	
3-29	G	46400	"	4-12	

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-545847-A	4/15/54	Standing	Order 1954	(Cont)			B-B-mix
" Rel 5	4/16/54	32165	5/10	P-T/L-BB	5/10	5/11/54	Truck
" " "	"	29,964	5/25	"	5/25	5/24	"
" *6	5/10/54	29985	6/2	"	6/1	6/2/54	"
" " "	"	30,685	6/10	"	6/10	6/9/54	"
" " "	"	31036	6/17	"	6/17	6/17/54	"
" " "	"	29,980	6/24	"	6/24	6/23/54	"
" *1	8-30-54	31,559	9/1	"	9/1	9/1/54	"
" " "	"	30,802	9/13	"	9/13	9/13/54	"
" " "	"	31,250	9/23	"	9/23	9/22/54	"
" *8	10/7/54	30,865	10/12	"	10/12	10/13/54	"
" " "	"	30939	10/22	"	10/22	10/22/54	"
" *9	11/4/54	31449	11/15	"	11/15	11/16/54	"
" *10	11/24/54	31,052	12/7	"	12/7	12/6/54	"
" " "	"	30,772	12/21	"	12/17	12/17/54	"
" *11	12/6/54	30319	12/30	"	12/20	12/21/54	"
C-555847-A	1/1/55	Requirement Order Yr. 1955					
" Rel *1	1/10/54	30380	1/10	P-T/L-BB	1/10	1/11/55	Truck
" " "	"	30506	1/24	"	1/24	1/21/55	"
" Rel *2	1/21/55	31,484	2/4	"	2/4	2/3/55	"
" " "	"	30,811	2/18	"	2/22/55	2/15/55	"
" " "	"	31,111	3/1	"	3/22/25	2/25/55	"
" Rel *3	3/18/55	30,949	3/1	"	3/1/55	3/1/55	"
" " "	"	31,132	3/8	"	3/8/55	3/8/55	"
" " "	"	32	3/15	"	3/15/55	Cancel	
" " "	"	31,347	3/29	"	3/29/55	3/29	Truck
" Rel 4	3/10/55	31,308	4/6	"	4/6	4/6/55	"
" " "	"	30,995	4/14	"	4/14	4/15/55	"
" " "	"	31,480	4/24	"	4/25	4/23/55	"

FE001668

CO. REPUBLIC STEEL

PLANT CANTON

SIZE ANY — REDI-MIX — PALLETIZED B-B MIN

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
1953					
7-10	G	112000	140M/mo	8-4	Truck T/L 7/9 T/L 8/5-14-18
					24-31
7-29	E	134000	125M/mo	8-31	Truck T/L 9/29
8-20	H	134000	"	9-23	Truck 8/18 T/L T/L's 9/17 9/24 9/30
9-11	E	120000	100M/mo	10-17	
9-24	E	111000	"	10-31	Not Truck 9/24 3T/L's 10/1 5 & 22
10-18	H	119000	"	11-24	Truck 10/15 T/L Cancel 10/22
					Redue 11/6 11/16 11/25
11-14	H	80000	100M/mo	12-6	Truck 11/5 T/L T/L 12/4-15-29
11-30	G	96000	100M/mo	12-29	Truck T/L 11/24 · Chip T/L 12/7 - 18-28
- 1954 -					
1-5	Dow/E	124000	110M/mo	2-8	Truck T/L 1/28
1-19	G	128000	"	2-22	Truck 1/15 T/L 3T/L Feb
2-9	G	99200	"	3-8	Truck 1/27 T/L T/L's 3/9-18-30
3-1	Dow	118000	110 M/mo	4-3	Truck T/L 3/24
3-18	Dow	130000	20M/mo	5-8	
4-1	Dow	140000	140M/mo	5-1	
4-14	Dow	160000	120M/mo	5-24	Truck 4/15 T/L 5/10 5/25

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-535847-A	1/1/53	Requirement Order Yr. 1953					
" #8	7/10/53	29,768	8/5/53		8/5/53	8/6/53	Truck
" "	"	30,046	8/12		8/12	8/12/53	"
" "	"	29,903	8/18		8/18	8/18/53	"
" "	"	29,737	8/24		8/24	8/25/53	"
" "	"	29,370	8/31		8/31	9/1/53	"
" #9	8/27/53	29,804	9/17		9/17	9/17/53	"
" "	"	29,946	9/24		9/24	9/24/53	"
		3	9/30		9/30	Can'd	
" #10	9/24/53	30,606	10/15		10/15	10/15/53	Truck
" "	"	3	10/22		10/22	Cancelled	
" #11	10/23/53	30726	11/6	B B P	11/6	11/5/53	Truck
" "	"	30553	11/16	" P	11/16	11/18/53	"
" "	"	30468	11/25	" P	11/25	11/24/53	"
" #12	11/16/53	30599	12/4	B B P	12/4	12/4/53	"
" "	"	30790	12/15	"	12/15	12/15/53	"
" "	"	32014	12/29	"	12/29	12/28/53	"
C-545847-B	1/1/54	Standing Order 1954 -				B-B - MIA	
C-545847A-1	11/30/53	31516	1/7/54	B-B- P	1/7	1/6/54	Truck
" "	"	31701	1/18	" "	1/18	1/15/54	"
" "	"	31972	1/28	" "	1/28	1/27/54	"
" "	Rel 2/20/54	31958	2/8	" "	2/8	2/9/54	"
" "	"	32170	2/18	" "	2/18	2/17/54	"
" "	"	32043	2/26	" "	2/26	2/24/54	"
C-545847-A-3	2/10/54	32212	3/9	" "	3/9	3/8/54	"
" Rel 3	"	32 m	3/8	" "	3/8	Cancelled	
" " "	"	30496	3/30	" "	3/30	3/31/54	Truck
" Rel #4	4/2/54	31307	4/9	" "	4/8	4/8/54	"
" "	"	29910	4/15	" "	4/15	4/14/54	"
" "	"	30321	4/27	" "	4/27	4/27/54	"

FE001669

CO. Republic Steel

PLANT Canton

SIZE Any

V-Mix Compound

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-09833-A	5/23/50	10,000 #	OFF 8/30	SO-6/6	—	9-13	TRUCK

FE001670

CO. REPUBLIC STEEL

PLANT CANTON

SIZE ANY

PERMANENT METAL BLOCK B2511

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C93726-X	6/30/49	4sets	ASAP 7/11/49		8/1-8/5	8-4-49	TRUCK

FE001671

CO. Republic Steel Corp.

PLANT Canton

SIZE Any Redi-Mix

Pelletized - B-B Mix [redacted]

PLANT INVENTORY

1955 DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
4-13	E	57600	110M/mo	4-29	Truck 4/8
4-25	E	83000	90M/mo	5-10	Truck T/L 4/23
5-6	E	89,000	90M/mo	6-6	Insb. T/L of 5/5
5-26	G	104400	100M/mo	6-27	Truck T/L 5/20
6-16	G	80000	"	7-9	Truck 5/26 T/L 7/1 & 7/8
6-28	G	41600	"	7-9	T/L 7/22
7-19	G	51400	"	8-3	Truck T/L 7/11 T/L 8/5 & 8/22
7-27	E	64000	80M/mo	8-21	—
8-17	Dow	50000	90M/mo	9-4	
8-25	Dow	70,000	"	9-18	
9-1	Dow	54000	"	9-19	T/L 9/16
9-15	Dow	35000	100M/mo	9-31	T/L 10/2 - 18 - 28
9-27	E	70000	"	10-18	
10-11	G	60000	"	10-29	Truck 10/7 T/L 11/7 11/18 & 11/29
10-27	E	35000	"	11-6	
11-8	G	58800	"	11-25	Truck 11/7 T/L 12/7 - 19 - 29
11-28	Dow	64000	90M/mo	12-19	
12-14	Dow	42000	100M/mo	12-27	

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-555847-A	1/1/55	REQUIREMENT	ORDER	1955 (CONT)			
" #4	4-18-55	30,528	5/5/55	P T/L	5/5/55	5/5/55	TRUCK
" "	"	31073	5/12	P T/L	5/12	5/12/55	"
" "	"	36,906	5/19	P T/L	5/19	5/19/55	"
" "	"	31,765	5/26	P T/L	5/26	5/26/55	"
" #5	6/10/55	31,897	7/1	"	7/1	7/5/55	"
" #5	6/10/55	32,705	7/11	"	7/11	7/11/55	"
" #6	7/5/55	31,243	7/22	P T/L	7/22	7/20/55	"
" #7	7/21/55	31,428	8/4	/	8/9	8/8/55	"
" "	"	32,120	8/12	/	8/12	8/16/55	"
" Rel 8	8/18/55	31,322	8/23	"	8/23	8/22/55	"
" "	"	31,642	9/6	"	9/6	9/6/55	"
" "	"	32,288	9/16	"	9/16	9/16	"
" #9	9/9/55	32,981	9/26	P T/L	9/26	9/24	"
" #10	9/30/55	32,343	10/7	"	10/7	10/2/55	"
" "	"	32,264	10/18	"	10/18	10/18/55	"
" "	"	30,893	10/28	"	10/28	10/28/55	"
" #11	10/17/55	31,855	11/7	"	11/7	11/5/55	"
" #11	"	31,982	11/18	"	11/18	11/18/55	"
" #11	"	31408	11/29	"	11/29	11/25/55	"
" #12	11/10/55	31724	12/9	"	12/9	12/7/55	"
" "	"	31909	12/19	"	12/19	12/21/55	"
" "	"	32442	12/29	"	12/29	12/30/55	"
C-565847-R	1/7/56	Requirement Order Yr. 1956					
C-565847-A #1	12/10/56	32108	1/6	P T/L	1/6	1/6/56	TRK
"	"	32077	1/20	"	1/20	1/21/56	"
"	"	32166	1/27	"	1/27	1/27/56	"
" #2	1/17/56	31974	2/3	"	2/3	2/3/56	"
" "	"	32272	2/17	"	2/17	2/17/56	"

FE001672

CO. REPUBLIC STEEL

PLANT CANTON

SIZE ANY

SLURRY & SPRAY MCH + SPARE PARTS

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

FORM F-28

CO. Republic Steel
PLANT Canton
SIZE Carey

Cash Proj — New Inground — 40 No # T/L's

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
1-13-59	D	40M R/M 14M R/C	70M/mo		
3-9	D	8 R/M 30M R/C			
3-24	D	3M R/M 20M R/C			
4-9	D	32M R/M 32M R/C			
1-22	D	45M R/M 16M R/C	50M/mo	5-8	
5-11	D	52M R/M 30M R/C	50M/mo	6-1	5/18 to 6/1
5-25	D	25M R/M 40M R/C	"	6-8	
6-17	D	54M R/M 44M R/C	"	7-19	
7-10	D	57M R/M 13M R/C	"	8-15	20,000 7/18
11-13	D	48M R/M 35M R/C			
12-14	D	32M R/M 36M R/C			Add. 12/14 to 1/18
12-21	D	42M R/M 0M R/C			
-1960-					
1-7	E	51M R/M 35M R/C	60M/mo	1/10-1-30	
2-2	D	15M R/C 38M R/M			
3/1/60	S	22400 R/M 57000 R/C		4-9-60	
3/21/60	D	25M R/M 33M R/C	50M/mo	4-31	order T/L 4/19
4-20	D	69M R/M 35M R/C	40M/mo	6-1	Incl. 4/20. T/L order T/L 5/16
5-4	D	40M R/C			
5-27	D	24M R/M 40M R/C	30M/mo	2 mos.	
6-10	D	46M R/M 20M R/C	25M/mo		
6-21	D	39M R/M 20M R/C			
7-14	D	39M R/M 22M R/C	50M/mo		order T/L for 7/27
7-28	D	40M	50M/mo		order T/L for 8/17
8-23	D	35M	50M/mo	9/13	order T/L 9/6 & 9/21

FE001675

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-595868-R	11/5-9	Engineering Order			4.1959		
" Rel 10 M	2-27-59 2-27-59	40 M	3/14/59	P-1, L-2	3/9	3/9/59	TRK
" Rel "11 M	3-23-59 3-23-59	40 M	3/25/59	P-1, L-1	3/25/59	3/25/59	"
" #12 M	3/31/59 3/31/59	40 M	4/7	"	4/7	4/7/59	"
" #17	"	40M	4/21	"	4/21	4/21/59	"
" #15 M	4-28-59 4-28-59	40 M	5/4	"	5/4	5/4/59	"
" #15	"	40 M	6/1	"	6/1	6/1/59	"
" 17	"	40 M	6/15	"	6/15	6/16/59	"
" #18 M	6-6/59 6-1	40 M	7/8	"	7/8	7/8/59	"
" #20 M	12-3-59 12-4-59	40 M	12/4	"	12/4	12/4/59	"
" #20 M	12-14-59 12-14-59	40 M	12/22	"	12/15	12/18/59	"
" #21 M	12-11-59 12-11-59	40 M	12-24	"	12/28	12/28/59	"
C-605868-R	1-4-60 1-4-60	Requirement Order Yr. 1960					
" Rel #1 M	12-30-59 1-4-60	40 M	1/15/60	P-1, L-2	1/15/60	1/15/60	"
" #4	2-4-60	40 M	2-16	"	2/16	2/16/60	"
" #5	"	40 M	3-4 Circ	"	3/4	3/3/60	"
" #5	2-18-60	40 M	Circ 2-17	"	3/17	3/17/60	"
" #7	3-9-60 4-5-60	40 M	4-17	"	4-18	4-18-60	"
" #9	4-22-60	40 M	5/16	"	5/16	5/16/60	"
" 14	7-19-60 7-19-60	39 81	7/21	"	7/21	7/21/60	"
" #15 M	7-29-60 8-1-60	40,574	Circ 8-12	"	8/12	8/11/60	"
" #16	8/26/60	40 822	Circ 9/16	"	9/16	9/16/60	"
" #16	9/26/60	40 364	Circ 9/28	"	9/28	9-28-60	"
" 20	11/28/60	[illegible]	12/7 Circ		12/28		

CO. Republic - Steel

PLANT Canton

SIZE any Redi Mix Palletized B-B mix via Brewer Truck - collect

PLANT INVENTORY

1953 DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
2/4	H	89600	1304/Mo	2/24	Rec 2/3 T/L Rec Do-W 6
					T/L's 3/9 3/16 3/23 3/30 "
2/18	H	73600	1404/Mo	3/6	Rec 2/17 T/L "
3/10	G	54600 DB 54600 LB	"	3/24	Rec T/L 3/23 T/L 4/6-13-20-24-30 "
3/31	G	38000 DB 35000 LB	"	4-20	Rec T/L 3/28 "
4/30	G	76800	"	5-17	Rec T/L 4/23 "
6-3	G	134400	"	7-1	Rec 6/4 T/L Ship 7/2-9-16-23-30 "
					Cancel 6/8 T/L "
6-17	H	80000	"	7-4	Rec 6/15 T/L "

FE001676

ORDER STATUS

CUSTOMER ORDER NO	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED	DATE SHIPPED	CAR NUMBER
C-535847H	1-30-53	30550	2/3/53	B-B	2/3/53	2/2/53	Truck
"	"	30921	2/10	"	2/10	2/11/53	"
"	"	31719	2/17	"	2/17	2/16/53	"
"	"	30149	2/24	"	2/24	2/23/53	"
"	"	30774	2/27	"	2/27	2/27/53	"
" #3	3/6/53	30582	3/9	"	3/9	3/10/53	"
" "	"	29,318	3/16	" Spec. LW	3/16	3/17/53	"
" "	"	30567	3/23	" Spec LW	3/23	3/24/53	"
" "	"	30449	3/30	"	3/30	3/28/53	"
" #4	3/11/53	30595	4/6	B-B	4/6	4/4/53	"
" "	"	31,292	4/13	"	4/13	4-13-53	"
" "	"	30835	4/20	"	4/20	4-17-53	"
" "	"	30572	4/24	"	4/24	4-23-53	"
" "	"	30949	4/30	"	4/20	5-1-53	"
" #5	4/22/53	30912	5/5	"	5/5	5-5-53	"
" "	"	30991	5/12	"	5/12	5/12/53	"
" "	"	31008	5/19	"	5/19	5/18/53	"
" "	"	31030	5/26	"	5/26	5/26/53	"
" "	"	30981	5/28	"	5/20	5/29/53	"
~~#6~~	~~5/11/53~~	~~30~~	~~6/2~~	~~B-B~~	~~6/2~~	CANC	~~"~~
~~" "~~	~~"~~	~~30~~	~~6/9~~	~~"~~	~~6/9~~	~~"~~	~~"~~
" #4	"	30928	6/15	" P.O.	6/15	6/15/53	Truck
" "	"	30884	6/22	"	6/22	6/20/53	"
" "	"	30987	6/29	"	6/29	6/30/53	"
" #7	6/3/53	30697	7/2	"	7/2	7/1/53	"
" "	"	30791	7/9	"	7/9	7/8/53	"
" "	"	30326	7/16	"	7/16	7/16/53	"
" "	"	30340	7/23	"	7/23	7/24/53	"
" "	"	29636	7/30	"	7/30	7/29/53	"

CO. REPUBLIC STEEL

PLANT CANTON

SIZE —— REDI-MIX PALLETIZED B-B MIX Via Brewer Truck Lots

PLANT INVENTORY

1952 DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
9-5	E	153600	120M/mo	10-2	—/(10/12) Excl T/L 9/3 Will do 11/10
					use up 21 Pallets at Stripper "
9-18	H	92800	130M/mo	10-10	O. 10/8 10/16 10/23 10/30 "
10-10	D	105600	"	11-4	T/L 11/7, 14, 21, & 28 . "
10-30	G	86400	"	11-19	Excl T/L 10/29 Ship 12/5, 12, 19, 26
11-19	D	57600	130M/mo	12-2	Excl 11/6 & 11/12 "
11/8	H	67200	140M/mo	12-22	Excl 12/4. Ship 1/4-8-14-20-26
12/30	E	64000	"		Excl T/L of 12/24 Excl 11 Pallets in Stripper Bldg. "
					"
					"

CO. REPUBLIC STEEL

PLANT CANTON

SIZE ANY REDI-MIX VIA: BREUER TRUCK PALLETIZER

PLANT INVENTORY

1952 DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
2/13	G	20000 BB 25700 N.S.	270M/MO.	3/1	BB Mix 2/19 3/4-7-11-14-19-DO. MIX
					25-28 Incl T/L 2/13 "
3/3	G	T-41M BB 41M		3/10	Incl T/L 2/29 "
3/25	G	T-54M BB-100M	220M/M	4/15	Incl T/L 3/19 Cancel 3/28 "
					T/L's 4/4-8-14-18-22-28 "
4/14	E R T	108M	190M/MO.	4/30	"
5-7	H	106M	190M/MO.	5/24	Incl 4/23 T/L "
7-30	H	St 400	"	8/27	Rec 6 T/L's 9/3,8,15,19,24,29 "

ORDER STATUS

CUSTOMER ORDER NO.	1952 DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-525847-A	1/1/52	Requirement Order Yr. 1952					
" #3	2/14/52	31440	2/29/52	B-B "	2/29/52	3/1/52	TRUCK
" "	"	29970	3/4	"	3/4	3/5	"
" "	"	30755	3/7	"	3/7	3/7	"
" "	"	30730	3/11	"	3/11	3/12	"
" "	"	30700	3/14	"	3/14	3/15	"
" "	"	30600	3/19	"	3/19	3/19	"
" "	"	30735	3/25	"	3/25	3/25	"
" "	"	?	3/28		3/28	CANC	
" #4	3/28/52	30847	4/4	B-B	4/4	4/2	"
" "	"	30665	4/8	"	4/8	4/14	"
" "	"	31680	4/14	"	4/14	4/15	"
" "	"	?	4/18		4/15	CANCEL	
" "	"	32350	4/22	"	4/22	4/23	"
" "	"	31630	4/28	"	4/28	5/8	"
" #5	PH 5-7-52	31897	5/13	B-B	5/13	5/13	"
" "	"	31786	5/22	"	5/22	6/21	"
" "	"	32015	5/27	"	5/27	5/22	"
" "	"	31207	5/30	"	5/30	5/28	"
" #6		?	6/4	"	6/4		
" "		?	6/10	"	6/10		
" "		?	6/16	"	6/16		
" "		?	6/23	"	6/23		
" "		?	6/30	"	6/30		
" #7	8/1/52	30895	8/4	"	8/4	8/4	TRUCK
" "	"	31245	8/8	"	8/8	8/8	"
" "	"	31035	8/14	"	8/14	8/14	"
" "	"	31215	8/19	"	8/19	8/19	"
" "	"	31095	8/25	"	8/25	8/25	"
" "	"	31295	8/29	"	8/29	8/28	"

CANCEL'S

FE001678

CO. REPUBLIC STEEL

PLANT CANTON

SIZE ANY — REDI-MIX — VIA: BREWER TRUCK — PALLETIZED

PLANT INVENTORY

1952 DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER
10/4	H	141 M	4 V 0 M	10/20	Incl T/L 10/1 6T/L NOW - MRO
10/18	H	118 M	4 V 0 M	11/3	Incl T/L 10/15 "
11/7	G	147 M	4 V 0 M	11/19	Incl T/L 11/5 Cancel 11/15
					Rec Dec 7-14-21-28
11/19	G	191 M	4 V 0 / mo	12/4	Hang Rec at present "
12/9	G	193 M	"	11/14/52	Incl T/L 12/13 Rec "
	H	[illegible]	140M/JAN		ship 11-9-16-23-30 "
1/3/52	H	224 M	140M/JAN		Cancel 1/9, 1/16, 1/23 T/L Incl 2V7/MRO
1/24/52	H	163000	4 V 0 / mo	2/13	12a T/L to 6a BB/mos "
					BB mos 2/4 2/8 2/13 2/18 2/22 2/26
					"
					"
					"
					DO-MRO
					"
					"
					"
					DO-MRO
					"
					"
					"
					"
					"
					"
					"

Ship by MIS TAKE

PER RT To BE SHOWN ON S. NOTICE & INVOICE

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-515847-A #13	9/13/51	32535	10/1/51	N1 P	10/1/51	10/3/51	TRUCK
" "	"	32610	10/5	" "	10/5	10/4	"
" "	"	32570	10/10	" "	10/10	10/9	"
" "	"	32545	10/15	" "	10/15	10/15	"
" "	"	32755	10/19	" "	10/19	10/18	"
" "	"	32675	10/24	" "	10/24	10/23	"
" "	"	32685	10/29	" "	10/29	10/29	"
" #14	10/5/51	32565	11/5	N1 P	11/5	11/5	"
" "	"	32100	11/9	" "	11/9	11/8	"
					11/15	CANCEL	
" "	"	26488	11/20	" "	11/15	11/15	"
" "	"	33355	11/26	" "	11/26	11/26	"
" "	"	33115	11/31	" "	11/30	11/29	"
" #15	11/3/51	32845	12/7	" "	12/7	12/6	"
" "	"	32500	12/14	" "	12/14	12/13	"
					12/21	CANCEL	
					12/28	CANCEL	
C-525847-A	12/21/51	32300	1/2/52	"	1/2/52	1-2-52	"
					1/9	CANCEL	
					1/16		
					1/23		
		8272	1/23		1/23	TRUCK	
"		30865	1/30	15-K "	1/30	1/31	"
C-525847-A	1/31/52	Requirement Order Yr. 1952 for SN.J. Mill					
" #2	1/31/52	30685	2/4/52	8-B "	2/4/52	2/4/52	TRUCK
" "	"	31440	2/8	" "	2/8	2/8	"
" "	"	31585	2/13	" "	2/13	2/13	"
" 4	"	31460	2/18	" "	2/18	2/16	"
" "	"	31545	2/22	" "	2/22	2/21	"
" "	"	31765	2/26	" "	2/26	2/26	"

FE001679

CO. REPUBLIC STEEL

PLANT CANTON

SIZE ANY — REDI-MIX — VIA: BREUER TRUCKS — PALLETIZED

PLANT INVENTORY

1951 DATE AND BY	IN USE SAC	IN USE TONS	NEW SAC	NEW TONS	USAGE	OK TO	RECOMMENDED ORDER
Date, By		ON HAND	USAGE	OK TO			DO-97
4/30 D		10V	VV0	5/3	Incl. 4/30 T/t (7) T/t for June		"
6/4 E		64	V50	6/11	Incl T/t of 5/4		"
6/25 D/H		163	VV0	7/17	Incl T/t 6/21 4 T/t daily		"
7/21 E/H		121	V00	8/18	Incl T/t 7/18 Rec'd 8/3 8/9 8/15 8/20		"
V0 H		109	740	9/V	" " 9/6	8/27 8/31	"
9/10 H		89.6	VV0	9/V1	" " 9/6		T/t 10/1, 5, 10, 15, 19, 24, & 29
							DO-97
							"
							"
							"
							DO-MRO
							"
							"
							"
							"
							"
							DO-MRO
							"
							"
							"
							"
							"
							"

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-515847-A Rel #8	5/1/51	32,895	W/A	N.I	6/5/51	6/4/51	TRUCK
"	" P	32755	"	"	6/7	6/7	"
"	" P	32040	"	"	6/12	6/12	"
"	" P	31590	"	"	6/14	6/14	"
"	" P	32475	"	"	6/19	6/19	"
"	" P	32290	"	"	6/21	6/21	"
"	" P	31560	"	"	6/26	6/26	"
C-515847-A Rel #9	6/7/51 P	32695	7/5	"	7/5	7/5	"
"	" P	32820	7/17	"	7/12	7/10	"
" Rel #9	" P	32880	7/19	"	7/19	7/17	"
" #9	" P	32885	Wk of 7-16	"	7-18	7/18	"
C-515847-A #10	7/17/51 P	32510	Wk of 7-16	"	Wk of 7-16		"
C-515847-A #11	8/1/51 P	32	8/3	"	8/3	8-3	"
"	" P	32600	8/9	"	8/9	8/9	"
"	" P	32960	8/15	"	8/15	8/16	"
"	" P	32730	8/20	"	8/20	8/20	"
"	" P	31295	8/27	"	8/27	8/24	"
"	" P	32475	8/31	"	8/31	8/30	"
" #12	8/23/51	32645	9/3	" P	9/4	9/4	"
"	"	32700	9/6	" P	9/6	9/6	"
"	"	32395	9/10	" P	9/10	9/10	"
"	"	32730	9/14	" P	9/14	9/12	"
"	"	33060	9/18	" P	9/18	9/17	"
"	"	32450	9/24	" P	9/24	9/24	"
"	"	32440	9/27	" P	9/27	9/27	"

FE001680

CO. Republic Steel

PLANT Canton

SIZE Any — REDI-Mix → via Brewer Truck — (P) Tallmadge

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
3/1/51	D	69	710	3/21	Incl 3/8 7/6 DO-MRO
					DO-97
					DO-97
					DO-97
					" — FOR MAY
					"
					"
					"
					"

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-515847-A	1/1/51	~~32,000~~ (P)	Requirement Order Yr. 1951 - Activated N.I. Preliminary				
C-515847-A#1	2/5/51	3x,225P	3/6	NI	3/6	3/6/51	TRUCK
" "	"	3x,335P	3/7	NI	3/7	3/7	"
" "	"	3x,400P	3/8	NI	3/8	3/8	"
" "	"	3x,505P	3/12	NI	3/12	3/12	"
" "	"	3x,215P	3/15	NI	3/15	3/15	"
" "	"	3x,520P	3/20	NI	3/20	3/20	"
" "	"	3x,575P	3/27	NI	3/27	3/26	"
" #4	PH 2/23	3x,220P	2/23	NI	2/23	2/24/51	TRUCK
" #4	PH 2/23	3x,520P	2/26	NI	2/26	2/26	"
C-515847-A#5	PH 3/6/51	3x,420P	4/2	"	4/2	4/7	"
" "	"	3x,200P	4/15	"	4/15	4/15	"
" "	"	3x,490P	4/9	"	4/9	4/10	"
" "	"	3x,880P	4/12	"	4/12	4/11	"
" "	"	3x,885P	4/16	"	4/16	4/16	"
" "	"	3x,260P	4/19	"	4/19	4/19	"
" "	"	3x,790P	4/23	"	4/23	4/23	"
" #6	3/20/51	3x,625P	4/3	"	4/3	4/3	TRUCK
~~" #5~~	CH 3/20	3x— P	4/26	"	4/26	Cancelled	
C-515847-A#7	4/13/51	3x,660P	5/1	"	5/1	5/1	TRUCK
"	"	3x,345P	5/3	"	5/3	5/3	"
"	"	3x,680P	5/8	"	5/8	5/8	"
"	"	3x,920P	5/10	"	5/10	5/10	"
"	"	3x,820P	5/15	"	5/15	5/14	"
"	"	3x,870P	5/17	"	5/17	5/16	"
"	"	3x,925P	5/22	"	5/22	5/20	"
"	"	3x,265P	5/24	"	5/24	5/21	"

FE001681

CO. REPUBLIC STEEL

PLANT CANTON

SIZE ANY — REDI-MIX — (P)-Partial

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
10/4	D	39	150	10/8	
10/6	D	54	159	10/27	Incl 10/13 T/c
10/31	D	45	150	11/9	Incl 10/26 T/c
11/5	D	64	159		Incl 11/13 T/c
11/5	D	67	150		Incl 11/20 T/c
11/8	D	76	175		Not Incl 11/27 T/c
11/4	D	73	150	11/6	
11/5	D	71	150	11/9	
11/9	D	86	150	11/5	Canc. 11/5 T/c. Cancel 11/5 T/c. Rec. 7 T/c Mon 3/40

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-505847-A	Requirement (Stat -					1950	
" Rel #8	9/1/50	32495	9/12/50	(P) NI	9/12	9-12-50	TRUCK
" "	"	32390	9/20	(P) NI	9/20	9-20	"
" "	"	32370	9/28	(P) NI	9/28	9-28	"
" " 9	9/26/50	3x875	10/6	(P) NI	10/6	10-6	"
" " "	"	3x155	10/13	(P) NI	10/13	10-14	"
" " "	"	3x495	10/20	(P) NI	10/20	10-20	"
" " "	"	3x290	10/27	(P) NI	10/27	10-26	"
" #10	10/3/50	3x,400	11/4	(P) NI	10/4	10/3	TRUCK
" "	"	3x,245	11/	(P) NI	11/	11-2	"
" "	"	3x,455	11/6	(P) NI	11/6	11-6	"
" "	"	3x,730	11/13	(P) NI	11/3	11-13	"
" #11	11/7/50	3x,920	11/20	(P) NI	11/20	11-21	"
" "	"	3x,600	11/27	(P) NI	11/27	12-1	"
" "	"	3x,580	12/4	(P) NI	12/4	Dec. 5	"
" "	"	3x,415	12/18	(P) NI	12/18	12-18	"
" "	"	3x,750	12/22	(P) NI	12/22	12-22	"
" #12	11/22/50	32,455	12/1	(P) NI	12/1	12-1	TRUCK
" #13	12/7/50	3x	12/29	(P) NI	12/29	Canc. Ord.	
C-515847-A-1	12/1/50	32545	1/4/51	(P) NI	1/4/51	1-2-51	TRUCK
" "	"	3x275	1/10/51	(P) NI	1/10/51	1-10-51	"
" "	"	3x495	1/16/51	(P) NI	1/16/51	1-17-51	"
C-505847-A-1	12/19/50	32515	12/26	(P) NI	12/26	12-28-50	TRUCK
C-515847-A-2	12/19/50	3x545	1/19/51	(P) NI	1/19/51	1-18-51	"
"	"	3x295	1/22/51	(P) NI	1/22/51	1-23	"
"	"	3x380	1/26/51	(P) NI	1/26/51	1-25	"
"	"	3x715	1/31/51	(P) NI	1/31/51	1-31	"
"	"	3x310	2/5/51	(P) NI	2/5/51	2-5	"
"	"	3x380	2/10/51	(P) NI	2/9/51	2-12	"

FE001682

CO. Republic Steel

PLANT Canton

SIZE Any

REDI-Mix

(P) - Portland Cement -

PLANT INVENTORY

DATE 1949	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
12-27	D	74	114	1-18	T/L 1/9 & 1/16
1-3-50	D	77	170		T/L 1/xx
1-13	D	70	120	1-30	T/L 2/1 - 9 - 17 & 25
1-26	C	64	110	2-14	
2-6	D	90	100	3-5	
2-15	D	69	80	3-1x	
3-7	D	107	95		Defer 3/9 - 3/17 - 3/23 & 4/30 to 5/xx - 30 - 6/xx - 10
3-21	D/E	61	95	4-19	T/L 5/9 - 19 - Bo
4-17	D	53	130m	4/29	chgs 5/9 - 5/30 & 5/x - 6/xx
5-8	D	39	130m		
5-29	D	60	110 M	6-13	Defer 6/xx ? to 7/6
6-13	C	4x	110m	6/26	T/L 7/6 - 13 - 20 - x7
7/10	D	32	110	7/18	Order T/L 7/4, 7/11, 7/18 & 7/25
7/25	D/E	70	100	8/11	7/19 T/L xxxx
8/11/50	D	70	170	8/29	Defer 8/xx shipt to 9/4/50

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-95881-A	12/27/49	Pattern 32,085	1/28	N.I.	12/29/49	12-29-49	TRUCK
C-06169-A	1/9/50	32,605	1/9/50	(P) N.I	1/10/50	1-10-50	"
"	"	32,630	1/16/50	(P) N.I	1/16/50	1-16-50	"
"	"	32,310	1/24/50	(P) N.I	1/24/50	1-24	"
C-505847-A	1/16/50	Requirement Order Yr.			1950		
" Rel #1	1/19/50	32,440	2/1/50	(P) N.I	2/1/50	2-2	"
" "	"	32305	2/17/50	(P) N.I	2/17/50	2-16	"
" "	"	32190	2/xx/50	(P) N.I	2/xx/50	2-23	"
" "	"	32,205	3/x/50	(P) N.I	3/x/50	3-2	"
" Rel #2	3/28/50	31995	3/20/50	(P) N.I.	3/20/50	3-20	"
" "	"	32055	3/30/50	(P) N.I	3/30/50	3-31	"
" "	"	32180	4/10/50	(P) N.I	4/10/50	4-10	"
" "	"	32435	4/19/50	(P) N.I	4/19/50	4-19	"
" Rel #3	3/10/50	32,110	4/27/50	(P) N.I.	4/27/50	4-27	"
" Rel #4	4/4/50	32,245	5/9/50	(P) N.I	5/9/50	5-10	"
" "	"	32760	5/17/50	(P) N.I	5/17/50	5-17	"
" "	"	32,255	5/xx/50	(P) N.I	5/xx/50	5-24	"
" Rel #5	5/9/50	32,380	6/7	(P) N.I	6/7	6-7	"
" "	"	32490	6/14	(P) N.I	6/14	6-13	"
" "	"	32570	6/x1	(P) N.I	6/x1	6-21	"
" "	"	31955	6/x8	(P) N.I	6/x8	6-28	"
" "	"	31925	7/6	(P) N.I	7/6	7-8	"
" #6	6-14	32105	7-13	P N.I	7-13	7/12	"
" "	"	32040	7-20	P N.I	7-20	7-19	"
" "	"	32,315	7-27	P N.I	7-27	7-26	"
" #7	7/18/50	32,190	8-4	P N.I	8-4	8-3	"
" "	"	32,240	8-12	P N.I	8-11	8-10	"
" "	"	30,355	8-20	P N.I	8-21	8-21	"
" "	"	32,450	9/4	P N.I	9/4	9-5	"
C-01325-A	7/19/50	200-SK-1100	7/24/50		7/21/50	7-21	P.P.
C009996	7/6/46	200 SK x300			7/26/50	7-7-50	P.P.

FE001683

CO. Kenosha Steel

PLANT Canton

SIZE Any

Lidiney

PLANT INVENTORY

DATE 1948	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
10-12	C	28	6	10-25	
10-26	S	84	90	11-18	C/L SAP
11-2	W	52	90	11-20	Hot Rue CYO-F2213. Order C/L
11-10	C	90	90	12-10	Due CYO-F2213
11-22	C	57	90	12-11	
12/1/48	W	150, 240 last	80,000#/mo	1/28/49	Due SAL-15817 March 1/9/49
12-22	C	88	90	1-21	
1-3-49	E	34	90	1-14	C/L Black 1/20. 4 in future
1-13	C	98	90	2-15	Due IRR-68803. C/L 2/1
2-1	N	104	90	3-1	Due SLSF-128158. C/L 2/11
2-15	N	69	90	2-10	C/L Black Jan 3/15
2-22	E	110	130	3-16	C/L Newlink on 3/1
3-2	C	91			
3-16	E	51	91	3-31	Hot Rue MCW-2185?
3-29	C	80	90	4-21	Due MCW-2185?, Will take from Mar
4-14	W	29	103	4-23	C/L SAP, ARR 4/? 5/2
5-2	S	60	100	5-22	C/L 6/1
5-17	N	116	100	6-21	
6-1	C	98	80	7-7	
6-21	C	160	40	10-21	Due UP-19014. Hold up C/L 7/1
7-14	C	115	50	9-21	
7-21	C	98	60	9-8	Will take load to lay pallets for Tank shipment
8-2	E	52	100	8/17	C/L Held Up Released to ship from Pitts.
"	E	2 C/L ordered by			plate when released
8-11	E	20	120	8/16	
8-23	E	81	150	9-8	T/L 9/8 & 9/15
9-7	E	95	120	9-30	T/L 9/21 & 9/29
9-21	G	74	130	10-6	T/L 10/6, 10/14, 10/22 & 10/30 Cars
10-17	G	115	140	12-11	T/L 12/5 - 12-19-23 "
11-22	E	72	140	12-11	4 motor trucks ship 64000# each 12/1
11-30	D	43	140	12-9	
12-14	D	18	140	12-23	T/L 12/28, 1/3, 1/9 & 1/12

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C7453 WB	9/3	81400	30P	1 " 1	10/15/48	10-15-48	PRR-540275
C-7917 WB	10/28/48 10/26/48	81461#	10/29/48	N	10/29/48	10-29-48	C40-82213
C-8574-WB	11/8/48	81359	11/1/48	"	11/4/48	11-23-48	SAL-15817
C 9215 WB	12/8/48	80725	1-9	Leg	1/3	1-3-49	PRR-68803
C 90278-A	1/10/49	81919	1/20	Leg	1/8	1-18-49	SLSF-128158
C-91055-A	1/10/49 2-10-49 Phone 2/10	80054	2/1	REQ	2/14	2-14-49	Mec-4711
C-9174-A	3/1/49	80698	ASAP	N I	3/10	3-11-49	Milw-21852
C-92849-A	4/13/49	80245	arrive 4/25	N I	4/15	4-16-49	NC&STL-20581
C-93016-A	4/21/49	81491	5/4	N I	5/4	5-3-49	PRR-572607
"	"	32310	5/11	N I	5/11	5-11	TRUCK
C-93044-A	5/6/49	82659	5/15/49	N I	6-10-49	6-9-49	UP-19014
C-93016-A	5/3/49	32490	5-18	N I	5/18	5-18	TRUCK
"	"	32230	5-19	N I	5/19	5/19	TRUCK
C-93949-A	5-4	32465	5-23	N I	5/23	5/23	TRUCK
"	"	32400	5-24	N I	5/24	5/24	"
C-94369-A	9-1	32690	9/21	N I (P)	9/21	9-21	"
"	"	32435	9/29	N I (P)	9/29	9-28	"
C-94782-A	9/29	32635	12/5	N I (P)	12/5	12-6	"
"	"	32510	12/10	N I (P)	12/9	12-8	"
"	"	32570	12/16	N I (P)	12/16	12-15	"
"	"	32530	12/20	N I (P)	12/20	12-20	"
C-80122-WB	11/2/48		12/20-?	300 - SK-2200 100 SK-2200	11/5/49	11-4-48	PP
						11-11-48	Vcc

FE001684

FORM F-28 11-46

CO. REP.
PLANT CANTON
SIZE REDI MIX

REDI. MIX

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
3-4-47	S/N	60000	60M/Mo	4-4	
3-18	N/W	43000	80M/Mo	@80M 4-4	Ordered 4/15
4-1	N/W	80 000	80M/Mo	@80M 5/dM 4-1	Inc. NKP-15183
5-13	E	50000		4-1	Ordered 6/10
6-10	C	57600	80M/Mo	@80M 6-29	Not Inc. NP-40661
7-3	C	83000	"	8-5	Ordered C/L for 7/10/47
7-25	C	94000	"	@80M 9-1-47	Inc. PRR-56033
8-6	W/E	110 000	"	9-15	Ordered C/L for 9/1
8-21	C	74	70	9-21	
9-10	W/W	130	80	10-29	Inc. SOO-404-44
9-30	W	96	80	11-1	
10-15-47	S/W	45000	AVG 100M/mo	10/29/47	Not including C-6410TB ordered 10/6 Inc 11/15/47
10-27	E/W	90	85	11-30	Inc SOO-12096. C/L for 11/10
11-17	S/W	70	"	12-6	
11-26	S/W	123	"	1-11	
12-16	E	70	"	1-10	
12-30	N	110	"	2-10	
1-13-48	S	90	80	2-15	C/L 2/1
2-13	W	110	80	3-25	Inc PRR-62003. C/L 3/10
3-24	W	142	80	6-24	Inc PRR-10302
4-8	W	167	65	6-24	
4-21	E	131	65	6-21	
5-10	W/E	115	65	7-3	C/L 6/1
6-1	N/E	116	65	7-23	Inc PRR-61677
6-15	N/W	140	65	8-18	
7-7	N	48	65	7-31	C/L 7/15
7-20	W	27	65	8-1	
8-9	S	54	65	9-5	C/L Arrive 8/25
8-30	C	170	65	11-19	Inc PRR-55047
9-22	C	78	65	10-28	C/L 10/15

NOZZLES

FE001685

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-1596-TB	3/7/47	80,000	arr 8/25		3/19/47	3-20-47	NKP-15168
C-2239-TB	3/31/47	80,000	arr 5/25		4/17/47	4-17-47	G-F-8058
C-3072-TB	5/2/47	80,000	arr 5/25		5/16/47	5-16-47	NYC-102872
C-3619-TB	5/23/47	80000	arrive 6-10-47		6-5-47	6-4-47	NP-40661
C-4674-TB	7/1/47	80000	7/10		7/17	7-18-47	PRR-56033
C-5465-T-B	8-18-47	80,000	arrive 9-1		8-28	8-27-47	SOO-404-44
C-6410-T-B	10-6-47	80,000	arrive 10-10-47		10-9-47	10-16-47	SOU-12096
C-6933-TB	10-29-47	80000	arrive 11-20-47		11-13-47	11-10-47	PRR-38706
check with PRW to see when aluminum will be ordered							
C-7179-T-B	11-6-47	90000	12/15		12/15/47	12-19-47	ROG-14207
C-418-W-B	1-22-48	80000	arrive 2-1-48		1/27/48	1-28-48	PRR-120023
C-930-WB	2/11/48	80.000	2/23		2/24	3-1-48	CG-55222
C-1183-COD	2/19/48	80.000	3/1.0		3/1	3-12-48	PRR-103025
C-3689-WB	4/30/48	80,000	6/1		5/21	5-24-48	PRR-61672
C-5293-WB	7/15/48	80018	7/28		7/21	7-22-48	PRR-120038
C-5998-WB	8-17	81210	8-20		8-20	8/20/48	PRR-55042
C-618-TB	1-30-47	10-6" PG" 110	PROMPT		Ordered	2-7-47	Pdy. Acc

CO. REPUBLIC

PLANT CANTON — REDI MIX

SIZE — HIGH TEMP CEMENT

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER	MATERIAL
5-7-46	N	53M	60M/Mo.	5-25	Will order C/L before 5/10	REDI MIX
5-15	N	36M	60M/Mo	6-1		"
6-20	N	87M	80M/Mo	7-21 @80M		"
8-13	N	97M	90M/Mo	9-18 @80M	Order C/L for 9/5	"
9-4	N/C	157M	"	@80M 2 Mo.		"
9-24	W/N	175M	"	@90M 2½ Mo.		
10-9	W/L	140M	80M/Mo	@80M 1 Mo.	Est.	
11-6	E	APR 90M	"	12-10 @80M	Will order multi-trip.	
1-7-47	N	60M	40M Mo	2-26 @40M	Will order C/L 2/1/47	
1-14-47	N	50M	"	2-19 @40M		
1-28-47	N	40M	"	2-28	Est.	
2-10-47	N	110M	"	3 Mo.		
5/3/46	N	3YM	7/9 Mo.	11/1 Mo.		HI TEMP CEMENT
5/15	N	30M	"	4 Mo.		
6/20	N	21.4M	"	9-20		
8/13	N	5.7M	"	9-4	15M with 25# Brickon 9/1	
9/4	N/C	1800#	"	9-11	C/L with 15M in PLANT NOT INC.	
9-24	W/N	14400	"	11-24		
10-9	N/L	9000	"	11-18	Reg. 8M#	
11-6	E	1700	8M/Mo	11-17	Order 10M in 15C/L & 10M in	
1-7-47	N	20800	7M/Mo	4-1	Letter C/L 2nd 1/2 # Order 10M # for 4/5	
1-14-47	N	19200	"	4-1		
2-10	N	11000	"	3-27		

FE001686

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-VV10-RB	5/24/46	80,000	ASAP		5-17-46	5-17-46	N&W-46825
C-2040-RB	6-24-46	80,000	7-10		7-10-46	7-10-46	GMO-58516
C-3774-RB	8-5-46	80,000	8-20		8-19-46	8-19-46	PRR-596636
C-4878-RB	8/28/46	80,000	9/5/46		9/4/46	9-3-46	NYC-288787
C 261 TB	11/3	80,000	3/1/47		1/30/47	1-31-47	LVN-95401
C-4278 RB	8/28	(100-100#) 15,000	ASAP	P-9176A	9/2	8-30-46	NP-26970
C-5209 RB	10/1	(80-100) 8000	10/25	P-9252A	10/28	11-6-46	W&E-25964
"	"	(80-100) 8000	11/25	P-9333A	11/24	12-20-46	SP-33770
"	"	(80-100) 8000	11/28	P-9397A	12-2	12-18-46	CASO-138389
C-6273 RB	11/8	(100-100#) 10,000	11/25	P-9333A	11/26	12-20-46	SP-33770
C 225 TB	1/3	50,700#	4/1	P-9716A	3/10	3-19-47	PRR-35356
C-818-TB	Phone 1-31-47 2-3-47	37-200#	ASAP	P-9771A CANTON	2-27-47	2-27-47	TRUCK

FORM F-28

CO. LaSalle

PLANT CANTON

SIZE —

X-O TO Covering

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					Covering -2 →
					Covering -5 →

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-41307-R	1/9/64	640#	3-10	IN 10" DAYS	3-10	3/10/64	TRK
C-41307-R	1/9/64	640#	3-10	IN 10" DAYS	3-10	3/10/64	TRK

FE001687

FORM F-28

CO. Republic Steel Corp.

PLANT Canton

SIZE ANY X-O #2 Lightweight Hot Top Castable (Class 2800) in 100# Bags.

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
					JDK 5/17/63 C-37561-R
					N/C Low-K Patch ✓
					N/C X-O #2 →
					Do not show on any papers → N/C Low-K Patch
					N/C - EXPERMNTL
					Rec'd 9/20/63 ON LOAN ONLY

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
~~C-37561-R~~ TWL	5-10-63 5-21-63	10000#	5-15		5-15	5/15/63	TRK
C-37561-R, REV. 1 ✓	6/4/63	22000#	W/A				
" R.1 JDK	6-6-63	7500#	6-7		6-7	6-7-63	TRK
" "	"	7500#				6-7-63	"
~~C-37754-R~~	5/29/63	~~3000#~~	AS REQ.	CANCELLED			
SK-4146 SK-4147-1	Jarrett Clamping Board — 1 Spacer — 1						5/3/65 TRK
TWL	4-6-63	140#	4-7	2 BOXES	4-7	4-7-65	TRK
	1-21-65	300# (10# BAGS)			1-25-65		
JDK	5-11-65	280#	5/12	4 BOXES	5/12		
		1000 - SK-3430 1000 - SK-3430	N/C			11/9/64	Joe Kiss
TWL ✓	7-28-64	210# PATCHING COMPOUND				7/28/64	
C-41531-R		1 MANDREL 1 VIBRATOR PIPE EXTENSION			7-28-64	7/28/64	TRK
C-37561-R REV. 2	6/3/63	3 - Aluminum Mandrels 6 - Sheet Metal Caps.				6/5/63	TRK
C-37561-R JDK	5-10-63 5-17-63	4 - VIBRATOR 1 - MANDREL			5-15	5/15/63 5/14/63	TRK

FE001688

CO. REP.

PLANT CANTON

SIZE NARCOSET

NARCOSET

PLANT INVENTORY

DATE	BY.	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
3-4-47	S/N	2800			
3-18	N/W	1700	10M/Mo	@10M 3-28	Order 10M#-T L four 1/4 & HOM# with 1/4 C 1/4 x 2 1/2 x 3 x Buckeye 6/1
4-1	N/W	15800	10M/Mo	@10M 5-18	Inc. PRR-35356
5-13	E	15700		@10M 6-28	Four Title shipments in 75# containers.
6-10	C	7950		OK	Not Inc.-P 9989-A.
7-3	C	40,000#		Indef.	Placed from NAR.
7-29	C	37000	—	"	
8-16	W	38000	6000/Mo	6 Mo.	Inc. NYC-135198
8-27	G	33200	5000	6 1/2 Mos.	
9-10	N/W	29600	5000	2 W	
10-22	E W	16200	5000	12-3	
11-12	S W	11300		1-23	
11-26	S W	4424	5000	12-20	
12-16	E	10400	"	2-1	
12-30	N	9000	"	2-20	
1-13-48	S	6000		2-19	
2-12	W	16874	"	5-24	
5-10	W G	Ample			
8-9	S	35800	5000	1949	
8-30	C	21200			
9-22	C	31200			
10-12	C	19400			
11-2	W	26400	Ample		
11-10	C	19600			
11-22	C	17500			
12-22	C	15000			
1-13-49	C	3000			
2-1	N	66000	8000	∝	
5-17	N	15600			
7-21	C	13200		∝	

FE001689

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-1559-T-B	3-4-47	37-700#	3/10/47	P-9908 A	3/10/47	3-19-47	PRR-35356
C-2238-T-B	3-31-47	200-700#	6/1/47	P-9989 A	6/28/47	6-19-47	NP-22941
C-3620-T-B	6-27/47	50-200#	8-1-47	10181 A	7/25/47	7-30-47	NYC-135198

CO. REP. MISC.

PLANT CANTON REDI-MIX

SIZE ANY NARCOSET

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER	MATERIAL
6-12	N	106900	86M/Mo.	7-10	Order C/L for 9/3 + 8/6	Redi Mix
2-13	N	120,000	86M/Mo	8/25	Rel'd NYC 277636	"
8-7	N	88,500	"	9/7		"
8/31	N	65000	20.00#/Mo	10/2		"
9/13	N	68600	85000/Mo	10/8	Release c/c 8/20 for 9/22	
10/31	G	92800	80M/M	12-5	Inc.-CNJ-17270 Order C/L for	
/	/	/	/	/	Shipment 11/20	
11/24	N	42000	80M/Mo	12-6	Does not incl c/c 11/20	
1/3/46	N	60000	60000/Mo.	2/1/46	Order c/c for 1/16/46	
1/17/46	N	48000	60000/Mo.	2/10/46		
3/13/46	G	20000			Release c/c for 3/25/46	
3/19/46	C	40,000			Will release C/L Quantity Directly	
4/5/46	N	18M	70M/Mo		C/L shipt 4/1 in Plant not Inc.	
5-14-46	N	46300	10M/Mo.	9-26-45		NARCOSET
6-13	N	37000	"	9/15		
7-13	N	27000	"	10/1/45		
8/7	N	22,700	"	10/13		
8/31	N	20,000	7000/Mo	11/23		
9/13	N	15,600	5000/Mo	11/10		
10/31	G	64000#	75000/Mo	11-24	Order C/L for 10/30 - 50000# - 200#	
/	/	/	/	/	dn.	
11/21	N	62000	70M/Mo	—		
1/2/46	N	48000	70M/Mo	—		
4/5	N	35M	70M/Mo	5 Mo.		

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CA-5898-K	6-21-45	80,000	1-3-45		6-28	6-27-45	NYC-277636
"	"	80000	9-22		9-23	9-21-45	CNJ-17270
CA-37604-MB	11-9	80000	11-20		11-20	11-21-45	Erie-93838
CA-44789-MB	12-6-45	80,000	ASAP		4-1-46	4-1-46	RDG-11537
Rec'd C.C. 9/05 CA-35152-MB	From M/U/C 11-1-45	45-200#	ASAP	P-8643 C	11-6	11-5-45	Erie K.
"	"	250-200#	ASAP	P-8643 C	11-10	11-10-45	NYC-119673

FE001690

CO. REP. ✓ MISC. ✓

PLANT CANTON ✓ REDI-MIX ✓

SIZE ANY ✓ NARCOSET ✓

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER	MATERIAL
4-12-43	N	192000#	80000#	6-1 ✓	order C/L for 6/1	REDI-MIX
4/19/43	N	232000	"	"	None	"
4-17	N	210000	"	9-10		"
7-27	N	170000	"	10-1		"
10-7	N	242400	"	10-17		"
10-26	N	256000	80000	11-15		"
11-15	N	336000	80000	12-1	Hold Rec. CNW-6578	"
11-29	N	320000	120000	1-7	Rec. SAL-28330	"
12-28	N	320000	120000	1-7	Hold Rec. SLSF-146165	"
12-24	N	200000	120000	2-1	Hold Rec. IC-341112	"
1-18-44	N	320000	120000	3-1 ✓		"
2-9	N	200000	120000	3-18		"
2-21	N	184000	120000	4-15	C/L for 4/1 to 4/20	"
2-23	N	184000	"	✓-✓		"
2-14	N	188000	120000	✓-29		"
2-22	N	116000	120000	6-2		"
2-23	N	120000	120000	6-23		"
						"
						"
4-12-43	N	700#	5000#		order 15000# to dry with rec	NARCOSET
4/6/43	N	6000	"	6-1	24" hold rec ✓ 11	✓
7-27	N	23400	5000	12-1		" ✓
10-7	N	17000	"	1-7		
10-25	N	3000	5000	11-15		"
12-7	N	5000	5000	1-7	10000# for 2/15	"
12-20	N	210 NOT COUNT				"
1-4-44	N	2000	8000	1-11	10000# for 2/15	"
1-15-44	N	4200	8000		10000 for 3/1	"
2-9	N	1000	8000	2-15		"
3-1	N	6100	5000	3-18	15000 for 3/15 to 4/10	"
3-22	N	8500	"	4-2		"

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CA-34297-E	12/17/42	80000#	1/15/43		1-15	1-16	—
"	"	80000	3-1		3-1	3-1	—
"	"	80000	4-1		4-1	4-2	NP-21519
CA-34027-F	4-8-43	80000	5-1		5-1	5-8	NYC-STL-15934
CA-38898-F	4-27-43	80000#	6-1		6-1	Shipped	
CA-16643-H	5-17-43	80000#	8-30		8-30	8-31	NYC-93444
CA-28597-H	10-6	20,000#	Rush		10-6	10-6	Truck
"	10-6	65000#	Rush		10-7	10-9	Shipped 10/65
CA-36852-H	10-19	80000	11/15		10-21	10-27	ERIE-76353
"	"	80000	11/15		11-15	11-16	CNW-65618
CA-42639-H	11-4-43	80000	arrive 12-1		11-27	11-27	SAL-28330
CA-51003-G	12-1-43	80000	arrive 12-15-43		12-11	12-13	SLSF-146165
"	"	80000	arrive 1-5-44		12-31	12-31	IC-341112
CA-59124-H	12-31-43	80000	arrive 1-15-44		1-10	1-11	NYC-121806
"	"	80000	arrive 2-15-44		2-10	2-10	DT&I-17399
CA-10041-H	1-27-44	80000	arrive 3-5		2-29	3-1	ATSF-145579
CA-24543-H	3-11-44	80000	arrive 4-1		3-27	3-27	C&O-85319
"	"	80000	arrive 4-20		4-18	4-18	GN-46517
CA-26786-F	3/19/43	95-200#	7-1	5911-A	6-24	7-3	RI-139214
CA-34028-F	4/8/43	50-200# 100-200#	4-15	5743-A	4-10 ✓	4-12	M&StL-72876
CA-39897-F	4/27	150-200#	5-1	5845-A	5-10	5-12	CC&O-8093
CA-16639-H	8-17-43	100-100#	11/15	6310 A	11/15	11-12	NKP-85036
CA-38965-H	10-5 11/1	20-100#	11/1	6613 Cleve	11/1	11-2	Truck
CA-51001-G	12-1-43	50-200	arrive 1-5-44	6535 A MEMO CHG	1-31	1-4-44	KCS-17425
CA-6701-H	1/14/44	50-200# 100-200#	arrive 2-5	6545 A MEMO CHG	2-10	2-9	PRR-103535
CA-10043-H	1-27-44	50-200	arrive 3-1	6735 A	2-25	2-25	DL&W-46872
CA-21369-H	3-1-44	50-200	arrive 3-15	6697 HA	3-10	3-11	CNJ-21786
CA-24641-H	3-11-44	50-200 6-100	4-10-44	6733 A MEMO CHG	3-26	3-25	CNW-145332
CA-43010-H	5-8-44	50-200#	6-1	7007 A	6-1	6-1	ATSF-129424
CA-43030-H	"	100-100#	7-1	7008 A	7-8	7-7	IC-341769

FE001691

CO. REP. MISC.

PLANT CANTON REDI-MIX

SIZE ANY NARCOSET

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O.K. TO	RECOMMENDED ORDER	MATERIAL
6-23-44	N	137000	120000	8-1		REDI-MIX
7-7	N					"
8-22	N	140000	100000	10-1	INC. SLSF-16-6-53	"
9-7	N	95000	120000	10-5	NOT TO ORDER	"
9-20	N	70000	120000	10-8	C/L for 10/1	"
10-1	N	140700	120000	11-17		"
10-27	N	44400	120000	11-14	Order C/L for 11/10 & 11/10	"
11-21	N	70000	120000	12-8	NOT INC. NH-66407	"
12-6	N	80000	120000	1-2-45	NOT INC. NP-13702	"
12-28	N	130M	120M	2-1-45	order C/L for 1/15	"
1-15-45	N	70M		2-Y-45	C/L for 2/15	"
2-6-45	N	106900	100M/Mo	3-6-45	INC-IGN-6530	
2-28	N	67000	86M/Mo.	3-19-45	NOTING ON 2-27 19M USAGE 86M-Mo. ORDER C/L 3/15	
3-21	N	219000	86M/Mo	6-5-45	INC-SAL 18427	
A-11	N	189000	86M/Mo	6-15	order on 5/15	
5-11	N	103000	86M/Mo	6-16		
4-14-44	N	19900	8000	6-29		NARCOSET
5-13	N	9900	8000	7-1		"
6-23	N	41000	8000	8-1		"
7-12	N	25000	8000	9-10	INC. 5000# of Truck Lbs.	"
9-7	N	25000		9-30		"
9-20	N	10000	10000	10-20	10000# for 11/1	"
10-19	N	93200	15000	11-1		"
11-2	N	33750	15000	11-9		"
11-28	N				NO COUNT-AMALE	"
12-12	N	12000	12000	1-12		"
12-28	N	25550	12000		order 8000-1-15 with 75 x 75 order 8000-2-15 with 70 x 73	
2-6-45	N	10000		2-1-45		
2-23	N	14000	10M/Mo	6-10000 M-7-45	1944 USAGE 10060 Mo. DOES NOT INC. 2-19 SHOT	
3-21	N	9000		5-1-Y		SEE MIXER + SPRAY
4-10	N	4580		4-26	LOAN MIXER AND SPRAY MACHINE	

FE001692

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
CA-4714-58-H	5/22/44	80,000	5-26		5-23	5-24-44	NYC-136637
"	"	80,000	10-15		6-17	6-7	PRR-102229
CA-13563-J	8-16-44	90000	8-18		8-18	8-18	SLSF-16-653
CA-25879-J	9/19/44	80000	10/1		10/1	10-2	PM-93218
CA-30561-J	10-17-44	80000	11-1		11-1	11-2	PRR-104132
CA-37286-J	11-11-44	80000	11-20		11-17	11-16	NH-66407
"	"	80000	12-10		12-6-44	12-6-44	NP-13702
CA-4505-K	1-9-45	80000	1-15-45		1-16-45	1-18-45	IGN-6530
CA-9571-K	1-23-45	80000	2-15		2-12	2-14-45	GN-24372
CA-22975-K	3-5-45	80000	3-15		3-14	3-14-45	SAL-18427
CA-40201-K	4-25-45	80000	5-15		5-14	5-14-45	ATSF-126560
CA-5759-J	7/21/44	40-700#	RUSH	7240 A	9-17	10-5-44	IC-199148
CA-9670-J	8/21/44 8-22-44	150-700#	Truck	7318 CLEVELAND	8-22	8-21-44	TRUCK
CA-17716-J	9/10/44	50-700#	9-15	7153 A	9-13	9-15	MP-120280
"	"	35-150#	10-10	7265 A	10-23	10-25	L&N-102361
CA-25831-J	9-29-44	100-150#	11-1	7277 A	11-7	11-9	CRGWSTL-41366
CA-17710-J	8/30/44	35-150#		7265 A	11-7	11-9	CRGWSTL-41366
CA-37287-J	11-13-44	100-700#		7266 A	12-13	12-15-44	SAL-46701
CA-4506-K	1-9-45	40-700#	2-1-45	7556 A	2-3-45	2-2-45	S&WC-9098
"	"	40-700#	2-15	7557 A	2-19	2-19-45	SOU-226081
CA37309K	4-14-45	400-700#	4-21	7816 A	4-28	4-30-45	CG-56795
CA-6918-J	10-7-44	40 gallons	11-26	P-7593 DR	IN 2744	11-27-44	TRUCK
		Demonstration	MIXER	RETURNED	2/24/45		

FORM F-28

CO. Republic Steel Corp.

PLANT Canton

SIZE Conc. Redi Mix PALLETIZED B-B MIX

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

FORM F-28

co. Republic Steel Corp

PLANT Canton

SIZE Any

Universal Bushings SK-2200

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
			Gtl. Mfg. Tow	Mc Nally	EBR- 6/25/64 ✓
			ATTN: John	Puska	INC. IN 12-7-64 RELEASE-1120 ✓
					C-10120-51 ✓
					One Box SK-2200 Ordered.

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-64586B-R	1/1/64	Requirement	Order		Year	1964	
" Rel "21	6-25-64 6-25-64	500	6/25		6/25	6/25/64	TRK
" R.25 JDK	8-5-64 8-6-64	500	ASAP		8-5	8-6-64	"
" R.27 JDK	9-11-64 9-21-64	500	ASAP		9-17	9-18-64	"
" R.31 JDK	10-30-64 11-4-64	500	11-2		11-2	11-2-64	"
" R.35 JDK	12-4-64 12-10-64	500	ARR 12-7		12-7	12/7/64	"
" R.1 "	12-31-64 12-31-64	500	ARR 1-8		1-8	1-8-65	"
C-10120-51	1/1/65	S/O	1965				
" R.4. JDK	1-14-65 1-15-65	500	ARR 1-16		1-15	1-16-65	TRK
" R.9	2/17/65	500	ASAP		2-22	2/23/65	"
" R.17 JDK	4-7-65 4-7-65	500	ASAP		4-8	4-9-65	"
" R.29 JDK	6-17-65 6-18-65	500	ARR 6-21		6-21	6/21/65	"
C-10282-51	1/1/66	S/O	1966				
" R.55 TH	7-13-66	300	7-13		7-13	7-13-66	TRK
" R.88 "	11-16-66	600	11-17		11-17	11-17-66	"
" R.91 "	12-9-66	200	12-12		12-12	12/12/66	"
C-10478-82	1/1/67	S/O	1967				
" Rel 545 TH	2-8-67	300	2-9		2-9-67	2/9/67	TRK
" Rel 1019 TH	3/10/67	300	3-13		3-13	3-13-67	"
" R.2396 TH	6-9-67	600	6-12		6-12	6/12/67	"
" R.3570 "	8-29-67	500	8-29		8-29	8/29/67	"
" R.4252 "	10-9-67	500	10-10		10-10	10/10/67	"
" R.5055 "	12-4-67	500	12-6		12-6	12/6/67	"
C-10704-82	1/1/68	S/O for 1968					
" Rel 201 TH	1-10-68	2000	1-17	1 Box	1/17/68	1-17-68	"
" 1107 "	3-4-68	500	3-5		3-5	3-5-68	"
" R1246 "	3-13-68	1000	3-13		3-13	3-13-68	"
" R.1976 "	3-21-68	2000	3-22		3-22	3-22-68	"
" R1769 "	4-4-68	4000	4-5		4-5	4-5-68	"

FE001694

CO. R-E-P

PLANT CANTON

SIZE ANY ~~HARDSET~~ UNIVERSAL BUSHINGS SK-2200

PLANT INVENTORY

DATE 1949	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
1/17	CW	1700		∝	
2-15	E	2200			Ordered from NA will give no next order.
2-23	E	4600			
9-21	E	10900			
11-30	D	0C900			
1-3-56	D	1400			
2-6	D	1500			
4-17	D	1800			
					EAR. Made - 6/11/56
					Ph-6D - 9/14/56
					plugD 1/4/57
					Consignee gave order C-52216-L of 9/16/55 → Shipped against
					150-MRO
					DO-MRO
					DO-MRO
					DO-MRO
					By Bin Reduction

ORDER STATUS

CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
C-23601-A	10/21/54	500	ASAP 10/27/54		10/27/54	10/29/54	TRUCK
C-53586-A #28	10-10-54	500	10/23/53			10/23/53	LI
C-40843-A	9-10-54 9-13-54	200	ASAP		9/14/54	9/15/54	PP
C-54256-R	1/20/55	200	1/24/55		1/24/55	1/26/55	PP
C-57924-R	5/9/55	200	5/11/55		Lock out 5/11/55	5/12/55	TRUCK
C-59772-R	LJL 6-28	50	6/28		6/28	6/28/55	L.C. Garms
"	7-11-55	150	6/30		6/30	7/5/55	TRUCK
C-61861-R	2/24/56	200	asap		3/2	3/2/56	PP
C-64533-R	5/11/56	200	asap		5/18/56	5/16/56	TRK
C-65668-R	6/12/56	200	"		6/13/56	6/13/56	"
"	"	200	7/16/56		7/16/56	8/6/56	P.P.
		200	ASAP		9/14/56	9/14/56	TRK
		400	—		1/7/57	1/7/57	TRK
C-71187-R	2/5/57	400	ASAP		2/7/57	3/7/57	"
W/A		200	ASAP		7/26/57	7/26/57	"
C-76792-R	9/13/57	200	ASAP		9/19/57		
C-55366-A	9/8/55	200	—		9/8/55	9/8/55	TRUCK
C-46810-A	1/11/56	200	ASAP		1/19/56	1/20/56	PP
C-29226-A	1/1/54	500	ASAP 4/1/54	SK-2200	4/14/54	4/14/54	TRUCK
	1/13/53	500	ASAP	SK-2200	3/26/54	3/24/54	TRUCK
	1/1/54	200	ASAP 3/1/54	SK-2200	3/18/54	3/18/54	TRUCK
	2/22/54	200	ASAP	SK-2200	3/3/54	3/7/54	TRK
	1/14/54	200	1/21	SK-2200	1/21/54	1/21/54	TRK
C-16231-A	12/5/51	250 SK-2200	ASAP 12/13		12/11	12/20/51	TRK
C-13458-A	9/17/51 6/[illegible]	100-1125 SK 100-1125 E	—		9/14	9/14/51	TRK
C-13451-A	8-10-51	400 SK-2200	—		8/15	8/15/51	TRK
[illegible]	6/24	300 SK-2200	ASAP		6/26	6/24/51	TRUCK

FE001695



do. REPUBLIC

PLANT CANTON

SIZE —

SLURRY PARTS

PLANT INVENTORY

DATE	BY	ON HAND.	USAGE	O. K. TO	RECOMMENDED ORDER



CO. Republic Steel

PLANT Canton Ohio

SIZE Miscellaneous

SK-4147-1 C-10 Bumping Board Spacers - 1/2"
SK-4147-2 " " " " - 5/16"
SK-4146 " " " —

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER

CO. REPUBLIC

PLANT CANTON

SIZE ANY

Slurry Mixer & Spray Truck - Acc. & Spare Parts

PLANT INVENTORY

DATE	BY	ON HAND	USAGE	O. K. TO	RECOMMENDED ORDER
8-7-44	W/C	Ordered Replacements for defective Pressure Regulators NC Orders 1v hold emergency valves 1v pulsum gages - 1v slurry control valves 1v spray control valve diaphragms.			

ORDER STATUS

MATERIAL	CUSTOMER ORDER NO.	DATE	QUANTITY	DATE WANTED	FERRO ORDER NO.	DATE SCHED.	DATE SHIPPED	CAR NUMBER
1-S22-P Spray Mach. Standard accessories & Spare Parts ✓	CA-6410-K ✓	1-16-45 ✓		11/26 ✓	P-7593 ✓ D	11-27 ✓	11-27-44 ✓	TRUCK ✓
1-Nilpa Mix Pt. Standard Accessories ✓	CA-6910-K ✓	1-16-45 ✓		2-6 ✓	P-7825 ✓ D	2-6-45	2-14-45	TRUCK
1-Circulating Pump	CA-20731-K	2-27-45	1-M-101	3-1-45	P-7947 D.	3-3-45	3-10-45	P. Post
Spare Parts - Spray Mach.	CA 42950K	5-2-45	See Over	5-5	P8212 D ✓	5-8	5-12-45	Exp. collect
	CA-42950K	"	"		P-8212 D		6-2-45	P. Post
Spare Parts	CA 22110M	9-17	"	9-18	P8561 D	9-29	10-3-45	Express ✓
"	"	9-17-45	" SHTGD.		P-8561 D		10-22-45	P. Post
"								
"	C-2463-TC	11-8-47	SEE OVER	ASAP	P10091 D	11-21-47	11-30-47	P.P.
"	C 3999 TC	6/8/47	OVER	ASAP	P10744 D	6/30/47	6-25-47	P. Post
"	C 5466 TC	8/8/47	OVER	ASAP	P10744 D	8/30/47	9-3-47	"
replacement unit	C 3999 TC	8/15	1-S107	ASAP	P10748 D	8/25/47	9-3-47	"
	C-7180-TC	11-7-47	SEE OVER	ASAP	P-10683 D	11-21-47	12-8-47	"
	C-7817 TC	12/6/47	1-S107	ONCE	P10765 D	12/19/47	12-23-47	"
*	"	" SHTGD	6-3-10-4-3-1-3		P-10765 D		2-3-48	P. Post
							3-5-48	P.P.
	C 8344 TC	12/30/47	1-M110	AT ONCE	P10845 D	1/14/48	1-16-48	P.P.
	C 415 WC	1/23/48	1-M101	"	So 2/3	2/3/48	2-13-48	P.P.
	C 1413 WC	3/1/48	1-S107	"	So 2/8 W	3/17	3-12-48	P.P.
	C-1472 N.C.	3/3/48	1-S107	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	C 3079 W C	3/25	1-M101	AT ONCE	So 3/29	4/5	4-1-48	P.P.
	C 3118 WC	4/29	1-M101	"	So 4/30	5/10	5-10-48	P.P.
	C 5303 WC	7/15/48	OVER	"	So 7/16	7/4 ✓	7-19-48	Express
	C 7210 WC	9/20/48	OVER	"	So 10/5	10/14	10-12-48	P.P.
	C 8012-1-WC 11/2		OVER		So 11/3	11/9	11-9-48	TRUCK
	C-8012-1-WC		SHTGD	24-3-10-4-1			11-16-48	P.P.

FE001698

C&D SLURRY MIXER and SPRAY MACHINE

Customer REPUBLIC — Plant CANTON

Mixer Model No. EXPERIMENTAL — Serial No. ____ — Date Installed ____ — By ____

Spray Model No. S-22-P — Serial No. 11-44-7 — Date Installed 11-28-44 — By WGN-WSW

Date	By	Redi Mix	MIXER Meter Read	MIXER Check Items: (1) Agitator (2) Air Bleed (3) Slurry (4) Clean (5) Settle (6) Heat (7) Meter (8) Strainers (9) Dischge (10) (11)	SPRAY MACHINE Check Items: (1) Pressure (2) Operation (3) Gun Valves (4) Gun Nozzles (5) Hose (6) Wheels (7) Clean (8) Spare Parts (9) (10)
11-28-44	WSW			Experimental model installed for test	Demonstrated Operation 11/29-11/30-12/1
11-29-44	N-S	✓	✓	MIXER FROZEN SOLID - NOT USED SINCE 12/22 - NOW OK	SAME AS MIXER
1-16-45	N			" " " - DRAIN AT METER BROKEN	" " "
2-2-45	N			MIXER NOT USED SINCE 1/10/45 - REPAIRED HOLE BOTTOM WITH PLUG ONE	NOT USED SINCE 1-10-45
2-28-45	N		0.00058	INSTALLED NEW MIXER - WATER NOT CONNECTED YET	" " " "
5-15-45	N		—	WORKING OK	O.K.
5-17-45	N			AKB - requested to put spray pump back in operation. Mr. C&D Dealer is present each time.	
5-18-45	N			Nothing on this visit.	
7-14-45	N			Mixer-Spray not in operation. Would not push this until AKB puts on supervision capacity of seeing that it is operated.	
7-13-45	N			Went over Spray mixer with Hansen & McKelvie. Found necessary parts to put in shape. McKelvie will fix - also McKelvie ordered Caddie from Gastonia for Spray mixer.	

FE001700

PLANT REP.- CANTON

DATE OF 1948	A CONDITION OF C & D MATERIALS	B CONDITION OF CASTINGS PIN HOLES BOLTS	C BRICK FIT PATCHING SLURRY DRYING	D MOLD SIZE CONDITION SETTING	E HOT TOP HANDLING SETTING RIDING	F POURING VOLUME COVERING HOLDING	G STRIPPING TOPS INGOT HANDLING CHARGING	H HEATING ROLLING YIELD METALLURGICAL	MISC.
10-26	S								
11-2	W								
11-9	C								
12/1	W								
12/7	E								
12-22	C								
13-49	E								
1-13	C								
2-1	N								
2-15	N								
2-22	E								

FE001701

PLANT Rep. Location

DATE	SUBJECT	BY	ITEM	DISPOSITION
5-13-47	Rings	F.	Try to schedule rings so that all C/h can go to weld bldg & move some out of stripping bldg and get inventory so it can be accurately counted.	
	Briefs	E	Ask C/H foreman to insist on filing in steps. in order to accurately know can be counted.	not done yet... Not after Howard again on this © 7/15
	Wipers Clips	E	Collect in two locations one in each bldg & put in order & check inventory.	
	Redi Mix	E	Brief dept Roderick & Bowron to put a bin (Quick wells) in weld bldg. on side. also to pile Sand in an orderly manner - no matter where it is stored.	Not done yet © 6/11/47 " " " © 6/25/47 " " " 7/E 8/6
8/1/47	Use of CAPS	W/E	Started 100% use of C+H's on 8/1 - Will keep record of fins killed tops & H.T. stickers on every turn. Keep copy of record of same, on this sheet.	See Reverse sheet - 6-8/21

FE001702

PLANT REP. CANTON #1-BAMBERGER #2 BLOUGH 3 RODERICK 4-HANSEN 5 CHEHROM 6 ROBBINS 7-LAMIELLE 8-HUBERTY 9-GUHT

DATE OF CALL		A CONDITION OF C & D MATERIALS	B CONDITION OF CASTINGS / PIN HOLES 2 BOLTS 3	C BRICK FIT A PATCHING B SLURRY C DRYING D	D MOLD SIZE A CONDITION B SETTING C	E HOT TOP HANDLING SETTING RIDING A B	F POURING VOLUME A COVERING B HOLDING C	G STRIPPING TOPS A INGOT B HANDLING C CHARGING D	H HEATING / ROLLING YIELD METALLURGICAL	MISC.
5-13-47	K	OK FOR LOCKED BUT DIFFICULT TO UNLOCK	1-LOTS OF END LOCKS 2-3 OK 3-OK	B-OK C-OK D-SOME OK	A-TOO TIGHT C-OK	ROUGH.	A-SAW OK	A-FEW STICKERS BC 4D-OK	OK	3-5-7-8-9
6-10	C	HARD TO UNLOCK	1-BAD Indgw 2-OK 3-OK	B-Good C-ok D-OK	A-3D 123 Bad B-OK C-OK	A-SOME BETTER B-STILL SAME AS A	B-HARD C-VARIOUS	A-FEW STICKERS B-STICKERS D-OK	ROBBINS SAYS OK	2-3-6-7-9
7-15	C	RUNNING STOCK DOWN WILL REPAIR FOR COUNT	FOUND BOLTLESSES 2 OK 3-TIGHT	A-Good B-Fair C-OK D-OK	SAME AS USUAL	A-STILL ROUGH B-ROUGH INEXPERIENCED CRANEMEN	A-SAME B-N C-VARIOUS	A-TOO MANY STICKERS B-STICKERS	ROBBINS SAYS OK	2-4-6-
8-6-47	K	NEW MOLDS	1-73 BCGT	OK	OK	B-Rough	A-Improved	A-Stickers reduced	OK-6	3-4-5-6-7
8-21	G	MIXED STOCK	BROKEN C.G. TRUN.	F-G	F-G	F	A-1 4 1/2 90 B-SAND	F	OK-7	3-4-✓-7-8-9
9-10	W									3-X-7-✓-9
10-2	W									2-3-X-✓-6-9
10-14	C									2-3-4-✓ 6-7-9
10-28	W E									3-X-✓-6
11-12	S W									2-3-X-6
11-26	S W									2-3-X-6-7-9
12-16	E									2-3-X
12-30	N									1-3-4-6
1-13-48	S									2-3-X-6
1-27	W									3-X-6
2-12	W									2-3-4-6-7-9-10
2-19	W									3-4-6-9
4-28	W									2-3-✓-6-7-8-9-10
5-12	W									2-✓-6-7-8-9-10
5-24	E									2-5-9-11
6-16	W N									2-✓-9-10-11
7-20	W									5-6-11
8-9	S									
8-30	C									
9-22	C									

FE001703

PLANT REP. - CANTON

CONTACTED

DATE OF CALL	A CONDITION OF C & D MATERIALS		B A CONDITION OF CASTINGS B PIN HOLES C BOLTS		C A BRICK FIT B PATCHING C SLURRY D DRYING		D MOLD SIZE CONDITION SETTING		E A HOT TOP HANDLING B SETTING C RIDING		F A POURING B VOLUME C COVERING D HOLDING		G A STRIPPING TOPS B INGOT HANDLING C CHARGING		H HEATING ROLLING YIELD METALLURGICAL		~~MISC.~~
4-1-43	N	OK	N	POOR LOOSE BRICK	N	GOOD	N	GOOD	N	POOR	N	OK	N	SEE NOTE	N	OK	1 - FARNSWORTH 2 - CAMCRON 3 - BLOUGH 4 - MCLAUGHLIN 5 - CHEVROW 6 - LAMIELLE 7 - REBILLOT 8 - ROBBINS
4/11/43	N	OK	N	"	N	"	N	'	N	"	N	"	N	See disposition	N	OK	
5-18	N			"		"		'		"		OK					
7-8	A	G		P		F-G		F-G		F		20x13 - 3" IN 4" DN. (C) SAND (D) 1 3/4 HR.	(A) F (B) F			Complaint	
7-27	N	G		Plate tinplowing		G		G		P		"		P-F		G. Robbins	
9/11	N	"	N	G-F	N	See note (4) Improvement	N	G	N	G-F	N	G	N	F-P	N	" "	
8/26	N	"		7-9				SEE NOTE		SEE NOTE							
9-10	N	G EXCEPT BRICK		G		G											
10-7	N	G		"		G		OK									
10-26	N							"		F		OK		F		G	1-2-3-4-5-6
12-7	N	SEE NOTE		G		G		"		(C) F		OK		F-G		G	1-6-Rel
1-4-44	N	F-P		F-G		F-G		OK		(C) POOR		OK		F-G		G	1-2-3-5-6
1-18	N	F-P		SEE NOTE		SEE NOTE		OK		(B) SEE NOTE		A-SEE NOTE		F		G	2-3-4-5-7-8
2-9	N		B C	FAIR		IMPROVED		OK		OK		A-SEE NOTE		C-SEE NOTE		G	1-2-3-4-5-6-7-8
3-1	N			"		F		OK		B&C - P		F		OK		G-8	2-3-4-6-7-8
3-22	N			"		F-G		OK		C - BETTER		A - F		OK		G-8	2-3-4-5 6-7-8
4-14	N			"		G		SEE NOTE		COMING BETTER		A-F		OK		G-8	1-3-X
5-2	N			"		"		SEE FOLLOW-UP		4 BLOCKS OK		A-F B-A - OK - 8		OK		G-8	1-3-4-6-7-8
5-23	N	BETTER		"		"		COMING BETTER		"		"		OK		G-8	1-3-4-5 6-7-8
6-23	N			"		"		"		"		"		OK		G-3-8	1-2-3-5 6-7-8
7-17	N	F-P		"		A-B-C - V.G. D - Incomplete		Fair-Good		OK		"		OK		G-5	1-3-4-6-7-8
7-22	N	F-P		F-G		A, B, C - V.G. D - F		F-G		F-G		A - B, C, D - F-G OK		OK		G-8	3-5-6-7-8
9-7	N	F-P		F-G		(D) - F		F-G		F-G		"		OK		G-8	1-4-5-6-7-8
9-20	N	F-P		G		A, B, C - G D - BETTER		F-G		G		OK		OK		G-8	3-4-5-6-7-8
10-11	N	BETTER		"													3-4-5-6-7-8

FE001704

PLANT REPUBLIC CANTON

DATE OF CALL	A: CONDITION OF C & D MATERIALS		B: CONDITION OF CASTINGS PIN HOLES BOLTS	C: A BRICK FIT B PATCHING C SLURRY D DRYING	D: A MOLD SIZE B CONDITION C SETTING	E: HOT TOP A HANDLING B SETTING C RIDING	F: POURING VOLUME COVERING HOLDING	G: STRIPPING TOPS INGOT HANDLING CHARGING	H: HEATING ROLLING YIELD METALLURGICAL	MISC.
11-3	E/N	Improvement	Fair	A,B,C-G D-P	OK	A-E B-OK C-P	OK	OK	OK-6	
11-21			"	"		"	"	"	OK-6	
12-12	N	B16	"	"	OK	"	"	"	OK-6	2-3-4-5-6-7
12-28	N/S	"	"	"	"	"	"	"	"	1-2-3-4-5-6-7
1-16-45	N	SEE NOTE	F-G	F-G	OK	"	OK	OK	OK-6	1-2-3-4-6-7
2-8-45	N	F-P	"	"	"	"	"	"	" "	1-2-3-4-5-6-7
2-23	N	F-P	F-P	SEE NOTE	OK	F-G	OK	OK	OK 2, 6	1, 2, 3, 4, 5, 6, 7
3-21	N	Poor	Poor	Good	OK	Fair	OK 6, 2	OK	OK 2, 6	2, 3, 4, 5, 6, 7
4-10	N	Accurate	"	"	"	"	"	"	"	1, 2, 3, 4, 5, 6, 7
1946										
1/3/46	N	F-P	F	A B C - G D - F	A - G C - F	A - F B OK C - P	A - F	OK	OK	2, 3, 4, 5, 6, 7
4-5-46	N	F	F-6	D-IMPROVE OK	OK	OK	A-See note	A: See note	OK	
5-1	N	P-Rad Mix	F-6	OK	OK	OK	OK	OK	OK	2, 3, 4, 5, 6, 7
5/15	N	"	"	"	"	"	"	"	"	1, 2, 3, 4, 6, 7
6-20	N	P-F	F	F-G	A-GOOD B-C-OK	OK	OK	OK	OK	2-3-4-5-6-7
8-13	N	P-F	F	A-OK B-C-D-F-6	A-VARIES C-F	OK	OK	OK	OK	1-2-3-4-5-7
9-4	N/C	"	F-G	A-OK B-C-D-V.G.	"	"	"	"	"	2-4-3-6-7
9/27	N/N	"	"	"	"	"	"	"	"	1-2-3-4-5-7
10-9	L/N	F	"	"	"	"	"	"	"	2, 3, 4, 5-6-7
11-6	E	Poor	A-Better Structure B-C-OK MANAGE TO KEEP CLEAN & CLEAN	OK	A-POOR TO GOOD C-OK	OK	A-? B-C-D OK	OK	OK	3-4-5-6-7-8-9
2-13-47	N/N	"	"	OK	A-SEE 25 X 25 SHEET	"	"	"	"	1-2-3-4-5-6
3-4-47	S/N	F-G	OK	A,B,C+R-G D-F to P	A-POOR B-FAIR	A-FAIR B-ROUGH	OK	SOME STICKERS	"	1-2-3-4-5-6
3-18/20	N/N	FAIR	"	A-OK B&C-VG D-OK ROBBINS	A-SEE FOLLOW UP B&C-OK	A-ROUGH B-SEE FOLLOW UP	A-1"x2" B-BARE C-30 40 1'30"	A-GOOD B-NO TROUBLE	OK-6	2-3-4-5-6
4-1	N/N	"	"	A-OK D-FAIR B&C-VG	A-POOR C-OK	A-ROUGH B-V. ROUGH	A BC-OK	A-FAIR B C D-OK	OK	2-3-4-5-6

FE001705

PLANT REPUBLIC CANTON

DATE	SUBJECT	BY	ITEM	DISPOSITION
1/15/46	Low Val Ocl Tops	N	Robbins reports several split heats of Nitralloy (1 Rock Top - 15% Cr, 1 Low V" dia. & 1 V Reg C+D - 15% Low 8" Dia) showed the product from the Ocl. Tops piping. This pipe cleaned up upon cutting back a 10x8-6" to 1". No rejections on reg 15% ingots. Work with Blough Roderick Robbins Harg mill O-Split V Nitralloy switchds (1-Ocl 15% & 1 Reg 15%) (V) We will Sketch switchds with increased sol (V" dia) of oppt. 15 1/2% to 16% and present to PKB next trip.	Presented V sketches of Revised Oct. brick showing 15 3/4% to 16 1/2% sol. poured V" dia. Blough built taper up with ends for run-on. at last view granted to split V 15% switchds (ocl & Reg) Robbins will do this on 1 1/2" Nitralloy they make. (none on schedule now) makes two Oct. Nitralloy heat week - 5 Oct 15-%, 5 Reg C+D 15% - 3 days 16.3%. all wire "A" stacked 1/V/47 (N)
				Lined up Roderick to line 6 oct. tops Numbers 1-6 Notify Robbins when lined. (N) 1/18 Tops not lined - Bricklayers working on them when we left plant. Robbins to go ahead with experiment.
				Blough sample was stopped on this due to trouble in Nitralloy. (N) 3/4.
				Robbins is stopped on all experiments until April 1st they are open to more mixed in March (N) 3/18
				Robbins will notify office 24 hrs. previous to start of experiment. (N/W) 4/1

FE001706

PLANT Rep Painton

DATE	SUBJECT	BY	ITEM	DISPOSITION
1-Y-47	Underlay Work	N	New Concaved molds (Short-7550# Target) coming small. looks like they made concavity by pulling in the corners. We have difficulty entering. Blough will satisfy both S.P. & Falcon as both are small.	Will have small contoured inserts in run - Latest shipments of this molds were OK. (N) 2/25. Did not see any tight molds corners OK - concavity makes quite a gap causing shrivers. (C) 3/12
2-19-47	Handling Wages		Blough appointed Chuck Hanson as C&S Hot Top	Have not changed anything on layout as yet. (N) 3/18
	C&S Hot Top		Foreman - He plans on cleaning up mold shed and	Blough undecided on this (N) H/1 stands
	Foreman		placing stands as shown in genl. plan. Will cover	ordered & will move out meta. dept. to strippers &
			all details on stock storage, operation etc, with him	put more stands on side & at center.
			three (3) days.	
2-27-47	H1, H2 Combined Castings	(C)	Check on 50 - 1 up pc - 20 x 3 H-1716 on their order	Using these castings with only 3 clipholes
			C-L-V-T-Y-RD & see that all pin holes for wire spring clips	as castings were needed. (N) 3/18
			are in the bottom castings.	
3/4	Pouring	N	Saw several drags run on pouring platform with loose rings	Saw Hand Work to again - Hanson top
			& cracked seals at ring junction. (Chips on tops) Showed	big improvement (N) 3/18
			Roderick - Hanson not run. We then gave Snyder (yard master)	Improvement +/1 (N) Some Improvement 3/12
			who will caution his crews on rough handling. Also Hanson	
			will follow setting to cut down rough handling	
+/1	Pouring	N/W	Pouring too many small jets around casting. Pouring could	No record on stickers. Ben will get me a setup
			be improved. Roderick-Hanson will follow. They will establish	of how Hanson follow closely.
			a report for bulletin board showing H.T. stickers/strip pourers.	Still just as bad (C) 7/15
			Hanson Pour [illegible]	

FE001707

PLANT RIEP — CANTON

DATE	SUBJECT	BY	ITEM	DISPOSITION
	SWEEPING			USING JOHO - KEEP AFTER THEM - WGH-11/17
	CRACKING		Yesterday started truck - Mills + Waugh extracted	Kar Kleen about 1/18 - WGH
	OUT-7/14 x 3 1/4			Will release for F/E - 11/17
	[illegible]	CD	We still have 7 cars on hand to be released	Will release for July Shut - 11/8 - WGH
	GENERAL		Too difficult to reject	
			Has made trouble with small tops - not many feet in process of being installed	Improvement - must keep after them (N) 8/27
	Wet Pits		Many up to make up but 2 will go in Cannon when finished	Gas Blowers removed OK (N) 9/10
	3 5/4 x 4 3/4			Shipping to Valley (N) 9/10
	[illegible]	N	Check note sheet of 9/15/43 for small fillet cranes	Now OK - (N) 10/26
	[illegible]	N	New Crane about ready - (#1 - 8/30) (#2 - 10/1)	Not all ready yet - (N) 9/10
	Handling	N	Call Cameron check 9-6 on 9/13	CRANE NOW IN 2 N-11/17
				EXTRA TIME SPENT - N-11/17
				AVERAGE ✓ HEATS OF NORD SIZE (N)
			Fair-Easing to Pot Mold	
				NOT USING AT ALL - (N) - 10/7
	RINGORDER	CD	Zy Ref. shipping data - No orders are made	Released for WELF - N-11/17
	BRICKLIFE	A	Be started upon Mold Life good	Now OK - Average 13.7
	CRACKING			
	INVENTORY	E	Potatoes 2 x 3 + analyze needs	Taken care of - N-11/24
	STORAGE	N	Badly piled. Cameron Dept. Foreman	STILL POOR - N-11/17 N-11/24 N-3/4 N-3/24
				" " N-2/9
	CRACKING			NOTHING YET - N-2/9 N-3/4 N-3/24 N-
	STOREROOM	N	Still to light. Carnelle is to watch	STILL POOR - N-6/23
	BLOCKADE			MUCH BETTER - N-2/9 NOT ALL CLEAR - N-3/4 N-
	SUM-HOLES		10% to 15% Plugged. Will get Jumbo	N-4/14
				POOR AGAIN - N-6/23
	GOOSENECK			BETTER - N-2/9 STILL LOOSE - N-3/11 N-3/
	BOLTS		None responsible - Bricklayers to watch	NO BETTER - N-4/14
	CAMERON			SOMEWHAT BETTER - N-6/23
	MARKUP		Charging + Pate Lug has slipped	STILL PAIR - N-2/9 N-3/24
				NOW OK - N-4/14
	SETTING		3 - 34 x 34 Ingots Set dropped rings	NO MORE COMPLAINTS - N-2/9
				OFF THIS SIZE - N-3/11
	THROTTLE	N	Closer checking into this	
	BARING		Too many fins. Foreman to be checked	KEEP AFTER - N-3/11 N-3/24 N-4/14
				SEE REPORT - N-6/23
	SLOT-BRICK		Setting after them - see that slots cored	NOT USING - N-3/11 N-3/24 N-
				" " N-6/23

FE001708

PLANT REP. - CANTON

DATE	SUBJECT	BY	ITEM	DISPOSITION
	12 0 X 2 0 3			
4-14-44	Mold SIZE	N	COMING IN 3/8 to 1/2 OVERSIZE	McCLELLAND NOTIFIED -N-V/2 WILL RE-CHECK-N-6/23 OK - N-8/22
5-2	STANDS	N	ABOUT IN ENDS KNOCKED OFF	STILL NOT REINFORCED - N-6/23 N-8/22 WORKING ON THEM NOW - N-9/20
5-10	12 6 X 2 4 3 BRICK	CT	Shouldn't they be ordering some?	Plenty on dock - N-8/22
9-7	FOR RECORD ONLY	N	Spent 9/4-5 with need for excess. Too many wet tops. Roderick to put on changeover to properly dry.	BIG IMPROVEMENT - N-10/11
11-1	Wet Tops	N		STILL TOO MANY - N-11/21 BETTER - N-11/12 34 CED - 120 CLAY WET - 11/26 to 12/6 - N 1/16
11-1	Piling	N	Stopping for moments to put. Caused by 1 - ① sloppy bevel application. ② Rough engine handling ③ Clipped holes in casings. Reduced to correct.	WATCHING CLOSELY N-2/8 RODERICK WATCHING - N-11/21 BETTER - N-11/8 STILL POOR N 1/16 - SAME N-2/8, 4/23
2-23	75 X 7 5 BRICK	N	BOTTOM COURSE 11" + ON #1453-5 - TOP OK ON LAST C/L SHIPPED 1/26	
1946 6-20	Clips & Wipes Stock	N	Advised Ben Roderick to place enough Wipes & clips for 1 c/l - 70 X 7 3 & 75 X 7 5 in Storage (Rd office) and stress cancel all wipes & clips from us, this will force his men to use loose scattered wipes & clips	
6-20	Leaving	N	Saw H Hts strip & 1 pour. Getting sloppy seal. Ben to get after crews. Left town until AKB - he will keep after Ben.	Corrected
6-20	Scrap Rings	N	Have been after Ben & Chesrow to get rid of Rings (200 - 704 X 3) that were beneath broken pipe lines. They promised but as yet no action :- Keep after	11/6 - Will use up soon Ⓔ Enough to ship again 1/1/47. Ⓝ
6-20	C & A Leader	N	after AKB to place Leader (working) on each turn. He has applied for authorization.	
11-6 46	Rodrick		Will show Rodrick where office is suggested he has concrete floor will put in brick walk	Nothing done on this talked to Bouquet 1/6 Ⓔ

FE001709