

3/28/83



MOLDING MATERIALS

RAW MATERIAL STANDARD

MOLDING
MATERIALS

FLOW NOTE: (1) Where indicated, flow designations are necessary to a compound's description and must be specified on purchase orders. They vary with manufacturers and cannot be considered a universal plasticity criterion.

COMPOUNDS - THERMOSETTING

1593-	DESCRIPTION	FLOW (1)	COLOR	FORM
000010	Phenolic. Durez 792B	10	Black	Granules
000050	Phenolic. Plastics Engineering Co. 317.	20 9	Light Red	Granules
000060	Phenolic. Plastics Engineering Co. 320.	20 9	Green	Granules
000070	Glass reinforced alkyd. Glaskyd 1901	--	Gray	Rope
000080	Phenolic. Plastics Engineering Co. 369.	100 10	Black	Granules
000090	Phenolic. Durez 13124	16	Black	Nodular
000100	Phenolic. Durez 123	10	Black	Granular
000120	Phenolic. Durez 18001.	12	Black	Granules
000170	Phenolic. Rogers RX-468D	14	Black	Granules
000171	Phenolic. Rogers RX-467.	--	Black	Flake
000180	Glass reinforced alkyd. Glaskyd 1901.	--	Gray #455	Slug, 2-1/2" dia. 126 grams
000190	Glass polyester. Glastic 1404E	--	Black	Fibrous
000191	Glass polyester. Glastic 1404E	--	Black	Slug 2-1/2 diameter. 655 grams
000192	Glass Polyester. Glastic 1404E	--	Black	2-1/2" 688 grams
000200	Glass filled diallyl phthalate. Allied Diall 52-01. Alternate: Acme 3-520	Medium	Blue #101	Powder
000210	Phenolic. Durez 21206	9	Black	Granules
000220	Phenolic. Plastics Engineering Co. 509	120 12	Black	Granules
000221	Phenolic. Plastics Engineering Co. 509AF	13 130 For screw transfer molding	Black	Granules
000222	Phenolic. Plastics Engineering Co. 509	140 14	Black	Granules
000223	Phenolic. Plastics Engineering Co. 509	100 10	Black	Granules
000224	Phenolic. Plastics Engineering Co. 509MI 140	MI 140 14	Black	Granules
000225	Phenolic. Plastics Engineering Co. 509AF	110 11	Black	Granules
000226	Phenolic. Plastics Engineering Co. 509AF	120 12	Black	Granules
000270	Phenolic. Plastics Engineering Co. 482	100 10	Black	Granules
000271	Phenolic. Plastics Engineering Co. 482	120 12	Black	Granules
000272	Phenolic. Plastics Engineering Co. 482	150 15	Black	Granules
000273	Phenolic. Plastics Engineering Co. 482	20 8	Black	Granules
000320	Phenolic. Durez 792	12	Black	Powder
000321	Phenolic. Durez 792	10-12	Black	Granules
000330	Phenolic. Durez 23570	12	Black	Granules
000331	Phenolic. Durez 23570	22	Black	Granules
000332	Phenolic. Durez 23570	14	Black	Granules
000360	Glass and nylon reinforced alkyd. Glaskyd 2201. Preform with transverse fibers.	--	Red	Slug, 2-1/2 diameter. 185-190 grams
000370	Glass and nylon reinforced alkyd. Glaskyd 2201.	--	Red	Slug, 1-1/2 dia. 178-187 grams

JANUARY 1983

PAGE 1

1593

SQUARE D COMPANY

THESE STANDARDS WERE DEVELOPED WITHOUT CONSIDERING WHETHER PATENTS MAY BE INVOLVED. SUPPLIER MUST ASSUME PATENT LIABILITY.

M-7408-1

Printed in U.S.A.

SC-SDC-3175

SQDDNC_000147

1593 RAW MATERIAL STANDARD



MOLDING
MATERIALS

COMPOUNDS - THERMOSETTING

1593-	DESCRIPTION	FLOW (1)	COLOR	FORM
000371	Glass and nylon reinforced alkyd. Glaskyd 2201	--	Red	Slug, 1-1/4 dia. 270-275 grams
000380	Glass and nylon reinforced alkyd. Glaskyd 2201 Preform with transverse fibers.	--	Red	Slug, 1-3/4 dia. 88-94 grams
000381	Glass and nylon reinforced alkyd. Glaskyd 2201 Preform with transverse fibers.	--	Red	Slug, 1-3/4 dia. 84-88 grams
000382	Glass and nylon reinforced alkyd. Glaskyd 2201 Preform with transverse fibers.	--	Red	Slug, 1-3/4 dia. 79-83 grams
000390	Glass and nylon reinforced alkyd. Glaskyd 2201 Preform with transverse fibers.	--	Red	Slug, 1-1/2 dia. 46-48 grams
000391	Glass and nylon reinforced alkyd. Glaskyd 2201. Preform with transverse fibers.	--	Red	Slug, 1" dia. 140-152 grams
000400	Phenolic. GE 12929 Plenco	16	Black	Granules
000401	Phenolic. GE 12929 Plenco	12	Black	Granules
000430	Phenolic. Durez 21206	12	Black	Powder
000440	Phenolic. Durez 16090. Or Reichhold 25398	12	Black	Granules
000441	Phenolic. Durez 145	16	Black	Granules
000450	Urea. Allied Chemical Standard Plaskon	Medium	Yellow	Powder
000480	Glass fiber reinforced mineral filled alkyd. Glaskyd 1902.	--	Gray	Rope
000500	Phenolic. Plenco 482G (Non-electrical applications)	100 10	Brown	Powder
000510	Phenolic. Durez 22042	12	Black	Powder
000530	Phenolic. Durez 22486	12	Black	Granules
000531	Phenolic. Durez 22486	9	Black	Granules
000560	Mineral filled phenolic, electrical grade. Plenco 450	--	Green	10 mesh
000561	Mineral filled phenolic, electrical grade. Plenco 450	80	Green	Granular
000562	Mineral filled phenolic, electrical grade. Plenco 450	100	Green	Granular
000563	Mineral filled phenolic, electrical grade. Plenco 450	120	Green	Granular
000564	Mineral filled phenolic, electrical grade. Plenco 450	140	Green	Granular
000570	Glass reinforced phenolic. Rogers RX-640	21	Black	Granules
000590	Glass reinforced phenolic. Fiberite FM-21288	--	Natural	1/4" rovings
000600	Phenolic. Durez 22065	12	Black	Granules
000602	Phenolic. Durez 22065	22	Black	Granules
000610	Glass filled diallyl phtalate. Allied Diall 52-01	Medium, (12" spiral) per Allied specs.	Black	Powder
000620	Glass reinforced alkyd. Glaskyd 4001-S	--	Black, 1516S	Slug, 2" dia. 1105 $\pm$ 15 grams
000621	Glass reinforced alkyd. Glaskyd 4001-S	--	Black, 1516S	Slug, 1-3/4" 850 $\pm$ 15 grams

No known user

(1) See FLOW NOTE, page 1, top.

1593

PAGE 2

JANUARY 1983

SQUARE D COMPANY

THESE STANDARDS WERE DEVELOPED WITHOUT CONSIDERING WHETHER PATENTS MAY BE INVOLVED. SUPPLIER MUST ASSUME PATENT LIABILITY.

M-7408-2

Printed in U.S.A.

SQDDNC_000148



RAW MATERIAL STANDARD

MOLDING
MATERIALSMOLDING
MATERIALS

COMPOUNDS - THERMOSETTING

1593-	DESCRIPTION	FLOW (1)	COLOR	FORM
000650	Melamine-phenolic. Plenco 714.	Soft 12	Brown	Powder
000660	Phenolic. Durez 23639	14	Black	Granules
000661	Phenolic. Durez 23639	22	Black	Nodular
000670	Epoxy. Hysol MG 1-01	--	Black	Granules
000680	Phenolic. Plenco 485	100 10	Black	Powder
000683	Phenolic. Plenco 485	90 9	Black	Powder
000685	Phenolic. Plenco 485AF	120 12	Black	Powder
Dist COR 1965 → 000690	Phenol-melamine. Plenco 732	10 Medium 10 Medium to Soft	Gray 15	Granules
000691	Phenol-melamine. Plenco 732		Gray 15	Granules
000702	Phenolic. Reichhold 25346AF	14	Black	Granules
000710	Phenolic. Durez 18683	12	Brown	Nodular
000715	Phenolic. Durez 18683	22	Black	Nodular
000720	Glass filled phenolic. Durez 23570	22	Dark Green	Powder
000721	Glass filled phenolic. Durez 23570	14	Dark Green	Powder
000722	Glass filled phenolic. Rogers RX-611. Alternate for U.K. only: VYNCKIER N.V., Flow 6/5	SI-STIFF	Dark Green	Granules
000723	Glass filled phenolic. Rogers RX-611	20-26	Black	Granular
000724	Glass filled phenolic. Rogers RX-611	SI-Stiff	Black	Granular
000725	Glass filled phenolic. Rogers RX-611	Soft	Green	Granular
000730	Phenolic. Rogers RX-462	16	Black	Flake
000740	Melamine-Phenolic. Plenco 714	120 12	Natural	Powder
000741	Melamine-Phenolic. Plenco 714	Soft 12	Natural	Granules
000742	Melamine-Phenolic. Plenco 714	Medium 10	Tan	Powder
000760	Melamine. Phenolic Plenco 706 713	Soft 10	Green 14	Granules
000770	Long glass fiber filled dially phthalate. US Prolam Poly-Dap 6130F	(2)	Black	Spheroids
000771	Long glass fiber filled dially phthalate. US Prolam Poly-Dap 6130F	(3)	Black	Preform 1" x 3". 25-28 grams
000772	Long glass fiber filled dially phthalate. US Prolam Poly-Dap 6130F	(3)	Black	Preform 1-3/4" dia. 38 grams min.
000773	Long glass fiber filled dially phthalate. US Prolam Poly-Dap 6130F	(3)	Black	Preform 1-3/4" dia. 28-32 grams
000774	Long glass fiber filled dially phthalate. US Prolam Poly-Dap 6130F	(3)	Black	Preform 1-3/4" dia. 43-47 grams
000775	Long glass fiber filled dially phthalate. US Prolam Poly-Dap 6130F	(3)	Black	Preform 1-3/4" grams 40-43 grams
000776	Long glass fiber filled dially phthalate. US Prolam Poly-Dap 6130F	8-10"	Black	1-7/8 dia. x 30 grams min.
000800	Melamine. Phenolic Plenco 702 713	10 Soft	Red 13	Granular
000801	Melamine. Phenolic Plenco 702 713	10 Transfer grade soft	Blue 11 16	Granular

FLOW NOTE: (1) See FLOW NOTE, page 1, top.
(2) CCT: 8.5 sec. at 5 tons (ASTM D731. Spiral: 7" at 2,850 psi (IBM Hull))
(3) CCT: 10.0 sec at 5 tons (ASTM D731. Spiral: 10" at 2,850 psi (IBM Hull))

JANUARY 1983

PAGE 3

1593

SQUARE D COMPANY

THESE STANDARDS WERE DEVELOPED WITHOUT CONSIDERING WHETHER PATENTS MAY BE INVOLVED. SUPPLIER MUST ASSUME PATENT LIABILITY

M-7408-1

Printed in U.S.A.

SQDDNC_000149

RAW MATERIAL STANDARD



MOLDING
MATERIALS

COMPOUNDS - THERMOSETTING

1593-	DESCRIPTION	FLOW (1)	COLOR	FORM
000820	Melamine - Phenolic. Plenco 710 713	10 Medium	Dark Gray 02	Powder
000830	Phenolic - Teflon filled. Plenco 554	10 Medium	Black	Powder
000850	Teflon filled glass reinforced phenolic. Allied Phenall 8000 TFE	4" spiral per Allied specs.	Black	Powder
000860	Phenolic. Fiberite FM9294	46-50	Black	Slug, 1-1/2 dia. 18 gram
000861	Glass & mineral filled phenolic, Fiberite FM4005X4635	Soft	Black	Nodular
000870	Glass filled phenolic. Allied Chemical Phenall 8000	----	Green	Powder
000880	Glass filled diallyl phthalate. Allied Chemical 52-40-40	SFT-8"	Black	Flake
000890	Phenolic. Reichhold 25346 (Flow 14)	9	Black 25	Granules
000900	Phenolic. Durez 27260	18	Black	Granules
000950	Phenolic. Durez 28169SI. Inline	14	Black	Granules
000960	Alkyd. Durez 24060	16	Black	Granules
000970	Mineral filled, glass fiber reinforced epoxy. Hysol MH6-0169	--	Black	Granules
000980	Mineral filled, glass fiber reinforced epoxy. Hysol MH6-0588	--	Black	Granules

NUMBERS 001000-001999, and 100010-100100 on following pages

200030	Phenolic. Plenco 527	100	Black	Granules
200040	Urea. Allied Chemical FCG-42	---	Ivory S-447	----
			Color must conform to NEMA WD1-1971	
200050	Urea. Allied Chemical FCG-42	---	White S-3555	----
			Color must conform to NEMA WD1-1971	
200060	Urea. American Cyanamid Beetle	----	Beige C-654	----
200070	Urea. Allied Chemical FCG-42	--	Brown 111	----
			Color must conform to NEMA WD1-1971	
200071	Urea. American Cyanamid Beetle	----	Brown C-1126	----
			Color must conform to NEMA WD1-1971	
200080	Alkyd, glass and mineral filled. Glaskyd 1902	----	Red 855	Bulk
200120	Phenolic. Durez SI-42	16	Black	----
200130	Polyester, glass fiber reinforced. Premix #2000 BMC-15	---	Red L-3124	Bulk
200140	Polyester, glass fiber reinforced. Premix #2000 BMC-15	---	Gray L-3125	Bulk
200150	Alkyd. Plenco 1519	Medium	Black	Granular
200160	Phenolic. 12968 Plenco	8	Black	Granular
200161	Phenolic. 12968 Plenco	11	Black	Granular
200162	Phenolic. 12968 Plenco	13	Black	Granular
200163	Phenolic. 12968N Plenco	12	Black	Granular
200170	Phenolic. 14020 Plenco	10	Black	Granular
200171	Phenolic. 14020 Plenco	12	Black	Granular

(1) See FLOW NOTE, page 1, top.

1593

PAGE 4

JANUARY 1983

SQUARE D COMPANY

THESE STANDARDS WERE DEVELOPED WITHOUT CONSIDERING WHETHER PATENTS MAY BE INVOLVED SUPPLIER MUST ASSUME PATENT LIABILITY.
M-7408-B Printed in U.S.A.

SQDDNC_000150



RAW MATERIAL STANDARD

MOLDING
MATERIALS

COMPOUNDS - THERMOSETTING

1593-	DESCRIPTION		FLOW (1)	COLOR	FORM
200190	Phenolic.	GE 12983E Plenco	10	Black	Granular
200191	Phenolic.	GE 12983E Plenco	14	Black	Granular
200192	Phenolic.	GE 12983E Plenco	12	Black	Granular
200200	Phenolic.	Reichhold 25000	18	Black	Granular
200210	Phenolic.	Durez SI-23	18	Black	Granular
200220	Phenolic.	Durez SI-51	16	Black	Granular
200230	Phenolic.	GE Genal P4300E-CM Plenco	CM	Black	Pellets
200240	Phenolic.	GE Genal 4300E Plenco	Medium	Black	Granular
200250	Phenolic.	GE Genal 4200	Medium	Black	Granular
200260	Phenolic.	GE Genal 4202 Plenco	Medium	Black	Granular
200270	Phenolic.	Durez 1308	8	Black	Granular
200271	Phenolic.	Durez 1308	10	Black	Granular
200272	Phenolic.	Durez 153	12	Black	Granular
200280	Phenolic.	Plenco 414	80 8	Black	Granular
200281	Phenolic.	Plenco 414	100 10	Black	Granular
200282	Phenolic.	Plenco 414	120 12	Black	Granular
200300	Melamine, alpha cellulose filled.	Cymel 1077	DXM	1076 BR	Granular
200301	Melamine, alpha cellulose filled.	Cymel 1077	S	1076 BR	Granular
200302	Melamine, alpha cellulose filled.	Cymel 1077	T	1076 BR	Granular
200310	Polyester, glass filled.	Glatic 1402AR	Medium	Black	Slug
200320	Phenolic.	Reichhold 25400	10	Black	100 gram +5% Granular
200340	Diallyl phthalate.	Acme 3-520	ILS-20	B-1 Blue	Powder
200341	Diallyl phthalate.	Acme 3-1-525	ILS	B-1 Blue	Powder
200342	Diallyl phthalate.	Acme 3-1-535	10	Black	Granules
200370	Phenolic.	Durez SI-111-DF	12	Black	Granules
200380	Phenolic.	Reichhold 25398	16	Black	Powder
200390	Phenolic.	Reichhold 25398	20	Black	Powder
200400	Alkyd, glass, nylon reinforced.	Glaskyd 2201	--	Red 805	Slug, 2-7/8 dia. x 6"
200410	Alkyd, glass reinforced.	Glaskyd 1901	--	Red 415	Slug, 2-7/8 dia. x 6"
200411	Alkyd, glass reinforced.	Glaskyd 1901	--	Red 438	Rope
200420	Polyester, glass.	Plumb Chemical Co. F-6612	--	Red	Bulk
200440	Phenolic.	Plenco 571	120 12	Black	Granules
200450	Mineral fiber filled phenolic.	Plenco 407		Brown	Granules
200460	Phenolic.	Durez 17080	Medium	Black	Nodular
200470	Glass filled phenolic.	Fiberite FM 4004	--	Black	---
200480	Glass filled phenolic.	Fiberite FM 8130	--	Gray	---
200481	Glass filled phenolic.	Fiberite FM 8130	10-14	Black	Preform, 1.25 sq. x 4 lg.
200530	Polyester, glass.	Plumb Chemical Co. F-6612	--	Gray	Bulk
200540	Glass reinforced polyester.	American Cyanamid Cyglas 620	---	Red	Bulk
00550	Glass reinforced polyester.	American Cyanamid Cyglas 620 Plenco	---	Gray	Bulk
200560	Phenolic.	GE Genal P4202	--	Black	Pellets
200570	Phenolic.	Rogers RX-429	--	Black	1/8" nodular

(1) See FLOW NOTE, page 1, top.

1993 RAW MATERIAL STANDARD



MOLDING
MATERIALS

COMPOUNDS - THERMOSETTING

1593-	DESCRIPTION	FLOW (1)	COLOR	FORM
200580	Glass reinforced polyester. American Cyanamid Cyglas 615	--	Black 194	Form: Triple 1" dia. x 12" long preform.
200581	Glass reinforced polyester. American Cyanamid Cyglas 615	--	Black 194	Slug 2" dia. x 150 gram +10% -0%
200590	Urea. Allied Chemical FCG 19L-NF	Medium	Natural	Granular
200600	Silicone. Dow Corning 307	--	Dark Gray	Granular
200610	Polyester. Reichhold 30003-1	10	Black	Granular
200620	Glass polyester. Glastic 1410E	--	Red	Bulk
200621	Glass polyester. Glastic 1410E	--	Gray	Bulk
200630	Phenolic. Plaslok Corp. P5314	19	Black	Granular
200640	Phenolic. Reichhold 25408	14	Black	Granular
200650	Phenolic. Durez 29237	22	Black	Granular
200660	Phenolic. GE Genal P4304E-CM <i>Plenco</i>	CM	Black	Pellets
200661	Phenolic. GE Genal P4304E-CH <i>Plenco</i>	CH	Black	Pellets
200670	Phenolic. GE 6202	P 25	Brown	Granular
200680	Urea. Cellulose filled. Allied Chemical SMG	Trans.	Black	Granular
200690	Cellulose filled phenolic. Fiberite FM 10365	24-28	Black	Slug 2-3/8 dia. x 100 gram
200700	Phenolic. Durez 156	12	Black	Granular
200701	Phenolic. Durez 156	16	Black	Granular
200710	Phenolic. Durez 123	12	Black	Granular
200711	Phenolic. Durez 123	16	Black	Granular
200720	Phenolic. Durez 118	10	Black	Granular
200730	Glass reinforced polyester. American Cyanamid Cyglas 615	--	Black 194	Slug 2.5" dia. x 640 grams +10%-0%
200740	Phenolic. Durez 21028	--	Black	Granular
200750	Polyester, mineral filled, glass fiber. Plenco 1523	Medium	Black	Pellet
200760	Phenolic, GE Genal 4000 <i>Plenco</i>	Medium 13	Black	Granular
200780	Phenolic, cellulose filled. Plenco 512	20 8	Black	Granular
200790	Polyester, glass reinforced, Premix 3100-30	--	Black	Slug, 2" dia. x 360 grams +10
200800	Glass fiber filled phenolic. Plenco 555	Soft	Black	Nodular
200810	Phenolic, cellulose and mineral filled. Plenco 548	120 11	Black	Granular
200811	Phenolic, cellulose and mineral filled. Plenco 548	120 12	Black	Granular
200820	Phenolic, wood flour filled. Plenco 600 MI	160 16	Black	Granular
200830	Glass-filled polyester. American Cyanamid Cyglas 620-BMC	---	Black	Triple 1" dia. x 12" long preform
200840	Phenolic. Rogers RX-862	Medium	Black	3/16" Nodule
200850	Phenolic. Durez 30871	12	Black	Nodular
200860	Polyester, glass reinforced. American Cyanamid Cyglas 605	D3884	Black	2.0 dia. preform
200861	Polyester, glass reinforced. American Cyanamid Cyglas 605	---	Black 183	Triple 1" dia. x 12" long preform.
200862	Polyester, glass reinforced. American Cyanamid Cyglas 605	---	Black 183	2-1/2 dia. x 12" long preform.

(1) See FLOW NOTE, page 1, top.

1593

PAGE 6

JANUARY 1983

SQUARE D COMPANY

THESE STANDARDS WERE DEVELOPED WITHOUT CONSIDERING WHETHER PATENTS MAY BE INVOLVED SUPPLIER MUST ASSUME PATENT LIABILITY.

M-7408-2

Printed in U.S.A.

SQDDNC_000152



RAW MATERIAL STANDARD

1983

MOLDING
MATERIALS

COMPOUNDS - THERMOSETTING

1593-	DESCRIPTION	FLOW (1)	COLOR	FORM
200870	Phenolic, asbestos free, wood flour and mineral filled. Plenco 548AF	140 14	Black	Granular
200871	Phenolic. Plenco 548AF	130 13	Black	Granular
200872	Phenolic. Specific gravity: 1.44. Flexural strength: 12700 psi. Plenco 548AF.	130 13	Black	Granular
200880	Polyester. Premix Inc. 6100-13	---	Black	Slug 2-1/2 dia. x 500 grams
200881	Polyester. 5% glass filled. Premix Inc. 6100-05 BMC	---	Blue	Slug 1-1/2 dia. x 80 grams
200890	Phenolic. Wood flour filled. Plenco 308	6-15 60 140	Black	Granular
200891	Phenolic. Wood flour filled. Plenco 308	120 12	Black	Granular
200900	Phenolic. Reichhold 25378	18	Black	Granular
200910	Phenolic. Durez 30959.	10	Black	Granular
200911	Phenolic. Durez 30959	12	Black	Granular
200912	Phenolic. Durez 30959 RI	RI	Black	Granular
200920	Polyester, glass reinforced. Polyply Inc. SP445	D	Black	Pellets
200930	Polyester - Glastic 1423 AD	----	Black	Bulk
200940	Phenolic. Reichhold 25378	----	Black	Granular
200950	Phenolic and cellulose and mineral filled, asbestos free. Reichhold 25016.	12	Black	Granular
200960	Glass reinforced polyester. American Cyanamid Cyglas 620M	---	Yellow	Bulk
200970	Phenolic, cotton filled. Fiberite FM3510	----	Black	Pellets
200980	Polyester, glass filled. Premix Inc. 6000-05	----	Black	Slug 1.5" dia. x 6" long
200990	Polyester, glass reinforced. Premix Inc. 6140-12 TMC	----	Black	1-1/2 dia. preform
201000	Epoxy. Ciba Geigy CY-184	----	Amber	Liquid
201001	Epoxy. Ciba Geigy (XB3001) NU460.	EMMI 1-66 Spirol 20-28 inches	Black	Granular
201010	Diallylphthalate, glass fiber reinforced. Rogers RX3-1-525F	----	Black	Granule
201020	Polyester, glass fiber and mineral filled. Plenco 1581	Medium Stiff	Black	Pellets
201030	Polyester. Plenco 1580	Soft	Black	Pellets
201040	Phenolic. Durez SI-118	14	Black	Granular
201050	Phenolic. Durez 165DF	12	Black	Granular
201060	Glass filled polyester. American Cyanamid Cyglass 620M.	Medium	Black	Extruded log.

(1) See FLOW NOTE, page 1, top.

JANUARY 1983

PAGE 7

1593

SQUARE D COMPANY

THESE STANDARDS WERE DEVELOPED WITHOUT CONSIDERING WHETHER PATENTS MAY BE INVOLVED. SUPPLIER MUST ASSUME PATENT LIABILITY.

M-7408-1

Printed in U.S.A.

SQDDNC_000153

1593 RAW MATERIAL STANDARD



MOLDING
MATERIALS

COMPOUNDS - THERMOPLASTIC

1593-	DESCRIPTION	COLOR	FORM
001000	Acetal. DuPont Delrin 507	Black BK601	Pellets
001010	Nylon. DuPont Zytel 101	Natural	Pellets
001020	Acetal. DuPont Delrin 507	Natural	Pellets
001030	Acetal. DuPont Delrin 507	Charcoal Gray GY603	Pellets
001040	Fiberglass and molybdenum disulfide filled nylon. Fiberfill Inc. Nylafil #G-1 (MS) Type 66.	Natural	Pellets
001050	Molybdenum disulfide filled nylon 66. Polymer Corp. Nylatron GS	Dark Gray	Granules
001060	Acetal. DuPont Delrin 507	Medium Green GN602	Pellets
001070	Nylon. DuPont Zytel 101	Red RD08	Pellets
001080	Polyethylene, ASTM D1248 Type 1 Class A Grade 3, Melt Index 2. Union Carbide DYNH-1	Natural	Granules
001090	Nylon. DuPont Zytel 105, Self Extinguishing	Black BK10	Pellets
001100	Polycarbonate resin. General Electric Lexan 101	Black 101-701	Pellets
001110	Nylon. DuPont Zytel 101.	Black BK09	Pellets
001130	Nylon. DuPont Zytel 211. Source: Plastics Trading Co., Chicago	Black BK09	Pellets
001140	Nylon. DuPont Zytel 211. Source: Plastics Trading Co., Chicago	Red RD08	Pellets
001150	Teflon filled Delrin. DuPont D-500 AF	Natural	Granules
001160	Polycarbonate resin. General Electric Lexan 101	Clear #102-01	Pellets
001170	Fiberglass filled nylon. Fiberfil Nylafil #G10-40.	White	Pellets
001180	Polycarbonate resin. GE Lexan 141.	White #821	Pellets
001190	Acetal. DuPont Delrin 507.	Red RD601	Pellets
001200	Polycarbonate resin. GE Lexan 141	Clear 141-112	Pellets
001210	Acetal. DuPont Delrin 507.	Emerald Green GN606	Pellets
001220	Acetal. DuPont Delrin 507.	Yellow YL603	Pellets
001230	Acetal. DuPont Delrin 507	Lt. Gray GY601	Pellets
001231	Acetal. DuPont Delrin 507	Med.Gray GY602	Pellets
001240	Polyvinylchloride, non-rigid. B. F. Goodrich Geon 8815	White #123	Pellets
001250	Acetal. DuPont Delrin 507	Orange OR602	Pellets
001260	Acetal. DuPont Delrin 507	Brown BN603	Pellets
001270	Acetal. DuPont Delrin 507	Blue BL601	Pellets
001280	Polycarbonate resin. GE Lexan 141	Red 141-616	Pellets
001290	Acetal. DuPont Delrin 507	White WT602	Pellets
001300	Butyrate. Eastman Tenite 460A. Flow: MS	Clear 39469	----
001301	Butyrate. Eastman Tenite 460A. Flow: MS	White 35567	----
001302	Butyrate. Eastman Tenite 460A. Flow: MS.	Red 33011	
001303	Butyrate. Eastman Tenite 460A. Flow: MS	Amber 34201	
001304	Butyrate. Eastman Tenite 460A. Flow: MS	Green 38671	
001305	Butyrate. Eastman Tenite 460A. Flow: MS	Blue 17821	
001306	Butyrate. Eastman Tenite 460A. Flow: MS	Yellow 4183	
001307	Butyrate. Eastman Tenite 526A. Flow: M	Clear 22300	Pellets
001308	Butyrate. Eastman Tenite 265A. Flow: S	Clear 4T196	Pellets
001360	Fiberglass filled nylon. Fiberfil Nylafil G-1/40	Black	Pellets
001370	Polycarbonate resin. GE Lexan 141	Black 701	Pellets
001390	Polycarbonate resin. Mobay Merlon M40	Blue 8010	Pellets
001400	Polycarbonate resin. Mobay Merlon M40	Black 1510	Pellets
001410	Polycarbonate resin. GE Lexan 141	Amber 141-416	Pellets
001411	Polycarbonate resin. GE Lexan 141R	Black 701	Pellets
001412	Polycarbonate resin. GE Lexan 141R	Clear 112	Pellets
001413	Polycarbonate resin. GE Lexan 141	Amber 141-414	Pellets

1593

PAGE 8

JANUARY 1983

SQUARE D COMPANY

THESE STANDARDS WERE DEVELOPED WITHOUT CONSIDERING WHETHER PATENTS MAY BE INVOLVED SUPPLIER MUST ASSUME PATENT LIABILITY.

Printed in U.S.A.

M-7408-2

SQDDNC_000154



Anthony L. Springfield
(816) 360-4291
aspringfield@polsinelli.com

Twelve Wyandotte Plaza
120 W. 12th Street
Kansas City, MO 64105
(816) 421-3355
Fax: (816) 374-0509
www.polsinelli.com

May 22, 2012

Nicholas J. Angelides, Esq.
Simmons Browder Gianaris Angelides
& Barnerd LLC
One Court Street
Alton, IL 62002


Re: Roy Duncan and Mary Duncan, His Wife v. A. Shulman Inc., et. al.
Case No. 1122-CC09254

Dear Nick:

Pursuant to our agreement regarding Discovery Requests in this matter, enclosed you will find a CD-Rom containing Square D's document production in the above-referenced matter. These documents are labeled SQDDNC_000001 – SQDDNC_000473.

If you have any questions or concerns, please do not hesitate to give me a call to discuss.

Sincerely,



Anthony L. Springfield

ALS/tlh
Enclosures