

FILE NAME: Reynolds Metals (RM)

DATE: 1981 June

DOC#: RM021

DOCUMENT DESCRIPTION: Unpublished Internal Report -
Proportional Mortality Study of 1974-1980 Deaths -- CONFIDENTIAL

*Further
Describe layout in more detail
Moss
Other Co's.*

PROPORTIONAL MORTALITY STUDY
OF
1974 - 1980 DEATHS

Confidential

Reynolds Metals Company
June 1981

TX Tiner
RMC0042261

STUDY GOAL

TO IDENTIFY HIGHER INCIDENCES OF DISEASES
IN REYNOLDS EMPLOYEES WHICH COULD BE
RELATED TO THE WORK ENVIRONMENT.

TX TINER
RMC0042262

CONCLUSIONS

1. FAVORABLE MORTALITY RATIOS (PMR < 100) WERE FOUND FOR MOST DISEASES.
2. A SIGNIFICANT EXCESS OF DEATHS WAS DETECTED DUE TO RESPIRATORY AND GENITAL CANCER, HYPERTENSIVE HEART DISEASE, AND ACCIDENTS.
3. LUNG CANCER WAS SPREAD FAIRLY EVENLY ACROSS ALL WORK ENVIRONMENTS.
4. GENITAL CANCER WAS HIGH PRIMARILY AT TILO, CORPORATE HEADQUARTERS, JONES MILLS, AND PHOENIX.
5. THE INCIDENCE OF LYMPHOMA WAS STATISTICALLY SIGNIFICANT PRIMARILY IN THE REDUCTION DIVISION.
6. DIGESTIVE ORGAN CANCER WAS HIGH IN THE FLEXIBLE PACKAGING DIVISION.
7. NO EVIDENCE WAS FOUND TO SUPPORT A SIGNIFICANTLY HIGH INCIDENCE OF LEUKEMIA.

DISTRIBUTION OF EMPLOYEES BY AGE
AND YEAR OF DEATH

YEARS OF AGE

<u>YEAR</u>	<u>15-29</u>	<u>30-39</u>	<u>40-49</u>	<u>50-59</u>	<u>60-69</u>	<u>70-79</u>	<u>80 OR MORE</u>	<u>ALL AGES</u>
1974	15	9	36	73	82	51	23	289
1975	6	11	20	72	89	68	23	289
1976	5	9	20	59	120	79	15	307
1977	8	16	22	67	113	101	18	345
1978	7	9	21	62	111	94	36	340
1979	8	9	19	68	117	91	23	335
1980	14	15	23	63	127	93	38	378
<u>Total</u>	<u>63</u>	<u>78</u>	<u>161</u>	<u>464</u>	<u>759</u>	<u>577</u>	<u>176</u>	<u>2278</u>

TX TINER
RMC0042264

PROPORTIONAL MORTALITY RATIO
(PMR)

$$\text{PMR} = \frac{\text{OBSERVED DEATHS}}{\text{EXPECTED* DEATHS}} \times 100$$

*EXPECTED NUMBERS INCLUDE ADJUSTMENTS FOR SEX AND AGE AT DEATH.

1974-1980 EMPLOYEE DEATHS
UNITED STATES

CAUSE OF DEATH (I.C.D. NUMBER)	1976		1978	
	TOTAL OBSERVED	EXPECTED	PMR	EXPECTED
Tuberculosis (010-019)	0	5.1	--	4.6
Malignant Neoplasms (140-209)	582	511.2	114*	538.4
Buccal Cavity & Pharynx (140-149)	9	15.1	60	15.5
Digestive Organs & Peritoneum (150-159)	143	131.6	109	135.6
Respiratory System (160-169)	230	181.4	127*	195.7
Genital Organs (180-189)	68	44.6	132*	45.3
Urinary Organs (180-189)	15	26.0	58	26.4
Leukemia & Alkalemia (204-207)	16	18.1	88	18.0
Lymphomas (200-203, 208, 209)	33	25.3	130	28.3
Diabetes Mellitus (250)	27	33.8	80	33.7
Major Cardiovascular & Renal Diseases (390-458, 580-584)	1092	1135.9	96	1111.8
Rheumatic Fever & Chronic Rheumatic Heart Disease (390-398)	18	15.7	115	15.0
Hypertensive Disease (400-404)	21	15.8	133	14.8
Ischemic Heart Disease (410-413)	737	607.9	91	787.1
Nonrheumatic Endocarditis (421)	0	1.1	--	1.0
Cerebrovascular Disease (430-438)	155	158.5	98	143.1
Arteriosclerosis (440)	19	17.6	108	17.1
Chronic & Unspecified Nephritis & Renal Sclerosis (580-584)	5	9.9	51	10.1
Influenza & Pneumonia (470-486)	43	56.3	76	53.2
Ulcer of Stomach & Duodenum (531-532)	4	9.1	44	7.2
Appendicitis (540-543)	0	0.9*	--	0.9
Hernia & Intestinal Obstruction (550-553, 560)	4	4.6	87	4.2
Gastritis, Duodenitis, Enteritis & Colitis (535, 561, 563)	2	1.7	118	1.7
Cirrhosis of Liver (571)	35	59.3	59	57.1
Hypertrophy of Prostate (600)	2	1.5	133	1.1
Syphilis, Genital & Ill-Defined Conditions (780-796)	74	33.7	220*	32.7
Accidents (800-949)	146	126.4	116*	131.6
Suicide (950-959)	36	43.9	82	43.9
Homicide (960-978)	24	30.4	79	30.9
All Other Causes	207	224.2	92	225.0
TOTAL - ALL CAUSES	2278			

* Statistically significant at the 5 percent level.
+ Statistically significant at the 10 percent level.
NOTE: Eighth Revision International Classification of Disease. Adapted 1965.

TX TINER
RMC0042266

LOCATIONS WITH ABOVE AVERAGE INCIDENCE OF
RESPIRATORY CANCER

LOCATION	1976	OBSERVED	TOTAL	PERCENTAGE OF
	PMR	DEATHS	DEATHS	TOTAL DEATHS ¹
All Locations	127*	230	2278	10.1%
RASCO Locations	250*	4	24	16.7%
A&BP Division (Tilco)	179	5	37	13.5%
Flexible Packaging Division	165*	39	337	11.6%
South Plant	213*	13	76	17.1%
St. Louis Printing	208+	5	35	14.3%
Alumina & Mining Division	143	20	164	12.2%
Hurricane Creek	172*	15	106	14.1%
Sherwin	147	5	36	13.9%
Reduction Division	131*	55	499	11.0%
St. Lawrence	250	2	10	20.0%
Jones Mills	186*	16	105	15.2%
Electrical Division	130	3	27	11.1%
Malvern Cable	400*	2	7	28.6%
Can Division	125	7	73	9.6%
Louisville Machinery Plant	333+	2	7	28.6%
Macauley	200	1	12	8.3%
Mill Products Division	116	90	955	9.4%
Bellwood Extrusion	278*	5	20	25.0%
Louisville 15	250+	4	22	18.2%

¹ National male percentage is 6.9 percent.

LOCATIONS WITH ABOVE AVERAGE INCIDENCE OF
GENITAL CANCER

LOCATION	1976 PMR	OBSERVED DEATHS	TOTAL DEATHS	PERCENTAGE OF TOTAL DEATHS ¹
All Locations	123*	55	2278	2.4%
A&BP Division Tilo	429* 428*	3 3	37 34	8.1% 8.8%
RASCO Locations	400*	2	24	8.3%
Corporate Headquarters	304*	7	94	7.4%
Reduction Division Jones Mills Patterson	157+ 454* 250	14 10 2	499 105 43	2.8% 9.5% 4.6%
Can Division Footeburt	111 333	1 1	73 18	1.4% 5.6%
Mill Products Division Louisville 3 Phoenix Torrance Warehouse	101 250 195+ -	19 3 8 1	955 39 191 5	2.0% 7.7% 4.2% 20.0%

¹ National male percentage is 2.1 percent.

LOCATIONS WITH ABOVE AVERAGE INCIDENCE OF
LYMPHOMAS

LOCATION	1976 PMR	OBSERVED DEATHS	TOTAL DEATHS	PERCENTAGE OF TOTAL DEATHS ¹
All Locations	138	35	2278	1.5%
Recycling & Reclamation Division	-	1	11	9.1%
Bellwood Reclamation	-	1	6	16.7%
Alumina & Mining Division	222	4	164	2.4%
Bauxite	500	1	22	4.6%
Hurricane Creek	250+	3	106	2.8%
Flexible Packaging Division	184	7	337	2.1%
Louisville 1	278*	5	167	3.0%
South Plant	125	1	76	1.3%
Bellwood Printing	-	1	12	8.3%
Reduction Division	175+	10	499	2.0%
Longview	429*	3	60	5.0%
San Patricio	375*	3	66.1	4.6%
Troutdale	333*	3	79	3.8%
Mill Products Division	104	11	955	1.2%
Grand Rapids	250	1	38	2.6%
McCook	143	4	255	1.6%
Listerhill Alloys (Sheet & Plate)	105	4	340	1.2%

¹ National male percentage is 1 percent.

LOCATIONS WITH ABOVE AVERAGE INCIDENCE OF
DIGESTIVE ORGAN & PERITONEUM CANCER

LOCATION	1976 PMR	OBSERVED DEATHS	TOTAL DEATHS	PERCENTAGE OF TOTAL DEATHS
All Locations	109	143	2278	6.3%
RASCO Locations	333*	4	24	16.7%
Electrical Division	214	3	27	11.1%
Longview Cable	-	1	5	20.0%
Malvern Cable	-	1	7	14.3%
Chester Cable	111	1	15	6.7%
Corporate Headquarters	143	8	94	8.5%
Can Division	139	5	73	6.8%
Macaulay	250	1	12	8.3%
Footeburt	167	2	18	11.1%
San Francisco	-	1	3	33.3%
Alumina & Mining Division	113	11	64	17.2%
Sherwin Alumina	145	3	36	8.3%
Hurricane Creek	113	7	106	6.6%
Flexible Packaging Division	106	21	337	6.2%
Kentucky Southern Gravure	600*	3	12	25.0%
Bellwood Printing	333+	2	12	16.7%
North Plant	250+	4	25	16.0%
Grotoes	250	1	6	16.7%

*National male percentage is 5.3 percent.

LOCATIONS WITH ABOVE AVERAGE INCIDENCE OF
URINARY CANCER

<u>LOCATION</u>	<u>1976 PMR</u>	<u>OBSERVED DEATHS</u>	<u>TOTAL DEATHS</u>	<u>PERCENTAGE OF TOTAL DEATHS¹</u>
All Locations	108	28	2278	1.2%
Flexible Packaging Division	189+	7	337	2.1%
South Plant	333*	3	76	3.9%
St. Louis Printing	250	1	35	2.9%
Louisville 1	158	3	167	1.8%
Reduction Division	121	7	499	1.4%
Longview	286	2	60	3.3%
San Patricio	250	2	66	3.0%
Troutdale	111	1	79	1.3%
St. Lawrence	-	1	10	10.0%
Mill Products Division	117	13	955	1.4%
Grand Rapids	500*	2	38	5.3%
Louisville 3	200	1	39	2.6%
Listerhill Alloys (Sheet & Plate)	154	6	340	1.8%

¹ National male percentage is 1.1 percent.

LOCATIONS WITH ABOVE AVERAGE INCIDENCE OF
LEUKEMIA & ALEUKEMIA

LOCATION	1976 PMR	OBSERVED DEATHS	TOTAL DEATHS	PERCENTAGE OF TOTAL DEATHS ¹
All Locations	77	14	2278	0.6%
AsBP Division Ashville	333	1	37	2.7%
	-	1	3	33.3%
Can Division Footeburt	167	1	73	1.4%
	-	1	18	5.6%
Alumina & Mining Division Hurricane Creek	154	2	164	1.2%
	250	2	106	1.9%

¹National male percentage is 0.8 percent.

LOCATIONS WITH ABOVE AVERAGE INCIDENCE OF
BUCCAL CAVITY & PHARYNX CANCER

<u>LOCATION</u>	<u>1976 PMR</u>	<u>OBSERVED DEATHS</u>	<u>TOTAL DEATHS</u>	<u>PERCENTAGE OF TOTAL DEATHS¹</u>
All Locations	60	9	2278	0.4%
AsBP Division	500	1	37	2.7%
Ti10	500	1	34	2.9%
Can Division	400 *	2	400	0.5%
Louisville Machinery	-	1	7	14.3%
Bristol End.	-	1	4	25.0%
Corporate Headquarters	167	1	94	1.1%

¹National male percentage is 0.6 percent.